

BRFSS Statistical Brief: Caregiver Optional Module



Behavioral Risk Factor Surveillance System

**Alzheimer's Disease and Healthy Aging Program
National Center for Chronic Disease Prevention and Health Promotion
Centers for Disease Control and Prevention**

Contents

Objective	3
Background	3
Caregiver Module History	4
Analytic Code	4
Caregiver Status	5
Relationship to Care Recipient	6
Length of Care	7
Time Spent Providing Care	8
Care Recipient Major Health Problem	9
Care Recipient has Alzheimer's Disease, Dementia, or Other Cognitive Impairment Disorder	10
Types of Assistance	11
Types of Assistance (continued)	12
Expected Future Caregiving	13
References	14
Appendix A: Healthy People 2030 Objectives Related to Caregivers	15
Appendix B: BRFSS 2019–Present Caregiver Module	16
Appendix C: BRFSS 2015–2018 Caregiver Module	18
Appendix D: Analytic Code for Support Service Needs	20
Selected Scientific Publications	21
Data For Action: Selected Examples	22



Objective

The purpose of this document is to provide guidance for BRFSS coordinators and researchers who would like to conduct analyses of the data collected through the BRFSS Caregiver Optional Module and provide basic computer code for analyzing the data. The goal is to enable consistency in analytic methods and results reported.

Background

The demand for and burden on caregivers is projected to increase.^{1,2} Caregivers must maintain their own health in order to provide appropriate care for others.³ Therefore, understanding the activities of and effects of caregiving on health and function is an important goal for public health.¹

Healthy People has included objectives related to caregivers for the past two cycles. In Healthy People 2030, multiple objectives target caregivers and could be addressed through increased surveillance (Appendix A).⁴

Populations — People with Disabilities: Objective DH-D01 — Reduce the prevalence of anxiety or depression among family caregivers of persons with disabling conditions.

Health Conditions — Dementias: Objective DIA-01 — Increase the proportion of older adults with diagnosed Alzheimer's disease and other dementias, or their caregiver, who are aware of the diagnosis.

Health Conditions — Dementias: Objective DIA-03 — Increase the proportion of adults with Subjective Cognitive Decline (SCD) who have discussed their confusion or memory loss with a health care professional.

The Alzheimer's Disease and Healthy Aging Program's report, *The Healthy Brain Initiative: The Public Health Road Map for State and National Partnerships, 2018-2023*, recommends implementing the BRFSS Caregiver Module (objective M-1).⁵



Caregiver Module History

In 2009, the BRFSS questionnaire included the question, “People may provide regular care or assistance to a friend or family member who has a health problem, long-term illness, or disability. During the past month, did you provide any such care or assistance to a friend or family member?” The caregiver screening question was asked to all respondents (age 18 and older). A descriptive report using these data was published in 2013.⁶ Although it is important to be able to estimate the prevalence of caregiving and to identify caregivers, research demonstrates that the details of caregiving such as the type of care provided, the frequency of care, and the duration of care all relate to caregiver burden and well-being.⁷⁻⁹ The Caregiver Module was developed to capture information about caregivers’ activities and experiences to allow for a more in-depth assessment of caregiver status and health. Three rounds of cognitive testing on the module were performed to help ensure that the questions would be easy to understand and answer.

The module was modified in 2016 to include 'Old age/infirmity/frailty' and 'Injuries including broken bones' as response options to the question “What is the main health problem, long-term illness, or disability that the person you care for has?” Users will need to consider the additional response item when combining several years of data.

The module was further modified in 2019 where 'Alzheimer's disease' was specified in the category mentioning 'Dementia or other cognitive impairment disorders' for the major health problem of the person receiving care. A follow-up question was also added asking if the person cared for also had 'Alzheimer's disease, dementia or other cognitive impairment disorders' so that these individuals could be captured even if they were not captured in the primary problem of the care receiver question. The question on needed support services was removed from the module beginning in 2019.

The Caregiving Module was used by 24 states in 2015, 21 states in 2016, 12 states in 2017, 5 states in 2018 and 10 states in 2019.

Analytic Code

The Caregiver Module includes a screening question that is asked of all BRFSS respondents to identify caregivers. People who say “yes” to the caregiver screening question are considered caregivers and are asked 7 additional questions about their caregiving experience. People who say “no” or “don’t know/not sure” to the caregiver screening question or who refuse to answer it are asked a follow-up question about anticipated caregiving in the next two years. Variable names used to create recoded variables are the CDC-assigned variable names for each question. The sections below

describe each item and include sample Stata and SAS code to analyze the data. All “don’t know/not sure” and “refused” responses are set to missing. Respondents with missing responses are excluded from the denominator; however, there may be circumstances when these responses may be appropriate to include in the denominator.

The full text of the 2019–Present Caregiver Module appears in Appendix B. Furthermore, Appendix C contains the 2015–2018 Caregiver Module text with noted changes applied in 2016. Older versions of the module can be found on the [BRFSS](#) website.

Caregiver Status

The Caregiver Module begins with the following screening question to identify caregivers. It differs slightly from the original screening question used on the 2009 BRFSS core:

1. People may provide regular care or assistance to a friend or family member who has a health problem or disability. During the past 30 days, did you provide regular care or assistance to a friend or family member who has a health problem or disability?

1—Yes

2—No

7—Don’t know/Not sure

8—Caregiving recipient died in past 30 days

9—Refused

VARIABLE NAME: CAREGIV1

The code below creates variables to classify respondents who say “yes” to the screening question as caregivers and respondents who say “no” or report that the care recipient died in the past 30 days as non-caregivers. All other respondents are coded as missing and are excluded from denominators.

Note that respondents whose care recipient died in the past 30 days are not asked any subsequent module questions and also are not asked the expected future caregiving question.

Caregiver Status

Software	Analytic Code
STATA	recode caregiv1 (1=1) (2=0) (7=.) (8=0) (9=.), gen(caregiv1_rc)
SAS	if caregiv1=1 then caregiv1_rc=1; *Yes; if caregiv1 in (2,8) then caregiv1_rc=0; *No; if caregiv1 in (7,9) then caregiv1_rc=.; *Missing;

The remaining questions are asked only of respondents who were classified as caregivers in the screening question (i.e., caregiv1=1).

Relationship to Care Recipient

The Caregiver Module asks the caregiver to describe the person for whom they provide care. This question may be recoded to set “don’t know/not sure” and “refused” responses to missing as well as code to create comparison groups such as distinguishing spousal/partner* from non-spousal/partner caregivers or family caregivers from non-family caregivers.

2. What is his/her relationship to you? For example is he/she your (mother/daughter or father/son)?

- 1—Mother
- 2—Father
- 3—Mother-in-law
- 4—Father-in-law
- 5—Child
- 6—Husband
- 7—Wife
- 8—Live-in partner
- 9—Brother or brother-in-law
- 10—Sister or sister-in-law
- 11—Grandmother
- 12—Grandfather
- 13—Grandchild
- 14—Other relative
- 15—Non-relative/Family friend
- 77—Don’t know/Not sure
- 99—Refused

VARIABLE NAME: CRGVREL3

* In previous versions of the Caregiver Module there was an option 16 for unmarried partner. In 2019, one state had responses for option 16 in the crgvrel3 variable. We recommend coding these to missing.

Relationship to Care Recipient

Software	Analytic Code
STATA	<pre> recode crgvrel3 (77/99=.), gen(crgvrel3_rc) recode crgvrel3 (1/5=0) (6/8=1) (9/15=0) (77/99=.), gen(cg_ spousepartner) recode crgvrel3 (1/14=1) (15=0) (77/99=.), gen(cg_family) </pre>
SAS	<pre> crgvrel3_rc=crgvrel3; if crgvrel3 in (77:99) then crgvrel3_rc=.; *DK/Ref; if crgvrel3 in (6:8) then cg_spousepartner =1; *Spouse/Partner; if crgvrel3 in (1:5,9:15) then cg_spousepartner = 0; *Non-Spouse; if crgvrel3 in (77,99) then cg_spousepartner = .; *DK/Ref; if crgvrel3 in (1:14) then cg_family=1; *Family Member/Relative; if crgvrel3 =15 then cg_family=0; * Non-Family Member/Non-Relative; if crgvrel3 in (77,99) then cg_family =.; *DK/Ref; </pre>

Length of Care

Caregivers are asked how long they have provided care to the care recipient. Analysts could use the categories provided or collapse categories to identify people who have recently become caregivers (e.g., in the past 6 months) or long-term caregivers (e.g., more than 5 years).

3. For how long have you provided care for that person? Would you say...

1—Less than 30 days

2—1 month to less than 6 months

3—6 months to less than 2 years

4—2 years to less than 5 years

5—5 or more years

7—Don't know/Not sure

9—Refused

VARIABLE NAME: CRGVLNG1

Length of Care

Software	Analytic Code
STATA	<pre>recode crgvlng1 (7/9=.), gen(crgvlng1_rc) recode crgvlng1 (1/2=1) (3/5=0) (7/9=.), gen(cg_recent) recode crgvlng1 (1/4=0) (5=1) (7/9=.), gen(cg_longterm)</pre>
SAS	<pre>crgvlng1_rc= crgvlng1; if crgvlng1 in (7,9) then crgvlng1_rc=.; *DK/Ref; if crgvlng1 in (1:2) then cg_recent=1; * <6 mos; if crgvlng1 in (3:5) then cg_recent=0; *6+ mos; if crgvlng1 in (7,9) then cg_recent=.; *DK/Ref; if crgvlng1 in (1:4) then cg_longterm=0; * < 5 yrs; if crgvlng1=5 then cg_longterm=1; *5+ yrs; if crgvlng1 in (7,9) then cg_longterm=.; *DK/Ref;</pre>

Time Spent Providing Care

Response options for time spent providing care each week are based on a standard work schedule. Researchers may be interested in reporting whether caregiving represents the equivalent of a part-time job (20-39 hours per week) or a full-time job (40 hours or more per week).

4. In an average week, how many hours do you provide care or assistance? Would you say...

- 1—Up to 8 hours per week
- 2—9 to 19 hours per week
- 3—20 to 39 hours per week
- 4—40 hours or more per week
- 7—Don't know/Not sure
- 9—Refused

VARIABLE NAME: CRGVHRS1

Time Spent Providing Care

Software	Analytic Code
STATA	<pre>recode crgvhrs1 (7/9=.), gen(crgvhrs1_rc) recode crgvhrs1 (1/2=0) (3/4=1) (7/9=.), gen(cg_parttime) recode crgvhrs1 (1/3=0) (4=1) (7/9=.), gen(cg_fulltime)</pre>
SAS	<pre>crgvhrs1_rc=crgvhrs1; if crgvhrs1 in (7:9) then crgvhrs1_rc=.; *DK/Ref; if crgvhrs1 in (1:2) then cg_parttime=0; *<20 hrs/wk; if crgvhrs1 in (3:4) then cg_parttime=1; *20+ hrs/wk; if crgvhrs1 in (7,9) then cg_parttime=.; *DK/Ref; if crgvhrs1 in (1:3) then cg_fulltime=0; *<40 hrs/wk; if crgvhrs1=4 then cg_fulltime=1; *40+ hrs/wk; if crgvhrs1 in (7,9) then cg_fulltime=.; *DK/Ref;</pre>

Care Recipient Major Health Problem

Caregivers are asked to report the care recipient’s major health condition or disability that necessitates care. The list of response options can be grouped into categories by type of health condition. For example, code distinguishing caregivers of people with dementia or other cognitive impairment disorders as the major health problem from other types of caregivers is shown below.

5. What is the main health problem, long-term illness, or disability that the person you care for has?

- 1—Arthritis/Rheumatism
- 2—Asthma
- 3—Cancer
- 4—Chronic respiratory conditions such as Emphysema or COPD
- 5—Alzheimer’s disease, Dementia or other Cognitive Impairment Disorders
- 6—Developmental Disabilities such as Autism, Down’s Syndrome, and Spina Bifida
- 7—Diabetes
- 8—Heart Disease, Hypertension, Stroke
- 9—Human Immunodeficiency Virus Infection (HIV)
- 10—Mental Illnesses, such as Anxiety, Depression, or Schizophrenia
- 11—Other organ failure or diseases such as kidney or liver problems
- 12—Substance Abuse or Addiction Disorders
- 13—Injuries, including broken bones
- 14—Old age/infirmity/frailty
- 15—Other
- 77—Don’t know/Not sure
- 99—Refused

VARIABLE NAME: CRGVPRB3

Care Recipient Major Health Problem

Software	Analytic Code
STATA	<pre>recode crgvprb3 (77/99=.), gen(cg_recipcond) recode crgvprb3 (1/4=0) (5=1) (6/15=0) (77/99=.), gen(cg_dementia)</pre>
SAS	<pre>crgvprb3_rc = crgvprb3; if crgvprb3 in (77:99) then crgvprb3_rc=.; *DK/Ref; if crgvprb3=5 then cg_dementia=1; *Dementia/ other Cognitive Impairment Disorders; if crgvprb3 in (1:4:6:15) then cg_dementia=0; *Non-Dementia/other Cognitive Impairments; if crgvprb3 in (77,99) then cg_dementia=.;*DK/ Ref;</pre>

Care Recipient has Alzheimer's Disease, Dementia, or Other Cognitive Impairment Disorder

Caregivers may provide care for a friend or family member with multiple health problems. Question 6 identifies caregivers who care for persons who have Alzheimer's disease, dementia or other cognitive impairment disorder in addition to the main health problem identified in question 5. Researchers might use these two questions (CRGVPRB3, CRGVALZD) to identify caregivers who are providing care for someone with Alzheimer's disease, dementia, or other cognitive impairment disorders whether it's the major health problem or a secondary health problem.

6. Does the person you care for also have Alzheimer's Disease, Dementia or Other Cognitive Impairment Disorders?

1—Yes

2—No

7—Don't know/Not sure

9—Refused

VARIABLE NAME: CRGVALZD

Care Recipient has Alzheimer's Disease, Dementia, or Other Cognitive Impairment Disorder

Software	Analytic Code
----------	---------------

STATA

```
recode crgvalzd (7/9=.), gen(crgvalzd_rc)
```

```
recode crgvprb3 (1/4=0) (5=1) (6/15=0) (77/99=.), gen(cg_dementia_all)
```

```
replace cg_dementia_all = 1 if crgvalzd == 1
```

```
replace cg_dementia_all = 0 if crgvalzd == 2 & (crgvprb3 == 77 | crgvprb3 == 99)
```

SAS

```
crgvalzd_rc=crgvalzd;
```

```
if crgvalzd in (7,9) then crgvalzd_rc = .; *DK/Ref;
```

```
if crgvprb3 = 5 then cg_dementia_all = 1; *yes, dementia;
```

```
if crgvprb3 in (1:4,6:15) then cg_dementia_all = 0; *no, dementia;
```

```
if crgvalzd = 1 then cg_dementia_all = 1; *yes, dementia;
```

```
if crgvalzd = 2 and crgvprb3 in (77,99) then cg_dementia_all = 0; *no, dementia;
```

Types of Assistance

As with all surveillance systems, it is not possible to collect all the details of respondents' experiences. However, the Caregiver Module captures two commonly reported types of assistance: personal care activities (6) and household tasks (7). The code below recodes "don't know/not sure" and "refused" responses to missing.

7. In the past 30 days, did you provide care for this person by managing personal care such as giving medications, feeding, dressing, or bathing?

1—Yes

2—No

7—Don't know/Not sure

9—Refused

VARIABLE NAME: CRGVPER1

8. In the past 30 days, did you provide care for this person by managing household tasks such as cleaning, managing money, or preparing meals?

1—Yes

2—No

7—Don't know/Not sure

9—Refused

VARIABLE NAME: CRGVHOU1

Types of Assistance (Personal Care Activities)

Software	Analytic Code
STATA	recode crgvper1 (1=1) (2=0) (7/9=.), gen(crgvpers_rc)
SAS	crgvper1_rc=crgvper1; if crgvper1 = 2 then crgvper1_rc = 0; *No; if crgvper1 in (7,9) then crgvper1_rc=.; *DK/Ref;

Types of Assistance (Household Tasks)

Software	Analytic Code
STATA	recode crgvhou1 (1=1) (2=0) (7/9=.), gen(crgvhous_rc)
SAS	crgvhou1_rc=crgvhou1; if crgvhou1=2 then crgvhou1_rc=0; *No; if crgvhou1 in (7,9) then crgvhou1_rc=.; *DK/Ref;



Types of Assistance (continued)

Researchers might use these two questions together (7. crgvper1 and 8. crgvhou1) to create a categorical variable for type(s) of care provided: neither personal care nor household tasks, household tasks only, personal care only, or both personal care and household tasks.

**Note: responses for don't know/not sure and refused for either crgvper1 or crgvhou1 are set to missing using this code.*

Types of Assistance (Combined)

Software	Analytic Code
STATA	<pre>gen cg_assistancecat=. replace cg_assistancecat=0 if crgvper1==2 & crgvhou1==2 replace cg_assistancecat=1 if crgvper1==2 & crgvhou1==1 replace cg_assistancecat=2 if crgvper1==1 & crgvhou1==2 replace cg_assistancecat=3 if crgvper1==1 & crgvhou1==1</pre>
SAS	<pre>if crgvper1=2 and crgvhou1 =2 then cg_assistancecat=0; * Provided other types of care; if crgvper1=2 and crgvhou1=1 then cg_assistancecat=1; * Household tasks only; if crgvper1=1 and crgvhou1 =2 then cg_assistancecat=2; *Personal Care only; if crgvper1=1 and crgvhou1 =1 then cg_assistancecat=3; * Both Personal and Household Tasks;</pre>



Expected Future Caregiving

Respondents who are not current caregivers (who say “No” to Question 1) or who do not answer the caregiving screening question (Question 1), are asked a follow-up question about anticipated caregiving within the next two years. This question may be useful for communities, public health agencies, and other organizations involved in planning programs and services to estimate future demands of caregiving.

9. In the next 2 years, do you expect to provide care or assistance to a friend or family member who has a health problem or disability?

1—Yes

2—No

7—Don’t know/Not sure

9—Refused

VARIABLE NAME: CRGVEXPT

Expected Future Caregiving

Software	Analytic Code
STATA	<code>recode crgvexpt (1=1) (2=0) (7/9=.), gen(crgvexpt_rc)</code>
SAS	<code>crgvexpt_rc=crgvexpt; if crgvexpt = 2 then crgvexpt_rc = 0; *No; if crgvexpt in (7,9) then crgvexpt_rc = .; *DK/Ref;</code>



References

1. Talley RC, Crews JE. Framing the public health of caregiving. *Am J Public Health* 2007;97(2):224-228.
2. Redfoot D, Feinberg L, Houser A. The Aging of the Baby Boom and the Growing Care Gap: A Look at Future Declines in the Availability of Family Caregivers. AARP Public Policy Institute Insight on the Issues 2013;85. Available at: http://www.aarp.org/content/dam/aarp/research/public_policy_institute/ltc/2013/baby-boom-and-the-growing-care-gap-insight-AARP-ppi-ltc.pdf. Accessed January 5, 2021.
3. McCann JJ, Hebert LE, Bienias JL, Morris MC, Evans DA. Predictors of beginning and ending caregiving during a 3-year period in a biracial community population of older adults. *Am J Public Health* 2004;94:1800-1806.
4. U.S. Department of Health and Human Services (US DHHS). Office of Disease Prevention and Health Promotion. Healthy People 2020: Disability and Health. Washington, DC. Available at: <http://www.healthypeople.gov/2020/topics-objectives/2020-Topics-and-Objectives-Objectives-A-Z>. Accessed January 5, 2021.
5. Centers for Disease Control and Prevention and the Alzheimer's Association. The Healthy Brain Initiative: The Public Health Road Map for State and National Partnerships, 2018–2023. Chicago, IL: Alzheimer's Association; 2018. Available at: <https://www.cdc.gov/aging/pdf/2018-2023-Road-Map-508.pdf> Accessed January 5, 2021.
6. Anderson LA, Edwards VJ, Pearson WS, Talley RC, McGuire LC, Andresen EM. Adult caregivers in the United States: Characteristics and differences in well-being, by caregiver age and caregiving status." *Preventing Chronic Disease* 2013;10: E135.
7. Trivedi R, Beaver K, Bouldin E, Zeliadt SB, Nelson K, Eugenio E, Rosland A, Grimesey J, Piette J. Characteristics and well-being of informal caregivers: Results from a nationally representative US survey. *Chronic Illness* 2013;10(3):167-179.
8. Reeves K, Bacon K, Fredman L. Caregiving associated with selected cancer risk behaviors and screening utilization among women: cross-sectional results of the 2009 BRFSS. *BMC Public Health* 2012;12(1):685.
9. LaVela SL, Etingen B, Pape TL. Caregiving experiences and health conditions of women veteran and non-veteran caregivers. *Women's Health Issues* 2013;23(4): e225-e232.
10. Garand L, Dew MA, Eazor LR, DeKosky ST, Reynolds CF. Caregiving burden and psychiatric morbidity in spouses of persons with mild cognitive impairment. *International Journal of Geriatric Psychiatry* 2005;20:512-522.



Appendix A: Healthy People 2030 Objectives Related to Caregivers

Populations—People with Disabilities: Objective DH-D01—Reduce the prevalence of anxiety or depression among family caregivers of persons with disabling conditions.

Health Conditions—Dementias: Objective DIA-01—Increase the proportion of older adults with diagnosed Alzheimer's disease and other dementias, or their caregiver, who are aware of the diagnosis.

Health Conditions—Dementias: Objective DIA-03—Increase the proportion of adults with Subjective Cognitive Decline (SCD) who have discussed their confusion or memory loss with a health care professional.

Appendix B: BRFSS 2019–Present Caregiver Module

1. During the past 30 days, did you provide regular care or assistance to a friend or family member who has a health problem or disability?

INTERVIEWER INSTRUCTIONS: If caregiving recipient has died in the past 30 days, say “I’m so sorry to hear of your loss.” and code 8.

- 1—Yes
- 2—No—[Go to Question 9]
- 7—Don’t know/Not sure—[Go to Question 9]
- 8—Caregiving recipient died in past 30 days—[Go to next module]
- 9—Refused—[Go to Question 9]

2. What is his or her relationship to you? For example is he or she your (mother or daughter or father or son)?—

INTERVIEWER NOTE: If more than one person, say: “Please refer to the person to whom you are giving the most care.”

- | | |
|------------------------------|-------------------------------|
| 01—Mother | 10—Sister or sister-in-law |
| 02—Father | 11—Grandmother |
| 03—Mother-in-law | 12—Grandfather |
| 04—Father-in-law | 13—Grandchild |
| 05—Child | 14—Other relative |
| 06—Husband | 15—Non-relative/Family friend |
| 07—Wife | 77—Don’t know/Not sure |
| 08—Live-in partner | 99—Refused |
| 09—Brother or brother-in-law | |

3. For how long have you provided care for that person? Would you say...

- | | |
|---------------------------------|--------------------------------|
| 1—Less than 30 days | 4—2 years to less than 5 years |
| 2—1 month to less than 6 months | 5—More than 5 years |
| 3—6 months to less than 2 years | 7—Don’t Know/ Not Sure |
| | 9—Refused |

4. In an average week, how many hours do you provide care or assistance?

Would you say...

- 1—Up to 8 hours per week
- 2—9 to 19 hours per week
- 3—20 to 39 hours per week
- 4—40 hours or more
- 7—Don’t know/Not sure
- 9—Refused

5. What is the main health problem, long-term illness, or disability that the person you care for has?

IF NECESSARY: Please tell me which one of these conditions would you say is the major problem?

[DO NOT READ: RECORD ONE RESPONSE]

- 1—Arthritis/Rheumatism
- 2—Asthma
- 3—Cancer
- 4—Chronic respiratory conditions such as Emphysema or COPD
- 5—Alzheimer’s disease, Dementia or other Cognitive Impairment Disorders
- 6—Developmental Disabilities such as Autism, Down’s Syndrome, and Spina Bifida
- 7—Diabetes
- 8—Heart Disease, Hypertension, Stroke
- 9—Human Immunodeficiency Virus Infection (HIV)
- 10—Mental Illnesses, such as Anxiety, Depression, or Schizophrenia
- 11—Other organ failure or diseases such as kidney or liver problems
- 12—Substance Abuse or Addiction Disorders
- 13—Injuries, including broken bones
- 14—Old age/infirmary/frailty
- 15—Other
- 77—Don’t know/Not sure
- 99—Refused

6. Does the person you care for also have Alzheimer's Disease, Dementia or other Cognitive Impairment Disorder?

1—Yes

7—Don't Know /Not Sure

2—No

9—Refused

7. In the past 30 days, did you provide care for this person by...

Managing personal care such as giving medications, feeding, dressing, or bathing?

1—Yes

7—Don't Know /Not Sure

2—No

9—Refused

8. In the past 30 days, did you provide care for this person by...

Managing household tasks such as cleaning, managing money, or preparing meals?

1—Yes

7—Don't Know /Not Sure

2—No

9—Refused

9. In the next 2 years, do you expect to provide care or assistance to a friend or family member who has a health problem or disability?

1—Yes

7—Don't know/Not sure

2—No

9—Refused

Appendix C: BRFSS 2015-2018 Caregiver Module

1. During the past 30 days, did you provide regular care or assistance to a friend or family member who has a health problem or disability?

INTERVIEWER INSTRUCTIONS: If caregiving recipient has died in the past 30 days, say “I’m so sorry to hear of your loss.” and code 8.

- 01—Yes
- 02—No—[Go to Question 9]
- 07—Don’t know/Not sure—[Go to Question 9]
- 08—Caregiving recipient died in past 30 days—[Go to next module]
- 09—Refused—[Go to Question 9]

2. What is his or her relationship to you? For example is he or she your (mother or daughter or father or son)?

INTERVIEWER NOTE: If more than one person, say: “Please refer to the person to whom you are giving the most care.”

- | | |
|------------------------------|-------------------------------|
| 01—Mother | 10—Sister or sister-in-law |
| 02—Father | 11—Grandmother |
| 03—Mother-in-law | 12—Grandfather |
| 04—Father-in-law | 13—Grandchild |
| 05—Child | 14—Other relative |
| 06—Husband | 15—Non-relative/Family friend |
| 07—Wife | 77—Don’t know/Not sure |
| 08—Live-in partner | 99—Refused |
| 09—Brother or brother-in-law | |

3. For how long have you provided care for that person? Would you say...

- | | |
|----------------------------------|---------------------------------|
| 01—Less than 30 days | 04—2 years to less than 5 years |
| 02—1 month to less than 6 months | 05—More than 5 years |
| 03—6 months to less than 2 years | 07—Don’t know/Not sure |
| | 09—Refused |

4. In an average week, how many hours do you provide care or assistance?

Would you say...

- 01—Up to 8 hours per week
- 02—9 to 19 hours per week
- 03—20 to 39 hours per week
- 04—40 hours or more
- 07—Don’t know/Not sure
- 09—Refused

5. What is the main health problem, long-term illness, or disability that the person you care for has?

IF NECESSARY: Please tell me which one of these conditions would you say is the major problem?

[DO NOT READ: RECORD ONE RESPONSE]

- 01—Arthritis/Rheumatism
- 02—Asthma
- 03—Cancer
- 04—Chronic respiratory conditions such as Emphysema or COPD
- 05—Dementia and other Cognitive Impairment Disorders
- 06—Developmental Disabilities such as Autism, Down’s Syndrome, and Spina Bifida
- 07—Diabetes
- 08—Heart Disease, Hypertension, Stroke
- 09—Human Immunodeficiency Virus Infection (HIV)
- 10—Mental Illnesses, such as Anxiety, Depression, or Schizophrenia
- 11—Other organ failure or diseases such as kidney or liver problems
- 12—Substance Abuse or Addiction Disorders
- 13—Injuries, including broken bones*
- 14—Old age/infirmary/frailty*
- 15—Other
- 77—Don’t know/Not sure
- 99—Refused

*These response items were added to Question #5 in the 2016 BRFSS Caregiver Module.

6. In the past 30 days, did you provide care for this person by...

Managing personal care such as giving medications, feeding, dressing, or bathing?

- | | |
|--------|------------------------|
| 01—Yes | 07—Don't know/Not sure |
| 02—No | 09—Refused |

7. In the past 30 days, did you provide care for this person by...

Managing household tasks such as cleaning, managing money, or preparing meals?

- | | |
|--------|------------------------|
| 01—Yes | 07—Don't know/Not sure |
| 02—No | 09—Refused |

8. Of the following support services, which one do YOU most need, that you are not currently getting?

[INTERVIEWER NOTE: IF RESPONDENT ASKS WHAT RESPITE CARE IS]:

Respite care means short-term or long-term breaks for people who provide care.

[READ OPTIONS 1 – 6]

- 01—Classes about giving care, such as giving medications
- 02—Help in getting access to services
- 03—Support groups
- 04—Individual counseling to help cope with giving care
- 05—Respite care
- 06—You don't need any of these support services

[DO NOT READ]

- 07—Don't Know /Not Sure
- 09—Refused

[If Q1 = 1 or 8, GO TO NEXT MODULE]

9. In the next 2 years, do you expect to provide care or assistance to a friend or family member who has a health problem or disability?

- | | |
|--------|------------------------|
| 01—Yes | 07—Don't know/Not sure |
| 02—No | 09—Refused |

Appendix D: Analytic Code for Support Service Needs

Support Service Needs

The following question was removed from the 2019 Caregiving Module but can be analyzed for years 2015-2018. Assessing caregivers' unmet needs for support services may be helpful in local or state-level planning activities. This question asks about the service needed most and should not be used to identify services that are unneeded by caregivers. It does not indicate whether caregivers are currently receiving services. In some cases, it may be useful to distinguish caregivers with any unmet needs for support services from caregivers who do not have unmet needs.

Of the following support services, which one do you MOST need, that you are not currently getting?

- 1—Classes about giving care, such as giving medications**
- 2—Help in getting access to services**
- 3—Support groups**
- 4—Individual counseling to help cope with giving care**
- 5—Respite care**
- 6—You don't need any of these support services**
- 7—Don't know/Not sure**
- 9—Refused**

VARIABLE NAME: CRGVMST3

Support Service Needs

Software	Analytic Code
STATA	recode crgvmst3 (7/9=.), gen(CG_servicemostneed) recode crgvmst3 (1/5=1) (6=0) (7/9=.), gen(CG_anyserviceneed)
SAS	crgvmst3_rc=crgvmst3; if crgvmst3 in (7,9) then crgvmst3_rc=; *DK/Ref; if crgvmst3 in (1:5) then cg_anyserviceneed=1; *Unmet service need; if crgvmst3=6 then cg_anyserviceneed=2; *Services not needed; if crgvmst3 in (7,9) then cg_anyserviceneed=; *DK/Ref;



Selected Scientific Publications

Barnhart, W. R., Ellsworth, D. W., Robinson, A. C., Myers, J. V., Andridge, R. R., & Haverkamp, S. M. (2020). Caregiving in the shadows: National analysis of health outcomes and intensity and duration of care among those who care for people with mental illness and for people with developmental disabilities. *Disability and Health Journal*, 13(1), 100837. doi: 10.1016/j.dhjo.2019.100837

Boehmer, U., Clark, M. A., Lord, E. M., & Fredman, L. (2018). Caregiving Status and Health of Heterosexual, Sexual Minority, and Transgender Adults: Results From Select U.S. Regions in the Behavioral Risk Factor Surveillance System 2015 and 2016. *The Gerontologist*, 59(4), 760–769. doi: 10.1093/geront/gny109

Bouldin, E. D., Shaull, L., Andresen, E. M., Edwards, V. J., & McGuire, L. C. (2018). Financial and Health Barriers and Caregiving-Related Difficulties Among Rural and Urban Caregivers. *The Journal of Rural Health*, 34(3), 263-274. <http://dx.doi.org/10.1111/jrh.12273>external icon


Edwards, V. J., Bouldin, E. D., Taylor, C. A., Olivari, B. S., McGuire, L. C. (2020). Characteristics and Health Status of Informal Unpaid Caregivers— 44 States, District of Columbia, and Puerto Rico, 2015–2017. *MMWR Morbidity & Mortality Weekly Report*, 69(7), 183-188.

Miyawaki, C. E., Bouldin, E. D., Taylor, C. A., & McGuire, L. C. (2020). Baby Boomers as Caregivers: Results From the Behavioral Risk Factor Surveillance System in 44 States, the District of Columbia, and Puerto Rico, 2015–2017. *Preventing Chronic Disease*, 17, E80. <https://doi.org/10.5888/pcd17.200010>

Rabarison, K. M., Bouldin, E. D., Bish, C. L., McGuire, L. C., Taylor, C. A., & Greenlund, K. J. (2018). The Economic Value of Informal Caregiving for Persons With Dementia: Results From 38 States, the District of Columbia, and Puerto Rico, 2015 and 2016 BRFSS. *American Journal of Public Health*, 108(10), 1370–1377. doi: 10.2105/ajph.2018.304573


Tingey, J. L., Lum, J., Morean, W., Franklin, R., & Bentley, J. A. (2020). Healthcare coverage and utilization among caregivers in the United States: Findings from the 2015 Behavioral Risk Factor Surveillance System. *Rehabilitation Psychology*. doi: 10.1037/rep0000307

Data For Action: Selected Examples



Infographics

The Caregiving infographic series utilizes key BRFSS data from the Caregiving module. The infographics are available nationally, by state, and for several demographic groups, in both English and Spanish at <https://www.cdc.gov/aging/data/index.html>.



State of Aging and Health in America: Data Brief Series

The Caregiving Data Brief utilizes BRFSS data from the Caregiving module. The Caregiving brief includes the most recent and relevant Caregiving data available, including aging related conditions, the importance of brain health, and the management of chronic conditions to help identify needs and mitigate the future effects of a growing older population.

Full brief: <https://www.cdc.gov/aging/publications/briefs.htm>

For more information please contact

Centers for Disease Control and Prevention

1600 Clifton Road NE, Atlanta, GA 33029-4027

Telephone: 1-800-CDC-INFO (232-4636)/TTY: 1-888-232-6348

E-mail: cdcinfo@cdc.gov

Web: www.cdc.gov

Publication date: February 2021