

**CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS
CERTIFICATE OF COMPLIANCE**

LABORATORY NAME AND ADDRESS
 CDC NATL CTR INFECT DISEASE DENGUE LAB
 1324 CALLE CANADA
 SAN JUAN, PR 00920-3860

CLIA ID NUMBER
 40D0869394

EFFECTIVE DATE
 07/13/2023

LABORATORY DIRECTOR
 LYLE R PETERSEN M.D.

EXPIRATION DATE
 07/12/2025

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Monique Spruill
 Monique Spruill, Director
 Division of Clinical Laboratory Improvement & Quality
 Quality & Safety Oversight Group
 Center for Clinical Standards and Quality

11 Certs2_082223

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>	<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>
VIROLOGY (140)	07/13/1999		
GENERAL IMMUNOLOGY (220)	07/13/1999		



FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA
 OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR
 YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.
 PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.

CLIA ID Number: 40D0869394
CDC NATL CTR INFECT DISEASE DENGUE LAB
1324 CALLE CANADA
SAN JUAN, PR 00920-3860

STATE AGENCY ADDRESS AND PHONE NUMBER:
COMMONWEALTH OF PUERTO RICO
PR HEALTH DEPARTMENT/OFFICE OF CERT & LICENSU
1090 MARGINAL RUIZ SOLER
BAYAMON, PR 00961
(787)782-0120

LABORATORY MAILING ADDRESS: