

Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending February 1, 2014 (5th week)* (Export data)


Disease	Current week	Cum 2014	5-year weekly average [†]	Total cases reported for previous years					States reporting cases during current week (No.)
				2013	2012	2011	2010	2009	
Anthrax	—	—	—	—	—	1	—	1	
Arboviral diseases ^{§, ¶} :									
California serogroup virus disease	—	—	0	83	81	137	75	55	
Eastern equine encephalitis virus disease	—	—	0	6	15	4	10	4	
Powassan virus disease	—	—	—	13	7	16	8	6	
St. Louis encephalitis virus disease	—	—	—	—	3	6	10	12	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Botulism, total	—	6	2	141	168	153	112	118	
foodborne	—	—	0	5	27	24	7	10	
infant	—	4	2	122	123	97	80	83	
other (wound and unspecified)	—	2	0	14	18	32	25	25	
Brucellosis	—	5	1	104	114	79	115	115	
Chancroid	—	—	0	11	15	8	24	28	
Cholera	—	—	0	2	17	40	13	10	
Cyclosporiasis [§]	3	3	2	664	123	151	179	141	MO (1), NC (2)
Diphtheria	—	—	—	—	1	—	—	—	
<i>Haemophilus influenzae</i> ,** invasive disease (age <5 yrs):									
serotype b	—	1	1	22	30	14	23	35	
nonsertotype b	1	14	5	182	205	145	200	236	DC (1)
unknown serotype	4	28	5	209	210	226	223	178	MO (1), FL (2), OR (1)
Hansen disease [§]	—	—	2	64	82	82	98	103	
Hantavirus pulmonary syndrome [§]	—	—	0	13	30	23	20	20	
Hemolytic uremic syndrome, postdiarrheal [§]	1	3	1	227	274	290	266	242	CA (1)
Hepatitis B, virus infection perinatal	2	4	1	51	40	U	U	U	MO (2)
Influenza-associated pediatric mortality ^{§, ††}	3	31	5	164	52	118	61	358	WI (1), AR (1), CA (1)
Leptospirosis	—	—	—	NN	NN	NN	NN	NN	
Listeriosis	3	39	9	673	727	870	821	851	OH (1), NC (2)
Measles ^{§§}	5	13	2	187	55	220	63	71	MA (1), TX (1), CA (3)
Meningococcal disease, invasive ^{¶¶} :									
A, C, Y, and W-135	—	12	4	117	161	257	280	301	
serogroup B	—	2	3	77	110	159	135	174	
other serogroup	—	2	0	14	20	20	12	23	
unknown serogroup	6	22	9	307	260	323	406	482	MA (1), FL (3), KY (1), OR (1)
Novel influenza A virus infections ^{***}	—	—	32	21	313	14	4	43,774	
Plague	—	—	—	4	4	3	2	8	
Poliomyelitis, paralytic	—	—	—	1	—	—	—	1	
Polio virus Infection, nonparalytic [§]	—	—	—	—	—	—	—	—	
Psittacosis [§]	—	—	0	7	2	2	4	9	
Q fever, total [§]	—	4	2	150	135	134	131	113	
acute	—	4	2	116	113	110	106	93	
chronic	—	—	0	34	22	24	25	20	
Rabies, human	—	—	—	—	1	6	2	4	
Rubella ^{†††}	—	1	0	9	9	4	5	3	
Rubella, congenital syndrome	—	—	0	—	3	—	—	2	
SARS-CoV [§]	—	—	—	—	—	—	—	—	
Smallpox [§]	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome [§]	1	8	4	135	194	168	142	161	ME (1)
Syphilis, congenital (age <1 yr) ^{§§§}	—	1	8	185	322	360	377	423	
Tetanus	—	1	0	21	37	36	26	18	
Toxic-shock syndrome (staphylococcal) [§]	—	2	2	65	65	78	82	74	
Trichinellosis	—	—	1	19	18	15	7	13	
Tularemia	—	—	0	195	149	166	124	93	
Typhoid fever	4	10	8	322	354	390	467	397	MA (1), MD (1), FL (1), WA (1)
Vancomycin-intermediate <i>Staphylococcus aureus</i> [§]	1	12	2	210	134	82	91	78	OH (1)
Vancomycin-resistant <i>Staphylococcus aureus</i> [§]	—	—	—	—	2	—	2	1	
Vibriosis (noncholera <i>Vibrio</i> species infections) [§]	2	18	4	1,126	1,111	832	846	789	NC (1), FL (1)
Viral hemorrhagic fever ^{¶¶¶}	—	—	0	—	—	—	1	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending February 1, 2014 (5th week)*

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.
 * Case counts for reporting years 2013 and 2014 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/ncphi/diss/nndss/pdfs/files/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.
 ‡ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx.
 § Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.
 ** Data for *H. influenzae* (all ages, all serotypes) are available in Table II.
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 29, 2013, 40 influenza-associated pediatric deaths occurring during the 2013-14 influenza season have been reported.
 ‡‡ Of the five measles cases reported for the current week, one was indigenous and four were imported.
 §§ Data for meningococcal disease (all serogroups) are available in Table II.
 ¶¶ CDC discontinued reporting of individual confirmed and probable cases of influenza A (H1N1)pdm09 virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the influenza A (H1N1)pdm09 virus, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, the 313 cases reported in 2012, and the 21 cases reported during 2013 are different from the influenza A (H1N1)pdm09 virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).
 ††† No rubella cases were reported for the current week.
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals February 1, 2014, with historical data



* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

Notifiable Disease Data Team and 122 Cities Mortality Data Team

Umed Ajani
 Deborah A. Adams Willie J. Anderson
 Lenee Blanton Rosaline Dhara
 Diana Harris Onweh Alan W. Schley
 Pearl C. Sharp

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending February 1, 2014, and February 2, 2013 (5th week)* (Export data)

Reporting area	Spotted Fever Rickettsiosis (including RMSF)†										Syphilis, primary and secondary				
	Confirmed				Probable				Current week		Previous 52 weeks		Cum 2014	Cum 2013	
	Current week	Previous 52 weeks		Cum 2014	Cum 2013	Current week	Previous 52 weeks		Cum 2014	Cum 2013	Current week	Previous 52 weeks		Cum 2014	Cum 2013
	Med	Max				Med	Max				Med	Max			
United States	—	3	10	5	10	2	38	172	23	38	84	322	464	829	1,416
New England	—	0	1	—	—	—	0	2	—	1	2	8	19	17	47
Connecticut	—	0	0	—	—	—	0	0	—	—	—	1	6	4	8
Maine	—	0	0	—	—	—	0	1	—	—	—	0	1	—	—
Massachusetts	—	0	0	—	—	—	0	1	—	—	2	7	18	13	36
New Hampshire	—	0	1	—	—	—	0	1	—	1	—	0	3	—	3
Rhode Island	—	0	0	—	—	—	0	2	—	—	—	0	4	—	—
Vermont	—	0	0	—	—	—	0	0	—	—	—	0	2	—	—
Mid. Atlantic	—	0	1	1	1	—	1	6	—	7	8	40	58	116	184
New Jersey	—	0	1	—	—	—	0	4	—	5	—	3	9	2	27
New York (Upstate)	—	0	1	1	—	—	0	3	—	—	5	5	34	18	15
New York City	—	0	1	—	—	—	0	1	—	—	2	21	35	67	103
Pennsylvania	—	0	1	—	1	—	0	3	—	2	1	9	16	29	39
E.N. Central	—	0	2	—	—	—	2	14	2	5	2	34	57	47	178
Illinois	—	0	1	—	—	—	1	8	—	1	2	11	29	9	86
Indiana	—	0	1	—	—	—	0	4	—	3	—	4	10	8	13
Michigan	—	0	1	—	—	—	0	1	—	—	—	8	17	8	35
Ohio	—	0	1	—	—	—	0	2	2	1	—	8	14	18	35
Wisconsin	—	0	1	—	—	—	0	2	—	—	—	1	5	4	9
W.N. Central	—	0	1	1	—	—	3	26	2	—	—	12	25	20	52
Iowa	—	0	0	—	—	—	0	2	—	—	—	1	6	1	7
Kansas	—	0	0	—	—	—	0	0	—	—	—	1	4	2	2
Minnesota	—	0	0	—	—	—	0	0	—	—	—	3	8	—	15
Missouri	—	0	1	1	—	—	3	25	2	—	—	4	10	11	19
Nebraska	—	0	1	—	—	—	0	2	—	—	—	1	3	3	7
North Dakota	—	0	0	—	—	—	0	1	—	—	—	0	2	—	—
South Dakota	—	0	1	—	—	—	0	1	—	—	—	0	3	3	2
S. Atlantic	—	2	7	3	9	1	7	55	9	10	43	77	151	281	255
Delaware	—	0	0	—	—	—	0	2	2	1	2	0	9	5	2
District of Columbia	—	0	1	—	—	—	0	0	—	—	—	3	8	—	21
Florida	—	0	2	—	—	—	0	4	2	1	2	27	43	99	129
Georgia	—	1	7	3	8	—	0	0	—	—	5	15	49	64	39
Maryland	—	0	1	—	—	—	0	4	—	2	6	9	16	34	30
North Carolina	—	0	2	—	—	—	1	47	—	—	5	7	31	32	4
South Carolina	—	0	1	—	1	—	1	2	1	6	5	5	13	22	19
Virginia	—	0	1	—	—	1	1	12	3	—	18	5	17	25	10
West Virginia	—	0	1	—	—	—	0	2	1	—	—	0	2	—	1
E.S. Central	—	0	3	—	—	1	11	49	9	9	8	11	22	46	46
Alabama	—	0	1	—	—	—	3	17	3	1	—	4	8	4	12
Kentucky	—	0	1	—	—	—	1	6	3	2	6	2	8	14	5
Mississippi	—	0	1	—	—	—	0	4	—	—	1	1	19	24	8
Tennessee	—	0	2	—	—	1	7	30	3	6	1	3	8	4	21
W.S. Central	—	0	4	—	—	—	7	104	1	2	—	40	65	73	216
Arkansas	—	0	2	—	—	—	4	28	1	1	—	3	10	5	11
Louisiana	—	0	0	—	—	—	0	1	—	—	—	6	18	7	32
Oklahoma	—	0	4	—	—	—	0	88	—	—	—	2	8	6	11
Texas	—	0	1	—	—	—	1	4	—	1	—	29	41	55	162
Mountain	—	0	3	—	—	—	1	4	—	4	1	15	26	41	59
Arizona	—	0	3	—	—	—	0	4	—	4	—	5	12	5	17
Colorado	—	0	0	—	—	—	0	0	—	—	1	3	9	6	18
Idaho	—	0	1	—	—	—	0	0	—	—	—	0	2	—	—
Montana	—	0	0	—	—	—	0	1	—	—	—	0	1	—	1
Nevada	—	0	0	—	—	—	0	1	—	—	—	4	14	26	10
New Mexico	—	0	0	—	—	—	0	1	—	—	—	1	5	2	7
Utah	—	0	0	—	—	—	0	1	—	—	—	1	5	2	6
Wyoming	—	0	0	—	—	—	0	1	—	—	—	0	1	—	—
Pacific	—	0	1	—	—	—	0	1	—	—	20	77	110	188	379
Alaska	N	0	0	N	N	N	0	0	N	N	—	0	3	2	4
California	—	0	1	—	—	—	0	1	—	—	16	65	94	164	314
Hawaii	N	0	0	N	N	N	0	0	N	N	—	0	3	1	3
Oregon	—	0	1	—	—	—	0	1	—	—	—	5	11	5	36
Washington	—	0	0	—	—	—	0	0	—	—	4	5	14	16	22
Territories															
American Samoa	N	—	—	N	N	N	—	—	N	N	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	N	0	0	N	N	N	0	0	N	N	—	0	0	—	—
Puerto Rico	N	0	0	N	N	N	0	0	N	N	—	7	30	24	29
U.S. Virgin Islands	N	0	0	N	N	N	0	0	N	N	—	0	1	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 and 2014 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Illnesses with similar clinical presentation that result from Spotted fever group rickettsia infections are reported as Spotted fever rickettsioses. Rocky Mountain spotted fever (RMSF) caused by *Rickettsia rickettsii*, is the most common and well-known spotted fever.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending February 1, 2014, and February 2, 2013 (5th week)* (Export data)

Reporting area	West Nile virus disease†														
	Varicella (chickenpox)				Neuroinvasive				Nonneuroinvasive§						
	Current week	Previous 52 weeks		Cum 2014	Cum 2013	Current week	Previous 52 weeks		Cum 2014	Cum 2013	Current week	Previous 52 weeks		Cum 2014	Cum 2013
	Med	Max				Med	Max				Med	Max			
United States	67	210	287	498	885	—	1	158	—	—	—	1	162	—	1
New England	10	17	42	63	95	—	0	3	—	—	—	0	2	—	—
Connecticut	1	4	9	16	36	—	0	1	—	—	—	0	1	—	—
Maine	5	3	7	19	16	—	0	0	—	—	—	0	0	—	—
Massachusetts	3	7	15	21	32	—	0	2	—	—	—	0	1	—	—
New Hampshire	—	1	4	—	7	—	0	1	—	—	—	0	0	—	—
Rhode Island	—	0	4	2	1	—	0	1	—	—	—	0	0	—	—
Vermont	1	1	27	5	3	—	0	1	—	—	—	0	1	—	—
Mid. Atlantic	10	19	39	59	121	—	0	7	—	—	—	0	6	—	—
New Jersey	—	4	21	—	46	—	0	4	—	—	—	0	2	—	—
New York (Upstate)	N	0	0	N	N	—	0	2	—	—	—	0	4	—	—
New York City	—	0	0	—	—	—	0	2	—	—	—	0	1	—	—
Pennsylvania	10	15	27	59	75	—	0	1	—	—	—	0	1	—	—
E.N. Central	20	63	104	155	281	—	0	26	—	—	—	0	14	—	—
Illinois	1	13	32	23	69	—	0	21	—	—	—	0	8	—	—
Indiana	1	5	14	22	30	—	0	6	—	22	—	0	1	—	—
Michigan	—	20	44	32	60	—	0	5	—	—	—	0	4	—	—
Ohio	16	13	33	54	84	—	0	3	—	—	—	0	2	—	—
Wisconsin	2	6	23	24	38	—	0	3	—	—	—	0	1	—	—
W.N. Central	1	5	15	11	35	—	0	51	—	—	—	0	69	—	—
Iowa	N	0	0	N	N	—	0	10	—	—	—	0	5	—	—
Kansas	—	0	0	—	—	—	0	8	—	—	—	0	17	—	—
Minnesota	—	0	0	—	—	—	0	7	—	—	—	0	8	—	—
Missouri	—	4	13	4	28	—	0	6	—	—	—	0	1	—	—
Nebraska	—	0	2	1	—	—	0	14	—	—	—	0	29	—	—
North Dakota	—	0	4	1	7	—	0	11	—	—	—	0	9	—	—
South Dakota	1	1	4	5	—	—	0	10	—	—	—	0	12	—	—
S. Atlantic	1	26	49	68	105	—	0	8	—	—	—	0	3	—	1
Delaware	—	0	2	—	—	—	0	1	—	—	—	0	0	—	—
District of Columbia	—	0	2	—	3	—	0	0	—	—	—	0	1	—	—
Florida	—	13	25	35	66	—	0	1	—	—	—	0	1	—	—
Georgia	—	0	5	1	9	—	0	1	—	—	—	0	1	—	—
Maryland	N	0	0	N	N	—	0	4	—	—	—	0	3	—	—
North Carolina	—	0	0	—	—	—	0	2	—	—	—	0	0	—	—
South Carolina	1	2	13	4	4	—	0	1	—	—	—	0	1	—	1
Virginia	—	6	19	16	20	—	0	2	—	—	—	0	0	—	—
West Virginia	—	2	8	12	3	—	0	0	—	—	—	0	0	—	—
E.S. Central	—	3	9	6	9	—	0	6	—	—	—	0	7	—	—
Alabama	—	3	8	6	9	—	0	0	—	—	—	0	3	—	—
Kentucky	N	0	0	N	N	—	0	1	—	—	—	0	1	—	—
Mississippi	—	0	1	—	—	—	0	5	—	—	—	0	3	—	—
Tennessee	N	0	0	N	N	—	0	3	—	—	—	0	2	—	—
W.S. Central	22	39	104	52	114	—	0	29	—	—	—	0	17	—	—
Arkansas	—	3	17	3	13	—	0	3	—	—	—	0	1	—	—
Louisiana	—	1	7	2	6	—	0	7	—	—	—	0	3	—	—
Oklahoma	N	0	0	N	N	—	0	9	—	—	—	0	5	—	—
Texas	22	33	103	47	95	—	0	16	—	—	—	0	12	—	—
Mountain	2	18	39	81	118	—	0	29	—	—	—	0	53	—	—
Arizona	—	6	23	17	39	—	0	4	—	—	—	0	2	—	—
Colorado	—	3	20	32	35	—	0	17	—	—	—	0	34	—	—
Idaho	N	0	0	N	N	—	0	5	—	—	—	0	7	—	—
Montana	1	1	6	7	11	—	0	5	—	—	—	0	7	—	—
Nevada	N	0	0	N	N	—	0	4	—	—	—	0	1	—	—
New Mexico	—	1	5	8	6	—	0	4	—	—	—	0	3	—	—
Utah	1	4	13	17	26	—	0	1	—	—	—	0	1	—	—
Wyoming	—	0	2	—	1	—	0	4	—	—	—	0	6	—	—
Pacific	1	2	6	3	7	—	0	27	—	—	—	0	18	—	—
Alaska	1	1	6	1	5	—	0	0	—	—	—	0	0	—	—
California	—	0	2	1	1	—	0	27	—	—	—	0	18	—	—
Hawaii	—	0	4	1	1	—	0	0	—	—	—	0	0	—	—
Oregon	N	0	0	N	N	—	0	2	—	—	—	0	3	—	—
Washington	N	0	0	N	N	—	0	0	—	—	—	0	1	—	—
Territories															
American Samoa	N	—	—	N	N	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	4	14	—	20	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 and 2014 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for California serogroup, eastern equine, Powassan, St. Louis, and western equine diseases are available in Table I.

§ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table, except starting in 2007 for the domestic arboviral diseases and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx.

