

## Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending March 8, 2014 (10th week)\* (Export data)


Disease	Current week	Cum 2014	5-year weekly average <sup>†</sup>	Total cases reported for previous years					States reporting cases during current week (No.)
				2013	2012	2011	2010	2009	
Anthrax	—	—	—	—	—	1	—	1	
Arboviral diseases <sup>§, ¶</sup> :									
California serogroup virus disease	—	—	0	84	81	137	75	55	
Eastern equine encephalitis virus disease	—	—	0	7	15	4	10	4	
Powassan virus disease	—	—	—	14	7	16	8	6	
St. Louis encephalitis virus disease	—	—	—	—	3	6	10	12	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Botulism, total	1	25	3	149	168	153	112	118	
foodborne	—	—	0	7	27	24	7	10	
infant	1	19	2	126	123	97	80	83	AR (1)
other (wound and unspecified)	—	6	0	16	18	32	25	25	
Brucellosis	—	8	2	116	114	79	115	115	
Chancroid	—	5	0	11	15	8	24	28	
Cholera	—	—	0	2	17	40	13	10	
Cyclosporiasis <sup>§</sup>	8	14	1	701	123	151	179	141	NYC (7), FL (1)
Diphtheria	—	—	0	—	1	—	—	—	
<i>Haemophilus influenzae</i> ,** invasive disease (age <5 yrs):									
serotype b	—	3	1	22	30	14	23	35	
nonserotype b	—	32	5	194	205	145	200	236	
unknown serotype	7	67	5	212	210	226	223	178	PA (2), OH (1), KS (1), NC (1), FL (1), MS (1)
Hansen disease <sup>§</sup>	—	5	1	74	82	82	98	103	
Hantavirus pulmonary syndrome <sup>§</sup>	—	2	0	15	30	23	20	20	
Hemolytic uremic syndrome, postdiarrheal <sup>§</sup>	2	10	3	253	274	290	266	242	ID (1), CA (1)
Hepatitis B, virus infection perinatal	—	6	1	57	40	U	U	U	
Influenza-associated pediatric mortality <sup>§, ††</sup>	3	59	5	164	52	118	61	358	ME (1), IL (1), MD (1)
Leptospirosis	—	1	0	NN	NN	NN	NN	NN	
Listeriosis	7	80	10	756	727	870	821	851	NY (1), NYC (1), OH (1), MD (1), NC (2), CA (1)
Measles <sup>§§</sup>	10	71	2	187	55	220	63	71	NYC (1), CA (9)
Meningococcal disease, invasive <sup>¶¶</sup> :									
A, C, Y, and W-135 serogroup B	1	24	6	125	161	257	280	301	NC (1)
other serogroup	—	8	4	85	110	159	135	174	
unknown serogroup	—	3	0	15	20	20	12	23	
unknown serogroup	5	58	8	305	260	323	406	482	NC (1), FL (1), TN (1), OR (1), CA (1)
Novel influenza A virus infections <sup>***</sup>	—	—	15	21	313	14	4	43,774	
Plague	—	—	—	4	4	3	2	8	
Poliomyelitis, paralytic	—	—	—	1	—	—	—	1	
Polio virus infection, nonparalytic <sup>§</sup>	—	—	—	—	—	—	—	—	
Psittacosis <sup>§</sup>	—	1	0	7	2	2	4	9	
Q fever, total <sup>§</sup>	—	10	2	167	135	134	131	113	
acute	—	7	1	130	113	110	106	93	
chronic	—	3	1	37	22	24	25	20	
Rabies, human	—	—	—	—	1	6	2	4	
Rubella <sup>†††</sup>	—	—	0	9	9	4	5	3	
Rubella, congenital syndrome	—	—	0	1	3	—	—	2	
SARS-CoV <sup>§</sup>	—	—	—	—	—	—	—	—	
Smallpox <sup>§</sup>	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome <sup>§</sup>	2	23	5	140	194	168	142	161	OH (2)
Syphilis, congenital (age <1 yr) <sup>§§§</sup>	—	13	7	217	322	360	377	423	
Tetanus	—	3	0	24	37	36	26	18	
Toxic-shock syndrome (staphylococcal) <sup>§</sup>	1	11	1	69	65	78	82	74	TN (1)
Trichinellosis	—	1	0	20	18	15	7	13	
Tularemia	1	1	0	202	149	166	124	93	AK (1)
Typhoid fever	—	30	7	352	354	390	467	397	
Vancomycin-intermediate <i>Staphylococcus aureus</i> <sup>§</sup>	5	30	2	223	134	82	91	78	NY (1), MO (3), NC (1)
Vancomycin-resistant <i>Staphylococcus aureus</i> <sup>§</sup>	—	—	0	—	2	—	2	1	
Vibriosis (noncholera <i>Vibrio</i> species infections) <sup>§</sup>	5	56	6	1,238	1,111	832	846	789	ME (1), OH (1), NC (1), FL (2)
Viral hemorrhagic fever <sup>¶¶¶</sup>	—	—	—	—	—	—	1	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

**TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending March 8, 2014 (10th week)\***

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.  
 \* Case counts for reporting years 2013 and 2014 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/ncphi/diss/nndss/pdfs/files/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.  
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.  
 ‡ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at [http://www.cdc.gov/nndss/document/SRCA\\_FINAL\\_REPORT\\_2006-2012\\_final.xlsx](http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx).  
 ¶ Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.  
 \*\* Data for *H. influenzae* (all ages, all serotypes) are available in Table II.  
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 29, 2013, 68 influenza-associated pediatric deaths occurring during the 2013-14 influenza season have been reported.  
 ‡‡ Of the ten measles cases reported for the current week, two were indigenous and eight were imported.  
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.  
 \*\*\* CDC discontinued reporting of individual confirmed and probable cases of influenza A (H1N1)pdm09 virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the influenza A (H1N1)pdm09 virus, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, the 313 cases reported in 2012, and the 21 cases reported during 2013 are different from the influenza A (H1N1)pdm09 virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).  
 ††† No rubella cases were reported for the current week.  
 ‡‡‡ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.  
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

**FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals March 8, 2014, with historical data**



\* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

**Notifiable Disease Data Team and 122 Cities Mortality Data Team**

Umed Ajani  
 Deborah A. Adams      Willie J. Anderson  
 Lenee Blanton          Rosaline Dhara  
 Diana Harris Onweh      Alan W. Schley  
 Pearl C. Sharp





















Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending March 8, 2014, and March 9, 2013 (10th week)\* (Export data)

Reporting area	Spotted Fever Rickettsiosis (including RMSF)†										Syphilis, primary and secondary				
	Confirmed					Probable					Current week	Previous 52 weeks		Cum 2014	Cum 2013
	Current week	Previous 52 weeks		Cum 2014	Cum 2013	Current week	Previous 52 weeks		Cum 2014	Cum 2013		Med	Max		
<b>United States</b>	—	2	10	13	20	7	39	183	63	94	98	325	472	2,342	3,032
<b>New England</b>	—	0	1	—	—	—	0	2	1	1	3	9	19	63	96
Connecticut	—	0	0	—	—	—	0	0	—	—	—	1	6	9	14
Maine	—	0	0	—	—	—	0	1	—	—	—	0	4	6	1
Massachusetts	—	0	0	—	—	—	0	1	—	—	3	6	18	38	64
New Hampshire	—	0	1	—	—	—	0	1	1	1	—	0	2	5	8
Rhode Island	—	0	0	—	—	—	0	2	—	—	—	0	5	5	7
Vermont	—	0	0	—	—	—	0	0	—	—	—	0	1	—	2
<b>Mid. Atlantic</b>	—	0	1	1	2	—	1	6	2	11	16	39	68	321	406
New Jersey	—	0	1	—	1	—	0	4	1	8	—	4	9	31	45
New York (Upstate)	—	0	1	1	—	—	0	6	1	—	6	5	46	46	46
New York City	—	0	1	—	—	—	0	1	—	1	5	22	35	184	219
Pennsylvania	—	0	1	—	1	—	0	3	—	2	5	8	15	60	96
<b>E.N. Central</b>	—	0	2	—	—	1	2	14	4	8	—	35	57	155	354
Illinois	—	0	1	—	—	—	1	8	—	2	—	11	27	37	154
Indiana	—	0	1	—	—	—	0	4	—	4	—	4	10	21	34
Michigan	—	0	1	—	—	—	0	1	—	—	—	8	17	30	78
Ohio	—	0	1	—	—	1	0	2	4	1	—	8	14	53	74
Wisconsin	—	0	1	—	—	—	0	2	—	1	—	1	5	14	14
<b>W.N. Central</b>	—	0	1	—	—	—	4	26	4	4	1	13	27	98	116
Iowa	—	0	0	—	—	—	0	2	—	—	—	1	6	3	16
Kansas	—	0	0	—	—	—	0	0	—	—	—	1	4	4	6
Minnesota	—	0	0	—	—	—	0	0	—	—	—	3	10	33	33
Missouri	—	0	1	—	—	—	4	25	4	4	—	5	10	40	45
Nebraska	—	0	1	—	—	—	0	2	—	—	1	1	3	10	11
North Dakota	—	0	0	—	—	—	0	1	—	—	—	0	2	2	2
South Dakota	—	0	1	—	—	—	0	1	—	—	—	0	5	6	3
<b>S. Atlantic</b>	—	2	7	10	17	5	12	69	24	30	43	77	154	664	574
Delaware	—	0	0	—	—	—	0	2	2	2	—	0	9	5	3
District of Columbia	—	0	1	—	—	—	0	0	—	—	—	2	8	—	46
Florida	—	0	2	1	—	—	0	4	3	1	3	27	49	251	267
Georgia	—	1	7	9	16	—	0	0	—	—	20	15	49	155	92
Maryland	—	0	0	—	—	1	0	3	1	—	4	9	15	81	66
North Carolina	—	0	2	—	—	3	1	47	5	6	8	8	31	77	7
South Carolina	—	0	1	—	1	—	1	3	3	8	4	5	13	44	45
Virginia	—	0	2	—	—	1	4	21	9	13	4	6	18	50	45
West Virginia	—	0	1	—	—	—	0	2	1	—	—	0	2	1	3
<b>E.S. Central</b>	—	0	3	—	—	1	11	49	17	18	3	11	29	102	96
Alabama	—	0	1	—	—	—	3	17	9	4	1	4	8	26	26
Kentucky	—	0	1	—	—	—	1	6	3	3	1	2	8	22	16
Mississippi	—	0	1	—	—	—	0	4	—	—	1	1	26	39	14
Tennessee	—	0	2	—	—	1	7	30	5	11	—	4	8	15	40
<b>W.S. Central</b>	—	0	4	—	—	—	8	104	8	12	11	40	67	274	436
Arkansas	—	0	2	—	—	—	5	28	5	6	1	3	10	21	31
Louisiana	—	0	0	—	—	—	0	1	—	—	—	7	20	30	61
Oklahoma	—	0	4	—	—	—	0	88	—	3	—	2	9	14	20
Texas	—	0	1	—	—	—	1	15	3	3	10	27	41	209	324
<b>Mountain</b>	—	0	1	—	1	—	1	4	2	8	1	15	26	131	135
Arizona	—	0	1	—	1	—	1	3	2	8	—	5	12	30	45
Colorado	—	0	0	—	—	—	0	1	—	—	—	3	9	25	35
Idaho	—	0	1	—	—	—	0	0	—	—	—	0	2	2	2
Montana	—	0	0	—	—	—	0	1	—	—	—	0	1	—	1
Nevada	—	0	0	—	—	—	0	1	—	—	1	4	14	54	25
New Mexico	—	0	1	—	—	—	0	1	—	—	—	1	5	15	14
Utah	—	0	0	—	—	—	0	1	—	—	—	1	5	5	12
Wyoming	—	0	0	—	—	—	0	1	—	—	—	0	0	—	1
<b>Pacific</b>	—	0	2	2	—	—	0	2	1	2	20	80	111	534	819
Alaska	N	0	0	N	N	N	0	0	N	N	—	0	3	4	4
California	—	0	2	2	—	—	0	2	1	2	11	69	90	457	689
Hawaii	N	0	0	N	N	N	0	0	N	N	—	1	3	11	4
Oregon	—	0	1	—	—	—	0	1	—	—	5	5	9	32	75
Washington	—	0	0	—	—	—	0	0	—	—	4	5	14	30	47
<b>Territories</b>															
American Samoa	N	—	—	N	N	N	—	—	N	N	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	N	0	0	N	N	N	0	0	N	N	—	0	0	—	—
Puerto Rico	N	0	0	N	N	N	0	0	N	N	—	6	30	32	62
U.S. Virgin Islands	N	0	0	N	N	N	0	0	N	N	—	0	1	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2013 and 2014 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Illnesses with similar clinical presentation that result from Spotted fever group rickettsia infections are reported as Spotted fever rickettsioses. Rocky Mountain spotted fever (RMSF) caused by *Rickettsia rickettsii*, is the most common and well-known spotted fever.



