

## Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of selected\* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending September 2, 2017 (35th week)<sup>†</sup> (Export data)

Disease	Current week	Cum 2017	5-year weekly average <sup>§</sup>	Total cases reported for previous years					States reporting cases during current week (No.)
				2016	2015	2014	2013	2012	
Anthrax	—	—	—	—	—	—	—	—	
Arboviral diseases neuroinvasive and nonneuroinvasive <sup>¶,**,</sup>									
Chikungunya virus disease	—	38	6	246	896	NN	NN	NN	
Eastern equine encephalitis virus disease	—	—	1	7	6	8	8	15	
Jamestown Canyon virus disease	—	24	0	15	11	11	22	2	
La Crosse virus disease	1	29	2	35	55	80	85	78	TN (1)
Powassan virus disease	—	20	0	22	7	8	12	7	
St. Louis encephalitis virus disease	—	2	0	8	23	10	1	3	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Botulism, total	—	93	3	201	195	161	152	168	
foodborne	—	16	0	31	37	15	4	27	
infant	—	66	2	144	138	127	136	123	
other (wound and unspecified)	—	11	0	26	20	19	12	18	
Brucellosis	—	73	3	127	126	92	99	114	
Chancroid	—	7	0	7	11	—	—	15	
Cholera	—	1	0	2	5	5	14	17	
Cyclosporiasis**	8	761	15	535	645	388	784	123	NY (1), NYC (2), OH (3), MD (1), CO (1)
Diphtheria	—	—	—	—	—	1	—	1	
<i>Haemophilus influenzae</i> invasive disease (age <5 yrs) <sup>††</sup> :									
serotype b	—	16	1	30	29	40	31	30	
nontypeable	—	91	2	196	175	128	141	115	
non-b serotype	1	97	2	159	135	266	233	263	TX (1)
unknown serotype	2	164	2	187	167	39	34	37	FL (2)
Hansen's disease**	—	43	2	78	89	88	81	82	
Hantavirus**:									
Hantavirus infection (non-HPS)	—	—	0	2	3	NN	NN	NN	
Hantavirus Pulmonary Syndrome (HPS)	—	6	0	14	21	32	21	30	
Hemolytic uremic syndrome, postdiarrheal**	2	168	8	307	274	250	329	274	OH (1), CA (1)
Hepatitis B, perinatal virus infection <sup>§§</sup>	—	13	1	34	37	47	48	40	
Influenza-associated pediatric mortality <sup>**,¶¶</sup>	1	109	1	83	130	141	160	52	MD (1)
Leptospirosis**	1	35	1	78	40	38	NN	NN	MD (1)
Listeriosis	11	419	22	786	768	769	735	727	CT (1), NY (1), NYC (2), OH (2), FL (3), AR (1), OK (1)
Measles***	—	120	2	85	188	667	187	55	
Meningococcal disease ( <i>Neisseria meningitidis</i> ) <sup>†††</sup> :									
serogroup ACWY	—	42	2	126	120	123	142	161	
serogroup B	1	43	1	86	111	89	99	110	NY (1)
other serogroup	1	11	0	21	21	25	17	20	TX (1)
unknown serogroup	1	127	3	142	120	196	298	260	FL (1)
Novel influenza A virus infections <sup>§§§</sup>	1	20	6	23	7	3	21	313	OH (1)
Plague	—	1	0	—	16	10	4	4	
Poliomyelitis, paralytic	—	—	—	—	—	—	1	—	
Polio virus infection, nonparalytic**	—	—	—	—	—	—	—	—	
Psittacosis**	—	3	0	12	4	8	6	2	
Q fever, total**	3	105	3	164	156	168	170	135	
acute	2	86	3	132	122	132	137	113	MO (1), AR (1)
chronic	1	19	1	32	34	36	33	22	PA (1)
Rabies, human	—	—	—	—	2	1	2	1	
SARS-CoV	—	—	—	—	—	—	—	—	
Smallpox	—	—	—	—	—	—	—	—	
Streptococcal toxic shock syndrome**	1	225	3	283	335	259	224	194	NY (1)
Syphilis, congenital <sup>¶¶¶</sup>	—	326	8	630	493	458	348	322	
Toxic shock syndrome (other than streptococcal)**	—	14	1	40	64	59	71	65	
Trichinellosis**	—	9	0	26	14	14	22	18	
Tularemia	1	129	6	230	314	180	203	149	MO (1)
Typhoid fever (caused by <i>Salmonella typhi</i> )	3	192	9	376	367	349	338	354	NY (1), NYC (1), PA (1)
Vancomycin-intermediate <i>Staphylococcus aureus</i> **	—	51	3	108	183	212	248	134	
Vancomycin-resistant <i>Staphylococcus aureus</i> **	—	—	—	—	3	—	—	2	

See Table I footnotes on next page.

TABLE I. (Continued) Provisional cases of selected\* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending September 2, 2017 (35th week)<sup>†</sup> (Export data)

Disease	Current week	Cum 2017	5-year weekly average <sup>§</sup>	Total cases reported for previous years					States reporting cases during current week (No.)
				2016	2015	2014	2013	2012	
Viral hemorrhagic fevers****.									
Crimean-Congo hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Ebola hemorrhagic fever	—	—	—	—	—	4	NP	NP	
Guanarito hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Junin hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Lassa fever	—	—	—	—	1	1	NP	NP	
Lujo virus	—	—	—	—	—	NP	NP	NP	
Machupo hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Marburg fever	—	—	—	—	—	NP	NP	NP	
Sabia-associated hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Yellow fever	—	—	—	—	—	—	—	—	
Zika virus disease, non-congenital <sup>†††</sup>	—	278	58	5,111	NN	NN	NN	NN	

—: No reported cases. N: Not reportable. NA: Not available. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts.

\* Case counts for reporting years 2016 and 2017 are provisional and subject to change. Data for years 2012 through 2015 are finalized. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.

<sup>†</sup> This table does not include cases from the U.S. territories. Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

<sup>§</sup> Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.

<sup>¶</sup> Updated weekly reports from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.

\*\* Not reportable in all jurisdictions. Data from states where the condition is not reportable are excluded from this table, except for the arboviral diseases and influenza-associated pediatric mortality. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.

<sup>††</sup> Data for *Haemophilus influenzae* (all ages, all serotypes) are available in Table II.

<sup>§§</sup> In 2016, the nationally notifiable condition 'Hepatitis B Perinatal Infection' was renamed to 'Perinatal Hepatitis B Virus Infection' and reflects updates in the 2016 CSTE position statement for Perinatal Hepatitis B Virus Infection.

<sup>¶¶</sup> Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since October 2, 2016, 105 influenza-associated pediatric deaths occurring during the 2016-17 season have been reported.

\*\*\* No measles cases were reported for the current week.

<sup>†††</sup> Data for meningococcal disease (all serogroups) are available in Table II.


<sup>§§§</sup> Novel influenza A virus infections are human infections with influenza A viruses that are different from currently circulating human seasonal influenza viruses. With the exception of one avian lineage influenza A (H7N2) virus, all novel influenza A virus infections reported to CDC since 2012 have been variant influenza viruses. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).

<sup>¶¶¶</sup> Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.

\*\*\*\* Prior to 2015, CDC's National Notifiable Diseases Surveillance System (NNDSS) did not receive electronic data about incident cases of specific viral hemorrhagic fevers; instead data were collected in aggregate as "viral hemorrhagic fevers". Beginning in 2015, NNDSS has been updated to receive data for each of the viral hemorrhagic fevers listed below. In addition to the four cases of Ebola diagnosed in the United States to date in 2014, six residents of the United States have been medically evacuated to the United States for care after developing Ebola in West Africa. Ten of the 11 VHF cases reported for 2014 are confirmed as Ebola and one as Lassa fever.

<sup>††††</sup> The Council of State and Territorial Epidemiologists approved position statement 16-ID-01 in June 2016, which modifies the previous case definition and naming convention from "Zika virus congenital infection" to "Zika virus disease, non-congenital".

**FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals September 2, 2017, with historical data**



\* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

**National Notifiable Diseases Data Team**

Yvette D. Dominique  
 Deborah A. Adams      Willie J. Anderson  
 Diana Harris Onweh      Alan W. Schley

Data presented by the National Notifiable Diseases Data Team in the weekly MMWR are provisional, based on weekly reports to CDC by state health departments. Readers who have difficulty accessing this PDF file may access the HTML file at <https://www.cdc.gov/mmwr/volumes/66/wr/mm6635md.htm>. Address all inquiries about the MMWR Series, including material to be considered for publication, to Editor, MMWR Series, Mailstop E-90, CDC, 1600 Clifton Rd., N.E., Atlanta, GA 30329-4027 or to [mmwrq@cdc.gov](mailto:mmwrq@cdc.gov).













Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected\* low frequency diseases, United States and U.S. territories, weeks ending September 2, 2017, and September 3, 2016 (35th week)<sup>†</sup> (Export data)

Reporting area	Hepatitis (viral, acute, by type)									
	A					B				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Med	Max				Med	Max			
<b>United States</b>	14	39	105	1,394	1,327	17	60	146	1,960	2,107
<b>New England</b>	—	2	5	39	59	1	2	5	74	62
Connecticut	—	0	2	7	8	—	0	1	6	7
Maine	—	0	1	2	3	1	1	3	51	31
Massachusetts	—	1	4	25	39	—	0	3	16	22
New Hampshire	—	0	1	3	3	—	0	0	—	—
Rhode Island	—	0	1	—	3	U	0	0	U	U
Vermont	—	0	1	2	3	—	0	1	1	2
<b>Mid. Atlantic</b>	7	5	11	187	155	3	4	11	114	137
New Jersey	—	1	4	32	55	—	1	4	19	34
New York (Upstate)	1	1	5	46	36	1	0	4	19	26
New York City	6	2	6	73	29	1	1	4	35	48
Pennsylvania	—	1	4	36	35	1	1	4	41	29
<b>E.N. Central</b>	3	8	15	286	125	—	10	23	388	382
Illinois	—	1	5	37	41	—	0	2	17	29
Indiana	—	0	2	7	14	—	4	10	144	106
Michigan	—	5	13	213	47	—	1	4	42	31
Ohio	3	0	7	21	20	—	4	16	168	209
Wisconsin	—	0	2	8	3	—	0	3	17	7
<b>W.N. Central</b>	—	1	5	34	55	—	2	5	63	69
Iowa	—	0	2	4	9	—	0	2	11	8
Kansas	—	0	1	4	3	—	0	3	18	15
Minnesota	—	0	2	20	10	—	0	2	7	11
Missouri	—	0	1	5	13	—	1	3	23	26
Nebraska	—	0	4	1	17	—	0	2	4	6
North Dakota	—	0	0	—	2	—	0	1	—	1
South Dakota	—	0	0	—	1	—	0	0	—	2
<b>S. Atlantic</b>	—	7	55	243	319	4	22	33	679	810
Delaware	—	0	1	3	1	—	0	2	8	1
District of Columbia	—	0	3	1	1	U	0	0	U	U
Florida	—	3	10	141	73	—	11	19	325	362
Georgia	—	1	5	26	26	1	2	7	69	72
Maryland	—	0	5	15	25	2	0	2	19	19
North Carolina	—	1	5	18	34	—	2	10	76	111
South Carolina	—	0	4	11	14	—	0	4	7	20
Virginia	—	1	41	23	135	1	1	5	45	34
West Virginia	—	0	3	5	10	—	4	13	130	191
<b>E.S. Central</b>	—	0	4	22	23	6	11	19	347	325
Alabama	—	0	3	11	14	—	1	5	49	43
Kentucky	—	0	1	6	4	5	4	12	150	128
Mississippi	—	0	1	2	2	—	1	3	23	17
Tennessee	—	0	1	3	3	1	4	9	125	137
<b>W.S. Central</b>	1	3	9	101	110	2	4	36	140	171
Arkansas	—	0	2	6	9	—	1	3	32	35
Louisiana	—	0	1	4	10	—	1	6	40	34
Oklahoma	—	0	4	4	5	2	0	15	10	5
Texas	1	3	8	87	86	—	2	17	58	97
<b>Mountain</b>	2	3	11	131	65	1	1	4	54	51
Arizona	—	1	5	45	22	—	0	2	14	10
Colorado	2	0	7	39	16	1	0	2	10	15
Idaho	—	0	1	2	4	—	0	2	7	6
Montana	—	0	1	3	2	—	0	1	3	1
Nevada	—	0	2	10	11	—	0	3	14	14
New Mexico	—	0	1	2	1	—	0	0	—	1
Utah	—	0	3	24	9	—	0	2	6	4
Wyoming	—	0	3	6	—	U	0	0	U	U
<b>Pacific</b>	1	9	35	351	416	—	3	47	101	100
Alaska	—	0	1	—	1	—	0	1	4	5
California	1	6	21	322	161	—	1	6	62	86
Hawaii	—	0	12	4	244	—	0	1	1	—
Oregon	—	0	3	17	10	—	0	3	9	9
Washington	—	0	31	8	—	—	0	45	25	—
<b>Territories</b>										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	1	—	1	—	0	0	—	—
Puerto Rico	—	0	1	2	19	—	0	1	1	12
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

<sup>†</sup> Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationallyNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected\* low frequency diseases, United States and U.S. territories, weeks ending September 2, 2017, and September 3, 2016 (35th week)<sup>†</sup> (Export data)

Reporting area	Hepatitis (viral, acute, by type) <sup>§</sup> (Continued)									
	C (confirmed)					C (probable)				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Med	Max				Med	Max			
<b>United States</b>	8	44	134	1,351	2,063	4	18	80	585	695
<b>New England</b>	—	5	14	154	364	—	2	4	40	94
Connecticut	—	0	1	4	16	—	0	0	—	—
Maine	—	0	3	15	11	—	0	1	5	10
Massachusetts	—	4	13	132	332	—	1	4	35	84
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	1	3	5	—	0	0	—	—
<b>Mid. Atlantic</b>	3	6	16	203	374	2	0	4	29	14
New Jersey	—	1	5	24	88	—	0	0	—	—
New York (Upstate)	1	3	9	92	128	1	0	3	14	14
New York City	—	0	3	6	2	—	0	0	—	—
Pennsylvania	2	3	9	81	156	1	0	3	15	—
<b>E.N. Central</b>	3	9	17	284	386	1	3	7	114	109
Illinois	—	0	3	23	17	—	0	2	7	2
Indiana	—	2	10	90	106	—	1	3	30	22
Michigan	—	2	6	66	69	—	1	4	38	27
Ohio	3	3	7	84	128	1	1	5	39	58
Wisconsin	—	1	4	21	66	—	0	0	—	—
<b>W.N. Central</b>	—	2	5	54	76	—	0	1	5	3
Iowa	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	2	10	10	—	0	1	2	1
Minnesota	—	0	3	4	32	—	0	1	1	1
Missouri	—	1	3	32	14	—	0	0	—	—
Nebraska	—	0	0	—	2	—	0	1	1	—
North Dakota	—	0	1	1	1	—	0	0	—	—
South Dakota	—	0	2	7	17	—	0	1	1	1
<b>S. Atlantic</b>	—	9	18	295	434	—	4	11	128	177
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	4	9	160	177	—	1	4	36	39
Georgia	—	1	5	22	67	—	0	4	15	20
Maryland	—	0	3	14	28	—	0	2	7	7
North Carolina	—	0	4	5	65	—	0	4	9	71
South Carolina	—	0	1	2	8	—	0	1	1	1
Virginia	—	1	4	34	29	—	0	5	15	17
West Virginia	—	2	6	58	60	—	1	5	45	22
<b>E.S. Central</b>	1	4	9	127	209	—	5	12	166	205
Alabama	—	0	3	13	27	—	0	4	16	38
Kentucky	—	1	8	40	63	—	3	9	97	104
Mississippi	—	0	0	—	—	—	0	0	—	—
Tennessee	1	2	6	74	119	—	2	5	53	63
<b>W.S. Central</b>	—	1	17	35	47	—	0	23	28	36
Arkansas	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	1	2	5	—	0	2	3	10
Oklahoma	—	0	12	8	16	—	0	23	10	26
Texas	—	1	5	25	26	—	0	2	15	—
<b>Mountain</b>	—	2	9	75	119	1	1	5	42	42
Arizona	—	0	0	—	—	—	0	0	—	—
Colorado	—	0	3	10	26	1	0	2	13	5
Idaho	—	0	1	5	4	—	0	1	3	2
Montana	—	0	2	9	13	—	0	1	1	—
Nevada	—	0	3	20	11	—	0	1	1	11
New Mexico	—	0	2	5	16	—	0	1	5	13
Utah	—	1	4	26	49	—	0	3	19	11
Wyoming	—	0	0	—	—	—	0	0	—	—
<b>Pacific</b>	1	2	62	124	54	—	0	33	33	15
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	1	6	65	42	—	0	3	17	12
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	3	23	12	—	0	1	4	3
Washington	1	0	62	36	—	—	0	33	12	—
<b>Territories</b>										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

<sup>†</sup> Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

<sup>§</sup> Based on the CSTE Position Statement 15-ID-03: Revision of the Case Definition of Hepatitis C for National Notification, acute hepatitis C is now reported by case classification status.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected\* low frequency diseases, United States and U.S. territories, weeks ending September 2, 2017, and September 3, 2016 (35th week)<sup>1</sup> (Export data)

Reporting area	Invasive Pneumococcal Disease <sup>5</sup> (all ages)									
	Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Med	Max				Med	Max			
<b>United States</b>	66	333	791	11,385	11,715	1	1	12	79	13
<b>New England</b>	—	25	49	816	725	—	0	2	3	—
Connecticut	—	5	16	170	149	—	0	2	3	—
Maine	—	2	10	92	87	—	0	0	—	—
Massachusetts	—	12	28	423	340	—	0	0	—	—
New Hampshire	—	2	6	61	70	—	0	0	—	—
Rhode Island	—	1	11	39	38	—	0	0	—	—
Vermont	—	1	5	31	41	—	0	0	—	—
<b>Mid. Atlantic</b>	17	52	129	1,620	1,828	1	0	8	34	—
New Jersey	1	7	22	186	388	—	0	2	9	—
New York (Upstate)	3	16	70	584	620	1	0	0	1	—
New York City	11	13	29	473	425	—	0	2	2	—
Pennsylvania	2	10	23	377	395	—	0	4	22	—
<b>E.N. Central</b>	17	57	108	2,017	2,081	—	0	2	7	7
Illinois	N	0	0	N	N	N	0	0	N	N
Indiana	—	12	33	393	459	—	0	0	—	—
Michigan	—	16	28	515	639	—	0	2	4	7
Ohio	13	19	52	771	698	—	0	2	3	—
Wisconsin	4	10	22	338	285	—	0	0	—	—
<b>W.N. Central</b>	4	27	47	832	800	—	0	3	16	2
Iowa	N	0	0	N	N	N	0	0	N	N
Kansas	—	5	14	183	146	—	0	1	1	—
Minnesota	—	0	14	—	324	—	0	0	—	—
Missouri	2	10	24	400	57	—	0	3	11	1
Nebraska	1	3	10	106	133	—	0	1	2	1
North Dakota	1	2	5	56	50	—	0	0	—	—
South Dakota	—	2	7	87	90	—	0	1	2	—
<b>S. Atlantic</b>	5	57	120	2,075	1,959	—	0	3	7	—
Delaware	—	1	6	48	44	—	0	0	—	—
District of Columbia	—	1	4	34	47	—	0	0	—	—
Florida	—	10	24	418	461	—	0	2	4	—
Georgia	1	19	39	644	639	—	0	0	—	—
Maryland	4	9	19	317	310	—	0	1	1	—
North Carolina	N	0	0	N	N	N	0	0	N	N
South Carolina	—	8	37	442	243	—	0	2	2	—
Virginia	—	0	2	17	20	—	0	0	—	—
West Virginia	—	4	13	155	195	—	0	0	—	—
<b>E.S. Central</b>	—	33	72	1,112	1,163	—	0	1	1	2
Alabama	—	6	26	194	233	—	0	0	—	—
Kentucky	—	6	17	228	159	—	0	1	1	1
Mississippi	—	6	11	160	155	—	0	0	—	—
Tennessee	—	16	38	581	565	—	0	1	—	1
<b>W.S. Central</b>	8	35	231	1,327	1,556	—	0	2	7	1
Arkansas	2	5	32	220	176	—	0	0	—	1
Louisiana	—	4	13	158	251	—	0	1	—	—
Oklahoma	N	0	0	N	N	N	0	0	N	N
Texas	6	26	189	949	1,129	—	0	2	7	—
<b>Mountain</b>	15	36	69	1,403	1,509	—	0	1	4	1
Arizona	9	11	28	465	545	—	0	1	2	—
Colorado	6	10	19	353	331	—	0	0	—	—
Idaho	N	0	0	N	N	N	0	0	N	N
Montana	—	2	4	59	72	—	0	1	2	1
Nevada	—	4	16	173	152	—	0	0	—	—
New Mexico	—	5	14	216	221	—	0	0	—	—
Utah	—	4	10	118	165	—	0	0	—	—
Wyoming	—	0	5	19	23	—	0	0	—	—
<b>Pacific</b>	—	4	12	132	145	—	0	0	—	—
Alaska	—	2	6	68	88	—	0	0	—	—
California	N	0	0	N	N	N	0	0	N	N
Hawaii	—	2	8	64	57	—	0	0	—	—
Oregon	N	0	0	N	N	N	0	0	N	N
Washington	N	0	0	N	N	N	0	0	N	N
<b>Territories</b>										
American Samoa	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

<sup>†</sup> Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

<sup>5</sup> Includes drug resistant and susceptible cases of Invasive Pneumococcal Disease. This condition was previously named *Streptococcus pneumoniae* invasive disease and cases were reported to CDC using different event codes to specify whether the cases were drug resistant or in a defined age group, such as <5 years.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected\* low frequency diseases, United States and U.S. territories, weeks ending September 2, 2017, and September 3, 2016 (35th week)<sup>1</sup> (Export data)

Reporting area	Invasive Pneumococcal Disease <sup>5</sup> (age <5)									
	Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Med	Max				Med	Max			
<b>United States</b>	5	21	45	627	739	—	0	2	4	3
<b>New England</b>	—	1	3	26	40	—	0	0	—	—
Connecticut	—	0	2	7	8	—	0	0	—	—
Maine	—	0	1	2	6	—	0	0	—	—
Massachusetts	—	0	2	11	22	—	0	0	—	—
New Hampshire	—	0	1	3	1	—	0	0	—	—
Rhode Island	—	0	1	2	2	—	0	0	—	—
Vermont	—	0	1	1	1	—	0	0	—	—
<b>Mid. Atlantic</b>	—	2	9	69	87	—	0	0	—	—
New Jersey	—	0	2	7	15	—	0	0	—	—
New York (Upstate)	—	1	7	31	35	—	0	0	—	—
New York City	—	0	2	15	18	—	0	0	—	—
Pennsylvania	—	0	3	16	19	—	0	0	—	—
<b>E.N. Central</b>	2	3	9	114	104	—	0	1	1	1
Illinois	—	0	0	—	—	—	0	0	—	—
Indiana	—	0	3	22	10	—	0	0	—	—
Michigan	—	0	3	18	35	—	0	1	—	1
Ohio	2	1	5	48	44	—	0	1	1	—
Wisconsin	—	0	3	26	15	—	0	0	—	—
<b>W.N. Central</b>	1	1	5	50	64	—	0	1	2	1
Iowa	N	0	0	N	N	N	0	0	N	N
Kansas	—	0	2	11	8	—	0	0	—	—
Minnesota	—	0	2	—	23	—	0	0	—	—
Missouri	1	0	2	19	9	—	0	1	2	1
Nebraska	—	0	2	5	13	—	0	0	—	—
North Dakota	—	0	2	6	2	—	0	0	—	—
South Dakota	—	0	2	9	9	—	0	0	—	—
<b>S. Atlantic</b>	—	4	10	137	138	—	0	0	—	—
Delaware	—	0	1	2	1	—	0	0	—	—
District of Columbia	—	0	1	1	—	—	0	0	—	—
Florida	—	1	3	46	43	—	0	0	—	—
Georgia	—	1	6	31	41	—	0	0	—	—
Maryland	—	1	2	20	21	—	0	0	—	—
North Carolina	N	0	0	N	N	N	0	0	N	N
South Carolina	—	0	4	13	4	—	0	0	—	—
Virginia	—	0	2	17	20	—	0	0	—	—
West Virginia	—	0	2	7	8	—	0	0	—	—
<b>E.S. Central</b>	—	1	8	52	58	—	0	0	—	1
Alabama	—	0	3	13	18	—	0	0	—	—
Kentucky	—	0	2	10	5	—	0	0	—	1
Mississippi	—	0	2	8	12	—	0	0	—	—
Tennessee	—	0	7	21	23	—	0	0	—	—
<b>W.S. Central</b>	—	3	22	99	139	—	0	1	1	—
Arkansas	—	0	2	8	15	—	0	0	—	—
Louisiana	—	0	2	11	22	—	0	0	—	—
Oklahoma	—	0	3	8	10	—	0	0	—	—
Texas	—	2	19	72	92	—	0	1	1	—
<b>Mountain</b>	2	2	7	72	101	—	0	1	—	—
Arizona	2	0	2	19	37	—	0	0	—	—
Colorado	—	0	2	14	14	—	0	0	—	—
Idaho	—	0	1	5	7	—	0	1	—	—
Montana	—	0	2	4	3	—	0	0	—	—
Nevada	—	0	1	6	10	—	0	0	—	—
New Mexico	—	0	2	7	11	—	0	0	—	—
Utah	—	0	3	16	18	—	0	0	—	—
Wyoming	—	0	1	1	1	—	0	0	—	—
<b>Pacific</b>	—	0	2	8	8	—	0	0	—	—
Alaska	—	0	1	5	7	—	0	0	—	—
California	N	0	0	N	N	N	0	0	N	N
Hawaii	—	0	1	3	1	—	0	0	—	—
Oregon	N	0	0	N	N	N	0	0	N	N
Washington	N	0	0	N	N	N	0	0	N	N
<b>Territories</b>										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

<sup>†</sup> Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

<sup>5</sup> Includes drug resistant and susceptible cases of Invasive Pneumococcal Disease. This condition was previously named *Streptococcus pneumoniae* invasive disease and cases were reported to CDC using different event codes to specify whether the cases were drug resistant or in a defined age group, such as <5 years.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected\* low frequency diseases, United States and U.S. territories, weeks ending September 2, 2017, and September 3, 2016 (35th week)<sup>†</sup> (Export data)

Reporting area	Legionellosis					Malaria				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
<b>United States</b>	91	134	236	3,849	3,360	25	35	102	1,099	1,241
<b>New England</b>	—	5	38	239	150	—	2	7	88	100
Connecticut	—	2	6	62	38	—	0	2	1	6
Maine	—	0	2	7	10	—	0	3	11	8
Massachusetts	—	3	18	110	69	—	2	5	65	68
New Hampshire	—	0	8	31	18	—	0	2	5	10
Rhode Island	—	0	9	16	11	—	0	3	5	4
Vermont	—	0	2	13	4	—	0	1	1	4
<b>Mid. Atlantic</b>	60	30	58	935	676	13	9	20	292	285
New Jersey	—	2	9	49	117	—	1	9	64	61
New York (Upstate)	23	12	27	342	195	2	1	6	46	47
New York City	27	5	24	256	141	10	4	15	135	129
Pennsylvania	10	7	22	288	223	1	1	5	47	48
<b>E.N. Central</b>	10	24	83	831	773	1	3	27	109	127
Illinois	—	5	24	154	201	—	1	5	26	44
Indiana	—	3	12	99	94	—	0	4	10	11
Michigan	—	4	30	157	144	—	1	4	26	29
Ohio	10	10	41	374	272	1	1	13	46	28
Wisconsin	—	2	8	47	62	—	0	1	1	15
<b>W.N. Central</b>	4	6	26	208	233	—	2	7	56	94
Iowa	—	0	3	18	23	—	0	3	11	14
Kansas	—	0	4	15	17	—	0	2	12	5
Minnesota	2	1	12	53	60	—	0	4	—	48
Missouri	1	2	13	98	115	—	0	3	19	12
Nebraska	1	0	3	15	10	—	0	1	3	4
North Dakota	—	0	2	3	3	—	0	2	7	7
South Dakota	—	0	1	6	5	—	0	1	4	4
<b>S. Atlantic</b>	3	23	39	662	630	6	9	25	347	328
Delaware	—	0	4	17	14	—	0	3	6	13
District of Columbia	—	0	1	—	9	—	0	2	8	14
Florida	—	7	13	200	178	—	1	5	30	40
Georgia	—	3	7	114	78	—	1	5	50	42
Maryland	1	2	12	95	86	5	4	15	171	134
North Carolina	—	3	11	99	128	—	1	3	25	33
South Carolina	—	0	4	19	35	—	0	3	—	7
Virginia	2	3	14	116	86	1	1	4	57	44
West Virginia	—	0	3	2	16	—	0	0	—	1
<b>E.S. Central</b>	2	7	18	278	192	—	1	4	22	35
Alabama	—	1	6	46	36	—	0	1	5	5
Kentucky	1	2	6	72	50	—	0	2	6	9
Mississippi	—	1	5	30	20	—	0	1	4	7
Tennessee	1	3	11	130	86	—	0	2	7	14
<b>W.S. Central</b>	6	7	39	247	206	4	2	29	68	105
Arkansas	1	1	5	33	32	—	0	2	3	2
Louisiana	—	0	2	8	19	—	0	1	1	11
Oklahoma	—	0	20	33	5	2	0	3	6	3
Texas	5	5	20	173	150	2	2	25	58	89
<b>Mountain</b>	6	4	13	156	151	—	1	3	27	61
Arizona	3	2	6	63	48	—	0	2	14	29
Colorado	2	1	11	42	37	—	0	2	1	14
Idaho	1	0	1	5	9	—	0	1	4	—
Montana	—	0	2	10	6	—	0	1	3	3
Nevada	—	0	2	11	22	—	0	1	2	4
New Mexico	—	0	3	4	12	—	0	0	—	2
Utah	—	0	2	17	15	—	0	2	3	6
Wyoming	—	0	1	4	2	—	0	1	—	3
<b>Pacific</b>	—	11	84	293	349	1	2	46	90	106
Alaska	—	0	1	3	1	—	0	2	4	2
California	—	9	31	231	323	—	2	5	60	90
Hawaii	—	0	1	4	3	—	0	1	3	—
Oregon	—	1	3	23	22	—	0	2	7	14
Washington	—	0	67	32	—	1	0	44	16	—
<b>Territories</b>										
American Samoa	N	0	0	N	N	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	2	1	6	—	0	1	—	2
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

<sup>†</sup> Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.











Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected\* low frequency diseases, United States and U.S. territories, weeks ending September 2, 2017, and September 3, 2016 (35th week)<sup>†</sup> (Export data)

Reporting area	Tetanus					Varicella (chickenpox)				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
<b>United States</b>	—	1	2	24	25	46	159	241	4,682	5,894
<b>New England</b>	—	0	1	1	—	3	14	25	494	599
Connecticut	—	0	0	—	—	—	2	5	65	79
Maine	—	0	1	1	—	3	4	10	127	147
Massachusetts	—	0	0	—	—	—	5	16	239	239
New Hampshire	—	0	0	—	—	—	0	4	—	62
Rhode Island	—	0	0	—	—	—	0	5	26	38
Vermont	—	0	0	—	—	—	1	5	37	34
<b>Mid. Atlantic</b>	—	0	1	2	4	4	19	38	632	706
New Jersey	—	0	0	—	—	—	8	23	291	272
New York (Upstate)	—	0	1	1	1	N	0	0	N	N
New York City	—	0	0	—	1	—	0	0	—	—
Pennsylvania	—	0	1	1	2	4	11	21	341	434
<b>E.N. Central</b>	—	0	1	2	4	4	35	56	1,067	1,358
Illinois	—	0	0	—	1	—	7	17	202	317
Indiana	—	0	0	—	1	1	4	10	133	136
Michigan	—	0	1	2	1	—	9	21	317	375
Ohio	—	0	1	—	1	3	8	23	263	289
Wisconsin	—	0	0	—	—	—	5	21	152	241
<b>W.N. Central</b>	—	0	1	2	1	3	14	29	405	533
Iowa	—	0	1	—	1	N	0	0	N	N
Kansas	—	0	1	1	—	—	0	11	—	136
Minnesota	—	0	0	—	—	—	6	23	257	213
Missouri	—	0	0	—	—	2	2	8	93	103
Nebraska	—	0	1	1	—	1	0	3	19	21
North Dakota	—	0	0	—	—	—	0	3	21	35
South Dakota	—	0	0	—	—	—	0	2	15	25
<b>S. Atlantic</b>	—	0	1	7	6	11	21	48	708	942
Delaware	—	0	0	—	—	1	0	3	14	7
District of Columbia	—	0	0	—	—	—	0	2	13	15
Florida	—	0	1	2	3	10	13	28	439	536
Georgia	—	0	0	—	—	—	4	18	139	113
Maryland	—	0	1	1	1	N	0	0	N	N
North Carolina	—	0	1	3	—	N	0	0	N	N
South Carolina	—	0	0	—	—	—	2	15	69	94
Virginia	—	0	1	1	1	—	2	15	34	177
West Virginia	—	0	0	—	1	—	0	0	—	—
<b>E.S. Central</b>	—	0	1	1	5	—	1	5	34	76
Alabama	—	0	1	1	1	—	1	5	29	70
Kentucky	—	0	1	—	2	N	0	0	N	N
Mississippi	—	0	0	—	1	—	0	1	5	6
Tennessee	—	0	0	—	1	N	0	0	N	N
<b>W.S. Central</b>	—	0	1	2	3	10	25	96	821	981
Arkansas	—	0	1	1	—	1	2	10	65	86
Louisiana	—	0	0	—	—	—	0	8	1	49
Oklahoma	—	0	0	—	1	N	0	0	N	N
Texas	—	0	1	1	2	9	23	91	755	846
<b>Mountain</b>	—	0	1	4	1	11	16	39	440	634
Arizona	—	0	0	—	1	2	4	13	118	182
Colorado	—	0	0	—	—	9	5	32	123	180
Idaho	—	0	1	1	—	N	0	0	N	N
Montana	—	0	1	1	—	—	1	8	24	51
Nevada	—	0	1	1	—	N	0	0	N	N
New Mexico	—	0	0	—	—	—	1	6	50	40
Utah	—	0	1	1	—	—	3	10	120	172
Wyoming	—	0	0	—	—	—	0	2	5	9
<b>Pacific</b>	—	0	1	3	1	—	2	6	81	65
Alaska	—	0	0	—	1	—	1	3	30	12
California	—	0	1	1	—	—	0	3	15	30
Hawaii	—	0	0	—	—	—	1	5	36	23
Oregon	—	0	1	2	—	N	0	0	N	N
Washington	—	0	0	—	—	N	0	0	N	N
<b>Territories</b>										
American Samoa	—	0	0	—	—	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	5	—	7
Puerto Rico	—	0	0	—	—	—	1	5	20	60
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected\* low frequency diseases, United States and U.S. territories, weeks ending September 2, 2017, and September 3, 2016 (35th week)<sup>†</sup> (Export data)

Reporting area	Vibriosis (Any species of the family <i>Vibrionaceae</i> , other than toxigenic <i>Vibrio cholerae</i> O1 or O139) <sup>§</sup>									
	Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Med	Max				Med	Max			
<b>United States</b>	2	18	84	702	814	3	4	14	233	20
<b>New England</b>	—	1	13	84	69	—	0	2	6	2
Connecticut	—	0	5	26	13	—	0	2	6	—
Maine	—	0	2	4	4	—	0	0	—	—
Massachusetts	—	1	7	41	42	—	0	0	—	1
New Hampshire	—	0	1	4	4	—	0	0	—	1
Rhode Island	—	0	4	7	6	—	0	0	—	—
Vermont	—	0	1	2	—	—	0	0	—	—
<b>Mid. Atlantic</b>	—	2	7	71	83	—	0	3	18	5
New Jersey	—	0	2	14	22	—	0	2	10	—
New York (Upstate)	—	1	6	29	30	—	0	0	—	4
New York City	—	0	3	10	9	—	0	2	3	—
Pennsylvania	—	0	3	18	22	—	0	1	5	1
<b>E.N. Central</b>	—	1	5	38	53	—	0	3	29	1
Illinois	—	0	2	5	22	—	0	2	10	—
Indiana	—	0	2	4	8	—	0	0	—	—
Michigan	—	0	2	6	7	—	0	1	4	1
Ohio	—	0	3	14	7	—	0	3	7	—
Wisconsin	—	0	1	9	9	—	0	1	8	—
<b>W.N. Central</b>	—	0	2	11	30	—	0	3	21	6
Iowa	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	1	1	4	—	0	1	1	—
Minnesota	—	0	2	—	16	—	0	3	—	5
Missouri	—	0	1	5	4	—	0	2	11	—
Nebraska	—	0	1	1	—	—	0	1	4	1
North Dakota	—	0	1	1	2	—	0	1	1	—
South Dakota	—	0	1	3	4	—	0	1	4	—
<b>S. Atlantic</b>	1	6	16	208	265	—	1	7	56	2
Delaware	—	0	1	4	11	—	0	0	—	—
District of Columbia	—	0	1	—	2	—	0	1	4	—
Florida	—	3	8	111	121	—	0	5	23	1
Georgia	—	0	2	16	20	—	0	0	—	—
Maryland	1	1	7	22	39	—	0	2	4	1
North Carolina	—	0	3	18	24	—	0	2	12	—
South Carolina	—	0	2	6	16	—	0	2	6	—
Virginia	—	0	5	31	32	—	0	2	7	—
West Virginia	—	0	1	—	—	—	0	0	—	—
<b>E.S. Central</b>	—	1	3	33	45	—	0	4	18	1
Alabama	—	0	2	13	23	—	0	1	3	—
Kentucky	—	0	1	1	5	—	0	2	4	—
Mississippi	—	0	2	11	7	—	0	0	—	—
Tennessee	—	0	2	8	10	—	0	3	11	1
<b>W.S. Central</b>	1	2	9	73	93	3	0	4	39	—
Arkansas	—	0	1	1	2	—	0	0	—	—
Louisiana	—	0	3	8	36	—	0	2	3	—
Oklahoma	—	0	2	3	1	—	0	1	2	—
Texas	1	2	8	61	54	3	0	4	34	—
<b>Mountain</b>	—	1	5	30	35	—	0	3	27	1
Arizona	—	0	3	6	11	—	0	1	7	—
Colorado	—	0	2	13	12	—	0	2	11	—
Idaho	—	0	0	—	—	—	0	0	—	—
Montana	—	0	1	5	2	—	0	1	1	—
Nevada	—	0	1	2	2	—	0	0	—	1
New Mexico	—	0	1	1	—	—	0	0	—	—
Utah	—	0	1	2	8	—	0	1	8	—
Wyoming	—	0	1	1	—	—	0	0	—	—
<b>Pacific</b>	—	3	63	154	141	—	0	3	19	2
Alaska	—	0	2	2	5	—	0	1	1	—
California	—	2	9	75	101	—	0	0	—	—
Hawaii	—	0	3	30	16	—	0	0	—	1
Oregon	—	0	3	13	19	—	0	2	11	1
Washington	—	0	62	34	—	—	0	2	7	—
<b>Territories</b>										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median.

Max: Maximum.

\* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ The national surveillance case definition was revised in 2017 to include infections confirmed by culture-independent diagnostic tests as probable cases.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected\* low frequency diseases, United States and U.S. territories, weeks ending September 2, 2017, and September 3, 2016 (35th week)<sup>†</sup> (Export data)

Reporting area	West Nile virus disease <sup>§</sup>									
	Neuroinvasive					Nonneuroinvasive <sup>¶</sup>				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Med	Max				Med	Max			
<b>United States</b>	4	10	115	337	716	7	4	82	245	623
<b>New England</b>	—	0	3	—	7	—	0	2	—	3
Connecticut	—	0	0	—	1	—	0	0	—	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	2	—	4	—	0	2	—	3
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	1	—	—	—	0	0	—	—
Vermont	—	0	0	—	2	—	0	0	—	—
<b>Mid. Atlantic</b>	—	0	8	6	11	—	0	2	5	5
New Jersey	—	0	1	1	6	—	0	0	—	—
New York (Upstate)	—	0	4	—	1	—	0	2	2	1
New York City	—	0	3	2	—	—	0	0	—	—
Pennsylvania	—	0	2	3	4	—	0	2	3	4
<b>E.N. Central</b>	—	0	30	23	106	—	0	14	14	44
Illinois	—	0	13	10	58	—	0	14	9	38
Indiana	—	0	4	5	10	—	0	1	1	1
Michigan	—	0	10	—	28	—	0	1	—	—
Ohio	—	0	3	6	7	—	0	2	4	3
Wisconsin	—	0	2	2	3	—	0	1	—	2
<b>W.N. Central</b>	—	0	16	50	94	—	0	32	94	285
Iowa	—	0	3	3	4	—	0	5	1	7
Kansas	—	0	2	2	12	—	0	2	4	11
Minnesota	—	0	2	4	10	—	0	9	9	58
Missouri	—	0	3	8	4	—	0	1	—	1
Nebraska	—	0	7	7	19	—	0	6	22	41
North Dakota	—	0	3	12	19	—	0	11	32	56
South Dakota	—	0	8	14	26	—	0	10	26	111
<b>S. Atlantic</b>	—	0	6	27	19	—	0	2	6	9
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	1	—	0	0	—	—
Florida	—	0	1	—	5	—	0	0	—	2
Georgia	—	0	4	18	1	—	0	1	3	1
Maryland	—	0	1	—	5	—	0	0	—	—
North Carolina	—	0	1	1	2	—	0	1	1	—
South Carolina	—	0	1	3	4	—	0	1	2	2
Virginia	—	0	2	5	1	—	0	1	—	3
West Virginia	—	0	0	—	—	—	0	1	—	1
<b>E.S. Central</b>	—	0	9	43	23	2	0	3	21	15
Alabama	—	0	1	1	4	—	0	1	1	3
Kentucky	—	0	1	3	3	—	0	1	1	3
Mississippi	—	0	7	33	15	—	0	2	13	6
Tennessee	—	0	3	6	1	2	0	1	6	3
<b>W.S. Central</b>	3	2	23	56	108	4	1	12	41	63
Arkansas	—	0	3	5	3	—	0	2	3	1
Louisiana	—	0	7	15	16	—	0	3	5	10
Oklahoma	—	0	3	8	10	—	0	2	4	10
Texas	3	1	19	28	79	4	1	10	29	42
<b>Mountain</b>	1	1	18	65	101	1	0	15	39	110
Arizona	—	0	7	34	35	—	0	2	5	16
Colorado	—	0	8	6	41	—	0	9	5	77
Idaho	1	0	1	2	2	1	0	2	2	4
Montana	—	0	1	1	2	—	0	2	6	3
Nevada	—	0	2	12	8	—	0	3	13	3
New Mexico	—	0	3	7	4	—	0	1	1	—
Utah	—	0	3	3	4	—	0	2	6	4
Wyoming	—	0	1	—	5	—	0	1	1	3
<b>Pacific</b>	—	1	39	67	247	—	0	8	25	89
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	1	38	66	238	—	0	8	21	87
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	1	1	2	—	0	1	3	1
Washington	—	0	1	—	7	—	0	1	1	1
<b>Territories</b>										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median.

Max: Maximum.

\* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

<sup>†</sup> Case counts for reporting years 2016 and 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

<sup>§</sup> Updated weekly from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for Jamestown Canyon virus, La Crosse virus, Chikungunya virus, Eastern equine encephalitis virus, Powassan virus, St. Louis virus, and Western equine encephalitis virus diseases are available in Table I.

<sup>¶</sup> Not reportable in all states. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.