

## **INTRODUCTION**

A classification of diseases may be defined as a system of categories to which morbid entities are assigned according to established criteria. There are many possible axes of classification and the one selected will depend upon the use to be made of the statistics to be compiled. A statistical classification of diseases must encompass the entire range of morbid conditions within a manageable number of categories.

The Tenth Revision of the International Statistical Classification of Diseases and Related Health Problems is the latest in a series that was formalized in 1893 as the Bertillon Classification or International List of Causes of Death. A complete review of the historical background to the classification is given in Part 2a Instruction Manual (NCHS). While the title has been amended to make clearer the content and purpose and to reflect the progressive extension of the scope of the classification beyond diseases and injuries, the familiar abbreviation "ICD" has been retained. In the updated classification, conditions have been grouped in a way that was felt to be most suitable for general epidemiological purposes and the evaluation of health care.

Work on the Tenth Revision of the ICD started in September 1983 when a Preparatory Meeting on ICD-10 was convened in Geneva. The programme of work was guided by regular meetings of Heads of WHO Collaborating Centres for Classification of Diseases. Policy guidance was provided by a number of special meetings including those of the Expert Committee on the International Classification of Disease -Tenth Revision, held in 1984 and 1987.

In addition to the technical contributions provided by many specialist groups and individual experts, a large number of comments and suggestions were received from WHO Member States and Regional Offices as a result of the global circulation of draft proposals for revision in 1984 and 1986. From the comments received, it was clear that many users wished the ICD to encompass types of data other than the "diagnostic information" (in the broadest sense of the term) that it has always covered. In order to accommodate the perceived needs of these users, the concept arose of a "family" of classifications centred on the traditional ICD with its familiar form and structure. The ICD itself would thus meet the requirement for diagnostic information for general purposes, while a variety of other classifications would be used in conjunction with it and would deal either with different approaches to the same information or with different information (notably medical and surgical procedures and disablement).

## ICD-10-Mortality 2e-Volume1 - 2017

Following suggestions at the time of development of the Ninth Revision of the classification that a different basic structure might better serve the needs of the many and varied users, several alternative models were evaluated. It became clear, however, that the traditional single-variable-axis design of the classification, and other aspects of its structure that gave emphasis to conditions that were frequent, costly or otherwise of public health importance, had withstood the test of time and that many users would be unhappy with any of the models that had been proposed as a possible replacement.

Consequently, as study of the Tenth Revision will show, the traditional ICD structure has been retained but an alphanumeric coding scheme replaces the previous numeric one. This provides a larger coding frame and leaves room for future revision without disruption of the numbering system, as has occurred at previous revisions.

In order to make optimum use of the available space, certain disorders of the immune mechanism are included with diseases of the blood and blood-forming organs (Chapter III). New chapters have been created for diseases of the eye and adnexa and diseases of the ear and mastoid process. The former supplementary classifications of external causes and of factors influencing health status and contact with health services now form part of the main classification.

The dagger and asterisk system of dual classification for certain diagnostic statements, introduced in the Ninth Revision, has been retained and extended, with the asterisk axis being contained in homogeneous categories at the three-character level.

### Content of the three volumes of ICD-10

The presentation of the classification has been changed and there are now three volumes:

**Volume 1. Tabular List.** This contains the report of the International Conference for the Tenth Revision, the classification itself at the three- and four-character levels, the classification of the morphology of neoplasms, special tabulation lists for mortality and morbidity, definitions, and the nomenclature regulations.

**Part 2a. Instruction Manual.** This brings together the notes on certification and classification formerly included in Volume 1 with a good deal of new background and instructional matter and guidance on the use of Volume 1, on tabulations, and on planning for the use of ICD, which was seen as lacking in earlier revisions. It also includes the historical material formerly presented in the introduction to Volume 1.

**Volume 3. Alphabetical Index.** This presents the index itself with an introduction and expanded instructions on its use.

\* \* \*

The classification was approved by the International Conference for the Tenth Revision of the International Classification of Diseases in 1989 and adopted by the Forty-third World Health Assembly in the following resolution:

The Forty-third World Health Assembly,

Having considered the report of the International Conference for the Tenth Revision of the International Classification of Diseases;

1. ADOPTS the following, recommended by the Conference:
  - (1) the detailed list of three-character categories and optional four-character subcategories with the Short Tabulation Lists for Mortality and Morbidity, constituting the Tenth Revision of the International Statistical Classification of Diseases and Related Health Problems, due to come into effect on 1 January 1993;
  - (2) the definitions, standards and reporting requirements related to maternal, fetal, perinatal, neonatal and infant mortality;
  - (3) the rules and instructions for underlying cause coding for mortality and main condition coding for morbidity;
2. REQUESTS the Director-General to issue the *Manual of the International Statistical Classification of Diseases and Related Health Problems*;
3. ENDORSES the recommendations of the Conference concerning:
  - (1) the concept and implementation of the family of disease and health-related classifications, with the International Statistical Classification of Diseases and Related Health Problems as the core classification surrounded by a number of related and supplementary classifications and the International Nomenclature of Diseases;
  - (2) the establishment of an updating process within the ten-year revision cycle.

## Acknowledgements

The periodic revision of the ICD has, since the Sixth Revision in 1948, been coordinated by the World Health Organization. As the use of the classification has increased, so, understandably, has the desire among its users to contribute to the revision process. The Tenth Revision is the product of a vast amount of international activity, cooperation

and compromise. WHO acknowledges with gratitude the contributions of the international and national specialist groups and individuals in numerous many countries.

### **WHO Collaborating Centres for Classification of Diseases**

Nine WHO Collaborating Centres for Classification of Diseases have been established to assist countries with problems encountered in the development and use of health-related classifications and, in particular, in the use of the ICD.

It is important that countries bring to the attention of the respective Centre any significant problems they might encounter in the use of the ICD and especially when a new disease for which the ICD does not provide a suitable classification is encountered frequently. Until now the ICD has not been updated between revisions but it has been proposed that, through the Centres, a mechanism will be introduced to provide suitable codes for new diseases where necessary.

In addition to the official WHO Collaborating Centres, there are a number of national reference centres and individual users should first consult these, or their appropriate national office, when they encounter problems.

There are three Centres for English-language users. Communications should be addressed to the Head, WHO Collaborating Centre for Classification of Diseases at:

Australian Institute of Health  
GPO Box 570  
Canberra ACT 2601,  
Australia

Office of Population and Censuses and Surveys  
St. Catherine's House  
Kingsway 10  
London WC2B 6JP  
England

National Center for Health Statistics  
3311 Toledo Road  
Hyattsville, MD 27703  
United States of America

The other six centres, each based on an individual language or group of languages, are located in the following institutions:

Peking Union Medical College Hospital  
Chinese Academy of Medical Sciences

## **ICD-10-Mortality 2e-Volume1 - 2017**

Beijing 100730  
China (for Chinese)

INSERM  
44 Chemin de Ronde  
F-78110 Le Vésinet  
France (for French)

Department of Social Medicine  
University Hospital  
S-751 85 Uppsala  
Sweden (for the Nordic countries)

Faculdade de Saúde Publica/Universidade de São Paulo  
Avenida Dr Arnaldo 715,  
01246-904 Sao Paulo, SP  
Brazil (for Portuguese)

The N.A. Semaško Institute,  
U1. Obuha 12  
Moscow B-20  
Russian Federation Republic (for Russian)

Centro Venezolano de Clasificación de Enfermedades  
Edificio Sur, 9º Piso  
M.S.A.S.,  
Centro Simon Bolivar,  
P.O. Box 6653  
Caracas  
Venezuela (for Spanish)

## **Report of the International Conference for the Tenth Revision of the International Classification of Diseases**

The International Conference for the Tenth Revision of the International Classification of Diseases was convened by the World Health Organization at WHO headquarters in Geneva from 26 September to 2 October 1989. The Conference was attended by delegates from 43 Member States:

Angola  
Australia  
Bahamas  
Belgium

Luxembourg  
Madagascar  
Mali  
Malta

## ICD-10-Mortality 2e-Volume1 - 2017

|                              |                                                         |
|------------------------------|---------------------------------------------------------|
| Brazil                       | Mozambique                                              |
| Bulgaria                     | Netherlands                                             |
| Burundi                      | Niger                                                   |
| Canada                       | Portugal                                                |
| China                        | Republic of Korea                                       |
| Cuba                         | Senegal                                                 |
| Cyprus                       | Singapore                                               |
| Denmark                      | Spain                                                   |
| Finland                      | Sweden                                                  |
| France                       | Switzerland                                             |
| German Democratic Republic   | Thailand                                                |
| Germany, Federal Republic of | Uganda                                                  |
| Hungary                      | Union of Soviet Socialist Republics                     |
| India                        | United Arab Emirates                                    |
| Indonesia                    | United Kingdom of Great Britain<br>and Northern Ireland |
| Israel                       | United States of America                                |
| Japan                        | Venezuela                                               |
| Kuwait                       |                                                         |

The United Nations, the International Labour Organisation and the WHO Regional Offices sent representatives to participate in the Conference, as did the Council for International Organizations of Medical Sciences, and twelve other nongovernmental organizations concerned with cancer registration, the deaf, epidemiology, family medicine, gynaecology and obstetrics, hypertension, health records, preventive and social medicine, neurology, psychiatry, rehabilitation and sexually transmitted diseases.

The Conference was opened by Dr J.-P. Jarrel, Assistant Director-General, on behalf of the Director-General. Dr Jarrel spoke of the extensive consultations and preparatory work that had gone into the revision proposals and had necessitated a longer than usual interval between revisions. He noted that the Tenth Revision would have a new title, *International Statistical Classification of Diseases and Related Health Problems*, to emphasize its statistical purpose and reflect the widening of its scope. The convenient abbreviation ICD would, however, be retained. He also mentioned the new alphanumeric coding scheme, which had made it possible to provide a better balance between the content of the chapters and to leave room for future additions and changes, as well as the intention to produce an ICD manual of three-character categories with an alphabetical index for use where the more complex detailed four-character version would be inappropriate.

The Conference elected the following officers:

Dr R.H.C. Wells, Australia (*Chairman*)

Dr H. Bay-Nielsen, Denmark (*Vice-Chairman*)

## ICD-10-Mortality 2e-Volume1 - 2017

Dr R. Braun, German Democratic Republic (*Vice-Chairman*)  
Mr R.A. Israel, United States of America (*Vice-Chairman*)  
Dr R. Laurenti, Brazil (*Vice-Chairman*)  
Dr P. Maguin, France (*Rapporteur*)  
Ms E. Taylor, Canada (*Rapporteur*)

The secretariat of the Conference was as follows:

Dr J.-P. Jarrel, Assistant Director-General, WHO, Geneva, Switzerland  
Dr H.R. Hapsara, Director, Division of Epidemiological Surveillance and Health Situation and Trend Assessment, WHO, Geneva, Switzerland  
Dr J.-C. Alary, Chief Medical Officer, Development of Epidemiological and Health Statistical Services, WHO, Geneva, Switzerland  
Dr G.R. Brämer, Medical Officer, Development of Epidemiological and Health Statistical Services, WHO, Geneva, Switzerland (*Secretary*)  
Mr A. L'Hours, Technical Officer, Development of Epidemiological and Health Statistical Services, WHO, Geneva, Switzerland  
Professor W. Jänisch, German Democratic Republic (*Temporary Adviser*)  
Mr T. Kruse, Denmark (*Temporary Adviser*)  
Dr K. Kupka, France (*Temporary Adviser*)  
Dr J. Leowski, Poland (*Temporary Adviser*)  
Ms R.M. Loy, United Kingdom of Great Britain and Northern Ireland (*Temporary Adviser*)  
Mr R.H. Seeman, United States of America (*Temporary Adviser*)

The secretariat of the Conference was assisted by representatives of other relevant technical units of WHO headquarters.

The Conference adopted an agenda dealing with the proposed content of the chapters of the Tenth Revision, and material to be incorporated in the published manual; the process for its introduction; and the family of classifications and related matters.

### **1. History and development of uses of the International Classification of Diseases (ICD)**

The Conference was reminded of the impressive history of a statistical classification which dated back to the eighteenth century. While early revisions of the classification had been concerned only with causes of death, its scope had been extended at the Sixth Revision in 1948 to include non-fatal diseases. This extension had continued through the Ninth Revision, with certain innovations being made to meet the statistical needs of widely differing organizations. In addition, at the International Conference for the Ninth Revision (Geneva, 1975) (1), recommendations had been made and approved

for the publication for trial purposes of supplementary classifications of procedures in medicine and of impairments, disabilities, and handicaps.

### **2. Review of activities in the preparation of proposals for the Tenth Revision of the ICD**

The proposals before the Conference were the product of a vast amount of activity at WHO headquarters and around the world. The programme of work had been guided by regular meetings of the heads of WHO Collaborating Centres for Classification of Diseases. Policy guidance had been provided by a number of special meetings and by the Expert Committee on the International Classification of Diseases - Tenth Revision, which met in 1984 (2) and 1987 (3) to make decisions on the direction the work should take and the form of the final proposals.

Extensive preparatory activity had been devoted to a radical review of the suitability of the structure of the ICD, essentially a statistical classification of diseases and other health problems, to serve a wide variety of needs for mortality and health-care data. Ways of stabilizing the coding system to minimize disruption at successive revisions had been investigated, as had the possibility of providing a better balance between the content of the different chapters of the ICD.

Even with a new structure, it was plain that one classification could not cope with the extremes of the requirements. The concept had therefore been developed of a "family" of classifications, with the main ICD as the core, covering the centre ground of needs for traditional mortality and morbidity statistics, while needs for more detailed, less detailed or different classifications and associated matters would be dealt with by other members of the family.

Several alternative models for the structure of the ICD had been investigated by the Collaborating Centres, but it had been found that each had unsatisfactory features and none had sufficient advantages over the existing structure to justify replacing it. Special meetings held to evaluate the Ninth Revision had confirmed that, although some potential users found the existing structure of the ICD unsuitable, there was a large body of satisfied users who considered it had many inherent strengths, whatever its apparent inconsistencies, and wished it to continue in its existing form.

Various schemes involving alphanumeric notation had been examined with a view to producing a coding frame that would give a better balance to the chapters and allow sufficient space for future additions and changes without disrupting the codes.

Decisions made on these matters had paved the way for the preparation of successive drafts of chapter proposals for the Tenth Revision. These had twice been circulated to Member States for comment as well as being reviewed by other interested bodies,



meetings of Centre Heads, and the Expert Committee. A large number of international professional specialist associations, individual specialists and experts, other WHO headquarters units and regional offices had given advice and guidance to the WHO unit responsible for the ICD and to the Collaborating Centres on the preparation of the proposals and the associated material placed before the Conference. WHO gratefully acknowledged this assistance.

### **3. General characteristics and content of the proposed Tenth Revision of the ICD**

The main innovation in the proposals for the Tenth Revision was the use of an alphanumeric coding scheme of one letter followed by three numbers at the four-character level. This had the effect of more than doubling the size of the coding frame in comparison with the Ninth Revision and enabled the vast majority of chapters to be assigned a unique letter or group of letters, each capable of providing 100 three-character categories. Of the 26 available letters, 25 had been used, the letter U being left vacant for future additions and changes and for possible interim classifications to solve difficulties arising at the national and international level between revisions.

As a matter of policy, some three-character categories had been left vacant for future expansion and revision, the number varying according to the chapters: those with a primarily anatomical axis of classification had fewer vacant categories as it was considered that future changes in their content would be more limited in nature.

The Ninth Revision contained 17 chapters plus two supplementary classifications: the Supplementary Classification of External Causes of Injury and Poisoning (the E code) and the Supplementary Classification of Factors Influencing Health Status and Contact with Health Services (the V code). As recommended by the Preparatory Meeting on the Tenth Revision (Geneva, 1983) (4) and endorsed by subsequent meetings, these two chapters were no longer considered to be supplementary but were included as a part of the core classification.

The order of entry of chapters in the proposals for the Tenth Revision had originally been the same as in the Ninth Revision; however, to make effective use of the available space, disorders of the immune mechanism were later included with diseases of the blood and blood-forming organs, whereas in the Ninth Revision they had been included with endocrine, nutritional and metabolic diseases. The new chapter on "Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism" now followed the "Neoplasms" chapter, with which it shared the letter D.

During the elaboration of early drafts of the chapter on "Diseases of the nervous system and sense organs", it had soon become clear that it would not be possible to

## ICD-10-Mortality 2e-Volume1 - 2017

accommodate all the required detail under one letter in 100 three-character categories. It had been decided, therefore, to create three separate chapters - "Diseases of the nervous system" having the letter G, and the two chapters on "Diseases of the eye and adnexa" and on "Diseases of the ear and mastoid process" sharing the letter H.

Also, the chapters on "Diseases of the genitourinary system", on "Pregnancy, childbirth and the puerperium", on "Certain conditions originating in the perinatal period, and on "Congenital malformations, deformations and chromosomal abnormalities" had been brought together as contiguous chapters XIV to XVII.

With the inclusion of the former supplementary classifications as part of the core classification and the creation of two new chapters, the total number of chapters in the proposal for the Tenth Revision had become 21. The titles of some chapters had been amended to give a better indication of their content.

Where radical changes to the ICD had been proposed, field-testing had been appropriate. This had been the case for the following chapters:

- V. Mental and behavioural disorders
- XIX. Injury, poisoning and certain other consequences of external causes
- XX. External causes of morbidity and mortality

Chapter II, "Neoplasms", had also been subject to some field-testing, although the changes in its content had been of a minor nature.

Some new features of the proposals for the Tenth Revision were as follows:

- The exclusion notes at the beginning of each chapter had been expanded to explain the relative hierarchy of chapters, and to make it clear that the "special group" chapters had priority of assignment over the organ or system chapters and that, among the special group chapters, those on "Pregnancy, childbirth and the puerperium" and on "Certain conditions originating in the perinatal period" had priority over the others.
- Also, at the beginning of each chapter an overview was given of the blocks of three-character categories and, where relevant, the asterisk categories; this had been done to clarify the structure of the chapters and to facilitate the use of the asterisk categories.
- The notes in the tabular list applied to all uses of the classification; if a note was appropriate only to morbidity or only to mortality, it was included in the special notes accompanying either the morbidity coding rules or the mortality coding rules.
- The Ninth Revision had identified a certain number of conditions as being drug-induced; this approach had been continued in drawing up the proposals for the Tenth Revision and many such conditions were now separately identified.

An important innovation was the creation towards the end of certain chapters of categories for postprocedural disorders. These identified important conditions that constituted a medical care problem in their own right and included such examples as endocrine and metabolic diseases following ablation of an organ and other specific conditions such as postgastrectomy dumping syndrome. Postprocedural conditions that were not specific to a particular body system, including immediate complications such as air embolism and postoperative shock, continued to be classified in the chapter on "Injury, poisoning and certain other consequences of external causes".

Another change was that in the Ninth Revision, the four-digit titles had often had to be read in conjunction with the three-digit titles to ascertain the full meaning and intent of the subcategory, whereas in the draft presented to the Conference the titles were almost invariably complete and could stand alone.

The dual classification scheme for etiology and manifestation, known as the dagger and asterisk system, introduced in the Ninth Revision, had been the subject of a certain amount of criticism. This related mainly to the fact that the classification frequently contained a mixture of manifestation and other information at the three- and four-digit levels, with the same diagnostic labels sometimes appearing under both axes. Also, many considered the system to be

insufficiently comprehensive. To overcome these problems, in the draft for the Tenth Revision, the asterisk information was contained in 82 homogeneous three-character categories for optional use. This approach enabled those diagnostic statements containing information about both a generalized underlying disease process and a manifestation or complication in a particular organ or site to receive two codes, allowing retrieval or tabulation according to either axis.

These characteristics of the proposed Tenth Revision were accepted by the Conference.

Each of the chapters was introduced to the Conference with a presentation on changes introduced since the Ninth Revision and some background information about certain innovations. Some issues related to changes in chapter structure and content were discussed by the Conference and agreement reached on follow-up and modification by the secretariat.

#### **4. Standards and definitions related to maternal and child health**

The Conference considered with interest the recommended definitions, standards and reporting requirements for the Tenth Revision with regard to maternal mortality and to fetal, perinatal, neonatal and infant mortality. These recommendations were the outcome of a series of special meetings and consultations and were directed towards improving the comparability of data.

## **ICD-10-Mortality 2e-Volume1 - 2017**

The Conference agreed that it was desirable to retain the definitions of live birth and fetal death as they appeared in the Ninth Revision.

After some discussion, the Conference set up a working party on the subject of maternal mortality and, on the basis of its recommendations, also agreed to retain the definition of maternal death as it appeared in the Ninth Revision.

In order to improve the quality of maternal mortality data and provide alternative methods of collecting data on deaths during pregnancy or related to it, as well as to encourage the recording of deaths from obstetric causes occurring more than 42 days following termination of pregnancy, two additional definitions, for "pregnancy-related deaths" and "late maternal deaths", were formulated by the working party.

The Conference

RECOMMENDED that countries consider the inclusion on death certificates of questions regarding current pregnancy and pregnancy within one year preceding death.

The Conference agreed that, since the number of live births was more universally available than the number of total births (live births plus fetal deaths), it should be used as the denominator in the ratios related to maternal mortality [as contained in Part 2a Instruction Manual (NCHS)].

With respect to perinatal, neonatal and infant mortality, it was strongly advised that published rates based on birth cohorts should be so identified and differentiated.

The Conference confirmed the practice of expressing age in completed units of time and thus designating the first day of life as day zero.

The Conference

RECOMMENDED the inclusion, in the manual of the Tenth Revision of the ICD, of definitions, standards and reporting requirements related to maternal mortality and to fetal, perinatal, neonatal and infant mortality.

## **5. Coding and selection rules and tabulation lists**

### **5.1 Coding and selection rules for mortality**

The Conference was informed about a process for review of the selection and modification rules for underlying cause of death and the associated notes, as they

## **ICD-10-Mortality 2e-Volume1 - 2017**

appeared in the Ninth Revision, which had resulted in several recommended changes in the rules and extensive changes to the notes.

The Conference

RECOMMENDED that the rules for selection of cause of death for primary mortality tabulation, as they appear in the Ninth Revision, be replaced in the Tenth Revision [by those contained in Part 2a Instruction Manual (NCHS)].

The Conference was further informed that additional notes for use in underlying cause coding and the interpretation of entries of causes of death had been drafted and were being reviewed. As these notes were intended to improve consistency in coding, the Conference agreed that they would also be incorporated in the Tenth Revision.

The Conference noted the continued use of multiple-condition coding and analysis in relation to causes of death. It expressed encouragement for such activities, but did not recommend that the Tenth Revision should contain any particular rules or methods of analysis to be followed.

In considering the international form of medical certificate of cause of death, the Expert Committee had recognized that the situation of an aging population with a greater proportion of deaths involving multiple disease processes, and the effects of associated therapeutic interventions, tended to increase the number of possible statements between the underlying cause and the direct cause of death: this meant that an increasing number of conditions were being entered on death certificates in many countries. This led the Committee to recommend the inclusion of an additional line (d) in Part I of the certificate.

The Conference therefore

RECOMMENDED that, where a need has been identified, countries consider the possibility of including an additional line (d) in Part I of the medical certificate of cause of death.

### **5.2 Coding and selection rules for morbidity**

For the first time, the Ninth Revision contained guidance on recording and coding for morbidity and specifically for the selection of a single condition for presentation of morbidity statistics. Experience gained in the use of the definitions and rules in the Ninth Revision had proved their usefulness and generated requests for their clarification, for further elaboration regarding the recording of diagnostic information by health care practitioners, and for more guidance on dealing with specific problem situations.

## **ICD-10-Mortality 2e-Volume1 - 2017**

The Conference endorsed the recommendations of the 1975 Revision Conference about the condition to be selected for single-condition analysis of episodes of health care, and its view that, where practicable, multiple-condition coding and analysis should be undertaken to supplement routine statistics. It stressed that the Tenth Revision should make it clear that much of the guidance was applicable only when the tabulation of a "main condition" for an episode was appropriate and when the concept of an "episode" per se was relevant to the way in which data collection was organized.

The Conference accordingly

RECOMMENDED that additional guidance on the recording and coding of morbidity should be included in the Tenth Revision, and that the definitions of "main condition" and "other conditions" should be incorporated, together with the modified rules for dealing with obviously incorrectly reported "main condition". [These are included in Part 2a Instruction Manual (NCHS).]

The Conference also

RECOMMENDED that where the "main condition" is subject to the dual classification system provided in the ICD, both the dagger and asterisk codes should be recorded, to permit alternative tabulation by either.

The Conference agreed that extensive notes and examples should be added to provide further assistance.

### **5.3 Lists for tabulation of mortality and morbidity**

The Conference was informed about difficulties that had arisen in the use of the Basic Tabulation List based on the Ninth Revision and about the activities that had been undertaken, particularly by WHO, to develop new lists for the tabulation and publication of mortality data. In this process it had become apparent that, in many countries, mortality up to the age of five was a more robust indicator than infant mortality, and that it would therefore be preferable to have a list that included infant deaths and deaths of children up to the age of five years, rather than a list for infants only.

Two versions of the general mortality list and of the infant and child mortality list had been prepared for consideration by the Conference, with the second version including chapter titles and residual items for chapters as necessary.

As some concerns were expressed regarding the mortality lists as presented, a small working party was convened to consider the possible inclusion of some additional items. The report of the working party was accepted by the Conference.

## **ICD-10-Mortality 2e-Volume1 - 2017**

On the topic of lists for the tabulation of morbidity, the Conference reviewed both a proposed tabulation list and a model publication list based on chapter titles, with selected items included as examples under each title. Considerable concern was expressed about the applicability of such lists to all morbidity in the broadest sense. There was general agreement that the lists as presented were probably more suited to inpatient morbidity, and it was felt that further efforts should be made to develop lists suitable for other morbidity applications and also that both mortality and morbidity tabulation lists should be accompanied in the Tenth Revision by appropriate explanations and instructions on their use.

In the light of the concerns raised in the Conference and the conclusions of the working party, the Conference agreed that the tabulation and publication lists should appear in the Tenth Revision, while an effort should be made to establish clearer, more descriptive titles for these lists. It was also agreed that, to facilitate the alternative tabulation of asterisk categories, a second version of the morbidity tabulation list should be developed, which included the asterisk categories.

## **6. Family of classifications**

### **6.1 Concept of the family of classifications**

During the preparation of the Ninth Revision it had already been realized that the ICD alone could not cover all the information required and that only a "family" of disease and health-related classifications would meet the different requirements in public health. Since the late 1970s, therefore, various possible solutions had been envisaged, one of which called for a core classification (ICD) with a series of modules, some hierarchically related and others of a supplementary nature.

After studies and discussions in cooperation with the various Collaborating Centres, a concept of a family of classifications had been elaborated and subsequently revised by the Expert Committee in 1987, which had recommended the scheme shown opposite.

The Conference

RECOMMENDED that the concept of the family of disease and health-related classifications should be followed up by WHO.

In order to maintain the integrity of the ICD itself and this family concept, the Conference

RECOMMENDED that, in the interests of international comparability, no changes should be made to the content (as indicated by the titles) of the three-character categories and four-character sub-categories of the Tenth Revision in the


## **ICD-10-Mortality 2e-Volume1 - 2017**

preparation of translations or adaptations, except as authorized by WHO. The Secretariat of WHO is responsible for the ICD and acts as central clearing-house for any publication (except national statistical publications) or translation to be derived from it. WHO should be promptly notified about the intention to produce translations and adaptations or other ICD-related classifications.

### **Family of disease and health-related classifications**



## ICD-10-Mortality 2e-Volume1 - 2017



The Conference viewed with interest a presentation of the use and linkage of different members of the ICD family in the medicosocial and multidimensional assessment of the elderly in relation not only to health but also to activities of daily living as well as the

social and physical environment. It was demonstrated that effective information could be obtained through use of the ICD and the International Classification of Impairments, Disabilities, and Handicaps (ICIDH), and especially through use of the codes from the proposed Chapter XXI of the Tenth Revision.

### **6.2 Specialty-based adaptations**

The Conference was informed about plans for the development of adaptations of the Tenth Revision in the mental health programme area. Clinical guidelines would accompany a version intended for use by clinicians working in the field of psychiatry; research criteria would be proposed for use in investigations of mental health problems; and multi-axial presentations for use in dealing with childhood disorders and for the classification of adult problems would be developed as well as a version for use by general practitioners. Compilations of ICD codes relevant to psychiatry and to neurology would also be produced along the lines of previous publications on this subject.

The Conference also heard about the methods used to ensure that the basic structure and function of the ICD were preserved in the initial development of the application for medical specialists in dentistry and stomatology (ICD-DA) and was informed that a new revision of the ICD-DA linked to the Tenth Revision was in the final stages of preparation.

A presentation was given on the International Classification of Diseases for Oncology (ICD-O), Second Edition, a multi-axial classification including both the topography and morphology of neoplasms. The morphology codes of the ICD-O, which had evolved over a long period of time, had been revised and extensively field-tested. The topography codes of the second edition would be based on categories C00-C80 in the Tenth Revision and publication would, therefore, await World Health Assembly approval of the Tenth Revision.

There was agreement on the value of an adaptation in the area of general medical practice and the Conference was informed about the willingness of groups working in this area to collaborate with WHO. In respect of other specialty-based adaptations, which were likely to become more numerous, the recommended role of WHO as a clearing-house was considered to be extremely important.

### **6.3 Information support to primary health care**

In accordance with the recommendations of the 1975 Revision Conference, a working group had been convened by the WHO Regional Office for South-East Asia in Delhi in 1976. It had drawn up a detailed list of symptom associations, and from this, two short lists were derived, one for causes of death and one for reasons for contact with health services. Field trials of this system had been carried out in countries of the Region and the results used to revise the list of symptom associations and the reporting forms. This

revised version had been published by WHO in 1978 in the booklet *Lay reporting of health information* (5).

The Global Strategy for Health for All by the Year 2000, launched in 1978, had raised a number of challenges for the development of information systems in Member States. At the International Conference on Health Statistics for the Year 2000 (Bellagio, Italy, 1982) (6), the integration of "lay reporting" information with other information generated and used for health management purposes had been identified as a major problem inhibiting the wider implementation of lay reporting schemes. The Consultation on Primary Care Classifications (Geneva, 1985) (7) had stressed the need for an approach that could unify information support, health service management and community services through information based on lay reporting in the expanded sense of community-based information.

The Conference was informed about the experience of countries in developing and applying community-based health information that covered health problems and needs, related risk factors and resources. It supported the concept of developing non-conventional methods at the community level as a method of filling information gaps in individual countries and strengthening their information systems. It was stressed that, for both developed and developing countries, such methods or systems should be developed locally and that, because of factors such as morbidity patterns as well as language and cultural variations, transfer to other areas or countries should not be attempted.

### **6.4 Impairments, disabilities and handicaps**

The International Classification of Impairments, Disabilities, and Handicaps (ICIDH) (8) had been published by WHO in English in 1980 for trial purposes, in accordance with the recommendations of the 1975 Revision Conference and resolution WHA29.35 (9) of the 1976 World Health Assembly. Since that time, research and development on the classification had followed a number of paths.

The major definitions of the three elements - impairment, disability and handicap - had undoubtedly been instrumental in changing attitudes to disablement. The definition of impairment, an area where there was considerable overlap with the terms included in the ICD, had been widely accepted. The definition of disability broadly matched the field of action of rehabilitation professionals and groups, although there was felt to be a need for more attention in the associated code to the gradation of severity, which was often a predictor of handicap. There had also been increasing requests to revise the definition of handicap so as to put more emphasis on the effect of interaction with the environment.

The rapid evolution of ideas and practices in the management of disablement had ruled out the production of a revised ICIDH in time to be submitted to the Conference. It was

stated that the publication of a new version was unlikely before implementation of the Tenth Revision.

### **6.5 Procedures in medicine**

The International Classification of Procedures in Medicine (ICPM) (10) had been published by WHO in 1978 for trial purposes, in accordance with the recommendations of the 1975 Revision Conference and resolution WHA29.35 (9) of the 1976 World Health Assembly. The classification had been adopted by a few countries and was used as a basis for national classifications of surgical operations by a number of other countries.

The Heads of WHO Collaborating Centres for Classification of Diseases had recognized that the process of drafting proposals, obtaining comments, redrafting and soliciting further comments, which WHO necessarily had to go through before finalization and publication, was inappropriate in such a rapidly advancing field as that of procedures. The Centre Heads had therefore recommended that there should be no revision of the ICPM in conjunction with the Tenth Revision of ICD.

In 1987 the Expert Committee had asked that WHO consider updating for the Tenth Revision at least the outline of Chapter 5, "Surgical procedures", of the trial ICPM. In response to this request and the needs expressed by a number of countries, an attempt had been made by the Secretariat to prepare a tabulation list for procedures.

This list had been presented to the Centre Heads at their 1989 meeting and it had been agreed that it could serve as a guide for national presentation or publication of statistics on surgical procedures and could also facilitate intercountry comparisons. The aim of the list was to identify procedures and groups of procedures and define them as a basis for the development of national classifications, thereby improving the comparability of such classifications.

The Conference agreed that such a list was of value and that work should continue on its development, even though any publication would follow the implementation of the Tenth Revision.

### **6.6 International Nomenclature of Diseases**

Since 1970 the Council for International Organizations of Medical Sciences (CIOMS) had been involved in the preparation of an International Nomenclature of Diseases (IND) which would serve as a complement to the ICD.

The main purpose of the IND was to provide a single recommended name for every disease entity. The main criteria for selection of that name were that it should be specific, unambiguous, as self-descriptive and simple as possible, and based on cause wherever feasible. Each disease or syndrome for which a name was recommended was

## **ICD-10-Mortality 2e-Volume1 - 2017**

defined as unambiguously, and yet briefly, as possible. A list of synonyms was appended to each definition.

At the time of the Conference, volumes had been published on diseases of the lower respiratory tract, infectious diseases (viral, bacterial and parasitic diseases and mycoses) and cardiac and vascular diseases, and work was under way on volumes for the digestive system, female genital system, urinary and male genital system, metabolic and endocrine diseases, blood and blood-forming organs, immunological system, musculoskeletal system and nervous system. Subjects proposed for future volumes included psychiatric diseases, as well as diseases of the skin, ear, nose and throat, and eye and adnexa.

The Conference recognized that an authoritative, up-to-date and international nomenclature of diseases was important in developing the ICD and improving the comparability of health information. The Conference therefore

RECOMMENDED that WHO and CIOMS be encouraged to explore cost-efficient ways to achieve the timely completion and maintenance of such a nomenclature.

### **7. Implementation of the Tenth Revision of the ICD**

The Conference was informed of WHO's intention to publish the detailed four-character version of the Tenth Revision in three volumes: one containing the Tabular List, a second containing all related definitions, standards, rules and instructions, and a third containing the Alphabetical Index.

The Conference was further informed that a three-character version of the Tenth Revision would be published as a single volume which would contain, in the Tabular List, all inclusion and exclusion notes. It would also contain all related definitions, standards, rules and instructions and a shortened Alphabetical Index.

Member States intending to produce national language versions of the Tenth Revision should notify WHO of their intentions. Copies of the drafts of the ICD at the three- and four-character levels would be made available from WHO both in printed form and on electronic media.

With respect to the physical appearance of the pages and type formats for both the Tabular List and the Alphabetical Index, the Conference was assured that recommendations from the Centre Heads and complaints from coders would be considered, and every attempt made to improve those aspects as compared with the Ninth Revision.

## **ICD-10-Mortality 2e-Volume1 - 2017**

As with the Ninth Revision, it was intended to develop materials for the reorientation of trained coders, with the help of the Collaborating Centres. The actual training courses would be the responsibility of the WHO regional offices and individual countries. They would be carried out from late 1991 to the end of 1992, to finish before the implementation of the Tenth Revision.

Materials for the basic training of new users of the ICD would also be developed by WHO; it was not, however, planned to begin courses before 1993.

As noted above, WHO would be prepared to provide the Tenth Revision (both the Tabular List and the Alphabetical Index) on electronic media. In future, with the assistance of the Collaborating Centres, other software might also be made available. A key for conversion from the Ninth to the Tenth Revision, and the reverse, should be available before the implementation of the Tenth Revision.

As the development activities that had been endorsed by the Expert Committee were on schedule, the Conference

RECOMMENDED that the Tenth Revision of the International Classification of Diseases should come into effect as from 1 January 1993.

### **8. Future revision of the ICD**

The Conference discussed the difficulties experienced during the extended period of use of the Ninth Revision, related to the emergence of new diseases and the lack of an updating mechanism to accommodate them.

Various suggestions for mechanisms to overcome these difficulties and avoid similar problems with respect to the Tenth Revision were discussed. There was a clear feeling that there was a need for ongoing information exchange to standardize the use of the Tenth Revision between countries, but that any changes introduced during its "lifetime" should be considered very carefully in relation to their impact on analyses and trends. There was discussion on the type of forum in which such changes and the potential for use of the vacant letter "U" in new or temporary code assignments could be discussed. It was agreed that it would not be feasible to hold revision conferences more frequently than every 10 years.

On the basis of the needs expressed, and the fact that it would be inappropriate to attempt to determine or define the exact process to be used, the Conference

RECOMMENDED that the next International Revision Conference should take place in ten years' time, and that WHO should endorse the concept of an

updating process between revisions and give consideration as to how an effective updating mechanism could be put in place.

### 9. Adoption of the Tenth Revision of the ICD

The Conference made the following recommendation:

Having considered the proposals prepared by the Organization on the basis of the recommendations of the Expert Committee on the International Classification of Diseases - Tenth Revision,

Recognizing the need for a few further minor modifications to reflect the comments on points of detail submitted by Member States during the Conference,

RECOMMENDED that the proposed revised chapters, with their three-character categories and four-character subcategories and the Short Tabulation Lists for Morbidity and Mortality, constitute the Tenth Revision of the International Statistical Classification of Diseases and Related Health Problems.

### References

1. *International Classification of Diseases, 1975 Revision*, Volume 1. Geneva, World Health Organization, 1977, pp. xiii-xxiv.
2. *Report of the Expert Committee on the International Classification of Diseases-10<sup>th</sup> Revision: First Meeting*. Geneva, World Health Organization, 1984 (unpublished document DES/EC/ICD-10/84.34).
3. *Report of the Expert Committee on the International Classification of Diseases-10<sup>th</sup> Revision: Second Meeting*. Geneva, World Health Organization. 1987 (unpublished document WHO/DES/EC/ICD-10/87.38).
4. *Report of the Preparatory Meeting on ICD-10*. Geneva, World Health Organization, 1983 (unpublished document DES/ICD-10/83.19).
5. *Lay reporting of health information*. Geneva, World Health Organization, 1978.
6. *International Conference on Health Statistics for the Year 2000*. Budapest, Statistical Publishing House, 1984.
7. *Report of the Consultation on Primary Care Classifications*. Geneva, World Health Organization, 1985 (unpublished document DES/PHC/85.7).
8. *International Classification of Impairments, Disabilities, and Handicaps*. Geneva, World Health Organization, 1980.
9. *WHO Official Records*, No. 233, 1976, p. 18.
10. *International Classification of Procedures in Medicine*. Geneva, World Health Organization, 1978.

## **LIST OF THREE-CHARACTER CATEGORIES**



## **Chapter I - Certain infectious and parasitic diseases (A00-B99)**

### **Intestinal infectious diseases (A00-A09)**

- A00 Cholera
- A01 Typhoid and paratyphoid fevers
- A02 Other salmonella infections
- A03 Shigellosis
- A04 Other bacterial intestinal infections
- A05 Other bacterial foodborne intoxications
- A06 Amoebiasis
- A07 Other protozoal intestinal diseases
- A08 Viral and other specified intestinal infections
- A09 Other gastroenteritis and colitis of infectious and unspecified origin

### **Tuberculosis (A15-A19)**

- A15 Respiratory tuberculosis, bacteriologically and histologically confirmed
- A16 Respiratory tuberculosis, not confirmed bacteriologically or histologically
- A17† Tuberculosis of nervous system
- A18 Tuberculosis of other organs
- A19 Miliary tuberculosis

### **Certain zoonotic bacterial diseases (A20-A28)**

- A20 Plague

## ICD-10-Mortality 2e-Volume1 - 2017

- A21 Tularaemia
- A22 Anthrax
- A23 Brucellosis
- A24 Glanders and melioidosis
- A25 Rat-bite fevers
- A26 Erysipeloid
- A27 Leptospirosis
- A28 Other zoonotic bacterial diseases, not elsewhere classified

### Other bacterial diseases (A30-A49)

- A30 Leprosy [Hansen disease]
- A31 Infection due to other mycobacteria
- A32 Listeriosis
- A33 Tetanus neonatorum
- A34 Obstetrical tetanus
- A35 Other tetanus
- A36 Diphtheria
- A37 Whooping cough
- A38 Scarlet fever
- A39 Meningococcal infection
- A40 Streptococcal septicaemia
- A41 Other septicaemia
- A42 Actinomycosis
- A43 Nocardiosis
- A44 Bartonellosis
- A46 Erysipelas
- A48 Other bacterial diseases, not elsewhere classified
- A49 Bacterial infection of unspecified site

### Infections with a predominantly sexual mode of transmission (A50-A64)

- A50 Congenital syphilis
- A51 Early syphilis
- A52 Late syphilis
- A53 Other and unspecified syphilis

## ICD-10-Mortality 2e-Volume1 - 2017

- A54 Gonococcal infection
- A55 Chlamydial lymphogranuloma (venereum)
- A56 Other sexually transmitted chlamydial diseases
- A57 Chancroid
- A58 Granuloma inguinale
- A59 Trichomoniasis
- A60 Anogenital herpesviral [herpes simplex] infections
- A63 Other predominantly sexually transmitted diseases, not elsewhere classified
- A64 Unspecified sexually transmitted disease

### Other spirochaetal diseases (A65-A69)

- A65 Nonvenereal syphilis
- A66 Yaws
- A67 Pinta [carate]
- A68 Relapsing fevers
- A69 Other spirochaetal infections

### Other diseases caused by chlamydiae (A70-A74)

- A70 *Chlamydia psittaci* infection
- A71 Trachoma
- A74 Other diseases caused by chlamydiae

### Rickettsioses (A75-A79)

- A75 Typhus fever
- A77 Spotted fever [tick-borne rickettsioses]
- A78 Q fever
- A79 Other rickettsioses

## **Viral infections of the central nervous system (A80-A89)**

- A80 Acute poliomyelitis
- A81 Atypical virus infections of central nervous system
- A82 Rabies
- A83 Mosquito-borne viral encephalitis
- A84 Tick-borne viral encephalitis
- A85 Other viral encephalitis, not elsewhere classified
- A86 Unspecified viral encephalitis
- A87 Viral meningitis
- A88 Other viral infections of the central nervous system, not elsewhere classified
- A89 Unspecified viral infection of the central nervous system

## **Arthropod-borne viral fevers and viral haemorrhagic fevers (A90-A99)**

- A90 Dengue fever [classical dengue]
- A91 Dengue haemorrhagic fever
- A92 Other mosquito-borne viral fevers
- A93 Other arthropod-borne viral fevers, not elsewhere classified
- A94 Unspecified arthropod-borne viral fever
- A95 Yellow fever
- A96 Arenaviral haemorrhagic fever
- A98 Other viral haemorrhagic fevers, not elsewhere classified
- A99 Unspecified viral haemorrhagic fever

## **Viral infections characterized by skin and mucous membrane lesions (B00-B09)**

- B00 Herpesviral [herpes simplex] infections
- B01 Varicella [chickenpox]
- B02 Zoster [herpes zoster]
- B03 Smallpox
- B04 Monkeypox
- B05 Measles
- B06 Rubella [German measles]

## ICD-10-Mortality 2e-Volume1 - 2017

- B07 Viral warts
- B08 Other viral infections characterized by skin and mucous membrane lesions, not elsewhere classified
- B09 Unspecified viral infection characterized by skin and mucous membrane lesions

### Viral hepatitis (B15-B19)

- B15 Acute hepatitis A
- B16 Acute hepatitis B
- B17 Other acute viral hepatitis
- B18 Chronic viral hepatitis
- B19 Unspecified viral hepatitis

### Human immunodeficiency virus [HIV] disease (B20-B24)

- B20 Human immunodeficiency virus [HIV] disease with infectious and parasitic diseases
- B21 Human immunodeficiency virus [HIV] disease with malignant neoplasms
- B22 Human immunodeficiency virus [HIV] disease with other specified diseases
- B23 Human immunodeficiency virus [HIV] disease with other conditions
- B24 Unspecified human immunodeficiency virus [HIV] disease

### Other viral diseases (B25-B34)

- B25 Cytomegaloviral disease
- B26 Mumps
- B27 Infectious mononucleosis
- B30 Viral conjunctivitis
- B33 Other viral diseases, not elsewhere classified
- B34 Viral infection of unspecified site

## Mycoses (B35-B49)

- B35 Dermatophytosis
- B36 Other superficial mycoses
- B37 Candidiasis
- B38 Coccidioidomycosis
- B39 Histoplasmosis
- B40 Blastomycosis
- B41 Paracoccidioidomycosis
- B42 Sporotrichosis
- B43 Chromomycosis and phaeomycotic abscess
- B44 Aspergillosis
- B45 Cryptococcosis
- B46 Zygomycosis
- B47 Mycetoma
- B48 Other mycoses, not elsewhere classified
- B49 Unspecified mycosis

## Protozoal diseases (B50-B64)

- B50 *Plasmodium falciparum* malaria
- B51 *Plasmodium vivax* malaria
- B52 *Plasmodium malariae* malaria
- B53 Other parasitologically confirmed malaria
- B54 Unspecified malaria
- B55 Leishmaniasis
- B56 African trypanosomiasis
- B57 Chagas disease
- B58 Toxoplasmosis
- B59 Pneumocystosis
- B60 Other protozoal diseases, not elsewhere classified
- B64 Unspecified protozoal disease

## Helminthiases (B65-B83)

- B65 Schistosomiasis [bilharziasis]
- B66 Other fluke infections

## ICD-10-Mortality 2e-Volume1 - 2017

|     |                                                          |
|-----|----------------------------------------------------------|
| B67 | Echinococcosis                                           |
| B68 | Taeniasis                                                |
| B69 | Cysticercosis                                            |
| B70 | Diphyllobothriasis and sparganosis                       |
| B71 | Other cestode infections                                 |
| B72 | Dracunculiasis                                           |
| B73 | Onchocerciasis                                           |
| B74 | Filariasis                                               |
| B75 | Trichinellosis                                           |
| B76 | Hookworm diseases                                        |
| B77 | Ascariasis                                               |
| B78 | Strongyloidiasis                                         |
| B79 | Trichuriasis                                             |
| B80 | Enterobiasis                                             |
| B81 | Other intestinal helminthiasis, not elsewhere classified |
| B82 | Unspecified intestinal parasitism                        |
| B83 | Other helminthiasis                                      |

### Pediculosis, acariasis and other infestations (B85-B89)

|     |                               |
|-----|-------------------------------|
| B85 | Pediculosis and phthiriasis   |
| B86 | Scabies                       |
| B87 | Myiasis                       |
| B88 | Other infestations            |
| B89 | Unspecified parasitic disease |

### Sequelae of infectious and parasitic diseases (B90-B94)

|     |                                                                     |
|-----|---------------------------------------------------------------------|
| B90 | Sequelae of tuberculosis                                            |
| B91 | Sequelae of poliomyelitis                                           |
| B92 | Sequelae of leprosy                                                 |
| B94 | Sequelae of other and unspecified infectious and parasitic diseases |

## **Bacterial, viral and other infectious agents (B95-B97)**

B95 Streptococcus and staphylococcus as the cause of diseases classified to other chapters

B96 Other specified bacterial agents as the cause of diseases classified to other chapters

B97 Viral agents as the cause of diseases classified to other chapters

## **Other infectious diseases (B99)**

B99 Other and unspecified infectious diseases



## Chapter II - Neoplasms (C00-D48)

### Malignant neoplasms (C00-C97)

#### ***Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)***

- C00 Malignant neoplasm of lip
- C01 Malignant neoplasm of base of tongue
- C02 Malignant neoplasm of other and unspecified parts of tongue
- C03 Malignant neoplasm of gum
- C04 Malignant neoplasm of floor of mouth
- C05 Malignant neoplasm of palate
- C06 Malignant neoplasm of other and unspecified parts of mouth
- C07 Malignant neoplasm of parotid gland
- C08 Malignant neoplasm of other and unspecified major salivary glands
- C09 Malignant neoplasm of tonsil
- C10 Malignant neoplasm of oropharynx
- C11 Malignant neoplasm of nasopharynx
- C12 Malignant neoplasm of pyriform sinus
- C13 Malignant neoplasm of hypopharynx
- C14 Malignant neoplasm of other and ill-defined sites in the lip, oral cavity and pharynx

#### ***Malignant neoplasms of digestive organs (C15-C26)***

- C15 Malignant neoplasm of oesophagus
- C16 Malignant neoplasm of stomach
- C17 Malignant neoplasm of small intestine
- C18 Malignant neoplasm of colon
- C19 Malignant neoplasm of rectosigmoid junction
- C20 Malignant neoplasm of rectum
- C21 Malignant neoplasm of anus and anal canal

## **ICD-10-Mortality 2e-Volume1 - 2017**

- C22 Malignant neoplasm of liver and intrahepatic bile ducts
- C23 Malignant neoplasm of gallbladder
- C24 Malignant neoplasm of other and unspecified parts of biliary tract
- C25 Malignant neoplasm of pancreas
- C26 Malignant neoplasm of other and ill-defined digestive organs

### ***Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)***

- C30 Malignant neoplasm of nasal cavity and middle ear
- C31 Malignant neoplasm of accessory sinuses
- C32 Malignant neoplasm of larynx
- C33 Malignant neoplasm of trachea
- C34 Malignant neoplasm of bronchus and lung
- C37 Malignant neoplasm of thymus
- C38 Malignant neoplasm of heart, mediastinum and pleura
- C39 Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs

### ***Malignant neoplasms of bone and articular cartilage (C40-C41)***

- C40 Malignant neoplasm of bone and articular cartilage of limbs
- C41 Malignant neoplasm of bone and articular cartilage of other and unspecified sites

### ***Melanoma and other malignant neoplasms of skin (C43-C44)***

- C43 Malignant melanoma of skin
- C44 Other malignant neoplasms of skin

### ***Malignant neoplasms of mesothelial and soft tissue (C45-C49)***

- C45 Mesothelioma
- C46 Kaposi sarcoma
- C47 Malignant neoplasm of peripheral nerves and autonomic nervous system
- C48 Malignant neoplasm of retroperitoneum and peritoneum
- C49 Malignant neoplasm of other connective and soft tissue

### ***Malignant neoplasm of breast (C50)***

- C50 Malignant neoplasm of breast

***Malignant neoplasms of female genital organs (C51-C58)***

- C51 Malignant neoplasm of vulva
- C52 Malignant neoplasm of vagina
- C53 Malignant neoplasm of cervix uteri
- C54 Malignant neoplasm of corpus uteri
- C55 Malignant neoplasm of uterus, part unspecified
- C56 Malignant neoplasm of ovary
- C57 Malignant neoplasm of other and unspecified female genital organs
- C58 Malignant neoplasm of placenta

***Malignant neoplasms of male genital organs (C60-C63)***

- C60 Malignant neoplasm of penis
- C61 Malignant neoplasm of prostate
- C62 Malignant neoplasm of testis
- C63 Malignant neoplasm of other and unspecified male genital organs

***Malignant neoplasms of urinary tract (C64-C68)***

- C64 Malignant neoplasm of kidney, except renal pelvis
- C65 Malignant neoplasm of renal pelvis
- C66 Malignant neoplasm of ureter
- C67 Malignant neoplasm of bladder
- C68 Malignant neoplasm of other and unspecified urinary organs

***Malignant neoplasms of eye, brain and other parts of central nervous system (C69-C72)***

- C69 Malignant neoplasm of eye and adnexa
- C70 Malignant neoplasm of meninges
- C71 Malignant neoplasm of brain
- C72 Malignant neoplasm of spinal cord, cranial nerves and other parts of central nervous system

***Malignant neoplasms of thyroid and other endocrine glands (C73-C75)***

- C73 Malignant neoplasm of thyroid gland
- C74 Malignant neoplasm of adrenal gland
- C75 Malignant neoplasm of other endocrine glands and related structures

***Malignant neoplasms of ill-defined, secondary and unspecified sites  
(C76-C80)***

- C76 Malignant neoplasm of other and ill-defined sites
- C77 Secondary and unspecified malignant neoplasm of lymph nodes
- C78 Secondary malignant neoplasm of respiratory and digestive organs
- C79 Secondary malignant neoplasm of other sites
- C80 Malignant neoplasm without specification of site

***Malignant neoplasms of lymphoid, haematopoietic and related tissue  
(C81-C96)***

- C81 Hodgkin disease
- C82 Follicular [nodular] non-Hodgkin lymphoma
- C83 Diffuse non-Hodgkin lymphoma
- C84 Peripheral and cutaneous T-cell lymphomas
- C85 Other and unspecified types of non-Hodgkin lymphoma
- C88 Malignant immunoproliferative diseases
- C90 Multiple myeloma and malignant plasma cell neoplasms
- C91 Lymphoid leukaemia
- C92 Myeloid leukaemia
- C93 Monocytic leukaemia
- C94 Other leukaemias of specified cell type
- C95 Leukaemia of unspecified cell type
- C96 Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue

***Malignant neoplasms of independent (primary) multiple sites (C97)***

- C97 Malignant neoplasms of independent (primary) multiple sites

**In situ neoplasms (D00-D09)**

- D00 Carcinoma in situ of oral cavity, oesophagus and stomach
- D01 Carcinoma in situ of other and unspecified digestive organs
- D02 Carcinoma in situ of middle ear and respiratory system
- D03 Melanoma in situ
- D04 Carcinoma in situ of skin
- D05 Carcinoma in situ of breast
- D06 Carcinoma in situ of cervix uteri

## ICD-10-Mortality 2e-Volume1 - 2017

- D07 Carcinoma in situ of other and unspecified genital organs
- D09 Carcinoma in situ of other and unspecified sites

### Benign neoplasms (D10-D36)

- D10 Benign neoplasm of mouth and pharynx
- D11 Benign neoplasm of major salivary glands
- D12 Benign neoplasm of colon, rectum, anus and anal canal
- D13 Benign neoplasm of other and ill-defined parts of digestive system
- D14 Benign neoplasm of middle ear and respiratory system
- D15 Benign neoplasm of other and unspecified intrathoracic organs
- D16 Benign neoplasm of bone and articular cartilage
- D17 Benign lipomatous neoplasm
- D18 Haemangioma and lymphangioma, any site
- D19 Benign neoplasm of mesothelial tissue
- D20 Benign neoplasm of soft tissue of retroperitoneum and peritoneum
- D21 Other benign neoplasms of connective and other soft tissue
- D22 Melanocytic naevi
- D23 Other benign neoplasms of skin
- D24 Benign neoplasm of breast
- D25 Leiomyoma of uterus
- D26 Other benign neoplasms of uterus
- D27 Benign neoplasm of ovary
- D28 Benign neoplasm of other and unspecified female genital organs
- D29 Benign neoplasm of male genital organs
- D30 Benign neoplasm of urinary organs
- D31 Benign neoplasm of eye and adnexa
- D32 Benign neoplasm of meninges
- D33 Benign neoplasm of brain and other parts of central nervous system
- D34 Benign neoplasm of thyroid gland
- D35 Benign neoplasm of other and unspecified endocrine glands
- D36 Benign neoplasm of other and unspecified sites

### Neoplasms of uncertain or unknown behaviour (D37-D48)

- D37 Neoplasm of uncertain or unknown behaviour of oral cavity and digestive organs
- D38 Neoplasm of uncertain or unknown behaviour of middle ear and respiratory and intrathoracic organs

## **ICD-10-Mortality 2e-Volume1 - 2017**

- D39 Neoplasm of uncertain or unknown behaviour of female genital organs
- D40 Neoplasm of uncertain or unknown behaviour of male genital organs
- D41 Neoplasm of uncertain or unknown behaviour of urinary organs
- D42 Neoplasm of uncertain or unknown behaviour of meninges
- D43 Neoplasm of uncertain or unknown behaviour of brain and central nervous system
- D44 Neoplasm of uncertain or unknown behaviour of endocrine glands
- D45 Polycythaemia vera
- D46 Myelodysplastic syndromes
- D47 Other neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue
- D48 Neoplasm of uncertain or unknown behaviour of other and unspecified sites

## **Chapter III - Diseases of blood and blood-forming organs and certain disorders involving the immune mechanisms (D50-D89)**

### **Nutritional anaemias (D50-D53)**

- D50 Iron deficiency anaemia
- D51 Vitamin B<sub>12</sub> deficiency anaemia
- D52 Folate deficiency anaemia
- D53 Other nutritional anaemias

### **Haemolytic anaemias (D55-D59)**

- D55 Anaemia due to enzyme disorders
- D56 Thalassaemia
- D57 Sickle-cell disorders
- D58 Other hereditary haemolytic anaemias
- D59 Acquired haemolytic anaemia

### **Aplastic and other anaemias (D60-D64)**

- D60 Acquired pure red cell aplasia [erythroblastopenia]
- D61 Other aplastic anaemias
- D62 Acute posthaemorrhagic anaemia
- D63\* Anaemia in chronic diseases classified elsewhere
- D64 Other anaemias

## **Coagulation defects, purpura and other haemorrhagic conditions (D65-D69)**

- D65 Disseminated intravascular coagulation [defibrination syndrome]
- D66 Hereditary factor VIII deficiency
- D67 Hereditary factor IX deficiency
- D68 Other coagulation defects
- D69 Purpura and other haemorrhagic conditions

## **Other diseases of blood and blood-forming organs (D70-D77)**

- D70 Agranulocytosis
- D71 Functional disorders of polymorphonuclear neutrophils
- D72 Other disorders of white blood cells
- D73 Diseases of spleen
- D74 Methaemoglobinaemia
- D75 Other diseases of blood and blood-forming organs
- D76 Certain diseases involving lymphoreticular tissue and reticulohistiocytic system
- D77\* Other disorders of blood and blood-forming organs in diseases classified elsewhere

## **Certain disorders involving the immune mechanism (D80-D89)**

- D80 Immunodeficiency with predominantly antibody defects
- D81 Combined immunodeficiencies
- D82 Immunodeficiency associated with other major defects
- D83 Common variable immunodeficiency
- D84 Other immunodeficiencies
- D86 Sarcoidosis
- D89 Other disorders involving the immune mechanism, not elsewhere classified



## **Chapter IV - Endocrine, nutritional and metabolic diseases (E00-E90)**

### **Disorders of thyroid gland (E00-E07)**

- E00 Congenital iodine-deficiency syndrome
- E01 Iodine-deficiency-related thyroid disorders and allied conditions
- E02 Subclinical iodine-deficiency hypothyroidism
- E03 Other hypothyroidism
- E04 Other nontoxic goitre
- E05 Thyrotoxicosis [hyperthyroidism]
- E06 Thyroiditis
- E07 Other disorders of thyroid

### **Diabetes mellitus (E10-E14)**

- E10 Type 1 diabetes mellitus
- E11 Type 2 diabetes mellitus
- E12 Malnutrition-related diabetes mellitus
- E13 Other specified diabetes mellitus
- E14 Unspecified diabetes mellitus

### **Other disorders of glucose regulation and pancreatic internal secretion (E15-E16)**

- E15 Nondiabetic hypoglycaemic coma
- E16 Other disorders of pancreatic internal secretion

## **Disorders of other endocrine glands (E20-E35)**

- E20 Hypoparathyroidism
- E21 Hyperparathyroidism and other disorders of parathyroid gland
- E22 Hyperfunction of pituitary gland
- E23 Hypofunction and other disorders of pituitary gland
- E24 Cushing syndrome
- E25 Adrenogenital disorders
- E26 Hyperaldosteronism
- E27 Other disorders of adrenal gland
- E28 Ovarian dysfunction
- E29 Testicular dysfunction
- E30 Disorders of puberty, not elsewhere classified
- E31 Polyglandular dysfunction
- E32 Diseases of thymus
- E34 Other endocrine disorders
- E35\* Disorders of endocrine glands in diseases classified elsewhere

## **Malnutrition (E40-E46)**

- E40 Kwashiorkor
- E41 Nutritional marasmus
- E42 Marasmic kwashiorkor
- E43 Unspecified severe protein-energy malnutrition
- E44 Protein-energy malnutrition of moderate and mild degree
- E45 Retarded development following protein-energy malnutrition
- E46 Unspecified protein-energy malnutrition

## **Other nutritional deficiencies (E50-E64)**

- E50 Vitamin A deficiency
- E51 Thiamine deficiency
- E52 Niacin deficiency [pellagra]
- E53 Deficiency of other B group vitamins
- E54 Ascorbic acid deficiency
- E55 Vitamin D deficiency
- E56 Other vitamin deficiencies

## ICD-10-Mortality 2e-Volume1 - 2017

- E58 Dietary calcium deficiency
- E59 Dietary selenium deficiency
- E60 Dietary zinc deficiency
- E61 Deficiency of other nutrient elements
- E63 Other nutritional deficiencies
- E64 Sequelae of malnutrition and other nutritional deficiencies

### Obesity and other hyperalimentation (E65-E68)

- E65 Localized adiposity
- E66 Obesity
- E67 Other hyperalimentation
- E68 Sequelae of hyperalimentation

### Metabolic disorders (E70-E90)

- E70 Disorders of aromatic amino-acid metabolism
- E71 Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism
- E72 Other disorders of amino-acid metabolism
- E73 Lactose intolerance
- E74 Other disorders of carbohydrate metabolism
- E75 Disorders of sphingolipid metabolism and other lipid storage disorders
- E76 Disorders of glycosaminoglycan metabolism
- E77 Disorders of glycoprotein metabolism
- E78 Disorders of lipoprotein metabolism and other lipidaemias
- E79 Disorders of purine and pyrimidine metabolism
- E80 Disorders of porphyrin and bilirubin metabolism
- E83 Disorders of mineral metabolism
- E84 Cystic fibrosis
- E85 Amyloidosis
- E86 Volume depletion
- E87 Other disorders of fluid, electrolyte and acid-base balance
- E88 Other metabolic disorders
- E89 Postprocedural endocrine and metabolic disorders, not elsewhere classified
- E90\* Nutritional and metabolic disorders in diseases classified elsewhere

## **Chapter V - Mental, behavioural disorders (F00-F99)**

### **Organic, including symptomatic, mental disorders (F00-F09)**

- F00\* Dementia in Alzheimer disease
- F01 Vascular dementia
- F02\* Dementia in other diseases classified elsewhere
- F03 Unspecified dementia
- F04 Organic amnesic syndrome, not induced by alcohol and other psychoactive substances
- F05 Delirium, not induced by alcohol and other psychoactive substances
- F06 Other mental disorders due to brain damage and dysfunction and to physical disease
- F07 Personality and behavioural disorders due to brain disease, damage and dysfunction
- F09 Unspecified organic or symptomatic mental disorder

### **Mental and behavioural disorders due to psychoactive substance use (F10-F19)**

- F10 Mental and behavioural disorders due to use of alcohol
- F11 Mental and behavioural disorders due to use of opioids
- F12 Mental and behavioural disorders due to use of cannabinoids
- F13 Mental and behavioural disorders due to use of sedatives or hypnotics
- F14 Mental and behavioural disorders due to use of cocaine
- F15 Mental and behavioural disorders due to use of other stimulants, including caffeine
- F16 Mental and behavioural disorders due to use of hallucinogens

- F17 Mental and behavioural disorders due to use of tobacco
- F18 Mental and behavioural disorders due to use of volatile solvents
- F19 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances

## Schizophrenia, schizotypal and delusional disorders (F20-F29)

- F20 Schizophrenia
- F21 Schizotypal disorder
- F22 Persistent delusional disorders
- F23 Acute and transient psychotic disorders
- F24 Induced delusional disorder
- F25 Schizoaffective disorders
- F28 Other nonorganic psychotic disorders
- F29 Unspecified nonorganic psychosis

## Mood [affective] disorders (F30-F39)

- F30 Manic episode
- F31 Bipolar affective disorder
- F32 Depressive episodes
- F33 Recurrent depressive disorder
- F34 Persistent mood [affective] disorders
- F38 Other mood [affective] disorders
- F39 Unspecified mood [affective] disorder

## Neurotic, stress-related and somatoform disorders (F40-F48)

- F40 Phobic anxiety disorders
- F41 Other anxiety disorders
- F42 Obsessive-compulsive disorder

## **ICD-10-Mortality 2e-Volume1 - 2017**

- F43 Reaction to severe stress, and adjustment disorders
- F44 Dissociative [conversion] disorders
- F45 Somatoform disorders
- F48 Other neurotic disorders

### **Behavioural syndromes associated with physiological disturbances and physical factors (F50-F59)**

- F50 Eating disorders
- F51 Nonorganic sleep disorders
- F52 Sexual dysfunction, not caused by organic disorder or disease
- F53 Mental and behavioural disorders associated with the puerperium, not elsewhere classified
- F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere
- F55 Abuse of non-dependence-producing substances
- F59 Unspecified behavioural syndromes associated with physiological disturbances and physical factors

### **Disorders of adult personality and behaviour (F60-F69)**

- F60 Specific personality disorders
- F61 Mixed and other personality disorders
- F62 Enduring personality changes, not attributable to brain damage and disease
- F63 Habit and impulse disorders
- F64 Gender identity disorders
- F65 Disorders of sexual preference
- F66 Psychological and behavioural disorders associated with sexual development and orientation
- F68 Other disorders of adult personality and behaviour
- F69 Unspecified disorder of adult personality and behaviour

## **Mental retardation (F70-F79)**

- F70 Mild mental retardation
- F71 Moderate mental retardation
- F72 Severe mental retardation
- F73 Profound mental retardation
- F78 Other mental retardation
- F79 Unspecified mental retardation

## **Disorders of psychological development (F80-F89)**

- F80 Specific developmental disorders of speech and language
- F81 Specific developmental disorders of scholastic skills
- F82 Specific developmental disorder of motor function
- F83 Mixed specific developmental disorders
- F84 Pervasive developmental disorders
- F88 Other disorders of psychological development
- F89 Unspecified disorder of psychological development

## **Behavioural and emotional disorders with onset usually occurring in childhood and adolescence (F90-F98)**

- F90 Hyperkinetic disorders
- F91 Conduct disorders
- F92 Mixed disorders of conduct and emotions
- F93 Emotional disorders with onset specific to childhood
- F94 Disorders of social functioning with onset specific to childhood and adolescence
- F95 Tic disorders
- F98 Other behavioural and emotional disorders with onset usually occurring in childhood and adolescence

## Unspecified mental disorder (F99)

F99 Mental disorder, not otherwise specified



## **Chapter VI - Diseases of the nervous system (G00-G99)**

### **Inflammatory diseases of the central nervous system (G00-G09)**

- G00 Bacterial meningitis, not elsewhere classified
- G01\* Meningitis in bacterial diseases classified elsewhere
- G02\* Meningitis in other infectious and parasitic diseases classified elsewhere
- G03 Meningitis due to other and unspecified causes
- G04 Encephalitis, myelitis and encephalomyelitis
- G05\* Encephalitis, myelitis and encephalomyelitis in diseases classified elsewhere
- G06 Intracranial and intraspinal abscess and granuloma
- G07\* Intracranial and intraspinal abscess and granuloma in diseases classified elsewhere
- G08 Intracranial and intraspinal phlebitis and thrombophlebitis
- G09 Sequelae of inflammatory diseases of central nervous system

### **Systemic atrophies primarily affecting the central nervous system (G10-G14)**

- G10 Huntington disease
- G11 Hereditary ataxia
- G12 Spinal muscular atrophy and related syndromes
- G13\* Systemic atrophies primarily affecting central nervous system in diseases classified elsewhere
- G14 Postpolio syndrome

## **Extrapyramidal and movement disorders (G20-G26)**

- G20 Parkinson disease
- G21 Secondary parkinsonism
- G22\* Parkinsonism in diseases classified elsewhere
- G23 Other degenerative diseases of the basal ganglia
- G24 Dystonia
- G25 Other extrapyramidal and movement disorders
- G26\* Extrapyramidal and movement disorders in diseases classified elsewhere

## **Other degenerative diseases of the nervous system (G30-G32)**

- G30 Alzheimer disease
- G31 Other degenerative diseases of nervous system, not elsewhere classified
- G32\* Other degenerative disorders of nervous system in diseases classified elsewhere

## **Demyelinating diseases of the central nervous system (G35-G37)**

- G35 Multiple sclerosis
- G36 Other acute disseminated demyelination
- G37 Other demyelinating diseases of central nervous system

## **Episodic and paroxysmal disorders (G40-G47)**

- G40 Epilepsy
- G41 Status epilepticus
- G43 Migraine
- G44 Other headache syndromes
- G45 Transient cerebral ischaemic attacks and related syndromes
- G46\* Vascular syndromes of brain in cerebrovascular diseases
- G47 Sleep disorders

## **Nerve, nerve root and plexus disorders (G50-G59)**

- G50 Disorders of trigeminal nerve
- G51 Facial nerve disorders
- G52 Disorders of other cranial nerves
- G53\* Cranial nerve disorders in diseases classified elsewhere
- G54 Nerve root and plexus disorders
- G55\* Nerve root and plexus compressions in diseases classified elsewhere
- G56 Mononeuropathies of upper limb
- G57 Mononeuropathies of lower limb
- G58 Other mononeuropathies
- G59\* Mononeuropathy in diseases classified elsewhere

## **Polyneuropathies and other disorders of the peripheral nervous system (G60-G64)**

- G60 Hereditary and idiopathic neuropathy
- G61 Inflammatory polyneuropathy
- G62 Other polyneuropathies
- G63\* Polyneuropathy in diseases classified elsewhere
- G64 Other disorders of peripheral nervous system

## **Diseases of myoneural junction and muscle (G70-G73)**

- G70 Myasthenia gravis and other myoneural disorders
- G71 Primary disorders of muscles
- G72 Other myopathies
- G73\* Disorders of myoneural junction and muscle in diseases classified elsewhere

## **Cerebral palsy and other paralytic syndromes (G80-G83)**

- G80 Cerebral palsy
- G81 Hemiplegia

- G82 Paraplegia and tetraplegia
- G83 Other paralytic syndromes

## Other disorders of the nervous system (G90-G99)

- G90 Disorders of autonomic nervous system
- G91 Hydrocephalus
- G92 Toxic encephalopathy
- G93 Other disorders of brain
- G94\* Other disorders of brain in diseases classified elsewhere
- G95 Other diseases of spinal cord
- G96 Other disorders of central nervous system
- G97 Postprocedural disorders of nervous system, not elsewhere classified
- G98 Other disorders of nervous system, not elsewhere classified
- G99\* Other disorders of nervous system in diseases classified elsewhere

## Chapter VII - Diseases of the eye and adnexa (H00-H59)

### Disorders of eyelid, lacrimal system and orbit (H00-H06)

- H00 Hordeolum and chalazion
- H01 Other inflammation of eyelid
- H02 Other disorders of eyelid
- H03\* Disorders of eyelid in diseases classified elsewhere
- H04 Disorders of lacrimal system
- H05 Disorders of orbit
- H06\* Disorders of lacrimal system and orbit in diseases classified elsewhere

### Disorders of conjunctiva (H10-H13)

- H10 Conjunctivitis
- H11 Other disorders of conjunctiva
- H13\* Disorders of conjunctiva in diseases classified elsewhere

### Disorders of sclera, cornea, iris and ciliary body (H15-H22)

- H15 Disorders of sclera
- H16 Keratitis
- H17 Corneal scars and opacities
- H18 Other disorders of cornea
- H19\* Disorders of sclera and cornea in diseases classified elsewhere
- H20 Iridocyclitis

- H21 Other disorders of iris and ciliary body
- H22\* Disorders of iris and ciliary body in diseases classified elsewhere

### Disorders of lens (H25-H28)

- H25 Senile cataract
- H26 Other cataract
- H27 Other disorders of lens
- H28\* Cataract and other disorders of lens in diseases classified elsewhere

### Disorders of choroid and retina (H30-H36)

- H30 Chorioretinal inflammation
- H31 Other disorders of choroid
- H32\* Chorioretinal disorders in diseases classified elsewhere
- H33 Retinal detachments and breaks
- H34 Retinal vascular occlusions
- H35 Other retinal disorders
- H36\* Retinal disorders in diseases classified elsewhere

### Glaucoma (H40-H42)

- H40 Glaucoma
- H42\* Glaucoma in diseases classified elsewhere

### Disorders of vitreous body and globe (H43-H45)

- H43 Disorders of vitreous body
- H44 Disorders of globe
- H45\* Disorders of vitreous body and globe in diseases classified elsewhere

## **Disorders of optic nerve and visual pathways (H46-H48)**

- H46 Optic neuritis
- H47 Other disorders of optic [2nd] nerve and visual pathways
- H48\* Disorders of optic [2nd] nerve and visual pathways in diseases classified elsewhere

## **Disorders of ocular muscles, binocular movement, accommodation and refraction (H49-H52)**

- H49 Paralytic strabismus
- H50 Other strabismus
- H51 Other disorders of binocular movement
- H52 Disorders of refraction and accommodation

## **Visual disturbances and blindness (H53-H54)**

- H53 Visual disturbances
- H54 Visual impairment including blindness (binocular or monocular)

## **Other disorders of eye and adnexa (H55-H59)**

- H55 Nystagmus and other irregular eye movements
- H57 Other disorders of eye and adnexa
- H58\* Other disorders of eye and adnexa in diseases classified elsewhere
- H59 Postprocedural disorders of eye and adnexa, not elsewhere classified

## Chapter VIII - Diseases of the ear and mastoid process (H60-H95)

### Diseases of external ear (H60-H62)

- H60 Otitis externa
- H61 Other disorders of external ear
- H62\* Disorders of external ear in diseases classified elsewhere

### Diseases of middle ear and mastoid (H65-H75)

- H65 Nonsuppurative otitis media
- H66 Suppurative and unspecified otitis media
- H67\* Otitis media in diseases classified elsewhere
- H68 Eustachian salpingitis and obstruction
- H69 Other disorders of Eustachian tube
- H70 Mastoiditis and related conditions
- H71 Cholesteatoma of middle ear
- H72 Perforation of tympanic membrane
- H73 Other disorders of tympanic membrane
- H74 Other disorders of middle ear and mastoid
- H75\* Other disorders of middle ear and mastoid in diseases classified elsewhere

### Diseases of inner ear (H80-H83)

- H80 Otosclerosis
- H81 Disorders of vestibular function



## ICD-10-Mortality 2e-Volume1 - 2017

H82\* Vertiginous syndromes in diseases classified elsewhere  
H83 Other diseases of inner ear

### Other disorders of ear (H90-H95)

H90 Conductive and sensorineural hearing loss  
H91 Other hearing loss  
H92 Otitis media with effusion of ear  
H93 Other disorders of ear, not elsewhere classified  
H94\* Other disorders of ear in diseases classified elsewhere  
H95 Postprocedural disorders of ear and mastoid process, not elsewhere classified

## **Chapter IX - Diseases of the circulatory system (I00-I99)**

### **Acute rheumatic fever (I00-I02)**

- I00 Rheumatic fever without mention of heart involvement
- I01 Rheumatic fever with heart involvement
- I02 Rheumatic chorea

### **Chronic rheumatic heart diseases (I05-I09)**

- I05 Rheumatic mitral valve diseases
- I06 Rheumatic aortic valve diseases
- I07 Rheumatic tricuspid valve diseases
- I08 Multiple valve diseases
- I09 Other rheumatic heart diseases

### **Hypertensive diseases (I10-I15)**

- I10 Essential (primary) hypertension
- I11 Hypertensive heart disease
- I12 Hypertensive renal disease
- I13 Hypertensive heart and renal disease
- I15 Secondary hypertension

### **Ischaemic heart diseases (I20-I25)**

- I20 Angina pectoris
- I21 Acute myocardial infarction
- I22 Subsequent myocardial infarction
- I23 Certain current complications following acute myocardial infarction
- I24 Other acute ischaemic heart diseases
- I25 Chronic ischaemic heart disease

### **Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)**

- I26 Pulmonary embolism
- I27 Other pulmonary heart diseases
- I28 Other diseases of pulmonary vessels

### **Other forms of heart disease (I30-I52)**

- I30 Acute pericarditis
- I31 Other diseases of pericardium
- I32\* Pericarditis in diseases classified elsewhere
- I33 Acute and subacute endocarditis
- I34 Nonrheumatic mitral valve disorders
- I35 Nonrheumatic aortic valve disorders
- I36 Nonrheumatic tricuspid valve disorders
- I37 Pulmonary valve disorders
- I38 Endocarditis, valve unspecified
- I39\* Endocarditis and heart valve disorders in diseases classified elsewhere
- I40 Acute myocarditis
- I41\* Myocarditis in diseases classified elsewhere
- I42 Cardiomyopathy
- I43\* Cardiomyopathy in diseases classified elsewhere
- I44 Atrioventricular and left bundle-branch block
- I45 Other conduction disorders
- I46 Cardiac arrest
- I47 Paroxysmal tachycardia

## ICD-10-Mortality 2e-Volume1 - 2017

- I48 Atrial fibrillation and flutter
- I49 Other cardiac arrhythmias
- I50 Heart failure
- I51 Complications and ill-defined descriptions of heart disease
- I52\* Other heart disorders in diseases classified elsewhere

### Cerebrovascular diseases (I60-I69)

- I60 Subarachnoid haemorrhage
- I61 Intracerebral haemorrhage
- I62 Other nontraumatic intracranial haemorrhage
- I63 Cerebral infarction
- I64 Stroke, not specified as haemorrhage or infarction
- I65 Occlusion and stenosis of precerebral arteries, not resulting in cerebral infarction
- I66 Occlusion and stenosis of cerebral arteries, not resulting in cerebral infarction
- I67 Other cerebrovascular diseases
- I68\* Cerebrovascular disorders in diseases classified elsewhere
- I69 Sequelae of cerebrovascular disease

### Diseases of arteries, arterioles and capillaries (I70-I79)

- I70 Atherosclerosis
- I71 Aortic aneurysm and dissection
- I72 Other aneurysm and dissection
- I73 Other peripheral vascular diseases
- I74 Arterial embolism and thrombosis
- I77 Other disorders of arteries and arterioles
- I78 Diseases of capillaries
- I79\* Disorders of arteries, arterioles and capillaries in diseases classified elsewhere

### Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified (I80-I89)

- I80 Phlebitis and thrombophlebitis

## ICD-10-Mortality 2e-Volume1 - 2017

- I81 Portal vein thrombosis
- I82 Other venous embolism and thrombosis
- I83 Varicose veins of lower extremities
- I84 Haemorrhoids
- I85 Oesophageal varices
- I86 Varicose veins of other sites
- I87 Other disorders of veins
- I88 Nonspecific lymphadenitis
- I89 Other noninfective disorders of lymphatic vessels and lymph nodes

### Other and unspecified disorders of the circulatory system (I95-I99)

- I95 Hypotension
- I97 Postprocedural disorders of circulatory system, not elsewhere classified
- I98\* Other disorders of circulatory system in diseases classified elsewhere
- I99 Other and unspecified disorders of circulatory system

## Chapter X - Diseases of the respiratory system (J00-J99)

### Acute upper respiratory infections (J00-J06)

- J00 Acute nasopharyngitis [common cold]
- J01 Acute sinusitis
- J02 Acute pharyngitis
- J03 Acute tonsillitis
- J04 Acute laryngitis and tracheitis
- J05 Acute obstructive laryngitis [croup] and epiglottitis
- J06 Acute upper respiratory infections of multiple or unspecified sites

### Influenza and pneumonia (J09-J18)

- J09 Influenza due to identified zoonotic or pandemic influenza virus
- J10 Influenza due to identified seasonal influenza virus
- J11 Influenza, virus not identified
- J12 Viral pneumonia, not elsewhere classified
- J13 Pneumonia due to *Streptococcus pneumoniae*
- J14 Pneumonia due to *Haemophilus influenzae*
- J15 Bacterial pneumonia, not elsewhere classified
- J16 Pneumonia due to other infectious organisms, not elsewhere classified
- J17\* Pneumonia in diseases classified elsewhere
- J18 Pneumonia, organism unspecified

### **Other acute lower respiratory infections (J20-J22)**

- J20 Acute bronchitis
- J21 Acute bronchiolitis
- J22 Unspecified acute lower respiratory infection

### **Other diseases of upper respiratory tract (J30-J39)**

- J30 Vasomotor and allergic rhinitis
- J31 Chronic rhinitis, nasopharyngitis and pharyngitis
- J32 Chronic sinusitis
- J33 Nasal polyp
- J34 Other disorders of nose and nasal sinuses
- J35 Chronic diseases of tonsils and adenoids
- J36 Peritonsillar abscess
- J37 Chronic laryngitis and laryngotracheitis
- J38 Diseases of vocal cords and larynx, not elsewhere classified
- J39 Other diseases of upper respiratory tract

### **Chronic lower respiratory diseases (J40-J47)**

- J40 Bronchitis, not specified as acute or chronic
- J41 Simple and mucopurulent chronic bronchitis
- J42 Unspecified chronic bronchitis
- J43 Emphysema
- J44 Other chronic obstructive pulmonary disease
- J45 Asthma
- J46 Status asthmaticus
- J47 Bronchiectasis

### **Lung diseases due to external agents (J60-J70)**

- J60 Coalworker pneumoconiosis
- J61 Pneumoconiosis due to asbestos and other mineral fibres

## ICD-10-Mortality 2e-Volume1 - 2017

- J62 Pneumoconiosis due to dust containing silica
- J63 Pneumoconiosis due to other inorganic dusts
- J64 Unspecified pneumoconiosis
- J65 Pneumoconiosis associated with tuberculosis
- J66 Airway disease due to specific organic dust
- J67 Hypersensitivity pneumonitis due to organic dust
- J68 Respiratory conditions due to inhalation of chemicals, gases, fumes and vapours
- J69 Pneumonitis due to solids and liquids
- J70 Respiratory conditions due to other external agents

### Other respiratory diseases principally affecting the interstitium (J80-J84)

- J80 Adult respiratory distress syndrome
- J81 Pulmonary oedema
- J82 Pulmonary eosinophilia, not elsewhere classified
- J84 Other interstitial pulmonary diseases

### Suppurative and necrotic conditions of lower respiratory tract (J85-J86)

- J85 Abscess of lung and mediastinum
- J86 Pyothorax

### Other diseases of pleura (J90-J94)

- J90 Pleural effusion, not elsewhere classified
- J91\* Pleural effusion in conditions classified elsewhere
- J92 Pleural plaque
- J93 Pneumothorax
- J94 Other pleural conditions



## Other diseases of the respiratory system (J95-J99)

- J95 Postprocedural respiratory disorders, not elsewhere classified
- J96 Respiratory failure, not elsewhere classified
- J98 Other respiratory disorders
- J99\* Respiratory disorders in diseases classified elsewhere

## **Chapter XI - Diseases of the digestive system (K00-K93)**

### **Diseases of oral cavity, salivary glands and jaws (K00-K14)**

- K00 Disorders of tooth development and eruption
- K01 Embedded and impacted teeth
- K02 Dental caries
- K03 Other diseases of hard tissues of teeth
- K04 Diseases of pulp and periapical tissues
- K05 Gingivitis and periodontal diseases
- K06 Other disorders of gingiva and edentulous alveolar ridge
- K07 Dentofacial anomalies [including malocclusion]
- K08 Other disorders of teeth and supporting structures
- K09 Cysts of oral region, not elsewhere classified
- K10 Other diseases of jaws
- K11 Diseases of salivary glands
- K12 Stomatitis and related lesions
- K13 Other diseases of lip and oral mucosa
- K14 Diseases of tongue

### **Diseases of oesophagus, stomach and duodenum (K20-K31)**

- K20 Oesophagitis
- K21 Gastro-oesophageal reflux disease
- K22 Other diseases of oesophagus
- K23\* Disorders of oesophagus in diseases classified elsewhere
- K25 Gastric ulcer
- K26 Duodenal ulcer

## ICD-10-Mortality 2e-Volume1 - 2017

- K27 Peptic ulcer, site unspecified
- K28 Gastrojejunal ulcer
- K29 Gastritis and duodenitis
- K30 Functional dyspepsia
- K31 Other diseases of stomach and duodenum

### Diseases of appendix (K35-K38)

- K35 Acute appendicitis
- K36 Other appendicitis
- K37 Unspecified appendicitis
- K38 Other diseases of appendix

### Hernia (K40-K46)

- K40 Inguinal hernia
- K41 Femoral hernia
- K42 Umbilical hernia
- K43 Ventral hernia
- K44 Diaphragmatic hernia
- K45 Other abdominal hernia
- K46 Unspecified hernia of abdominal cavity

### Noninfective enteritis and colitis (K50-K52)

- K50 Crohn disease [regional enteritis]
- K51 Ulcerative colitis
- K52 Other noninfective gastroenteritis and colitis

### Other diseases of intestines (K55-K63)

- K55 Vascular disorders of intestine
- K56 Paralytic ileus and intestinal obstruction without hernia
- K57 Diverticular disease of intestine
- K58 Irritable bowel syndrome
- K59 Other functional intestinal disorders
- K60 Fissure and fistula of anal and rectal regions
- K61 Abscess of anal and rectal regions
- K62 Other diseases of anus and rectum
- K63 Other diseases of intestine

### Diseases of peritoneum (K65-K67)

- K65 Peritonitis
- K66 Other disorders of peritoneum
- K67\* Disorders of peritoneum in infectious diseases classified elsewhere

### Diseases of liver (K70-K77)

- K70 Alcoholic liver disease
- K71 Toxic liver disease
- K72 Hepatic failure, not elsewhere classified
- K73 Chronic hepatitis, not elsewhere classified
- K74 Fibrosis and cirrhosis of liver
- K75 Other inflammatory liver diseases
- K76 Other diseases of liver
- K77\* Liver disorders in diseases classified elsewhere

### Disorders of gallbladder, biliary tract and pancreas (K80-K87)

- K80 Cholelithiasis

## ICD-10-Mortality 2e-Volume1 - 2017

- K81 Cholecystitis
- K82 Other diseases of gallbladder
- K83 Other diseases of biliary tract
- K85 Acute pancreatitis
- K86 Other diseases of pancreas
- K87\* Disorders of gallbladder, biliary tract and pancreas in diseases classified elsewhere

### Other diseases of the digestive system (K90-K93)

- K90 Intestinal malabsorption
- K91 Postprocedural disorders of digestive system, not elsewhere classified
- K92 Other diseases of digestive system
- K93\* Disorders of other digestive organs in diseases classified elsewhere

## Chapter XII - Diseases of the skin and subcutaneous tissue (L00-L99)

### Infections of the skin and subcutaneous tissue (L00-L08)

- L00 Staphylococcal scalded skin syndrome
- L01 Impetigo
- L02 Cutaneous abscess, furuncle and carbuncle
- L03 Cellulitis
- L04 Acute lymphadenitis
- L05 Pilonidal cyst
- L08 Other local infections of skin and subcutaneous tissue

### Bullous disorders (L10-L14)

- L10 Pemphigus
- L11 Other acantholytic disorders
- L12 Pemphigoid
- L13 Other bullous disorders
- L14\* Bullous disorders in diseases classified elsewhere

### Dermatitis and eczema (L20-L30)

- L20 Atopic dermatitis
- L21 Seborrhoeic dermatitis
- L22 Diaper [napkin] dermatitis
- L23 Allergic contact dermatitis

## ICD-10-Mortality 2e-Volume1 - 2017

- L24 Irritant contact dermatitis
- L25 Unspecified contact dermatitis
- L26 Exfoliative dermatitis
- L27 Dermatitis due to substances taken internally
- L28 Lichen simplex chronicus and prurigo
- L29 Pruritus
- L30 Other dermatitis

### Papulosquamous disorders (L40-L45)

- L40 Psoriasis
- L41 Parapsoriasis
- L42 Pityriasis rosea
- L43 Lichen planus
- L44 Other papulosquamous disorders
- L45\* Papulosquamous disorders in diseases classified elsewhere

### Urticaria and erythema (L50-L54)

- L50 Urticaria
- L51 Erythema multiforme
- L52 Erythema nodosum
- L53 Other erythematous conditions
- L54\* Erythema in diseases classified elsewhere

### Radiation-related disorders of the skin and subcutaneous tissue (L55-L59)

- L55 Sunburn
- L56 Other acute skin changes due to ultraviolet radiation
- L57 Skin changes due to chronic exposure to nonionizing radiation
- L58 Radiodermatitis
- L59 Other disorders of skin and subcutaneous tissue related to radiation

## **Disorders of skin appendages (L60-L75)**

- L60 Nail disorders
- L62\* Nail disorders in diseases classified elsewhere
- L63 Alopecia areata
- L64 Androgenic alopecia
- L65 Other nonscarring hair loss
- L66 Cicatricial alopecia [scarring hair loss]
- L67 Hair colour and hair shaft abnormalities
- L68 Hypertrichosis
- L70 Acne
- L71 Rosacea
- L72 Follicular cysts of skin and subcutaneous tissue
- L73 Other follicular disorders
- L74 Eccrine sweat disorders
- L75 Apocrine sweat disorders

## **Other disorders of the skin and subcutaneous tissue (L80-L99)**

- L80 Vitiligo
- L81 Other disorders of pigmentation
- L82 Seborrhoeic keratosis
- L83 Acanthosis nigricans
- L84 Corns and callosities
- L85 Other epidermal thickening
- L86\* Keratoderma in diseases classified elsewhere
- L87 Transepidermal elimination disorders
- L88 Pyoderma gangrenosum
- L89 Decubitus ulcer and pressure area
- L90 Atrophic disorders of skin
- L91 Hypertrophic disorders of skin
- L92 Granulomatous disorders of skin and subcutaneous tissue
- L93 Lupus erythematosus
- L94 Other localized connective tissue disorders
- L95 Vasculitis limited to skin, not elsewhere classified
- L97 Ulcer of lower limb, not elsewhere classified
- L98 Other disorders of skin and subcutaneous tissue, not elsewhere classified
- L99\* Other disorders of skin and subcutaneous tissue in diseases classified elsewhere



## **Chapter XIII - Diseases of the musculoskeletal system and connective tissue (M00-M99)**

### **Arthropathies (M00-M25)**

#### **Infectious arthropathies (M00-M03)**

- M00 Pyogenic arthritis
- M01\* Direct infections of joint in infectious and parasitic diseases classified elsewhere
- M02 Reactive arthropathies
- M03\* Postinfective and reactive arthropathies in diseases classified elsewhere

#### **Inflammatory polyarthropathies (M05-M14)**

- M05 Seropositive rheumatoid arthritis
- M06 Other rheumatoid arthritis
- M07\* Psoriatic and enteropathic arthropathies
- M08 Juvenile arthritis
- M09\* Juvenile arthritis in diseases classified elsewhere
- M10 Gout
- M11 Other crystal arthropathies
- M12 Other specific arthropathies
- M13 Other arthritis
- M14\* Arthropathies in other diseases classified elsewhere

#### **Arthrosis (M15-M19)**

- M15 Polyarthrosis
- M16 Coxarthrosis [arthrosis of hip]
- M17 Gonarthrosis [arthrosis of knee]
- M18 Arthrosis of first carpometacarpal joint

M19 Other arthrosis

**Other joint disorders (M20-M25)**

- M20 Acquired deformities of fingers and toes
- M21 Other acquired deformities of limbs
- M22 Disorders of patella
- M23 Internal derangement of knee
- M24 Other specific joint derangements
- M25 Other joint disorders, not elsewhere classified

**Systemic connective tissue disorders (M30-M36)**

- M30 Polyarteritis nodosa and related conditions
- M31 Other necrotizing vasculopathies
- M32 Systemic lupus erythematosus
- M33 Dermatopolymyositis
- M34 Systemic sclerosis
- M35 Other systemic involvement of connective tissue
- M36\* Systemic disorders of connective tissue in diseases classified elsewhere

**Dorsopathies (M40-M54)**

**Deforming dorsopathies (M40-M43)**

- M40 Kyphosis and lordosis
- M41 Scoliosis
- M42 Spinal osteochondrosis
- M43 Other deforming dorsopathies

**Spondylopathies (M45-M49)**

- M45 Ankylosing spondylitis
- M46 Other inflammatory spondylopathies
- M47 Spondylosis

## **ICD-10-Mortality 2e-Volume1 - 2017**

M48 Other spondylopathies

M49\* Spondylopathies in diseases classified elsewhere

### **Other dorsopathies (M50-M54)**

M50 Cervical disc disorders

M51 Other intervertebral disc disorders

M53 Other dorsopathies, not elsewhere classified

M54 Dorsalgia

## **Soft tissue disorders (M60-M79)**

### **Disorders of muscles (M60-M63)**

M60 Myositis

M61 Calcification and ossification of muscle

M62 Other disorders of muscle

M63\* Disorders of muscle in diseases classified elsewhere

### **Disorders of synovium and tendon (M65-M68)**

M65 Synovitis and tenosynovitis

M66 Spontaneous rupture of synovium and tendon

M67 Other disorders of synovium and tendon

M68\* Disorders of synovium and tendon in diseases classified elsewhere

### **Other soft tissue disorders (M70-M79)**

M70 Soft tissue disorders related to use, overuse and pressure

M71 Other bursopathies

M72 Fibroblastic disorders

M73\* Soft tissue disorders in diseases classified elsewhere

M75 Shoulder lesions

M76 Enthesopathies of lower limb, excluding foot

M77 Other enthesopathies

M79 Other soft tissue disorders, not elsewhere classified

## **Osteopathies and chondropathies (M80-M94)**

### **Disorders of bone density and structure (M80-M85)**

- M80 Osteoporosis with pathological fracture
- M81 Osteoporosis without pathological fracture
- M82\* Osteoporosis in diseases classified elsewhere
- M83 Adult osteomalacia
- M84 Disorders of continuity of bone
- M85 Other disorders of bone density and structure

### **Other osteopathies (M86-M90)**

- M86 Osteomyelitis
- M87 Osteonecrosis
- M88 Paget disease of bone [osteitis deformans]
- M89 Other disorders of bone
- M90\* Osteopathies in diseases classified elsewhere

### **Chondropathies (M91-M94)**

- M91 Juvenile osteochondrosis of hip and pelvis
- M92 Other juvenile osteochondrosis
- M93 Other osteochondropathies
- M94 Other disorders of cartilage

## **Other disorders of the musculoskeletal system and connective tissue (M95-M99)**

- M95 Other acquired deformities of musculoskeletal system
- M96 Postprocedural musculoskeletal disorders, not elsewhere classified
- M99 Biomechanical lesions, not elsewhere classified

## **Chapter XIV - Diseases of the genitourinary system (N00-N99)**

### **Glomerular diseases (N00-N08)**

- N00 Acute nephritic syndrome
- N01 Rapidly progressive nephritic syndrome
- N02 Recurrent and persistent haematuria
- N03 Chronic nephritic syndrome
- N04 Nephrotic syndrome
- N05 Unspecified nephritic syndrome
- N06 Isolated proteinuria with specified morphological lesion
- N07 Hereditary nephropathy, not elsewhere classified
- N08\* Glomerular disorders in diseases classified elsewhere

### **Renal tubulo-interstitial diseases (N10-N16)**

- N10 Acute tubulo-interstitial nephritis
- N11 Chronic tubulo-interstitial nephritis
- N12 Tubulo-interstitial nephritis, not specified as acute or chronic
- N13 Obstructive and reflux uropathy
- N14 Drug- and heavy-metal-induced tubulo-interstitial and tubular conditions
- N15 Other renal tubulo-interstitial diseases
- N16\* Renal tubulo-interstitial disorders in diseases classified elsewhere

## **Renal failure (N17-N19)**

- N17 Acute renal failure
- N18 Chronic kidney disease
- N19 Unspecified kidney failure

## **Urolithiasis (N20-N23)**

- N20 Calculus of kidney and ureter
- N21 Calculus of lower urinary tract
- N22\* Calculus of urinary tract in diseases classified elsewhere
- N23 Unspecified renal colic

## **Other disorders of kidney and ureter (N25-N29)**

- N25 Disorders resulting from impaired renal tubular function
- N26 Unspecified contracted kidney
- N27 Small kidney of unknown cause
- N28 Other disorders of kidney and ureter, not elsewhere classified
- N29\* Other disorders of kidney and ureter in diseases classified elsewhere

## **Other diseases of urinary system (N30-N39)**

- N30 Cystitis
- N31 Neuromuscular dysfunction of bladder, not elsewhere classified
- N32 Other disorders of bladder
- N33\* Bladder disorders in diseases classified elsewhere
- N34 Urethritis and urethral syndrome
- N35 Urethral stricture
- N36 Other disorders of urethra
- N37\* Urethral disorders in diseases classified elsewhere
- N39 Other disorders of urinary system

## **Diseases of male genital organs (N40-N51)**

- N40 Hyperplasia of prostate
- N41 Inflammatory diseases of prostate
- N42 Other disorders of prostate
- N43 Hydrocele and spermatocele
- N44 Torsion of testis
- N45 Orchitis and epididymitis
- N46 Male infertility
- N47 Redundant prepuce, phimosis and paraphimosis
- N48 Other disorders of penis
- N49 Inflammatory disorders of male genital organs, not elsewhere classified
- N50 Other disorders of male genital organs
- N51\* Disorders of male genital organs in diseases classified elsewhere

## **Disorders of breast (N60-N64)**

- N60 Benign mammary dysplasia
- N61 Inflammatory disorders of breast
- N62 Hypertrophy of breast
- N63 Unspecified lump in breast
- N64 Other disorders of breast

## **Inflammatory diseases of female pelvic organs (N70-N77)**

- N70 Salpingitis and oophoritis
- N71 Inflammatory disease of uterus, except cervix
- N72 Inflammatory disease of cervix uteri
- N73 Other female pelvic inflammatory diseases
- N74\* Female pelvic inflammatory disorders in diseases classified elsewhere
- N75 Diseases of Bartholin gland
- N76 Other inflammation of vagina and vulva
- N77\* Vulvovaginal ulceration and inflammation in diseases classified elsewhere

## **Noninflammatory disorders of female genital tract (N80-N98)**

- N80 Endometriosis
- N81 Female genital prolapse
- N82 Fistulae involving female genital tract
- N83 Noninflammatory disorders of ovary, fallopian tube and broad ligament
- N84 Polyp of female genital tract
- N85 Other noninflammatory disorders of uterus, except cervix
- N86 Erosion and ectropion of cervix uteri
- N87 Dysplasia of cervix uteri
- N88 Other noninflammatory disorders of cervix uteri
- N89 Other noninflammatory disorders of vagina
- N90 Other noninflammatory disorders of vulva and perineum
- N91 Absent, scanty and rare menstruation
- N92 Excessive, frequent and irregular menstruation
- N93 Other abnormal uterine and vaginal bleeding
- N94 Pain and other conditions associated with female genital organs and menstrual cycle
- N95 Menopausal and other perimenopausal disorders
- N96 Habitual aborter
- N97 Female infertility
- N98 Complications associated with artificial fertilization

## **Other disorders of the genitourinary tract (N99)**

- N99 Postprocedural disorders of the genitourinary system, not elsewhere classified



## **Chapter XV - Pregnancy, childbirth and the puerperium (O00-O99)**

### **Pregnancy with abortive outcome (O00-O08)**

- O00 Ectopic pregnancy
- O01 Hydatidiform mole
- O02 Other abnormal products of conception
- O03 Spontaneous abortion
- O04 Medical abortion
- O05 Other abortion
- O06 Unspecified abortion
- O07 Failed attempted abortion
- O08 Complications following abortion and ectopic and molar pregnancy

### **Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium (O10-O16)**

- O10 Pre-existing hypertension complicating pregnancy, childbirth and the puerperium
- O11 Pre-existing hypertensive disorder with superimposed proteinuria
- O12 Gestational [pregnancy-induced] oedema and proteinuria without hypertension
- O13 Gestational [pregnancy-induced] hypertension without significant proteinuria
- O14 Gestational [pregnancy-induced] hypertension with significant proteinuria
- O15 Eclampsia
- O16 Unspecified maternal hypertension

## **Other maternal disorders predominantly related to pregnancy (O20-O29)**

- O20 Haemorrhage in early pregnancy
- O21 Excessive vomiting in pregnancy
- O22 Venous complications in pregnancy
- O23 Infections of genitourinary tract in pregnancy
- O24 Diabetes mellitus in pregnancy
- O25 Malnutrition in pregnancy
- O26 Maternal care for other conditions predominantly related to pregnancy
- O28 Abnormal findings on antenatal screening of mother
- O29 Complications of anaesthesia during pregnancy

## **Maternal care related to fetus and amniotic cavity and possible delivery problems (O30-O48)**

- O30 Multiple gestation
- O31 Complications specific to multiple gestation
- O32 Maternal care for known or suspected malpresentation of fetus
- O33 Maternal care for known or suspected disproportion
- O34 Maternal care for known or suspected abnormality of pelvic organs
- O35 Maternal care for known or suspected fetal abnormality and damage
- O36 Maternal care for other known or suspected fetal problems
- O40 Polyhydramnios
- O41 Other disorders of amniotic fluid and membranes
- O42 Premature rupture of membranes
- O43 Placental disorders
- O44 Placenta praevia
- O45 Premature separation of placenta [abruptio placentae]
- O46 Antepartum haemorrhage, not elsewhere classified
- O47 False labour
- O48 Prolonged pregnancy

## **Complications of labour and delivery (O60-O75)**

- O60 Preterm labour

## ICD-10-Mortality 2e-Volume1 - 2017

- O61 Failed induction of labour
- O62 Abnormalities of forces of labour
- O63 Long labour
- O64 Obstructed labour due to malposition and malpresentation of fetus
- O65 Obstructed labour due to maternal pelvic abnormality
- O66 Other obstructed labour
- O67 Labour and delivery complicated by intrapartum haemorrhage, not elsewhere classified
- O68 Labour and delivery complicated by fetal stress [distress]
- O69 Labour and delivery complicated by umbilical cord complications
- O70 Perineal laceration during delivery
- O71 Other obstetric trauma
- O72 Postpartum haemorrhage
- O73 Retained placenta and membranes, without haemorrhage
- O74 Complications of anaesthesia during labour and delivery
- O75 Other complications of labour and delivery, not elsewhere classified

### Delivery (O80-O84)

- O80 Single spontaneous delivery
- O81 Single delivery by forceps and vacuum extractor
- O82 Single delivery by caesarean section
- O83 Other assisted single delivery
- O84 Multiple delivery

### Complications predominantly related to the puerperium (O85-O92)

- O85 Puerperal sepsis
- O86 Other puerperal infections
- O87 Venous complications in the puerperium
- O88 Obstetric embolism
- O89 Complications of anaesthesia during the puerperium
- O90 Complications of the puerperium, not elsewhere classified
- O91 Infections of breast associated with childbirth
- O92 Other disorders of breast and lactation associated with childbirth

**Other obstetric conditions, not elsewhere classified  
(O94-O99)**

- O94 Sequelae of complication of pregnancy, childbirth and the puerperium
- O95 Obstetric death of unspecified cause
- O96 Death from any obstetric cause occurring more than 42 days but less than one year after delivery
- O97 Death from sequelae of obstetric causes
- O98 Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium
- O99 Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium

## **Chapter XVI - Certain conditions originating in the perinatal period (P00-P96)**

### **Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery (P00-P04)**

- P00 Fetus and newborn affected by maternal conditions that may be unrelated to present pregnancy
- P01 Fetus and newborn affected by maternal complications of pregnancy
- P02 Fetus and newborn affected by complications of placenta, cord and membranes
- P03 Fetus and newborn affected by other complications of labour and delivery
- P04 Fetus and newborn affected by noxious influences transmitted via placenta or breast milk

### **Disorders related to length of gestation and fetal growth (P05-P08)**

- P05 Slow fetal growth and fetal malnutrition
- P07 Disorders related to short gestation and low birth weight, not elsewhere classified
- P08 Disorders related to long gestation and high birth weight

### **Birth trauma (P10-P15)**

- P10 Intracranial laceration and haemorrhage due to birth injury
- P11 Other birth injuries to central nervous system

- P12 Birth injury to scalp
- P13 Birth injury to skeleton
- P14 Birth injury to peripheral nervous system
- P15 Other birth injuries

### **Respiratory and cardiovascular disorders specific to the perinatal period (P20-P29)**

- P20 Intrauterine hypoxia
- P21 Birth asphyxia
- P22 Respiratory distress of newborn
- P23 Congenital pneumonia
- P24 Neonatal aspiration syndromes
- P25 Interstitial emphysema and related conditions originating in the perinatal period
- P26 Pulmonary haemorrhage originating in the perinatal period
- P27 Chronic respiratory disease originating in the perinatal period
- P28 Other respiratory conditions originating in the perinatal period
- P29 Cardiovascular disorders originating in the perinatal period

### **Infections specific to the perinatal period (P35-P39)**

- P35 Congenital viral diseases
- P36 Bacterial sepsis of newborn
- P37 Other congenital infectious and parasitic diseases
- P38 Omphalitis of newborn with or without mild haemorrhage
- P39 Other infections specific to the perinatal period

### **Haemorrhagic and haematological disorders of fetus and newborn (P50-P61)**

- P50 Fetal blood loss
- P51 Umbilical haemorrhage of newborn
- P52 Intracranial nontraumatic haemorrhage of fetus and newborn

## ICD-10-Mortality 2e-Volume1 - 2017

- P53 Haemorrhagic disease of fetus and newborn
- P54 Other neonatal haemorrhages
- P55 Haemolytic disease of fetus and newborn
- P56 Hydrops fetalis due to haemolytic disease
- P57 Kernicterus
- P58 Neonatal jaundice due to other excessive haemolysis
- P59 Neonatal jaundice from other and unspecified causes
- P60 Disseminated intravascular coagulation of fetus and newborn
- P61 Other perinatal haematological disorders

### Transitory endocrine and metabolic disorders specific to fetus and newborn (P70-P74)

- P70 Transitory disorders of carbohydrate metabolism specific to fetus and newborn
- P71 Transitory neonatal disorders of calcium and magnesium metabolism
- P72 Other transitory neonatal endocrine disorders
- P74 Other transitory neonatal electrolyte and metabolic disturbances

### Digestive system disorders of fetus and newborn (P75-P78)

- P75\* Meconium ileus
- P76 Other intestinal obstruction of newborn
- P77 Necrotizing enterocolitis of fetus and newborn
- P78 Other perinatal digestive system disorders

### Conditions involving the integument and temperature regulation of fetus and newborn (P80-P83)

- P80 Hypothermia of newborn
- P81 Other disturbances of temperature regulation of newborn
- P83 Other conditions of integument specific to fetus and newborn

**Other disorders originating in the perinatal period  
(P90-P96)**

- P90    Convulsions of newborn
- P91    Other disturbances of cerebral status of newborn
- P92    Feeding problems of newborn
- P93    Reactions and intoxications due to drugs administered to fetus and newborn
- P94    Disorders of muscle tone of newborn
- P95    Fetal death of unspecified cause
- P96    Other conditions originating in the perinatal period



## **Chapter XVII - Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)**

### **Congenital malformations of the nervous system (Q00-Q07)**

- Q00 Anencephaly and similar malformations
- Q01 Encephalocele
- Q02 Microcephaly
- Q03 Congenital hydrocephalus
- Q04 Other congenital malformations of brain
- Q05 Spina bifida
- Q06 Other congenital malformations of spinal cord
- Q07 Other congenital malformations of nervous system

### **Congenital malformations of eye, ear, face and neck (Q10-Q18)**

- Q10 Congenital malformations of eyelid, lacrimal apparatus and orbit
- Q11 Anophthalmos, microphthalmos and macrophthalmos
- Q12 Congenital lens malformations
- Q13 Congenital malformations of anterior segment of eye
- Q14 Congenital malformations of posterior segment of eye
- Q15 Other congenital malformations of eye
- Q16 Congenital malformations of ear causing impairment of hearing
- Q17 Other congenital malformations of ear
- Q18 Other congenital malformations of face and neck

## **Congenital malformations of the circulatory system (Q20-Q28)**

- Q20 Congenital malformations of cardiac chambers and connections
- Q21 Congenital malformations of cardiac septa
- Q22 Congenital malformations of pulmonary and tricuspid valves
- Q23 Congenital malformations of aortic and mitral valves
- Q24 Other congenital malformations of the heart
- Q25 Congenital malformations of great arteries
- Q26 Congenital malformations of great veins
- Q27 Other congenital malformations of peripheral vascular system
- Q28 Other congenital malformations of circulatory system

## **Congenital malformations of the respiratory system (Q30-Q34)**

- Q30 Congenital malformations of nose
- Q31 Congenital malformations of larynx
- Q32 Congenital malformations of trachea and bronchus
- Q33 Congenital malformations of lung
- Q34 Other congenital malformations of respiratory system

## **Cleft lip and cleft palate (Q35-Q37)**

- Q35 Cleft palate
- Q36 Cleft lip
- Q37 Cleft palate with cleft lip

## **Other congenital malformations of the digestive system (Q38-Q45)**

- Q38 Other congenital malformations of tongue, mouth and pharynx

## ICD-10-Mortality 2e-Volume1 - 2017

- Q39 Congenital malformations of oesophagus
- Q40 Other congenital malformations of upper alimentary tract
- Q41 Congenital absence, atresia and stenosis of small intestine
- Q42 Congenital absence, atresia and stenosis of large intestine
- Q43 Other congenital malformations of intestine
- Q44 Congenital malformations of gallbladder, bile ducts and liver
- Q45 Other congenital malformations of digestive system

### Congenital malformations of genital organs (Q50-Q56)

- Q50 Congenital malformations of ovaries, fallopian tubes and broad ligaments
- Q51 Congenital malformations of uterus and cervix
- Q52 Other congenital malformations of female genitalia
- Q53 Undescended testicle
- Q54 Hypospadias
- Q55 Other congenital malformations of male genital organs
- Q56 Indeterminate sex and pseudohermaphroditism

### Congenital malformations of the urinary system (Q60-Q64)

- Q60 Renal agenesis and other reduction defects of kidney
- Q61 Cystic kidney disease
- Q62 Congenital obstructive defects of renal pelvis and congenital malformations of ureter
- Q63 Other congenital malformations of kidney
- Q64 Other congenital malformations of urinary system

### Congenital malformations and deformations of the musculoskeletal system (Q65-Q79)

- Q65 Congenital deformities of hip
- Q66 Congenital deformities of feet

## ICD-10-Mortality 2e-Volume1 - 2017

- Q67 Congenital musculoskeletal deformities of head, face, spine and chest
- Q68 Other congenital musculoskeletal deformities
- Q69 Polydactyly
- Q70 Syndactyly
- Q71 Reduction defects of upper limb
- Q72 Reduction defects of lower limb
- Q73 Reduction defects of unspecified limb
- Q74 Other congenital malformations of limb(s)
- Q75 Other congenital malformations of skull and face bones
- Q76 Congenital malformations of spine and bony thorax
- Q77 Osteochondrodysplasia with defects of growth of tubular bones and spine
- Q78 Other osteochondrodysplasias
- Q79 Congenital malformations of the musculoskeletal system, not elsewhere classified

### Other congenital malformations (Q80-Q89)

- Q80 Congenital ichthyosis
- Q81 Epidermolysis bullosa
- Q82 Other congenital malformations of skin
- Q83 Congenital malformations of breast
- Q84 Other congenital malformations of integument
- Q85 Phakomatoses, not elsewhere classified
- Q86 Congenital malformation syndromes due to known exogenous causes, not elsewhere classified
- Q87 Other specified congenital malformation syndromes affecting multiple systems
- Q89 Other congenital malformations, not elsewhere classified

### Chromosomal abnormalities, not elsewhere classified (Q90-Q99)

- Q90 Down syndrome
- Q91 Edward syndrome and Patau syndrome
- Q92 Other trisomies and partial trisomies of the autosomes, not elsewhere classified
- Q93 Monosomies and deletions from the autosomes, not elsewhere classified
- Q95 Balanced rearrangements and structural markers, not elsewhere classified
- Q96 Turner syndrome

## **ICD-10-Mortality 2e-Volume1 - 2017**

- Q97 Other sex chromosome abnormalities, female phenotype, not elsewhere classified
- Q98 Other sex chromosome abnormalities, male phenotype, not elsewhere classified
- Q99 Other chromosome abnormalities, not elsewhere classified

## **Chapter XVIII - Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)**

### **Symptoms and signs involving the circulatory and respiratory systems (R00-R09)**

- R00 Abnormalities of heart beat
- R01 Cardiac murmurs and other cardiac sounds
- R02 Gangrene, not elsewhere classified
- R03 Abnormal blood-pressure reading, without diagnosis
- R04 Haemorrhage from respiratory passages
- R05 Cough
- R06 Abnormalities of breathing
- R07 Pain in throat and chest
- R09 Other symptoms and signs involving the circulatory and respiratory systems

### **Symptoms and signs involving the digestive system and abdomen (R10-R19)**

- R10 Abdominal and pelvic pain
- R11 Nausea and vomiting
- R12 Heartburn
- R13 Dysphagia
- R14 Flatulence and related conditions
- R15 Faecal incontinence
- R16 Hepatomegaly and splenomegaly, not elsewhere classified
- R17 Unspecified jaundice
- R18 Ascites

R19 Other symptoms and signs involving the digestive system and abdomen

### Symptoms and signs involving the skin and subcutaneous tissue (R20-R23)

- R20 Disturbances of skin sensation
- R21 Rash and other nonspecific skin eruption
- R22 Localized swelling, mass and lump of skin and subcutaneous tissue
- R23 Other skin changes

### Symptoms and signs involving the nervous and musculoskeletal systems (R25-R29)

- R25 Abnormal involuntary movements
- R26 Abnormalities of gait and mobility
- R27 Other lack of coordination
- R29 Other symptoms and signs involving the nervous and musculoskeletal systems

### Symptoms and signs involving the urinary system (R30-R39)

- R30 Pain associated with micturition
- R31 Unspecified haematuria
- R32 Unspecified urinary incontinence
- R33 Retention of urine
- R34 Anuria and oliguria
- R35 Polyuria
- R36 Urethral discharge
- R39 Other symptoms and signs involving the urinary system

## **Symptoms and signs involving cognition, perception, emotional state and behaviour (R40-R46)**

- R40 Somnolence, stupor and coma
- R41 Other symptoms and signs involving cognitive functions and awareness
- R42 Dizziness and giddiness
- R43 Disturbances of smell and taste
- R44 Other symptoms and signs involving general sensations and perceptions
- R45 Symptoms and signs involving emotional state
- R46 Symptoms and signs involving appearance and behaviour

## **Symptoms and signs involving speech and voice (R47-R49)**

- R47 Speech disturbances, not elsewhere classified
- R48 Dyslexia and other symbolic dysfunctions, not elsewhere classified
- R49 Voice disturbances

## **General symptoms and signs (R50-R69)**

- R50 Fever of other and unknown origin
- R51 Headache
- R52 Pain, not elsewhere classified
- R53 Malaise and fatigue
- R54 Senility
- R55 Syncope and collapse
- R56 Convulsions, not elsewhere classified
- R57 Shock, not elsewhere classified
- R58 Haemorrhage, not elsewhere classified
- R59 Enlarged lymph nodes
- R60 Oedema, not elsewhere classified
- R61 Hyperhidrosis
- R62 Lack of expected normal physiological development
- R63 Symptoms and signs concerning food and fluid intake
- R64 Cachexia
- R68 Other general symptoms and signs



R69 Unknown and unspecified causes of morbidity

### **Abnormal findings on examination of blood, without diagnosis (R70-R79)**

- R70 Elevated erythrocyte sedimentation rate and abnormality of plasma viscosity
- R71 Abnormality of red blood cells
- R72 Abnormality of white blood cells, not elsewhere classified
- R73 Elevated blood glucose level
- R74 Abnormal serum enzyme levels
- R75 Laboratory evidence of human immunodeficiency virus [HIV]
- R76 Other abnormal immunological findings in serum
- R77 Other abnormalities of plasma proteins
- R78 Findings of drugs and other substances, not normally found in blood
- R79 Other abnormal findings of blood chemistry

### **Abnormal findings on examination of urine, without diagnosis (R80-R82)**

- R80 Isolated proteinuria
- R81 Glycosuria
- R82 Other abnormal findings in urine

### **Abnormal findings on examination of other body fluids, substances and tissues, without diagnosis (R83-R89)**

- R83 Abnormal findings in cerebrospinal fluid
- R84 Abnormal findings in specimens from respiratory organs and thorax
- R85 Abnormal findings in specimens from digestive organs and abdominal cavity
- R86 Abnormal findings in specimens from male genital organs
- R87 Abnormal findings in specimens from female genital organs
- R89 Abnormal findings in specimens from other organs, systems and tissues

## **Abnormal findings on diagnostic imaging and in function studies, without diagnosis (R90-R94)**

- R90 Abnormal findings on diagnostic imaging of central nervous system
- R91 Abnormal findings on diagnostic imaging of lung
- R92 Abnormal findings on diagnostic imaging of breast
- R93 Abnormal findings on diagnostic imaging of other body structures
- R94 Abnormal results of function studies

## **Ill-defined and unknown causes of mortality (R95-R99)**

- R95 Sudden infant death syndrome
- R96 Other sudden death, cause unknown
- R98 Unattended death
- R99 Other ill-defined and unspecified causes of mortality

## **Chapter XIX - Injury, poisoning and certain other consequences of external causes (S00-T98)**

### **Injuries to the head (S00-S09)**

- S00 Superficial injury of head
- S01 Open wound of head
- S02 Fracture of skull and facial bones
- S03 Dislocation, sprain and strain of joints and ligaments of head
- S04 Injury of cranial nerves
- S05 Injury of eye and orbit
- S06 Intracranial injury
- S07 Crushing injury of head
- S08 Traumatic amputation of part of head
- S09 Other and unspecified injuries of head

### **Injuries to the neck (S10-S19)**

- S10 Superficial injury of neck
- S11 Open wound of neck
- S12 Fracture of neck
- S13 Dislocation, sprain and strain of joints and ligaments at neck level
- S14 Injury of nerves and spinal cord at neck level
- S15 Injury of blood vessels at neck level
- S16 Injury of muscle and tendon at neck level
- S17 Crushing injury of neck
- S18 Traumatic amputation at neck level
- S19 Other and unspecified injuries of neck

## **Injuries to the thorax (S20-S29)**

- S20 Superficial injury of thorax
- S21 Open wound of thorax
- S22 Fracture of rib(s), sternum and thoracic spine
- S23 Dislocation, sprain and strain of joints and ligaments of thorax
- S24 Injury of nerves and spinal cord at thorax level
- S25 Injury of blood vessels of thorax
- S26 Injury of heart
- S27 Injury of other and unspecified intrathoracic organs
- S28 Crushing injury of thorax and traumatic amputation of part of thorax
- S29 Other and unspecified injuries of thorax

## **Injuries to the abdomen, lower back, lumbar spine and pelvis (S30-S39)**

- S30 Superficial injury of abdomen, lower back and pelvis
- S31 Open wound of abdomen, lower back and pelvis
- S32 Fracture of lumbar spine and pelvis
- S33 Dislocation, sprain and strain of joints and ligaments of lumbar spine and pelvis
- S34 Injury of nerves and lumbar spinal cord at abdomen, lower back and pelvis level
- S35 Injury of blood vessels at abdomen, lower back and pelvis level
- S36 Injury of intra-abdominal organs
- S37 Injury of urinary and pelvic organs
- S38 Crushing injury and traumatic amputation of part of abdomen, lower back and pelvis
- S39 Other and unspecified injuries of abdomen, lower back and pelvis

## **Injuries to the shoulder and upper arm (S40-S49)**

- S40 Superficial injury of shoulder and upper arm
- S41 Open wound of shoulder and upper arm
- S42 Fracture of shoulder and upper arm
- S43 Dislocation, sprain and strain of joints and ligaments of shoulder girdle
- S44 Injury of nerves at shoulder and upper arm level
- S45 Injury of blood vessels at shoulder and upper arm level

## ICD-10-Mortality 2e-Volume1 - 2017

- S46 Injury of muscle and tendon at shoulder and upper arm level
- S47 Crushing injury of shoulder and upper arm
- S48 Traumatic amputation of shoulder and upper arm
- S49 Other and unspecified injuries of shoulder and upper arm

### Injuries to the elbow and forearm (S50-S59)

- S50 Superficial injury of forearm
- S51 Open wound of forearm
- S52 Fracture of forearm
- S53 Dislocation, sprain and strain of joints and ligaments of elbow
- S54 Injury of nerves at forearm level
- S55 Injury of blood vessels at forearm level
- S56 Injury of muscle and tendon at forearm level
- S57 Crushing injury of forearm
- S58 Traumatic amputation of forearm
- S59 Other and unspecified injuries of forearm

### Injuries to the wrist and hand (S60-S69)

- S60 Superficial injury of wrist and hand
- S61 Open wound of wrist and hand
- S62 Fracture at wrist and hand level
- S63 Dislocation, sprain and strain of joints and ligaments at wrist and hand level
- S64 Injury of nerves at wrist and hand level
- S65 Injury of blood vessels at wrist and hand level
- S66 Injury of muscle and tendon at wrist and hand level
- S67 Crushing injury of wrist and hand
- S68 Traumatic amputation of wrist and hand
- S69 Other and unspecified injuries of wrist and hand

### Injuries to the hip and thigh (S70-S79)

- S70 Superficial injury of hip and thigh

## ICD-10-Mortality 2e-Volume1 - 2017

- S71 Open wound of hip and thigh
- S72 Fracture of femur
- S73 Dislocation, sprain and strain of joint and ligaments of hip
- S74 Injury of nerves at hip and thigh level
- S75 Injury of blood vessels at hip and thigh level
- S76 Injury of muscle and tendon at hip and thigh level
- S77 Crushing injury of hip and thigh
- S78 Traumatic amputation of hip and thigh
- S79 Other and unspecified injuries of hip and thigh

### Injuries to the knee and lower leg (S80-S89)

- S80 Superficial injury of lower leg
- S81 Open wound of lower leg
- S82 Fracture of lower leg, including ankle
- S83 Dislocation, sprain and strain of joints and ligaments of knee
- S84 Injury of nerves at lower leg level
- S85 Injury of blood vessels at lower leg level
- S86 Injury of muscle and tendon at lower leg level
- S87 Crushing injury of lower leg
- S88 Traumatic amputation of lower leg
- S89 Other and unspecified injuries of lower leg

### Injuries to the ankle and foot (S90-S99)

- S90 Superficial injury of ankle and foot
- S91 Open wound of ankle and foot
- S92 Fracture of foot, except ankle
- S93 Dislocation, sprain and strain of joints and ligaments at ankle and foot level
- S94 Injury of nerves at ankle and foot level
- S95 Injury of blood vessels at ankle and foot level
- S96 Injury of muscle and tendon at ankle and foot level
- S97 Crushing injuries of ankle and foot
- S98 Traumatic amputation of ankle and foot
- S99 Other and unspecified injuries of ankle and foot

## **Injuries involving multiple body regions (T00-T07)**

- T00 Superficial injuries involving multiple body regions
- T01 Open wounds involving multiple body regions
- T02 Fractures involving multiple body regions
- T03 Dislocations, sprains and strains involving multiple body regions
- T04 Crushing injuries involving multiple body regions
- T05 Traumatic amputations involving multiple body regions
- T06 Other injuries involving multiple body regions, not elsewhere classified
- T07 Unspecified multiple injuries

## **Injuries to unspecified part of trunk, limb or body region (T08-T14)**

- T08 Fracture of spine, level unspecified
- T09 Other injuries of spine and trunk, level unspecified
- T10 Fracture of upper limb, level unspecified
- T11 Other injuries of upper limb, level unspecified
- T12 Fracture of lower limb, level unspecified
- T13 Other injuries of lower limb, level unspecified
- T14 Injury of unspecified of body

## **Effects of foreign body entering through natural orifice (T15-T19)**

- T15 Foreign body on external eye
- T16 Foreign body in ear
- T17 Foreign body in respiratory tract
- T18 Foreign body in alimentary tract
- T19 Foreign body in genitourinary tract

## Burns and corrosions (T20-T32)

### **Burns and corrosions of external body surface, specified by site (T20-T25)**

- T20 Burn and corrosion of head and neck
- T21 Burn and corrosion of trunk
- T22 Burn and corrosion of shoulder and upper limb, except wrist and hand
- T23 Burn and corrosion of wrist and hand
- T24 Burn and corrosion of hip and lower limb, except ankle and foot
- T25 Burn and corrosion of ankle and foot

### **Burns and corrosions confined to eye and internal organs (T26-T28)**

- T26 Burn and corrosion confined to eye and adnexa
- T27 Burn and corrosion of respiratory tract
- T28 Burn and corrosion of other internal organs

### **Burns and corrosions of multiple and unspecified body regions (T29-T32)**

- T29 Burns and corrosions of multiple body regions
- T30 Burn and corrosion, body region unspecified
- T31 Burns classified according to extent of body surface involved
- T32 Corrosions classified according to extent of body surface involved

## Frostbite (T33-T35)

- T33 Superficial frostbite
- T34 Frostbite with tissue necrosis
- T35 Frostbite involving multiple body regions and unspecified frostbite



## Poisoning by drugs, medicaments and biological substances (T36-T50)

- T36 Poisoning by systemic antibiotics
- T37 Poisoning by other systemic anti-infectives and antiparasitics
- T38 Poisoning by hormones and their synthetic substitutes and antagonists, not elsewhere classified
- T39 Poisoning by nonopioid analgesics, antipyretics and antirheumatics
- T40 Poisoning by narcotics and psychodysleptics [hallucinogens]
- T41 Poisoning by anaesthetics and therapeutic gases
- T42 Poisoning by antiepileptic, sedative-hypnotic and antiparkinsonism drugs
- T43 Poisoning by psychotropic drugs, not elsewhere classified
- T44 Poisoning by drugs primarily affecting the autonomic nervous system
- T45 Poisoning by primarily systemic and haematological agents, not elsewhere classified
- T46 Poisoning by agents primarily affecting the cardiovascular system
- T47 Poisoning by agents primarily affecting the gastrointestinal system
- T48 Poisoning by agents primarily acting on smooth and skeletal muscles and the respiratory system
- T49 Poisoning by topical agents primarily affecting skin and mucous membrane, and by ophthalmological, otorhinolaryngological and dental drugs
- T50 Poisoning by diuretics and other and unspecified drugs, medicaments and biological substances

## Toxic effects of substances chiefly nonmedicinal as to source (T51-T65)

- T51 Toxic effect of alcohol
- T52 Toxic effect of organic solvents
- T53 Toxic effect of halogen derivatives of aliphatic and aromatic hydrocarbons
- T54 Toxic effect of corrosive substances
- T55 Toxic effect of soaps and detergents
- T56 Toxic effect of metals
- T57 Toxic effect of other inorganic substances
- T58 Toxic effect of carbon monoxide
- T59 Toxic effect of other gases, fumes and vapours
- T60 Toxic effect of pesticides
- T61 Toxic effect of noxious substances eaten as seafood
- T62 Toxic effect of other noxious substances eaten as food

## ICD-10-Mortality 2e-Volume1 - 2017

- T63 Toxic effect of contact with venomous animals
- T64 Toxic effect of aflatoxin and other mycotoxin food contaminants
- T65 Toxic effect of other and unspecified substances

### Other and unspecified effects of external causes (T66-T78)

- T66 Unspecified effects of radiation
- T67 Effects of heat and light
- T68 Hypothermia
- T69 Other effects of reduced temperature
- T70 Effects of air pressure and water pressure
- T71 Asphyxiation
- T73 Effects of other deprivation
- T74 Maltreatment syndromes
- T75 Effects of other external causes
- T78 Adverse effects, not elsewhere classified

### Certain early complications of trauma (T79)

- T79 Certain early complications of trauma, not elsewhere classified

### Complications of surgical and medical care, not elsewhere classified (T80-T88)

- T80 Complications following infusion, transfusion and therapeutic injection
- T81 Complications of procedures, not elsewhere classified
- T82 Complications of cardiac and vascular prosthetic devices, implants and grafts
- T83 Complications of genitourinary devices, implants and grafts
- T84 Complications of internal orthopaedic prosthetic devices, implants and grafts
- T85 Complications of other internal prosthetic devices, implants and grafts
- T86 Failure and rejection of transplanted organs and tissues
- T87 Complications peculiar to reattachment and amputation

T88 Other complications of surgical and medical care, not elsewhere classified

**Sequelae of injuries, of poisoning and of other  
consequences of external causes (T90-T98)**

- T90 Sequelae of injuries of head
- T91 Sequelae of injuries of neck and trunk
- T92 Sequelae of injuries of upper limb
- T93 Sequelae of injuries of lower limb
- T94 Sequelae of injuries involving multiple and unspecified body regions
- T95 Sequelae of burns, corrosions and frostbite
- T96 Sequelae of poisoning by drugs, medicaments and biological substances
- T97 Sequelae of toxic effects of substances chiefly nonmedicinal as to source
- T98 Sequelae of other and unspecified effects of external causes

## Chapter XX - External causes of morbidity and mortality (V01-Y98)

### Transport accidents (V01-V99)

#### **Pedestrian injured in transport accident (V01-V09)**

- V01 Pedestrian injured in collision with pedal cycle
- V02 Pedestrian injured in collision with two- or three-wheeled motor vehicle
- V03 Pedestrian injured in collision with car, pick-up truck or van
- V04 Pedestrian injured in collision with heavy transport vehicle or bus
- V05 Pedestrian injured in collision with railway train or railway vehicle
- V06 Pedestrian injured in collision with other nonmotor vehicle
- V09 Pedestrian injured in other and unspecified transport accidents

#### **Pedal cyclist injured in transport accident (V10-V19)**

- V10 Pedal cyclist injured in collision with pedestrian or animal
- V11 Pedal cyclist injured in collision with other pedal cycle
- V12 Pedal cyclist injured in collision with two- or three-wheeled motor vehicle
- V13 Pedal cyclist injured in collision with car, pick-up truck or van
- V14 Pedal cyclist injured in collision with heavy transport vehicle or bus
- V15 Pedal cyclist injured in collision with railway train or railway vehicle
- V16 Pedal cyclist injured in collision with other nonmotor vehicle
- V17 Pedal cyclist injured in collision with fixed or stationary object
- V18 Pedal cyclist injured in noncollision transport accident
- V19 Pedal cyclist injured in other and unspecified transport accidents

#### **Motorcycle rider injured in transport accident (V20-V29)**

- V20 Motorcycle rider injured in collision with pedestrian or animal

## **ICD-10-Mortality 2e-Volume1 - 2017**

- V21 Motorcyle rider injured in collision with pedal cycle
- V22 Motorcyle rider injured in collision with two-or three-wheeled motor vehicle
- V23 Motorcyle rider injured in collision with car, pick-up truck or van
- V24 Motorcyle rider injured in collision with heavy transport vehicle or bus
- V25 Motorcyle rider injured in collision with railway train or railway vehicle
- V26 Motorcyle rider injured in collision with other nonmotor vehicle
- V27 Motorcyle rider injured in collision with fixed or stationary object
- V28 Motorcyle rider injured in noncollision transport accident
- V29 Motorcyle rider injured in other and unspecified transport accidents

### **Occupant of three-wheeled motor vehicle injured in transport accident (V30-V39)**

- V30 Occupant of three-wheeled motor vehicle injured in collision with pedestrian or animal
- V31 Occupant of three-wheeled motor vehicle injured in collision with pedal cycle
- V32 Occupant of three-wheeled motor vehicle injured in collision with two-or three-wheeled motor vehicle
- V33 Occupant of three-wheeled motor vehicle injured in collision with car, pick-up truck or van
- V34 Occupant of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus
- V35 Occupant of three-wheeled motor vehicle injured in collision with railway train or railway vehicle
- V36 Occupant of three-wheeled motor vehicle injured in collision with other nonmotor vehicle
- V37 Occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object
- V38 Occupant of three-wheeled motor vehicle injured in noncollision transport accident
- V39 Occupant of three-wheeled motor vehicle injured in other and unspecified transport accidents

### **Car occupant injured in transport accident (V40-V49)**

- V40 Car occupant injured in collision with pedestrian or animal
- V41 Car occupant injured in collision with pedal cycle
- V42 Car occupant injured in collision with two-or three-wheeled motor vehicle
- V43 Car occupant injured in collision with car, pick-up truck or van
- V44 Car occupant injured in collision with heavy transport vehicle or bus
- V45 Car occupant injured in collision with railway train or railway vehicle
- V46 Car occupant injured in collision with other nonmotor vehicle
- V47 Car occupant injured in collision with fixed or stationary object

## **ICD-10-Mortality 2e-Volume1 - 2017**

- V48 Car occupant injured in noncollision transport accident
- V49 Car occupant injured in other and unspecified transport accidents

### **Occupant of pick-up truck or van injured in transport accident (V50-V59)**

- V50 Occupant of pick-up truck or van injured in collision with pedestrian or animal
- V51 Occupant of pick-up truck or van injured in collision with pedal cycle
- V52 Occupant of pick-up truck or van injured in collision with two-or three-wheeled motor vehicle
- V53 Occupant of pick-up truck or van injured in collision with car, pick-up truck or van
- V54 Occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus
- V55 Occupant of pick-up truck or van injured in collision with railway train or railway vehicle
- V56 Occupant of pick-up truck or van injured in collision with other nonmotor vehicle
- V57 Occupant of pick-up truck or van injured in collision with fixed or stationary object
- V58 Occupant of pick-up truck or van injured in noncollision transport accident
- V59 Occupant of pick-up truck or van injured in other and unspecified transport accidents

### **Occupant of heavy transport vehicle injured in transport accident (V60-V69)**

- V60 Occupant of heavy transport vehicle injured in collision with pedestrian or animal
- V61 Occupant of heavy transport vehicle injured in collision with pedal cycle
- V62 Occupant of heavy transport vehicle injured in collision with two-or three-wheeled motor vehicle
- V63 Occupant of heavy transport vehicle injured in collision with car, pick-up truck or van
- V64 Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus
- V65 Occupant of heavy transport vehicle injured in collision with railway train or railway vehicle
- V66 Occupant of heavy transport vehicle injured in collision with other nonmotor vehicle
- V67 Occupant of heavy transport vehicle injured in collision with fixed or stationary object
- V68 Occupant of heavy transport vehicle injured in noncollision transport accident
- V69 Occupant of heavy transport vehicle injured in other and unspecified transport accidents

**Bus occupant injured in transport accident (V70-V79)**

- V70 Bus occupant injured in collision with pedestrian or animal
- V71 Bus occupant injured in collision with pedal cycle
- V72 Bus occupant injured in collision with two-or three-wheeled motor vehicle
- V73 Bus occupant injured in collision with car, pick-up truck or van
- V74 Bus occupant injured in collision with heavy transport vehicle or bus
- V75 Bus occupant injured in collision with railway train or railway vehicle
- V76 Bus occupant injured in collision with other nonmotor vehicle
- V77 Bus occupant injured in collision with fixed or stationary object
- V78 Bus occupant injured in noncollision transport accident
- V79 Bus occupant injured in other and unspecified transport accidents

**Other land transport accidents (V80-V89)**

- V80 Animal-rider or occupant of animal-drawn vehicle injured in transport accident
- V81 Occupant of railway train or railway vehicle injured in transport accident
- V82 Occupant of streetcar injured in transport accident
- V83 Occupant of special vehicle mainly used on industrial premises injured in transport accident
- V84 Occupant of special vehicle mainly used in agriculture injured in transport accident
- V85 Occupant of special construction vehicle injured in transport accident
- V86 Occupant of special all-terrain or other motor vehicles designed primarily for off-road use, injured in transport accident
- V87 Traffic accident of specified type but victim's mode of transport unknown
- V88 Nontraffic accident of specified type but victim's mode of transport unknown
- V89 Motor-or nonmotor-vehicle accident, type of vehicle unspecified

**Water transport accidents (V90-V94)**

- V90 Accident to watercraft causing drowning and submersion
- V91 Accident to watercraft causing other injury
- V92 Water-transport-related drowning and submersion without accident to watercraft
- V93 Accident on board watercraft without accident to watercraft, not causing drowning and submersion
- V94 Other and unspecified water transport accidents

**Air and space transport accidents (V95-V97)**

- V95 Accident to powered aircraft causing injury to occupant
- V96 Accident to nonpowered aircraft causing injury to occupant
- V97 Other specified air transport accidents

**Other and unspecified transport accidents (V98-V99)**

- V98 Other specified transport accidents
- V99 Unspecified transport accident

**Other external causes of accidental injury (W00-X59)**

**Falls (W00-W19)**

- W00 Fall on same level involving ice and snow
- W01 Fall on same level from slipping, tripping and stumbling
- W02 Fall involving ice-skates, skis, roller-skates or skateboards
- W03 Other fall on same level due to collision with, or pushing by, another person
- W04 Fall while being carried or supported by other persons
- W05 Fall involving wheelchair
- W06 Fall involving bed
- W07 Fall involving chair
- W08 Fall involving other furniture
- W09 Fall involving playground equipment
- W10 Fall on and from stairs and steps
- W11 Fall on and from ladder
- W12 Fall on and from scaffolding
- W13 Fall from, out of or through building or structure
- W14 Fall from tree
- W15 Fall from cliff
- W16 Diving or jumping into water causing injury other than drowning or submersion
- W17 Other fall from one level to another
- W18 Other fall on same level
- W19 Unspecified fall

**Exposure to inanimate mechanical forces (W20-W49)**

- W20 Struck by thrown, projected or falling object
- W21 Striking against or struck by sports equipment
- W22 Striking against or struck by other objects
- W23 Caught, crushed, jammed or pinched in or between objects
- W24 Contact with lifting and transmission devices, not elsewhere classified
- W25 Contact with sharp glass
- W26 Contact with knife, sword or dagger
- W27 Contact with nonpowered hand tool



## **ICD-10-Mortality 2e-Volume1 - 2017**

- W28 Contact with powered lawnmower
- W29 Contact with other powered hand tools and household machinery
- W30 Contact with agricultural machinery
- W31 Contact with other and unspecified machinery
- W32 Handgun discharge
- W33 Rifle, shotgun and larger firearm discharge
- W34 Discharge from other and unspecified firearms
- W35 Explosion and rupture of boiler
- W36 Explosion and rupture of gas cylinder
- W37 Explosion and rupture of pressurized tire, pipe or hose
- W38 Explosion and rupture of other specified pressurized devices
- W39 Discharge of firework
- W40 Explosion of other materials
- W41 Exposure to high-pressure jet
- W42 Exposure to noise
- W43 Exposure to vibration
- W44 Foreign body entering into or through eye or natural orifice
- W45 Foreign body or object entering through skin
- W46 Contact with hypodermic needle
- W49 Exposure to other and unspecified inanimate mechanical forces

### **Exposure to animate mechanical forces (W50-W64)**

- W50 Hit, struck, kicked, twisted, bitten or scratched by another person
- W51 Striking against or bumped into by another person
- W52 Crushed, pushed and stepped on by crowd or human stampede
- W53 Bitten by rat
- W54 Bitten or struck by dog
- W55 Bitten or struck by other mammals
- W56 Contact with marine animal
- W57 Bitten or stung by nonvenomous insects and other nonvenomous arthropods
- W58 Bitten or struck by crocodile or alligator
- W59 Bitten or crushed by other reptiles
- W60 Contact with plant thorns and spines and sharp leaves
- W64 Exposure to other and unspecified animate mechanical forces

### **Accidental drowning and submersion (W65-W74)**

- W65 Drowning and submersion while in bath-tub
- W66 Drowning and submersion following fall into bath-tub
- W67 Drowning and submersion while in swimming-pool
- W68 Drowning and submersion following fall into swimming-pool
- W69 Drowning and submersion while in natural water

## **ICD-10-Mortality 2e-Volume1 - 2017**

- W70 Drowning and submersion following fall into natural water
- W73 Other specified drowning and submersion
- W74 Unspecified drowning and submersion

### **Other accidental threats to breathing (W75-W84)**

- W75 Accidental suffocation and strangulation in bed
- W76 Other accidental hanging and strangulation
- W77 Threat to breathing due to cave-in, falling earth and other substances
- W78 Inhalation of gastric contents
- W79 Inhalation and ingestion of food causing obstruction of respiratory tract
- W80 Inhalation and ingestion of other objects causing obstruction of respiratory tract
- W81 Confined to or trapped in a low oxygen-environment
- W83 Other specified threats to breathing
- W84 Unspecified threat to breathing

### **Exposure to electric current, radiation and extreme ambient air temperature and pressure (W85-W99)**

- W85 Exposure to electric transmission lines
- W86 Exposure to other specified electric current
- W87 Exposure to unspecified electric current
- W88 Exposure to ionizing radiation
- W89 Exposure to man-made visible and ultraviolet light
- W90 Exposure to other nonionizing radiation
- W91 Exposure to unspecified type of radiation
- W92 Exposure to excessive heat of man-made origin
- W93 Exposure to excessive cold of man-made origin
- W94 Exposure to high and low air pressure and changes in air pressure
- W99 Exposure to other and unspecified man-made environmental factors

### **Exposure to smoke, fire and flames (X00-X09)**

- X00 Exposure to uncontrolled fire in building or structure
- X01 Exposure to uncontrolled fire, not in building or structure
- X02 Exposure to controlled fire in building or structure
- X03 Exposure to controlled fire, not in building or structure
- X04 Exposure to ignition of highly flammable material
- X05 Exposure to ignition or melting of nightwear
- X06 Exposure to ignition or melting of other clothing and apparel
- X08 Exposure to other specified smoke, fire and flames
- X09 Exposure to unspecified smoke, fire and flames

**Contact with heat and hot substances (X10-X19)**

- X10 Contact with hot drinks, food, fats and cooking oils
- X11 Contact with hot tap-water
- X12 Contact with other hot fluids
- X13 Contact with steam and hot vapours
- X14 Contact with hot air and gases
- X15 Contact with hot household appliances
- X16 Contact with hot heating appliances, radiators and pipes
- X17 Contact with hot engines, machinery and tools
- X18 Contact with other hot metals
- X19 Contact with other and unspecified heat and hot substances

**Contact with venomous animals and plants (X20-X29)**

- X20 Contact with venomous snakes and lizards
- X21 Contact with venomous spiders
- X22 Contact with scorpions
- X23 Contact with hornets, wasps and bees
- X24 Contact with centipedes and venomous millipedes (tropical)
- X25 Contact with other venomous arthropods
- X26 Contact with venomous marine animals and plants
- X27 Contact with other specified venomous animals
- X28 Contact with other specified venomous plants
- X29 Contact with unspecified venomous animal or plant

**Exposure to forces of nature (X30-X39)**

- X30 Exposure to excessive natural heat
- X31 Exposure to excessive natural cold
- X32 Exposure to sunlight
- X33 Victim of lightning
- X34 Victim of earthquake
- X35 Victim of volcanic eruption
- X36 Victim of avalanche, landslide and other earth movements
- X37 Victim of cataclysmic storm
- X38 Victim of flood
- X39 Exposure to other and unspecified forces of nature

**Accidental poisoning by and exposure to noxious substances  
(X40-X49)**

## **ICD-10-Mortality 2e-Volume1 - 2017**

X40 Accidental poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics

X41 Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified

X42 Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified

X43 Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system

X44 Accidental poisoning by and exposure to other and unspecified drugs, medicaments and biological substances

X45 Accidental poisoning by and exposure to alcohol

X46 Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapours

X47 Accidental poisoning by and exposure to other gases and vapours

X48 Accidental poisoning by and exposure to pesticides

X49 Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances

### **Overexertion, travel and privation (X50-X57)**

X50 Overexertion and strenuous or repetitive movements

X51 Travel and motion

X52 Prolonged stay in weightless environment

X53 Lack of food

X54 Lack of water

X57 Unspecified privation

### **Accidental exposure to other and unspecified factors (X58-X59)**

X58 Exposure to other specified factors

X59 Exposure to unspecified factor

## **Intentional self-harm (X60-X84)**

X60 Intentional self-poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics

X61 Intentional self-poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified

X62 Intentional self-poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified

## ICD-10-Mortality 2e-Volume1 - 2017

- X63 Intentional self-poisoning by and exposure to other drugs acting on the autonomic nervous system
- X64 Intentional self-poisoning by and exposure to other and unspecified drugs, medicaments and biological substances
- X65 Intentional self-poisoning by and exposure to alcohol
- X66 Intentional self-poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapours
- X67 Intentional self-poisoning by and exposure to other gases and vapours
- X68 Intentional self-poisoning by and exposure to pesticides
- X69 Intentional self-poisoning by and exposure to other and unspecified chemicals and noxious substances
- X70 Intentional self-harm by hanging, strangulation and suffocation
- X71 Intentional self-harm by drowning and submersion
- X72 Intentional self-harm by handgun discharge
- X73 Intentional self-harm by rifle, shotgun and larger firearm discharge
- X74 Intentional self-harm by other and unspecified firearm discharge
- X75 Intentional self-harm by explosive material
- X76 Intentional self-harm by smoke, fire and flames
- X77 Intentional self-harm by steam, hot vapours and hot objects
- X78 Intentional self-harm by sharp object
- X79 Intentional self-harm by blunt object
- X80 Intentional self-harm by jumping from a high place
- X81 Intentional self-harm by jumping or lying before moving object
- X82 Intentional self-harm by crashing of motor vehicle
- X83 Intentional self-harm by other specified means
- X84 Intentional self-harm by unspecified means

### Assault (X85-Y09)

- X85 Assault by drugs, medicaments and biological substances
- X86 Assault by corrosive substance
- X87 Assault by pesticides
- X88 Assault by gases and vapours
- X89 Assault by other specified chemicals and noxious substances
- X90 Assault by unspecified chemical or noxious substance
- X91 Assault by hanging, strangulation and suffocation
- X92 Assault by drowning and submersion
- X93 Assault by handgun discharge
- X94 Assault by rifle, shotgun and larger firearm discharge
- X95 Assault by other and unspecified firearm discharge
- X96 Assault by explosive material

## ICD-10-Mortality 2e-Volume1 - 2017

- X97 Assault by fire and flames
- X98 Assault by steam, hot vapours and hot objects
- X99 Assault by sharp object
- Y00 Assault by blunt object
- Y01 Assault by pushing from high place
- Y02 Assault by pushing or placing victim before moving object
- Y03 Assault by crashing of motor vehicle
- Y04 Assault by bodily force
- Y05 Sexual assault by bodily force
- Y06 Neglect and abandonment
- Y07 Other maltreatment syndromes
- Y08 Assault by other specified means
- Y09 Assault by unspecified means

### Event of undetermined intent (Y10-Y34)

- Y10 Poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics, undetermined intent
- Y11 Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified, undetermined intent
- Y12 Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent
- Y13 Poisoning by and exposure to other drugs acting on the autonomic nervous system, undetermined intent
- Y14 Poisoning by and exposure to other and unspecified drugs, medicaments and biological substances, undetermined intent
- Y15 Poisoning by and exposure to alcohol, undetermined intent
- Y16 Poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapours, undetermined intent
- Y17 Poisoning by and exposure to other gases and vapours, undetermined intent
- Y18 Poisoning by and exposure to pesticides, undetermined intent
- Y19 Poisoning by and exposure to other and unspecified chemicals and noxious substances, undetermined intent
- Y20 Hanging, strangulation and suffocation, undetermined intent
- Y21 Drowning and submersion, undetermined intent
- Y22 Handgun discharge, undetermined intent
- Y23 Rifle, shotgun and larger firearm discharge, undetermined intent
- Y24 Other and unspecified firearm discharge, undetermined intent
- Y25 Contact with explosive material, undetermined intent
- Y26 Exposure to smoke, fire and flames, undetermined intent
- Y27 Contact with steam, hot vapours and hot objects, undetermined intent

## ICD-10-Mortality 2e-Volume1 - 2017

- Y28 Contact with sharp object, undetermined intent
- Y29 Contact with blunt object, undetermined intent
- Y30 Falling, jumping or pushed from a high place, undetermined intent
- Y31 Falling, lying or running before or into moving object, undetermined intent
- Y32 Crashing of motor vehicle, undetermined intent
- Y33 Other specified events, undetermined intent
- Y34 Unspecified event, undetermined intent

### Legal intervention and operations of war (Y35-Y36)

- Y35 Legal intervention
- Y36 Operations of war

### Complications of medical and surgical care (Y40-Y84)

#### **Drugs, medicaments and biological substances causing adverse effects in therapeutic use (Y40-Y59)**

- Y40 Systemic antibiotics
- Y41 Other systemic anti-infectives and antiparasitics
- Y42 Hormones, and their synthetic substitutes and antagonists, not elsewhere classified
- Y43 Primarily systemic agents
- Y44 Agents primarily affecting blood constituents
- Y45 Analgesics, antipyretics and anti-inflammatory drugs
- Y46 Antiepileptics and antiparkinsonism drugs
- Y47 Sedatives, hypnotics and antianxiety drugs
- Y48 Anaesthetics and therapeutic gases
- Y49 Psychotropic drugs, not elsewhere classified
- Y50 Central nervous system stimulants, not elsewhere classified
- Y51 Drugs primarily affecting the autonomic nervous system
- Y52 Agents primarily affecting the cardiovascular system
- Y53 Agents primarily affecting the gastrointestinal system
- Y54 Agents primarily affecting water-balance and mineral and uric acid metabolism
- Y55 Agents primarily acting on smooth and skeletal muscles and the respiratory system

## **ICD-10-Mortality 2e-Volume1 - 2017**

- Y56 Topical agents primarily affecting skin and mucous membrane and ophthalmological, otorhinolaryngological and dental drugs
- Y57 Other and unspecified drugs and medicaments
- Y58 Bacterial vaccines
- Y59 Other and unspecified vaccines and biological substances

### **Misadventures to patients during surgical and medical care (Y60-Y69)**

- Y60 Unintentional cut, puncture, perforation or haemorrhage during surgical and medical care
- Y61 Foreign object accidentally left in body during surgical and medical care
- Y62 Failure of sterile precautions during surgical and medical care
- Y63 Failure in dosage during surgical and medical care
- Y64 Contaminated medical or biological substances
- Y65 Other misadventures during surgical and medical care
- Y66 Nonadministration of surgical and medical care
- Y69 Unspecified misadventure during surgical and medical care

### **Medical devices associated with adverse incidents in diagnostic and therapeutic use (Y70-Y82)**

- Y70 Anaesthesiology devices associated with adverse incidents
- Y71 Cardiovascular devices associated with adverse incidents
- Y72 Otorhinolaryngological devices associated with adverse incidents
- Y73 Gastroenterology and urology devices associated with adverse incidents
- Y74 General hospital and personal-use devices associated with adverse incidents
- Y75 Neurological devices associated with adverse incidents
- Y76 Obstetric and gynaecological devices associated with adverse incidents
- Y77 Ophthalmic devices associated with adverse incidents
- Y78 Radiological devices associated with adverse incidents
- Y79 Orthopaedic devices associated with adverse incidents
- Y80 Physical medicine devices associated with adverse incidents
- Y81 General-and plastic-surgery devices associated with adverse incidents
- Y82 Other and unspecified medical devices associated with adverse incidents

### **Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y83-Y84)**

- Y83 Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of procedure



Y84 Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure

### **Sequelae of external causes of morbidity and mortality (Y85-Y89)**

- Y85 Sequelae of transport accidents
- Y86 Sequelae of other accidents
- Y87 Sequelae of intentional self-harm, assault and events of undetermined intent
- Y88 Sequelae of surgical and medical care as external cause
- Y89 Sequelae of other external causes

### **Supplementary factors related to causes of morbidity and mortality classified elsewhere (Y90-Y98)**

- Y90 Evidence of alcohol involvement determined by blood alcohol level
- Y91 Evidence of alcohol involvement determined by level of intoxication
- Y95 Nosocomial condition
- Y96 Work-related condition
- Y97 Environmental-pollution-related condition
- Y98 Lifestyle-related condition

## Chapter XXI - Factors influencing health status and contact with health services (Z00-Z99)

### Persons encountering health services for examination and investigation (Z00-Z13)

- <sup>i</sup>Z00 General examination and investigation of persons without complaint and reported diagnosis
- <sup>ii</sup>Z01 Other special examinations and investigations of persons without complaint and reported diagnosis
- <sup>iii</sup>Z02 Examination and encounter for administrative purposes
- <sup>iv</sup>Z03 Medical observation and evaluation for suspected diseases and conditions
- <sup>v</sup>Z04 Examination and observation for other reasons
- <sup>vi</sup>Z08 Follow-up examination after treatment for malignant neoplasms
- <sup>vii</sup>Z09 Follow-up examination after treatment for conditions other than malignant neoplasms
- <sup>viii</sup>Z10 Routine general health check-up of defined subpopulation
- <sup>ix</sup>Z11 Special screening examination for infectious and parasitic diseases
- <sup>x</sup>Z12 Special screening examination for neoplasms
- <sup>xi</sup>Z13 Special screening examination for other diseases and disorders

### Persons with potential health hazards related to communicable diseases (Z20-Z29)

- <sup>xii</sup>Z20 Contact with and exposure to communicable diseases
- <sup>xiii</sup>Z21 Asymptomatic human immunodeficiency virus [HIV] infection status
- <sup>xiv</sup>Z22 Carrier of infectious disease
- <sup>xv</sup>Z23 Need for immunization against single bacterial diseases
- <sup>xvi</sup>Z24 Need for immunization against certain single viral diseases
- <sup>xvii</sup>Z25 Need for immunization against other single viral diseases

## ICD-10-Mortality 2e-Volume1 - 2017

- xviiiZ26 Need for immunization against other single infectious diseases
- xixZ27 Need for immunization against combinations of infectious diseases
- xxZ28 Immunization not carried out
- xxiZ29 Need for other prophylactic measures

### Persons encountering health services in circumstances related to reproduction (Z30-Z39)

- xxiiZ30 Contraceptive management
- xxiiiZ31 Procreative management
- xxivZ32 Pregnancy examination and test
- xxvZ33 Pregnant state, incidental
- xxviZ34 Supervision of normal pregnancy
- xxviiZ35 Supervision of high-risk pregnancy
- xxviiiZ36 Antenatal screening
- xxixZ37 Outcome of delivery
- xxxZ38 Liveborn infants according to place of birth
- xxxiZ39 Postpartum care and examination

### Persons encountering health services for specific procedures and health care (Z40-Z54)

- xxxiiZ40 Prophylactic surgery
- xxxiiiZ41 Procedures for purposes other than remedying health state
- xxxivZ42 Follow-up care involving plastic surgery
- xxxvZ43 Attention to artificial openings
- xxxviZ44 Fitting and adjustment of external prosthetic device
- xxxviiZ45 Adjustment and management of implanted device
- xxxviiiZ46 Fitting and adjustment of other devices
- xxxixZ47 Other orthopaedic follow-up care
- xlZ48 Other surgical follow-up care
- xliZ49 Care involving dialysis
- xliiZ50 Care involving use of rehabilitation procedures
- xliiiZ51 Other medical care
- xlivZ52 Donors of organs and tissues
- xlvZ53 Persons encountering health services for specific procedures, not carried out
- xlviZ54 Convalescence

## Persons with potential health hazards related to socioeconomic and psychosocial circumstances (Z55-Z65)

- xlvi Z55 Problems related to education and literacy
- xlvi Z56 Problems related to employment and unemployment
- xlix Z57 Occupational exposure to risk-factors
- l Z58 Problems related to physical environment
- li Z59 Problems related to housing and economic circumstances
- lii Z60 Problems related to social environment
- liii Z61 Problems related to negative life events in childhood
- liv Z62 Other problems related to upbringing
- lv Z63 Other problems related to primary support group, including family circumstances
- lvi Z64 Problems related to certain psychosocial circumstances
- lvii Z65 Problems related to other psychosocial circumstances

## Persons encountering health services in other circumstances (Z70-Z76)

- lviii Z70 Counselling related to sexual attitude, behaviour and orientation
- lix Z71 Persons encountering health services for other counselling and medical advice, not elsewhere classified
- lx Z72 Problems related to lifestyle
- lxi Z73 Problems related to life-management difficulty
- lxii Z74 Problems related to care-provider dependency
- lxiii Z75 Problems related to medical facilities and other health care
- lxiv Z76 Persons encountering health services in other circumstances

## Persons with potential health hazards related to family and personal history and certain conditions influencing health status (Z80-Z99)

- lxv Z80 Family history of malignant neoplasm
- lxvi Z81 Family history of mental and behavioural disorders
- lxvii Z82 Family history of certain disabilities and chronic diseases leading to disablement
- lxviii Z83 Family history of other specific disorders

## ICD-10-Mortality 2e-Volume1 - 2017

- lxiZ84 Family history of other conditions
- lxxZ85 Personal history of malignant neoplasm
- lxxiZ86 Personal history of certain other diseases
- lxxiiZ87 Personal history of other diseases and conditions
- lxxiiiZ88 Personal history of allergy to drugs, medicaments and biological substances
- lxxivZ89 Acquired absence of limb
- lxxvZ90 Acquired absence of organs, not elsewhere classified
- lxxviZ91 Personal history of risk-factors, not elsewhere classified
- lxxviiZ92        Personal history of medical treatment
- lxxviiiZ93       Artificial opening status
- lxxixZ94 Transplanted organ and tissue status
- lxxxZ95 Presence of cardiac and vascular implants and grafts
- lxxxiZ96 Presence of other functional implants
- lxxxiiZ97        Presence of other devices
- lxxxiiiZ98       Other postsurgical states
- lxxxivZ99        Dependence on enabling machines and devices, not elsewhere classified

## **TABULAR LIST OF INCLUSIONS AND FOUR-CHARACTER SUBCATEGORIES**

## CHAPTER I - Certain infectious and parasitic diseases (A00-B99)

**Includes:** diseases generally recognized as communicable or transmissible

**Excludes:** carrier or suspected carrier of infectious disease (Ixxxv Z22.-)  
certain localized infections - see body system-related chapters  
infectious and parasitic diseases complicating pregnancy, childbirth and the puerperium [except obstetrical tetanus] (O98-)  
infectious and parasitic diseases specific to the perinatal period [except tetanus neonatorum, whooping cough, congenital syphilis, perinatal gonococcal infection and perinatal human immunodeficiency virus [HIV] disease] (P35-P39)  
influenza and other acute respiratory infections (J00-J22)

### **This chapter contains the following blocks:**

|         |                                                                    |
|---------|--------------------------------------------------------------------|
| A00-A09 | Intestinal infectious diseases                                     |
| A15-A19 | Tuberculosis                                                       |
| A20-A28 | Certain zoonotic bacterial diseases                                |
| A30-A49 | Other bacterial diseases                                           |
| A50-A64 | Infections with a predominantly sexual mode of transmission        |
| A65-A69 | Other spirochaetal diseases                                        |
| A70-A74 | Other diseases caused by chlamydiae                                |
| A75-A79 | Rickettsioses                                                      |
| A80-A89 | Viral infections of the central nervous system                     |
| A90-A99 | Arthropod-borne viral fevers and viral haemorrhagic fevers         |
| B00-B09 | Viral infections characterized by skin and mucous membrane lesions |
| B15-B19 | Viral hepatitis                                                    |
| B20-B24 | Human immunodeficiency virus [HIV] disease                         |
| B25-B34 | Other viral diseases                                               |
| B35-B49 | Mycoses                                                            |
| B50-B64 | Protozoal diseases                                                 |
| B65-B83 | Helminthiasis                                                      |
| B85-B89 | Pediculosis, acariasis and other infestations                      |
| B90-B94 | Sequelae of infectious and parasitic diseases                      |
| B95-B97 | Bacterial, viral and other infectious agents                       |
| B99     | Other infectious diseases                                          |

## Intestinal infectious diseases (A00-A09)

### A00 Cholera

**A00.0 Cholera due to *Vibrio cholerae* 01, biovar cholerae**  
Classical cholera

**A00.1 Cholera due to *Vibrio cholerae* 01, biovar eltor**  
Cholera eltor

**A00.9 Cholera, unspecified**

### A01 Typhoid and paratyphoid fevers

**A01.0 Typhoid fever**  
Infection due to *Salmonella typhi*

**A01.1 Paratyphoid fever A**

**A01.2 Paratyphoid fever B**

**A01.3 Paratyphoid fever C**

**A01.4 Paratyphoid fever, unspecified**  
Infection due to *Salmonella paratyphi* NOS

### A02 Other salmonella infections

***Includes:*** infection or foodborne intoxication due to any *Salmonella* species other than *S. typhi* and *S. paratyphi*



**A02.0 Salmonella enteritis**

Salmonellosis

**A02.1 Salmonella septicaemia**

**A02.2 Localized salmonella infections**

Salmonella:

- arthritis† (M01.3\*)
- meningitis† (G01\*)
- osteomyelitis† (M90.2\*)
- pneumonia† (J17.0\*)
- renal tubulo-interstitial disease† (N16.0\*)

**A02.8 Other specified salmonella infections**

**A02.9 Salmonella infection, unspecified**

**A03 Shigellosis**

**A03.0 Shigellosis due to *Shigella dysenteriae***

Group A shigellosis [Shiga-Kruse dysentery]

**A03.1 Shigellosis due to *Shigella flexneri***

Group B shigellosis

**A03.2 Shigellosis due to *Shigella boydii***

Group C shigellosis

**A03.3 Shigellosis due to *Shigella sonnei***

Group D shigellosis

**A03.8 Other shigellosis**

**A03.9 Shigellosis, unspecified**

Bacillary dysentery NOS

**A04 Other bacterial intestinal infections**

**Excludes:** foodborne intoxications, elsewhere classified tuberculous enteritis (A18.3)

**A04.0 Enteropathogenic *Escherichia coli* infection**

**A04.1 Enterotoxigenic *Escherichia coli* infection**

**A04.2 Enteroinvasive *Escherichia coli* infection**

**A04.3 Enterohaemorrhagic *Escherichia coli* infection**

**A04.4 Other intestinal *Escherichia coli* infections**

*Escherichia coli* enteritis NOS

**A04.5 Campylobacter enteritis**

**A04.6 Enteritis due to *Yersinia enterocolitica***

**Excludes:** extraintestinal yersiniosis (A28.2)

**A04.7 Enterocolitis due to *Clostridium difficile***

Foodborne intoxication by *Clostridium difficile*

Pseudomembranous colitis

**A04.8 Other specified bacterial intestinal infections**

**A04.9 Bacterial intestinal infection, unspecified**

Bacterial enteritis NOS

**A05 Other bacterial foodborne intoxications, not elsewhere classified**

**Excludes:** *Clostridium difficile* foodborne intoxication and infection (A04.7)  
*Escherichia coli* infection (A04.0-A04.4)  
listeriosis (A32-)  
salmonella foodborne intoxication and infection (A02-)  
toxic effect of noxious foodstuffs (T61-T62)

**A05.0 Foodborne staphylococcal intoxication**

**A05.1 Botulism**

Classical foodborne intoxication due to *Clostridium botulinum*

**A05.2 Foodborne *Clostridium perfringens* [*Clostridium welchii*] intoxication**

Enteritis necroticans

Pig-bel

**A05.3 Foodborne *Vibrio parahaemolyticus* intoxication**

**A05.4 Foodborne *Bacillus cereus* intoxication**

**A05.8 Other specified bacterial foodborne intoxications**

**A05.9 Bacterial foodborne intoxication, unspecified**

**A06 Amoebiasis**

**Includes:** infection due to *Entamoeba histolytica*

**Excludes:** other protozoal intestinal diseases (A07-)

**A06.0 Acute amoebic dysentery**

Acute amoebiasis

Intestinal amoebiasis NOS

**A06.1 Chronic intestinal amoebiasis**

**A06.2 Amoebic nondysenteric colitis**

**A06.3 Amoeboma of intestine**

Amoeboma NOS

**A06.4 Amoebic liver abscess**

Hepatic amoebiasis

**A06.5† Amoebic lung abscess**

Amoebic abscess of lung (and liver) (J99.8\*)

Amoebic abscess of lung (and liver) with pneumonia (J17.3\*)

**A06.6† Amoebic brain abscess (G07\*)**

Amoebic abscess of brain (and liver)(and lung)

**A06.7 Cutaneous amoebiasis**

**A06.8 Amoebic infection of other sites**

Amoebic:

- appendicitis
- balanitis† (N51.2\*)

**A06.9 Amoebiasis, unspecified**

**A07 Other protozoal intestinal diseases**

**A07.0 Balantidiasis**

Balantidial dysentery

**A07.1 Giardiasis [lambliasis]**

**A07.2 Cryptosporidiosis**

**A07.3 Isosporiasis**

Infection due to *Isospora belli* and *Isospora hominis*

Intestinal coccidiosis

Isosporosis

**A07.8 Other specified protozoal intestinal diseases**

Intestinal trichomoniasis

Sarcocystosis

Sarcosporidiosis

**A07.9 Protozoal intestinal disease, unspecified**

Flagellate diarrhoea

Protozoal:

- colitis
- diarrhoea
- dysentery

**A08 Viral and other specified intestinal infections**

**Excludes:** influenza with involvement of gastrointestinal tract (J09, J10.8, J11.8)

**A08.0 Rotaviral enteritis**

**A08.1 Acute gastroenteropathy due to Norovirus**

Noroviral enteritis

Small round structured virus enteritis

**A08.2 Adenoviral enteritis**

**A08.3 Other viral enteritis**

**A08.4 Viral intestinal infection, unspecified**

Viral:

- enteritis NOS
- gastroenteritis NOS
- gastroenteropathy NOS

**A08.5 Other specified intestinal infections**

**A09 Other gastroenteritis and colitis of infectious and unspecified origin**

**Excludes:** due to bacterial, protozoal, viral and other specified infectious agents (A00-A08)  
noninfective (*see* noninfectious) diarrhoea (K52.9)  
• neonatal (P78.3)

**A09.0 Other and unspecified gastroenteritis and colitis of infectious origin**

Catarrh, enteric or intestinal

Diarrhoea:

- acute bloody
- acute haemorrhagic
- acute watery
- dysenteric
- epidemic

Infectious or septic:

- |                                                                                                         |                  |
|---------------------------------------------------------------------------------------------------------|------------------|
| <ul style="list-style-type: none"><li>• colitis</li><li>• enteritis</li><li>• gastroenteritis</li></ul> | NOS haemorrhagic |
|---------------------------------------------------------------------------------------------------------|------------------|

Infectious diarrhoea NOS

## A09.9 Gastroenteritis and colitis of unspecified origin

### Tuberculosis (A15-A19)

**Includes:** infections due to *Mycobacterium tuberculosis* and *Mycobacterium bovis*

**Excludes:** congenital tuberculosis (P37.0)  
human immunodeficiency [HIV] disease resulting in tuberculosis (B20.0)  
pneumoconiosis associated with tuberculosis (J65)  
sequelae of tuberculosis (B90-)  
silicotuberculosis (J65)

## A15 Respiratory tuberculosis, bacteriologically and histologically confirmed

### A15.0 Tuberculosis of lung, confirmed by sputum microscopy with or without culture

Tuberculous:

- |                                                                                                                                        |  |                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• bronchiectasis</li><li>• fibrosis of lung</li><li>• pneumonia</li><li>• pneumothorax</li></ul> |  | confirmed by sputum<br>microscopy with or without<br>culture |
|----------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------|

### A15.1 Tuberculosis of lung, confirmed by culture only

Conditions listed in A15.0, confirmed by culture only

### A15.2 Tuberculosis of lung, confirmed histologically

Conditions listed in A15.0, confirmed histologically

### A15.3 Tuberculosis of lung, confirmed by unspecified means

Conditions listed in A15.0, confirmed but unspecified whether bacteriologically or histologically

**A15.4 Tuberculosis of intrathoracic lymph nodes, confirmed bacteriologically and histologically**

Tuberculosis of lymph nodes:

- |                                                                                                              |                                                |
|--------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| <ul style="list-style-type: none"> <li>• hilar</li> <li>• mediastinal</li> <li>• tracheobronchial</li> </ul> | confirmed bacteriologically and histologically |
|--------------------------------------------------------------------------------------------------------------|------------------------------------------------|

**Excludes:** specified as primary (A15.7)

**A15.5 Tuberculosis of larynx, trachea and bronchus, confirmed bacteriologically and histologically**

Tuberculosis of:

- |                                                                                                                      |                                                |
|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| <ul style="list-style-type: none"> <li>• bronchus</li> <li>• glottis</li> <li>• larynx</li> <li>• trachea</li> </ul> | confirmed bacteriologically and histologically |
|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------|

**A15.6 Tuberculous pleurisy, confirmed bacteriologically and histologically**

|                        |                                 |
|------------------------|---------------------------------|
| Tuberculosis of pleura | confirmed bacteriologically and |
| Tuberculous empyema    | histologically                  |

**Excludes:** in primary respiratory tuberculosis, confirmed bacteriologically and histologically (A15.7)

**A15.7 Primary respiratory tuberculosis, confirmed bacteriologically and histologically**

**A15.8 Other respiratory tuberculosis, confirmed bacteriologically and histologically**

|                                                                                                                                                                   |                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| Mediastinal tuberculosis<br>Nasopharyngeal tuberculosis<br>Tuberculosis of: <ul style="list-style-type: none"> <li>• nose</li> <li>• sinus [any nasal]</li> </ul> | confirmed bacteriologically and histologically |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|



**A15.9 Respiratory tuberculosis unspecified, confirmed bacteriologically and histologically**

**A16 Respiratory tuberculosis, not confirmed bacteriologically or histologically**

**Includes:** 5<sup>TH</sup> DIGIT TO IDENTIFY TUBERCULOSIS NOT QUALIFIED AS RESPIRATORY OR PULMONARY

**A16.0 Tuberculosis of lung, bacteriologically and histologically negative**

Tuberculous:

- |                                                                                                                                        |                                               |
|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| <ul style="list-style-type: none"><li>• bronchiectasis</li><li>• fibrosis of lung</li><li>• pneumonia</li><li>• pneumothorax</li></ul> | bacteriologically and histologically negative |
|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|

**A16.1 Tuberculosis of lung, bacteriological and histological examination not done**

Conditions listed in A16.0, bacteriological and histological examination not done

**A16.2 Tuberculosis of lung, without mention of bacteriological or histological confirmation**

Tuberculosis of lung

Tuberculous:

- |                                                                                                                                        |                                                                       |
|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• bronchiectasis</li><li>• fibrosis of lung</li><li>• pneumonia</li><li>• pneumothorax</li></ul> | NOS (without mention of bacteriological or histological confirmation) |
|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|

**A16.3 Tuberculosis of intrathoracic lymph nodes, without mention of bacteriological or histological confirmation**

Tuberculosis of lymph nodes:

- |                                                                                                                                       |                                                                             |
|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• hilar</li> <li>• intrathoracic</li> <li>• mediastinal</li> <li>• tracheobronchial</li> </ul> | NOS (without mention of<br>bacteriological or histological<br>confirmation) |
|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|

**Excludes:** when specified as primary (A16.7)

**A16.4 Tuberculosis of larynx, trachea and bronchus, without mention of bacteriological or histological confirmation**

Tuberculosis of:

- |                                                                                                                      |                                                                          |
|----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• bronchus</li> <li>• glottis</li> <li>• larynx</li> <li>• trachea</li> </ul> | NOS (without mention of bacteriological or<br>histological confirmation) |
|----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|

**A16.5 Tuberculous pleurisy, without mention of bacteriological or histological confirmation**

Tuberculosis of pleura

Tuberculous:

- |                                                                                 |                                                                             |
|---------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• empyema</li> <li>• pleurisy</li> </ul> | NOS (without mention of<br>bacteriological or histological<br>confirmation) |
|---------------------------------------------------------------------------------|-----------------------------------------------------------------------------|

**Excludes:** in primary respiratory tuberculosis (A16.7)

**A16.7 Primary respiratory tuberculosis without mention of bacteriological or histological confirmation**

Primary:

- respiratory tuberculosis NOS
- tuberculous complex

**A16.8 Other respiratory tuberculosis, without mention of bacteriological or histological confirmation**

Mediastinal tuberculosis

Nasopharyngeal tuberculosis

Tuberculosis of:

- |                                                                                       |                                                                             |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• nose</li> <li>• sinus [any nasal]</li> </ul> | NOS (without mention of<br>bacteriological or histological<br>confirmation) |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|

**A16.9 Respiratory tuberculosis unspecified, without mention of bacteriological or histological confirmation**

Respiratory tuberculosis NOS

Tuberculosis NOS

**A16.90 Tuberculosis NOS**

**A17 Tuberculosis of nervous system**

**A17.0† Tuberculous meningitis (G01\*)**

Tuberculosis of meninges (cerebral) (spinal)

Tuberculous leptomeningitis

**A17.1† Meningeal tuberculoma (G07\*)**

Tuberculoma of meninges

**A17.8† Other tuberculosis of nervous system**

|              |  |    |  |                    |
|--------------|--|----|--|--------------------|
| Tuberculoma  |  | of |  | brain (G07*)       |
| Tuberculosis |  |    |  | spinal cord (G07*) |

Tuberculous:

- abscess of brain (G07\*)
- meningoencephalitis (G05.0\*)
- myelitis (G05.0\*)
- polyneuropathy (G63.0\*)

**A17.9† Tuberculosis of nervous system, unspecified (G99.8\*)**

**A18 Tuberculosis of other organs**

### **A18.0† Tuberculosis of bones and joints**

Tuberculosis of:

- hip (M01.1\*)
- knee (M01.1\*)
- vertebral column (M49.0\*)

Tuberculous:

- arthritis (M01.1\*)
- mastoiditis (H75.0\*)
- necrosis of bone (M90.0\*)
- osteitis (M90.0\*)
- osteomyelitis (M90.0\*)
- synovitis (M68.0\*)
- tenosynovitis (M68.0\*)

### **A18.1 Tuberculosis of genitourinary system**

Tuberculosis of:

- bladder† (N33.0\*)
- cervix† (N74.0\*)
- kidney† (N29.1\*)
- male genital organs† (N51\*)
- ureter† (N29.1\*)

Tuberculous female pelvic inflammatory disease† (N74.1\*)

### **A18.2 Tuberculous peripheral lymphadenopathy**

Tuberculous adenitis

**Excludes:** tuberculosis of lymph nodes:

- intrathoracic (A15.4, A16.3)
- mesenteric and retroperitoneal (A18.3)

tuberculous tracheobronchial adenopathy (A15.4, A16.3)

### **A18.3 Tuberculosis of intestines, peritoneum and mesenteric glands**

Tuberculosis (of):

- anus and rectum† (K93.0\*)
- intestine (large) (small)† (K93.0\*)
- retroperitoneal (lymph nodes)

Tuberculous:

- ascites
- enteritis† (K93.0\*)
- peritonitis† (K67.3\*)

#### **A18.4 Tuberculosis of skin and subcutaneous tissue**

Erythema induratum, tuberculous

Lupus:

- exedens
- vulgaris
  - NOS
  - of eyelid† (H03.1\*)

Scrofuloderma

**Excludes:** lupus erythematosus (L93-)  
• systemic (M32-)

#### **A18.5 Tuberculosis of eye**

Tuberculous:

- chorioretinitis† (H32.0\*)
- episcleritis† (H19.0\*)
- interstitial keratitis† (H19.2\*)
- iridocyclitis† (H22.0\*)
- keratoconjunctivitis (interstitial) (phlyctenular)† (H19.2\*)

**Excludes:** lupus vulgaris of eyelid (A18.4)

#### **A18.6 Tuberculosis of ear**

Tuberculous otitis media† (H67.0\*)

**Excludes:** tuberculous mastoiditis (A18.0†)

#### **A18.7† Tuberculosis of adrenal glands (E35.1\*)**

Addison disease, tuberculous

#### **A18.8 Tuberculosis of other specified organs**

Tuberculosis of:

- endocardium† (I39.8\*)
  - myocardium† (I41.0\*)
  - oesophagus† (K23.0\*)
  - pericardium† (I32.0\*)
  - thyroid gland† (E35.0\*)
- Tuberculous cerebral arteritis† (I68.1\*)

**A19 Miliary tuberculosis**

**Includes:** tuberculosis:

- disseminated
- generalized

tuberculous polyserositis

**A19.0 Acute miliary tuberculosis of a single specified site**

**A19.1 Acute miliary tuberculosis of multiple sites**

**A19.2 Acute miliary tuberculosis, unspecified**

**A19.8 Other miliary tuberculosis**

**A19.9 Miliary tuberculosis, unspecified**

**Certain zoonotic bacterial diseases (A20-A28)**

**A20 Plague**

**Includes:** infection due to *Yersinia pestis*

**A20.0 Bubonic plague**

**A20.1 Cellulocutaneous plague**

**A20.2 Pneumonic plague**

**A20.3 Plague meningitis**

**A20.7 Septicaemic plague**

**A20.8 Other forms of plague**

Abortive plague

Asymptomatic plague

Pestis minor

**A20.9 Plague, unspecified**

**A21 Tularaemia**

**Includes:** deer-fly fever  
infection due to *Francisella tularensis*  
rabbit fever

**A21.0 Ulceroglandular tularaemia**

**A21.1 Oculoglandular tularaemia**

Ophthalmic tularaemia

**A21.2 Pulmonary tularaemia**

**A21.3 Gastrointestinal tularaemia**

Abdominal tularaemia

**A21.7 Generalized tularaemia**

**A21.8 Other forms of tularaemia**

**A21.9 Tularaemia, unspecified**

**A22 Anthrax**

*Includes:* infection due to *Bacillus anthracis*

**A22.0 Cutaneous anthrax**

Malignant:

- carbuncle
- pustule

**A22.1 Pulmonary anthrax**

Inhalation anthrax

Ragpicker disease

Woolsorter disease

**A22.2 Gastrointestinal anthrax**

**A22.7 Anthrax septicaemia**

**A22.8 Other forms of anthrax**

Anthrax meningitis† (G01\*)

**A22.9 Anthrax, unspecified**

**A23 Brucellosis**

*Includes:* fever:  
• Malta



- Mediterranean
- Undulant

**A23.0 Brucellosis due to *Brucella melitensis***

**A23.1 Brucellosis due to *Brucella abortus***

**A23.2 Brucellosis due to *Brucella suis***

**A23.3 Brucellosis due to *Brucella canis***

**A23.8 Other brucellosis**

**A23.9 Brucellosis, unspecified**

**A24 Glanders and melioidosis**

**A24.0 Glanders**

Infection due to *Burkholderia mallei*

Infection due to *Pseudomonas mallei*

Malleus

**A24.1 Acute and fulminating melioidosis**

Melioidosis:

- pneumonia
- sepsis
- septicaemia

**A24.2 Subacute and chronic melioidosis**

**A24.3 Other melioidosis**

**A24.4 Melioidosis, unspecified**

Infection due to *Burkholderia pseudomallei* NOS

Infection due to *Pseudomonas pseudomallei* NOS

Whitmore disease

**A25 Rat-bite fevers**

**A25.0 Spirillosis**

Sodoku

**A25.1 Streptobacillosis**

Epidemic arthritic erythema

Haverhill fever

Streptobacillary rat-bite fever

**A25.9 Rat-bite fever, unspecified**

**A26 Erysipeloid**

**A26.0 Cutaneous erysipeloid**

Erythema migrans

**A26.7 *Erysipelothrix* septicaemia**

**A26.8 Other forms of erysipeloid**

**A26.9 Erysipeloid, unspecified**

**A27 Leptospirosis**

**A27.0 Leptospirosis icterohaemorrhagica**

Leptospirosis due to *Leptospira interrogans* serovar  
icterohaemorrhagiae

**A27.8 Other forms of leptospirosis**

**A27.9 Leptospirosis, unspecified**

**A28 Other zoonotic bacterial diseases, not elsewhere classified**

**A28.0 Pasteurellosis**

**A28.1 Cat-scratch disease**

Cat-scratch fever

**A28.2 Extraintestinal yersiniosis**

**Excludes:** enteritis due to *Yersinia enterocolitica* (A04.6)  
plague (A20-)

**A28.8 Other specified zoonotic bacterial diseases, not  
elsewhere classified**

**A28.9 Zoonotic bacterial disease, unspecified**

**Other bacterial diseases (A30-A49)**

**A30 Leprosy [Hansen disease]**

**Includes:** infection due to *Mycobacterium leprae*

**Excludes:** sequelae of leprosy (B92)

**A30.0 Indeterminate leprosy**

I leprosy

**A30.1 Tuberculoid leprosy**

TT leprosy

**A30.2 Borderline tuberculoid leprosy**

BT leprosy

**A30.3 Borderline leprosy**

BB leprosy

**A30.4 Borderline lepromatous leprosy**

BL leprosy

**A30.5 Lepromatous leprosy**

LL leprosy

**A30.8 Other forms of leprosy**

**A30.9 Leprosy, unspecified**

**A31 Infection due to other mycobacteria**

**Excludes:** leprosy (A30-)  
tuberculosis (A15-A19)

**A31.0 Pulmonary mycobacterial infection**

Infection due to *Mycobacterium*:

- *avium*
- *intracellulare* [Battey bacillus]

- *kansasii*

**A31.1 Cutaneous mycobacterial infection**

Buruli ulcer

Infection due to *Mycobacterium*:

- *marinum*
- *ulcerans*

**A31.8 Other mycobacterial infections**

**A31.9 Mycobacterial infection, unspecified**

Atypical mycobacterium infection NOS

Mycobacteriosis NOS

**A32 Listeriosis**

**Includes:** listerial foodborne infection

**Excludes:** neonatal (disseminated) listeriosis (P37.2)

**A32.0 Cutaneous listeriosis**

**A32.1† Listerial meningitis and meningoencephalitis**

Listerial:

- meningitis (G01\*)
- meningoencephalitis (G05.0\*)

**A32.7 Listerial septicaemia**

**A32.8 Other forms of listeriosis**

Listerial:

- cerebral arteritis† (I68.1\*)
  - endocarditis† (I39.8\*)
- Oculoglandular listeriosis

**A32.9 Listeriosis, unspecified**

**A33 Tetanus neonatorum**

**A34 Obstetrical tetanus**

**A35 Other tetanus**

Tetanus NOS

**Excludes:** tetanus:  
• neonatorum (A33)  
• obstetrical (A34)

**A36 Diphtheria**

**A36.0 Pharyngeal diphtheria**

Diphtheritic membranous angina  
Tonsillar diphtheria

**A36.1 Nasopharyngeal diphtheria**

**A36.2 Laryngeal diphtheria**

Diphtheritic laryngotracheitis

**A36.3 Cutaneous diphtheria**

**Excludes:** erythrasma (L08.1)

**A36.8 Other diphtheria**

Diphtheritic:  
• conjunctivitis† (H13.1\*)  
• myocarditis† (I41.0\*)

- polyneuritis† (G63.0\*)

**A36.9 Diphtheria, unspecified**

**A37 Whooping cough**

**A37.0 Whooping cough due to *Bordetella pertussis***

**A37.1 Whooping cough due to *Bordetella parapertussis***

**A37.8 Whooping cough due to other *Bordetella* species**

**A37.9 Whooping cough, unspecified**

**A38 Scarlet fever**

Scarlatina

**Excludes:** streptococcal sore throat (J02.0)

**A39 Meningococcal infection**

**A39.0† Meningococcal meningitis (G01\*)**

**A39.1† Waterhouse-Friderichsen syndrome (E35.1\*)**

Meningococcal haemorrhagic adrenalitis

Meningococcic adrenal syndrome

**A39.2 Acute meningococcaemia**

### **A39.3 Chronic meningococcaemia**

### **A39.4 Meningococcaemia, unspecified**

Meningococcal bacteraemia NOS

### **A39.5† Meningococcal heart disease**

Meningococcal:

- carditis NOS (I52.0\*)
- endocarditis (I39.8\*)
- myocarditis (I41.0\*)
- pericarditis (I32.0\*)

### **A39.8 Other meningococcal infections**

Meningococcal:

- arthritis† (M01.0\*)
- conjunctivitis† (H13.1\*)
- encephalitis† (G05.0\*)
- retrobulbar neuritis† (H48.1\*)

Postmeningococcal arthritis† (M03.0\*)

### **A39.9 Meningococcal infection, unspecified**

Meningococcal disease NOS

## **A40 Streptococcal septicaemia**

**Excludes:** during labour (O75.3)  
following:  
• abortion or ectopic or molar pregnancy (O03-O07, O08.0)  
• immunization (T88.0)  
• infusion, transfusion or therapeutic injection (T80.2)  
neonatal (P36.0-P36.1)  
postprocedural (T81.4)  
puerperal (O85)

### **A40.0 Septicaemia due to streptococcus, group A**



**A40.1 Septicaemia due to streptococcus, group B**

**A40.2 Septicaemia due to streptococcus, group D**

**A40.3 Septicaemia due to *Streptococcus pneumoniae***  
Pneumococcal septicaemia

**A40.8 Other streptococcal septicaemia**

**A40.9 Streptococcal septicaemia, unspecified**

**A41 Other septicaemia**

**Excludes:** bacteraemia NOS (A49.9)  
during labour (O75.3)  
following:  
• abortion or ectopic or molar pregnancy (O03-O07, O08.0)  
• immunization (T88.0)  
• infusion, transfusion or therapeutic injection (T80.2)  
septicaemia (due to) (in):  
• actinomycotic (A42.7)  
• anthrax (A22.7)  
• candidal (B37.7)  
• *Erysipelothrix* (A26.7)  
• extraintestinal yersiniosis (A28.2)  
• gonococcal (A54.8)  
• herpesviral (B00.7)  
• listerial (A32.7)  
• meningococcal (A39.2-A39.4)  
• neonatal (P36-)  
• postprocedural (T81.4)  
• puerperal (O85)  
• streptococcal (A40-)  
• tularaemia (A21.7)  
septicaemic:  
• melioidosis (A24.1)  
• plague (A20.7)  
toxic shock syndrome (A48.3)

**A41.0 Septicaemia due to *Staphylococcus aureus***

**A41.1 Septicaemia due to other specified staphylococcus**

Septicaemia due to coagulase-negative staphylococcus

**A41.2 Septicaemia due to unspecified staphylococcus**

**A41.3 Septicaemia due to *Haemophilus influenzae***

**A41.4 Septicaemia due to anaerobes**

**Excludes:** gas gangrene (A48.0)

**A41.5 Septicaemia due to other Gram-negative organisms**

Gram-negative septicaemia NOS

**A41.8 Other specified septicaemia**

**A41.9 Septicaemia, unspecified**

Septic shock

**A42 Actinomycosis**

**Excludes:** actinomycetoma (B47.1)

**A42.0 Pulmonary actinomycosis**

**A42.1 Abdominal actinomycosis**

**A42.2 Cervicofacial actinomycosis**

**A42.7 Actinomycotic septicaemia**

**A42.8 Other forms of actinomycosis**

**A42.9 Actinomycosis, unspecified**

**A43 Nocardiosis**

**A43.0 Pulmonary nocardiosis**

**A43.1 Cutaneous nocardiosis**

**A43.8 Other forms of nocardiosis**

**A43.9 Nocardiosis, unspecified**

**A44 Bartonellosis**

**A44.0 Systemic bartonellosis**

Oroya fever

**A44.1 Cutaneous and mucocutaneous bartonellosis**

Verruga peruana

**A44.8 Other forms of bartonellosis**

**A44.9 Bartonellosis, unspecified**

**A46 Erysipelas**

**Excludes:** postpartum or puerperal erysipelas (O86.8)

**A48 Other bacterial diseases, not elsewhere classified**

**Excludes:** actinomycetoma (B47.1)

**A48.0 Gas gangrene**

Clostridial:

- cellulitis
- myonecrosis

**A48.1 Legionnaires disease**

**A48.2 Nonpneumonic Legionnaires disease [Pontiac fever]**

**A48.3 Toxic shock syndrome**

**Excludes:** endotoxic shock NOS (R57.8)  
septicaemia NOS (A41.9)

**A48.4 Brazilian purpuric fever**

Systemic *Haemophilus aegyptius* infection

**A48.8 Other specified bacterial diseases**

**A49 Bacterial infection of unspecified site**

**Excludes:** bacterial agents as the cause of diseases classified to other chapters (B95-B96)  
chlamydial infection NOS (A74.9)  
meningococcal infection NOS (A39.9)  
rickettsial infection NOS (A79.9)  
spirochaetal infection NOS (A69.9)

**A49.0 Staphylococcal infection, unspecified site**

**A49.1 Streptococcal infection, unspecified site**

**A49.2 *Haemophilus influenzae* infection, unspecified site**

**A49.3 *Mycoplasma* infection, unspecified site**

**A49.8 Other bacterial infections of unspecified site**

**A49.9 Bacterial infection, unspecified**  
Bacteraemia NOS

### Infections with a predominantly sexual mode of transmission (A50-A64)

**Excludes:** human immunodeficiency virus [HIV] disease (B20-B24)  
nonspecific and nongonococcal urethritis (N34.1)  
Reiter disease (M02.3)

## A50 Congenital syphilis

### **A50.0 Early congenital syphilis, symptomatic**

Any congenital syphilitic condition specified as early or manifest less than two years after birth.

Early congenital syphilis:

- cutaneous
- mucocutaneous
- visceral

Early congenital syphilitic:

- laryngitis
- oculopathy
- osteochondropathy
- pharyngitis
- pneumonia
- rhinitis

**A50.1 Early congenital syphilis, latent**

Congenital syphilis without clinical manifestations, with positive serological reaction and negative spinal fluid test, less than two years after birth.

**A50.2 Early congenital syphilis, unspecified**

Congenital syphilis NOS less than two years after birth.

**A50.3 Late congenital syphilitic oculopathy**

Late congenital syphilitic interstitial keratitis† (H19.2\*)

Late congenital syphilitic oculopathy NEC† (H58.8\*)

*Excludes:* Hutchinson triad (A50.5)

**A50.4 Late congenital neurosyphilis [juvenile neurosyphilis]**

Dementia paralytica juvenilis

Juvenile:

- general paresis
- tabes dorsalis
- taboparetic neurosyphilis

Late congenital syphilitic:

- encephalitis† (G05.0\*)
- meningitis† (G01\*)
- polyneuropathy† (G63.0\*)

Use additional code, if desired, to identify any associated mental disorder.

*Excludes:* Hutchinson triad (A50.5)

**A50.5 Other late congenital syphilis, symptomatic**

Any congenital syphilitic condition specified as late or manifest two years or more after birth.

Clutton joints† (M03.1\*)

Hutchinson:

- teeth
- triad

Late congenital:

- cardiovascular syphilis† (I98.0\*)
  - syphilitic:
  - arthropathy† (M03.1\*)
  - osteochondropathy† (M90.2\*)
- Syphilitic saddle nose

**A50.6 Late congenital syphilis, latent**

Congenital syphilis without clinical manifestations, with positive serological reaction and negative spinal fluid test, two years or more after birth.

**A50.7 Late congenital syphilis, unspecified**

Congenital syphilis NOS two years or more after birth.

**A50.9 Congenital syphilis, unspecified**

**A51 Early syphilis**

**A51.0 Primary genital syphilis**

Syphilitic chancre NOS

**A51.1 Primary anal syphilis**

**A51.2 Primary syphilis of other sites**

**A51.3 Secondary syphilis of skin and mucous membranes**

Condyloma latum

Syphilitic:

- alopecia† (L99.8\*)
- leukoderma† (L99.8\*)
- mucous patch

**A51.4 Other secondary syphilis**

Secondary syphilitic:

- female pelvic inflammatory disease† (N74.2\*)
- iridocyclitis† (H22.0\*)
- lymphadenopathy
- meningitis† (G01\*)
- myositis† (M63.0\*)
- oculopathy NEC† (H58.8\*)
- periostitis† (M90.1\*)

**A51.5 Early syphilis, latent**

Syphilis (acquired) without clinical manifestations, with positive serological reaction and negative spinal fluid test, less than two years after infection.

**A51.9 Early syphilis, unspecified**

**A52 Late syphilis**

**A52.0† Cardiovascular syphilis**

Cardiovascular syphilis NOS (I98.0\*)

Syphilitic:

- aneurysm of aorta (I79.0\*)
- aortic incompetence (I39.1\*)
- aortitis (I79.1\*)
- arteritis, cerebral (I68.1\*)
- endocarditis NOS (I39.8\*)
- myocarditis (I41.0\*)
- pericarditis (I32.0\*)
- pulmonary regurgitation (I39.3\*)

**A52.1 Symptomatic neurosyphilis**

Charcot arthropathy† (M14.6\*)

Late syphilitic:

- acoustic neuritis† (H94.0\*)



- encephalitis† (G05.0\*)
  - meningitis† (G01\*)
  - optic atrophy† (H48.0\*)
  - polyneuropathy† (G63.0\*)
  - retrobulbar neuritis† (H48.1\*)
- Syphilitic parkinsonism† (G22\*)  
Tabes dorsalis

## **A52.2 Asymptomatic neurosyphilis**

### **A52.3 Neurosyphilis, unspecified**

|                    |                               |
|--------------------|-------------------------------|
| Gumma (syphilitic) | of central nervous system NOS |
| Syphilis (late)    |                               |
| Syphiloma          |                               |

### **A52.7 Other symptomatic late syphilis**

Glomerular disease in syphilis† (N08.0\*)  
Gumma (syphilitic)any sites, except those late or tertiary syphilis  
classified to A52.0-A52.3

Late syphilitic:

- bursitis† (M73.1\*)
- chorioretinitis† (H32.0\*)
- episcleritis† (H19.0\*)
- female pelvic inflammatory disease† (N74.2\*)
- leukoderma† (L99.8\*)
- oculopathy NEC† (H58.8\*)
- peritonitis† (K67.2\*)

Syphilis [stage unspecified] of:

- bone† (M90.2\*)
- liver† (K77.0\*)
- lung† (J99.8\*)
- muscle† (M63.0\*)
- synovium† (M68.0\*)

### **A52.8 Late syphilis, latent**

Syphilis (acquired) without clinical manifestations, with positive serological reaction and negative spinal fluid test, two years or more after infection.

**A52.9 Late syphilis, unspecified**

**A53 Other and unspecified syphilis**

**A53.0 Latent syphilis, unspecified as early or late**

Latent syphilis NOS

Positive serological reaction for syphilis

**A53.9 Syphilis, unspecified**

Infection due to *Treponema pallidum* NOS

Syphilis (acquired) NOS

**Excludes:** syphilis NOS causing death under two years of age (A50.2)

**A54 Gonococcal infection**

**A54.0 Gonococcal infection of lower genitourinary tract without periurethral or accessory gland abscess**

Gonococcal:

- cervicitis NOS
- cystitis NOS
- urethritis NOS
- vulvovaginitis NOS

**Excludes:** with:

- genitourinary gland abscess (A54.1)
- periurethral abscess (A54.1)

**A54.1 Gonococcal infection of lower genitourinary tract with periurethral and accessory gland abscess**

Gonococcal Bartholin gland abscess

**A54.2 Gonococcal pelviperitonitis and other gonococcal genitourinary infections**

Gonococcal:

- epididymitis† (N51.1\*)
- female pelvic inflammatory disease† (N74.3\*)
- orchitis† (N51.1\*)
- prostatitis† (N51.0\*)

*Excludes:* gonococcal peritonitis (A54.8)

**A54.3 Gonococcal infection of eye**

Gonococcal:

- conjunctivitis† (H13.1\*)
- iridocyclitis† (H22.0\*)

Ophthalmia neonatorum due to gonococcus

**A54.4† Gonococcal infection of musculoskeletal system**

Gonococcal:

- arthritis (M01.3\*)
- bursitis (M73.0\*)
- osteomyelitis (M90.2\*)
- synovitis (M68.0\*)
- tenosynovitis (M68.0\*)

**A54.5 Gonococcal pharyngitis**

**A54.6 Gonococcal infection of anus and rectum**

**A54.8 Other gonococcal infections**

Gonococcal:

- brain abscess† (G07\*)

- endocarditis† (I39.8\*)
- meningitis† (G01\*)
- myocarditis† (I41.0\*)
- pericarditis† (I32.0\*)
- peritonitis† (K67.1\*)
- pneumonia† (J17.0\*)
- septicaemia
- skin lesions

**Excludes:** gonococcal pelviperitonitis (A54.2)

### **A54.9 Gonococcal infection, unspecified**

### **A55 Chlamydial lymphogranuloma (venereum)**

Climatic or tropical bubo

Durand-Nicolas-Favre disease

Esthiomene

Lymphogranuloma inguinale

### **A56 Other sexually transmitted chlamydial diseases**

**Includes:** sexually transmitted diseases due to *Chlamydia trachomatis*

**Excludes:** chlamydial:

- lymphogranuloma (A55)
- neonatal:
  - conjunctivitis (P39.1)
  - pneumonia (P23.1)

conditions classified to A74-

### **A56.0 Chlamydial infection of lower genitourinary tract**

Chlamydial:

- cervicitis
- cystitis
- urethritis
- vulvovaginitis

**A56.1 Chlamydial infection of pelviperitoneum and other genitourinary organs**

Chlamydial:

- epididymitis† (N51.1\*)
- female pelvic inflammatory disease† (N74.4\*)
- orchitis† (N51.1\*)

**A56.2 Chlamydial infection of genitourinary tract, unspecified**

**A56.3 Chlamydial infection of anus and rectum**

**A56.4 Chlamydial infection of pharynx**

**A56.8 Sexually transmitted chlamydial infection of other sites**

**A57 Chancroid**

Ulcus molle

**A58 Granuloma inguinale**

Donovanosis

**A59 Trichomoniasis**

**Excludes:** intestinal trichomoniasis (A07.8)

**A59.0 Urogenital trichomoniasis**

Leukorrhoea

(vaginalis)

Prostatitis† (N51.0\*)

due to *Trichomonas (vaginalis)*

**A59.8 Trichomoniasis of other sites**

**A59.9 Trichomoniasis, unspecified**

**A60 Anogenital herpesviral [herpes simplex] infection**

**A60.0 Herpesviral infection of genitalia and urogenital tract**

Herpesviral infection of genital tract:

- female† (N77.0-N77.1\*)
- male† (N51\*)

**A60.1 Herpesviral infection of perianal skin and rectum**

**A60.9 Anogenital herpesviral infection, unspecified**

**A63 Other predominantly sexually transmitted diseases, not elsewhere classified**

**Excludes:** molluscum contagiosum (B08.1)  
papilloma of cervix (D26.0)

**A63.0 Anogenital (venereal) warts**

**A63.8 Other specified predominantly sexually transmitted diseases**

**A64 Unspecified sexually transmitted disease**

Venereal disease NOS

## Other spirochaetal diseases (A65-A69)

**Excludes:** leptospirosis (A27-)  
syphilis (A50-A53)

### **A65 Nonvenereal syphilis**

Bejel  
Endemic syphilis  
Njovera

### **A66 Yaws**

**Includes:** bouba  
framboesia (tropica)  
pian

#### **A66.0 Initial lesions of yaws**

Chancre of yaws  
Framboesia, initial or primary  
Initial framboesial ulcer  
Mother yaw

#### **A66.1 Multiple papillomata and wet crab yaws**

Framboesioma  
Pianoma  
Plantar or palmar papilloma of yaws

#### **A66.2 Other early skin lesions of yaws**

Cutaneous yaws, less than five years after infection  
Early yaws (cutaneous) (macular) (maculopapular) (micropapular)  
(papular)  
Framboeside of early yaws

#### **A66.3 Hyperkeratosis of yaws**

Ghoul hand

Hyperkeratosis, palmar or plantar (early)(late) due to yaws  
Worm-eaten soles

**A66.4 Gummata and ulcers of yaws**

Gummatous framboeside  
Nodular late yaws (ulcerated)

**A66.5 Gangosa**

Rhinopharyngitis mutilans

**A66.6 Bone and joint lesions of yaws**

|                            |                        |
|----------------------------|------------------------|
| Ganglion                   |                        |
| Hydrarthrosis              |                        |
| Osteitis                   |                        |
| Periostitis (hypertrophic) | of yaws (early) (late) |

|                                      |                |
|--------------------------------------|----------------|
| Goundou                              |                |
| Gumma, bone                          |                |
| Gummatous osteitis or<br>periostitis | of yaws (late) |

**A66.7 Other manifestations of yaws**

Juxta-articular nodules of yaws  
Mucosal yaws

**A66.8 Latent yaws**

Yaws without clinical manifestations, with positive serology

**A66.9 Yaws, unspecified**

**A67 Pinta [carate]**

**A67.0 Primary lesions of pinta**



|                                       |                   |
|---------------------------------------|-------------------|
| Chancre (primary)<br>Papule (primary) | of pinta [carate] |
|---------------------------------------|-------------------|

**A67.1 Intermediate lesions of pinta**

|                                                                           |                   |
|---------------------------------------------------------------------------|-------------------|
| Erythematous plaques<br>Hyperchromic lesions<br>Hyperkeratosis<br>Pintids | of pinta [carate] |
|---------------------------------------------------------------------------|-------------------|

**A67.2 Late lesions of pinta**

|                                                                                                                                                            |                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Cardiovascular lesions†<br>(I98.1*)<br>Skin lesions: <ul style="list-style-type: none"><li>• achromic</li><li>• cicatricial</li><li>• dyschromic</li></ul> | of pinta [carate] |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

**A67.3 Mixed lesions of pinta**

Achromic with hyperchromic skin lesions of pinta [carate]

**A67.9 Pinta, unspecified**

**A68 Relapsing fevers**

**Includes:** recurrent fever

**Excludes:** Lyme disease (A69.2)

**A68.0 Louse-borne relapsing fever**

Relapsing fever due to *Borrelia recurrentis*

**A68.1 Tick-borne relapsing fever**

Relapsing fever due to any *Borrelia* species other than *Borrelia recurrentis*

**A68.9 Relapsing fever, unspecified**

**A69 Other spirochaetal infections**

**A69.0 Necrotizing ulcerative stomatitis**

Cancrum oris

Fusospirochaetal gangrene

Noma

Stomatitis gangrenosa

**A69.1 Other Vincent infections**

Fusospirochaetal pharyngitis

Necrotizing ulcerative (acute):

- gingivitis

- gingivostomatitis

Spirochaetal stomatitis

Trench mouth

Vincent:

- angina

- gingivitis

**A69.2 Lyme disease**

Erythema chronicum migrans due to *Borrelia burgdorferi*

**A69.8 Other specified spirochaetal infections**

**A69.9 Spirochaetal infection, unspecified**

## Other diseases caused by chlamydiae (A70-A74)

### A70 Chlamydia psittaci

Ornithosis  
Parrot fever  
Psittacosis

### A71 Trachoma

**Excludes:** sequelae of trachoma (B94.0)

#### A71.0 Initial stage of trachoma

Trachoma dubium

#### A71.1 Active stage of trachoma

Granular conjunctivitis (trachomatous)  
Trachomatous:  
• follicular conjunctivitis  
• pannus

#### A71.9 Trachoma, unspecified

### A74 Other diseases caused by chlamydiae

**Excludes:** chlamydial pneumonia (J16.0)  
neonatal chlamydial:  
• conjunctivitis (P39.1)  
• pneumonia (P23.1)  
sexually transmitted chlamydial diseases (A55-A56)

#### A74.0† Chlamydial conjunctivitis (H13.1\*)

Paratrachoma

**A74.8 Other chlamydial diseases**

Chlamydial peritonitis† (K67.0\*)

**A74.9 Chlamydial infection, unspecified**

Chlamydiosis NOS

**Rickettsioses (A75-A79)**

**A75 Typhus fever**

**Excludes:** rickettsiosis due to *Neorickettsia sennetsu* [*Ehrlichia sennetsu*] (A79.8)

**A75.0 Epidemic louse-borne typhus fever due to *Rickettsia prowazekii***

Classical typhus (fever)

Epidemic (louse-borne) typhus

**A75.1 Recrudescent typhus [Brill disease]**

Brill-Zinsser disease

**A75.2 Typhus fever due to *Rickettsia typhi***

Murine (flea-borne) typhus

**A75.3 Typhus fever due to *Rickettsia tsutsugamushi***

Scrub (mite-borne) typhus

Tsutsugamushi fever

**A75.9 Typhus fever, unspecified**

Typhus (fever) NOS

**A77 Spotted fever [tick-borne rickettsioses]**

**A77.0 Spotted fever due to *Rickettsia rickettsii***

Rocky Mountain spotted fever

Sao Paulo fever

**A77.1 Spotted fever due to *Rickettsia conorii***

African tick typhus

Boutonneuse fever

India tick typhus

Kenya tick typhus

Marseilles fever

Mediterranean tick fever

**A77.2 Spotted fever due to *Rickettsia sibirica***

North Asian tick fever

Siberian tick typhus

**A77.3 Spotted fever due to *Rickettsia australis***

Queensland tick typhus

**A77.8 Other spotted fevers**

**A77.9 Spotted fever, unspecified**

Tick-borne typhus NOS

**A78 Q fever**

Infection due to *Coxiella burnetii*

Nine Mile fever

Quadrilateral fever

**A79 Other rickettsioses**

**A79.0 Trench fever**

Quintan fever  
Wolhynian fever

**A79.1 Rickettsialpox due to *Rickettsia akari***

Kew Garden fever  
Vesicular rickettsiosis

**A79.8 Other specified rickettsioses**

Rickettsiosis due to *Neorickettsia sennetsu* [*Ehrlichia sennetsu*]

**A79.9 Rickettsiosis, unspecified**

Rickettsial infection NOS

**Viral infections of the central nervous system (A80-A89)**

**Excludes:** sequelae of:  
• poliomyelitis (B91)  
• viral encephalitis (B94.1)

**A80 Acute poliomyelitis**

**A80.0 Acute paralytic poliomyelitis, vaccine-associated**

**A80.1 Acute paralytic poliomyelitis, wild virus, imported**

**A80.2 Acute paralytic poliomyelitis, wild virus, indigenous**

**A80.3 Acute paralytic poliomyelitis, other and unspecified**

**A80.4 Acute nonparalytic poliomyelitis**

**A80.9 Acute poliomyelitis, unspecified**

**A81 Atypical virus infections of central nervous system**

*Includes:* prion diseases of the central nervous system

**A81.0 Creutzfeldt-Jakob disease**

Subacute spongiform encephalopathy

**A81.1 Subacute sclerosing panencephalitis**

Dawson inclusion body encephalitis

Van Bogaert sclerosing leukoencephalopathy

**A81.2 Progressive multifocal leukoencephalopathy**

Multifocal leukoencephalopathy NOS

**A81.8 Other atypical virus infections of central nervous system**

Kuru

**A81.9 Atypical virus infection of central nervous system, unspecified**

Prion disease of central nervous system NOS

**A82 Rabies**

**A82.0 Sylvatic rabies**

**A82.1 Urban rabies**

**A82.9 Rabies, unspecified**

**A83 Mosquito-borne viral encephalitis**

*Includes:* mosquito-borne viral meningoencephalitis

*Excludes:* Venezuelan equine encephalitis (A92.2)

**A83.0 Japanese encephalitis**

**A83.1 Western equine encephalitis**

**A83.2 Eastern equine encephalitis**

**A83.3 St Louis encephalitis**

**A83.4 Australian encephalitis**

Kunjin virus disease

**A83.5 California encephalitis**

California meningoencephalitis

La Crosse encephalitis

**A83.6 Rocio virus disease**

**A83.8 Other mosquito-borne viral encephalitis**

**A83.9 Mosquito-borne viral encephalitis, unspecified**

**A84 Tick-borne viral encephalitis**

*Includes:* tick-borne viral meningoencephalitis



**A84.0 Far Eastern tick-borne encephalitis [Russian spring-summer encephalitis]**

**A84.1 Central European tick-borne encephalitis**

**A84.8 Other tick-borne viral encephalitis**

Louping ill

Powassan virus disease

**A84.9 Tick-borne viral encephalitis, unspecified**

**A85 Other viral encephalitis, not elsewhere classified**

**Includes:** specified viral:

- encephalomyelitis NEC
- meningoencephalitis NEC

**Excludes:** benign myalgic encephalomyelitis (G93.3)  
encephalitis due to:

- herpesvirus [herpes simplex] (B00.4)
- measles virus (B05.0)
- mumps virus (B26.2)
- poliomyelitis virus (A80-)
- zoster (B02.0)

lymphocytic choriomeningitis (A87.2)

**A85.0† Enteroviral encephalitis (G05.1\*)**

Enteroviral encephalomyelitis

**A85.1† Adenoviral encephalitis (G05.1\*)**

Adenoviral meningoencephalitis

**A85.2 Arthropod-borne viral encephalitis, unspecified**

**A85.8 Other specified viral encephalitis**

Encephalitis lethargica  
Von Economo-Cruchet disease

**A86 Unspecified viral encephalitis**

Viral:

- encephalomyelitis NOS
- meningoencephalitis NOS

**A87 Viral meningitis**

- Excludes:** meningitis due to:
- herpesvirus [herpes simplex] (B00.3)
  - measles virus (B05.1)
  - mumps virus (B26.1)
  - poliomyelitis virus (A80-)
  - zoster (B02.1)

**A87.0† Enteroviral meningitis (G02.0\*)**

Coxsackievirus meningitis  
Echovirus meningitis

**A87.1† Adenoviral meningitis (G02.0\*)**

**A87.2 Lymphocytic choriomeningitis**

Lymphocytic meningoencephalitis

**A87.8 Other viral meningitis**

**A87.9 Viral meningitis, unspecified**

**A88 Other viral infections of central nervous system, not elsewhere classified**

- Excludes:** viral:
- encephalitis NOS (A86)

- meningitis NOS (A87.9)

**A88.0 Enteroviral exanthematous fever [Boston exanthem]**

**A88.1 Epidemic vertigo**

**A88.8 Other specified viral infections of central nervous system**

**A89 Unspecified viral infection of central nervous system**

**Arthropod-borne viral fevers and viral haemorrhagic fevers  
(A90-A99)**

**A90 Dengue fever [classical dengue]**

**Excludes:** dengue haemorrhagic fever (A91)

**A91 Dengue haemorrhagic fever**

**A92 Other mosquito-borne viral fevers**

**Excludes:** Ross River disease (B33.1)

**A92.0 Chikungunya virus disease**  
Chikungunya (haemorrhagic) fever

**A92.1 O'nyong-nyong fever**

**A92.2 Venezuelan equine fever**

Venezuelan equine:

- encephalitis
- encephalomyelitis virus disease

**A92.3 West Nile virus infection**

West Nile fever

**A92.4 Rift Valley fever**

**A92.8 Other specified mosquito-borne viral fevers**

**A92.9 Mosquito-borne viral fever, unspecified**

**A93 Other arthropod-borne viral fevers, not elsewhere classified**

**A93.0 Oropouche virus disease**

Oropouche fever

**A93.1 Sandfly fever**

Pappataci fever

Phlebotomus fever

**A93.2 Colorado tick fever**

**A93.8 Other specified arthropod-borne viral fevers**

Piry virus disease

Vesicular stomatitis virus disease [Indiana fever]

**A94 Unspecified arthropod-borne viral fever**

Arboviral fever NOS

Arbovirus infection NOS

**A95 Yellow fever**

**A95.0 Sylvatic yellow fever**

Jungle yellow fever

**A95.1 Urban yellow fever**

**A95.9 Yellow fever, unspecified**

**A96 Arenaviral haemorrhagic fever**

**A96.0 Junin haemorrhagic fever**

Argentinian haemorrhagic fever

**A96.1 Machupo haemorrhagic fever**

Bolivian haemorrhagic fever

**A96.2 Lassa fever**

**A96.8 Other arenaviral haemorrhagic fevers**

**A96.9 Arenaviral haemorrhagic fever, unspecified**

**A98 Other viral haemorrhagic fevers, not elsewhere classified**

**Excludes:** chikungunya haemorrhagic fever (A92.0)  
dengue haemorrhagic fever (A91)

**A98.0 Crimean-Congo haemorrhagic fever**

Central Asian haemorrhagic fever

**A98.1 Omsk haemorrhagic fever**

**A98.2 Kyasanur Forest disease**

**A98.3 Marburg virus disease**

**A98.4 Ebola virus disease**

**A98.5 Haemorrhagic fever with renal syndrome**

Haemorrhagic fever:

- epidemic
- Korean
- Russian

Hantaan virus disease

Hantavirus disease with renal manifestations

Nephropathia epidemica

***Excludes:*** hantavirus (cardio)-pulmonary syndrome (B33.4† J17.1\*)

**A98.8 Other specified viral haemorrhagic fevers**

**A99 Unspecified viral haemorrhagic fever**

## Viral infections characterized by skin and mucous membrane lesions (B00-B09)

### **B00 Herpesviral [herpes simplex] infections**

**Excludes:** anogenital herpesviral infection (A60-)  
congenital herpesviral infection (P35.2)  
gammaherpesviral mononucleosis (B27.0)  
herpangina (B08.5)

#### **B00.0 Eczema herpeticum**

Kaposi varicelliform eruption

#### **B00.1 Herpesviral vesicular dermatitis**

Herpes simplex:

- facialis
- labialis

Vesicular dermatitis of:

- ear
  - lip
- due to human (alpha) herpesvirus 2

#### **B00.2 Herpesviral gingivostomatitis and pharyngotonsillitis**

Herpesviral pharyngitis

#### **B00.3† Herpesviral meningitis (G02.0\*)**

#### **B00.4† Herpesviral encephalitis (G05.1\*)**

Herpesviral meningoencephalitis

Simian B disease

#### **B00.5 Herpesviral ocular disease**

Herpesviral:

- conjunctivitis† (H13.1\*)

- dermatitis of eyelid† (H03.1\*)
- iridocyclitis† (H22.0\*)
- iritis† (H22.0\*)
- keratitis† (H19.1\*)
- keratoconjunctivitis† (H19.1\*)
- uveitis, anterior† (H22.0\*)

**B00.7 Disseminated herpesviral disease**

Herpesviral septicaemia

**B00.8 Other forms of herpesviral infection**

Herpesviral:

- hepatitis† (K77.0\*)
- whitlow† (L99.8\*)

**B00.9 Herpesviral infection, unspecified**

Herpes simplex infection NOS

**B01 Varicella [chickenpox]**

**B01.0† Varicella meningitis (G02.0\*)**

**B01.1† Varicella encephalitis (G05.1\*)**

Postchickenpox encephalitis

Varicella encephalomyelitis

**B01.2† Varicella pneumonia (J17.1\*)**

**B01.8 Varicella with other complications**

**B01.9 Varicella without complication**

Varicella NOS



**B02 Zoster [herpes zoster]**

*Includes:* shingles  
zona

**B02.0† Zoster encephalitis (G05.1\*)**  
Zoster meningoencephalitis

**B02.1† Zoster meningitis (G02.0\*)**

**B02.2† Zoster with other nervous system involvement**

Postherpetic:

- geniculate ganglionitis (G53.0\*)
- polyneuropathy (G63.0\*)
- trigeminal neuralgia (G53.0\*)

**B02.3 Zoster ocular disease**

Zoster:

- blepharitis† (H03.1\*)
- conjunctivitis† (H13.1\*)
- iridocyclitis† (H22.0\*)
- iritis† (H22.0\*)
- keratitis† (H19.2\*)
- keratoconjunctivitis† (H19.2\*)
- scleritis† (H19.0\*)

**B02.7 Disseminated zoster**

**B02.8 Zoster with other complications**

**B02.9 Zoster without complication**

Zoster NOS

**B03 Smallpox**

**B04 Monkeypox**

**B05 Measles**

*Includes:* morbilli

*Excludes:* subacute sclerosing panencephalitis (A81.1)

**B05.0† Measles complicated by encephalitis (G05.1\*)**

Postmeasles encephalitis

**B05.1† Measles complicated by meningitis (G02.0\*)**

Postmeasles meningitis

**B05.2† Measles complicated by pneumonia (J17.1\*)**

Postmeasles pneumonia

**B05.3† Measles complicated by otitis media (H67.1\*)**

Postmeasles otitis media

**B05.4 Measles with intestinal complications**

**B05.8 Measles with other complications**

Measles keratitis and keratoconjunctivitis† (H19.2\*)

**B05.9 Measles without complication**

**B06 Rubella [German measles]**

*Excludes:* congenital rubella (P35.0)

**B06.0† Rubella with neurological complications**

Rubella:

- encephalitis (G05.1\*)

- meningitis (G02.0\*)
- meningoencephalitis (G05.1\*)

**B06.8 Rubella with other complications**

Rubella:

- arthritis† (M01.4\*)
- pneumonia† (J17.1\*)

**B06.9 Rubella without complication**

Rubella NOS

**B07 Viral warts**

Verruca:

- simplex
- vulgaris

**Excludes:** anogenital (venereal) warts (A63.0)  
papilloma of:

- bladder (D41.4)
- cervix (D26.0)
- larynx (D14.1)

**B08 Other viral infections characterized by skin and mucous membrane lesions, not elsewhere classified**

**Excludes:** vesicular stomatitis virus disease (A93.8)

**B08.0 Other orthopoxvirus infections**

Cowpox

Orf virus disease

Pseudocowpox [milker node]

Vaccinia

**Excludes:** monkeypox (B04)

**B08.1 Molluscum contagiosum**

**B08.2 Exanthema subitum [sixth disease]**

**B08.3 Erythema infectiosum [fifth disease]**

**B08.4 Enteroviral vesicular stomatitis with exanthem**  
Hand, foot and mouth disease

**B08.5 Enteroviral vesicular pharyngitis**  
Herpangina

**B08.8 Other specified viral infections characterized by skin and mucous membrane lesions**  
Enteroviral lymphonodular pharyngitis  
Foot-and-mouth disease  
Tanapox virus disease  
Yaba pox virus disease

**B09 Unspecified viral infection characterized by skin and mucous membrane lesions**

Viral:

- enanthema NOS
- exanthema NOS

**Viral hepatitis (B15-B19)**

**Excludes:** cytomegaloviral hepatitis (B25.1)  
herpesviral [herpes simplex] hepatitis (B00.8)  
sequelae of viral hepatitis (B94.2)

Use additional code (Chapter XX), if desired, to identify drug, if post-transfusion hepatitis.

**B15 Acute hepatitis A**

**B15.0 Hepatitis A with hepatic coma**

**B15.9 Hepatitis A without hepatic coma**

Hepatitis A (acute)(viral) NOS

**B16 Acute hepatitis B**

**B16.0 Acute hepatitis B with delta-agent (coinfection) with hepatic coma**

**B16.1 Acute hepatitis B with delta-agent (coinfection) without hepatic coma**

**B16.2 Acute hepatitis B without delta-agent with hepatic coma**

**B16.9 Acute hepatitis B without delta-agent and without hepatic coma**

Hepatitis B (acute)(viral) NOS

**B17 Other acute viral hepatitis**

**B17.0 Acute delta-(super) infection of hepatitis B carrier**

**B17.1 Acute hepatitis C**

**B17.2 Acute hepatitis E**

**B17.8 Other specified acute viral hepatitis**

Hepatitis non-A non-B (acute)(viral) NEC

**B17.9 Acute viral hepatitis, unspecified**

Acute hepatitis NOS

Acute infectious hepatitis NOS

**B18 Chronic viral hepatitis**

**B18.0 Chronic viral hepatitis B with delta-agent**

**B18.1 Chronic viral hepatitis B without delta-agent**

Chronic (viral) hepatitis B

**B18.2 Chronic viral hepatitis C**

**B18.8 Other chronic viral hepatitis**

**B18.9 Chronic viral hepatitis, unspecified**

**B19 Unspecified viral hepatitis**

**B19.0 Unspecified viral hepatitis with hepatic coma**

**B19.9 Unspecified viral hepatitis without hepatic coma**

Viral hepatitis NOS

## Human immunodeficiency virus [HIV] disease (B20-B24)

**Excludes:** asymptomatic human immunodeficiency virus [HIV] infection status  
(<sup>lxxxvi</sup>Z21)  
complicating pregnancy, childbirth and the puerperium (O98.7)

### **B20 Human immunodeficiency virus [HIV] disease with infectious and parasitic diseases**

**Excludes:** acute HIV infection syndrome (B23.0)

#### **B20.0 HIV disease with mycobacterial infection**

HIV disease with tuberculosis

#### **B20.1 HIV disease with other bacterial infections**

#### **B20.2 HIV disease with cytomegaloviral disease**

#### **B20.3 HIV disease with other viral infections**

#### **B20.4 HIV disease with candidiasis**

#### **B20.5 HIV disease with other mycoses**

#### **B20.6 HIV disease with *Pneumocystis jirovecii* pneumonia**

HIV disease resulting in *Pneumocystis carinii* pneumonia

#### **B20.7 HIV disease with multiple infections**

#### **B20.8 HIV disease with other infectious and parasitic diseases**

**B20.9 HIV disease with unspecified infectious or parasitic disease**

HIV disease with infection NOS

**B21 Human immunodeficiency virus [HIV] disease with malignant neoplasms**

**B21.0 HIV disease with Kaposi sarcoma**

**B21.1 HIV disease with Burkitt lymphoma**

**B21.2 HIV disease with other types of non-Hodgkin lymphoma**

**B21.3 HIV disease with other malignant neoplasms of lymphoid, haematopoietic and related tissue**

**B21.7 HIV disease with multiple malignant neoplasms**

**B21.8 HIV disease with other malignant neoplasms**

**B21.9 HIV disease with unspecified malignant neoplasm**

**B22 Human immunodeficiency virus [HIV] disease with other specified diseases**

**B22.0 HIV disease with encephalopathy**

HIV dementia

**B22.1 HIV disease with lymphoid interstitial pneumonitis**



**B22.2 HIV disease with wasting syndrome**

HIV disease with failure to thrive

Slim disease

**B22.7 HIV disease with multiple diseases classified elsewhere**

**Note:**

For use of this category, reference should be made to the morbidity coding rules and guidelines in Volume 2 or mortality coding rules and guidelines in Part 2a Instruction Manual (NCHS).

**B23 Human immunodeficiency virus [HIV] disease with other conditions**

**B23.0 Acute HIV infection syndrome**

**B23.1 HIV disease with (persistent) generalized lymphadenopathy**

**B23.2 HIV disease with haematological and immunological abnormalities, not elsewhere classified**

**B23.8 HIV disease with other specified conditions**

**B24 Unspecified human immunodeficiency virus [HIV] disease**

Acquired immunodeficiency syndrome [AIDS] NOS

AIDS-related complex [ARC] NOS

## Other viral diseases (B25-B34)

### **B25 Cytomegaloviral disease**

**Excludes:** congenital cytomegalovirus infection (P35.1)  
cytomegaloviral mononucleosis (B27.1)

**B25.0† Cytomegaloviral pneumonitis (J17.1\*)**

**B25.1† Cytomegaloviral hepatitis (K77.0\*)**

**B25.2† Cytomegaloviral pancreatitis (K87.1\*)**

**B25.8 Other cytomegaloviral diseases**

**B25.9 Cytomegaloviral disease, unspecified**

### **B26 Mumps**

**Includes:** parotitis:  
• epidemic  
• infectious

**B26.0† Mumps orchitis (N51.1\*)**

**B26.1† Mumps meningitis (G02.0\*)**

**B26.2† Mumps encephalitis (G05.1\*)**

**B26.3† Mumps pancreatitis (K87.1\*)**

**B26.8 Mumps with other complications**

Mumps:

- arthritis† (M01.5\*)
- myocarditis† (I41.1\*)
- nephritis† (N08.0\*)
- polyneuropathy† (G63.0\*)

**B26.9 Mumps without complication**

Mumps:

- NOS
- parotitis NOS

**B27 Infectious mononucleosis**

*Includes:* glandular fever  
monocytic angina  
Pfeiffer disease

**B27.0 Gammaherpesviral mononucleosis**

Mononucleosis due to Epstein-Barr virus

**B27.1 Cytomegaloviral mononucleosis**

**B27.8 Other infectious mononucleosis**

**B27.9 Infectious mononucleosis, unspecified**

**B30 Viral conjunctivitis**

*Excludes:* ocular disease:  
• herpesviral [herpes simplex] (B00.5)  
• zoster (B02.3)

**B30.0† Keratoconjunctivitis due to adenovirus (H19.2\*)**

Epidemic keratoconjunctivitis

Shipyard eye

**B30.1† Conjunctivitis due to adenovirus (H13.1\*)**

Acute adenoviral follicular conjunctivitis

Swimming-pool conjunctivitis

**B30.2 Viral pharyngoconjunctivitis**

**B30.3† Acute epidemic haemorrhagic conjunctivitis (enteroviral) (H13.1\*)**

Conjunctivitis due to:

- coxsackievirus 24

- enterovirus 70

Haemorrhagic conjunctivitis (acute)(epidemic)

**B30.8† Other viral conjunctivitis (H13.1\*)**

Newcastle conjunctivitis

**B30.9 Viral conjunctivitis, unspecified**

**B33 Other viral diseases, not elsewhere classified**

**B33.0 Epidemic myalgia**

Bornholm disease

**B33.1 Ross River disease**

Epidemic polyarthrititis and exanthema

Ross River fever

**B33.2 Viral carditis**

**B33.3 Retrovirus infections, not elsewhere classified**

Retrovirus infection NOS

**B33.4† Hantavirus (cardio)-pulmonary syndrome [HPS]  
[HCPS] (J17.1\*)**

Hantavirus disease with pulmonary manifestations

Sin Nombre virus disease

Use additional code (N17.9), if desired, to identify any renal failure associated with HPS caused by the Andes, Bayou and Black Creek Canal hantavirus aetiologies.

**Excludes:** haemorrhagic fever with renal manifestations (A98.5† N08.0\*)

**B33.8 Other specified viral diseases**

**B34 Viral infection of unspecified site**

**Excludes:** cytomegaloviral disease NOS (B25.9)  
herpesvirus [herpes simplex] infection NOS (B00.9)  
retrovirus infection NOS (B33.3)  
viral agents as the cause of diseases classified to other chapters (B97-)

**B34.0 Adenovirus infection, unspecified site**

**B34.1 Enterovirus infection, unspecified site**

Coxsackievirus infection NOS

Echovirus infection NOS

**B34.2 Coronavirus infection, unspecified site**

**B34.3 Parvovirus infection, unspecified site**

**B34.4 Papovavirus infection, unspecified site**

**B34.8 Other viral infections of unspecified site**

**B34.9 Viral infection, unspecified**

Viraemia NOS

**Mycoses (B35-B49)**

**Excludes:** hypersensitivity pneumonitis due to organic dust (J67-)  
mycosis fungoides (C84.0)

**B35 Dermatophytosis**

**Includes:** favus  
infections due to species of *Epidermophyton*, *Microsporum* and  
Trichophyton  
tinea, any type except those in B36-

**B35.0 Tinea barbae and tinea capitis**

Beard ringworm  
Kerion  
Scalp ringworm  
Sycosis, mycotic

**B35.1 Tinea unguium**

Dermatophytic onychia  
Dermatophytosis of nail  
Onychomycosis  
Ringworm of nails

**B35.2 Tinea manuum**

Dermatophytosis of hand  
Hand ringworm

**B35.3 Tinea pedis**

Athlete foot  
Dermatophytosis of foot  
Foot ringworm

**B35.4 Tinea corporis**

Ringworm of the body

**B35.5 Tinea imbricata**

Tokelau

**B35.6 Tinea inguinalis [Tinea cruris]**

Dhobi itch  
Groin ringworm  
Jock itch

**B35.8 Other dermatophytoses**

Dermatophytosis:  
• disseminated  
• granulomatous

**B35.9 Dermatophytosis, unspecified**

Ringworm NOS

**B36 Other superficial mycoses**

**B36.0 Pityriasis versicolor**

Tinea:  
• flava  
• versicolor

**B36.1 Tinea nigra**

Keratomycosis nigricans palmaris

Microsporosis nigra  
Pityriasis nigra

**B36.2 White piedra**

Tinea blanca

**B36.3 Black piedra**

**B36.8 Other specified superficial mycoses**

**B36.9 Superficial mycosis, unspecified**

**B37 Candidiasis**

*Includes:* candidosis  
moniliasis

*Excludes:* neonatal candidiasis (P37.5)

**B37.0 Candidal stomatitis**

Oral thrush

**B37.1 Pulmonary candidiasis**

**B37.2 Candidiasis of skin and nail**

Candidal:

- onychia
- paronychia

*Excludes:* diaper [napkin] dermatitis (L22)

**B37.3† Candidiasis of vulva and vagina (N77.1\*)**

Candidal vulvovaginitis

Monilial vulvovaginitis



Vaginal thrush

**B37.4 Candidiasis of other urogenital sites**

Candidal:

- balanitis† (N51.2\*)
- urethritis† (N37.0\*)

**B37.5† Candidal meningitis (G02.1\*)**

**B37.6† Candidal endocarditis (I39.8\*)**

**B37.7 Candidal septicaemia**

**B37.8 Candidiasis of other sites**

Candidal:

- cheilitis
- enteritis

**B37.9 Candidiasis, unspecified**

Thrush NOS

**B38 Coccidioidomycosis**

**B38.0 Acute pulmonary coccidioidomycosis**

**B38.1 Chronic pulmonary coccidioidomycosis**

**B38.2 Pulmonary coccidioidomycosis, unspecified**

**B38.3 Cutaneous coccidioidomycosis**

**B38.4† Coccidioidomycosis meningitis (G02.1\*)**

**B38.7 Disseminated coccidioidomycosis**

Generalized coccidioidomycosis

**B38.8 Other forms of coccidioidomycosis**

**B38.9 Coccidioidomycosis, unspecified**

**B39 Histoplasmosis**

**B39.0 Acute pulmonary histoplasmosis capsulati**

**B39.1 Chronic pulmonary histoplasmosis capsulati**

**B39.2 Pulmonary histoplasmosis capsulati, unspecified**

**B39.3 Disseminated histoplasmosis capsulati**

Generalized histoplasmosis capsulati

**B39.4 Histoplasmosis capsulati, unspecified**

American histoplasmosis

**B39.5 Histoplasmosis duboisii**

African histoplasmosis

**B39.9 Histoplasmosis, unspecified**

**B40 Blastomycosis**

**Excludes:** Brazilian blastomycosis (B41-)

keloidal blastomycosis (B48.0)

**B40.0 Acute pulmonary blastomycosis**

**B40.1 Chronic pulmonary blastomycosis**

**B40.2 Pulmonary blastomycosis, unspecified**

**B40.3 Cutaneous blastomycosis**

**B40.7 Disseminated blastomycosis**

Generalized blastomycosis

**B40.8 Other forms of blastomycosis**

**B40.9 Blastomycosis, unspecified**

**B41 Paracoccidioidomycosis**

*Includes:* Brazilian blastomycosis  
Lutz disease

**B41.0 Pulmonary paracoccidioidomycosis**

**B41.7 Disseminated paracoccidioidomycosis**

Generalized paracoccidioidomycosis

**B41.8 Other forms of paracoccidioidomycosis**

**B41.9 Paracoccidioidomycosis, unspecified**

**B42 Sporotrichosis**

**B42.0† Pulmonary sporotrichosis (J99.8\*)**

**B42.1 Lymphocutaneous sporotrichosis**

**B42.7 Disseminated sporotrichosis**  
Generalized sporotrichosis

**B42.8 Other forms of sporotrichosis**

**B42.9 Sporotrichosis, unspecified**

**B43 Chromomycosis and phaeomycotic abscess**

**B43.0 Cutaneous chromomycosis**  
Dermatitis verrucosa

**B43.1 Phaeomycotic brain abscess**  
Cerebral chromomycosis

**B43.2 Subcutaneous phaeomycotic abscess and cyst**

**B43.8 Other forms of chromomycosis**

**B43.9 Chromomycosis, unspecified**

**B44 Aspergillosis**

***Includes:*** aspergilloma

**B44.0 Invasive pulmonary aspergillosis**

**B44.1 Other pulmonary aspergillosis**

**B44.2 Tonsillar aspergillosis**

**B44.7 Disseminated aspergillosis**  
Generalized aspergillosis

**B44.8 Other forms of aspergillosis**

**B44.9 Aspergillosis, unspecified**

**B45 Cryptococcosis**

**B45.0 Pulmonary cryptococcosis**

**B45.1 Cerebral cryptococcosis**  
Cryptococcal meningitis† (G02.1\*)  
Cryptococcosis meningocerebralis

**B45.2 Cutaneous cryptococcosis**

**B45.3 Osseous cryptococcosis**

**B45.7 Disseminated cryptococcosis**  
Generalized cryptococcosis

**B45.8 Other forms of cryptococcosis**

**B45.9 Cryptococcosis, unspecified**

**B46 Zygomycosis**

**B46.0 Pulmonary mucormycosis**

**B46.1 Rhinocerebral mucormycosis**

**B46.2 Gastrointestinal mucormycosis**

**B46.3 Cutaneous mucormycosis**  
Subcutaneous mucormycosis

**B46.4 Disseminated mucormycosis**  
Generalized mucormycosis

**B46.5 Mucormycosis, unspecified**

**B46.8 Other zygomycoses**  
Entomophthoromycosis

**B46.9 Zygomycosis, unspecified**  
Phycomycosis NOS

**B47 Mycetoma**

**B47.0 Eumycetoma**  
Madura foot, mycotic  
Maduromycosis

**B47.1 Actinomycetoma**

**B47.9 Mycetoma, unspecified**

Madura foot NOS

**B48 Other mycoses, not elsewhere classified**

**B48.0 Lobomycosis**

Keloidal blastomycosis

Lobo disease

**B48.1 Rhinosporidiosis**

**B48.2 Allescheriasis**

Infection due to *Pseudallescheria boydii*

**Excludes:** eumycetoma (B47.0)

**B48.3 Geotrichosis**

Geotrichum stomatitis

**B48.4 Penicillosis**

**B48.7 Opportunistic mycoses**

Mycoses caused by fungi of low virulence that can establish an infection only as a consequence of factors such as the presence of debilitating disease or the administration of immunosuppressive and other therapeutic agents or radiation therapy. Most of the causal fungi are normally saprophytic in soil and decaying vegetation.

**B48.8 Other specified mycoses**

Adiaspiromycosis

**B49 Unspecified mycosis**

Fungaemia NOS

**Protozoal diseases (B50-B64)**

**Excludes:** amoebiasis (A06-)  
other protozoal intestinal diseases (A07-)

**B50 Plasmodium falciparum**

**Includes:** mixed infections of *Plasmodium falciparum* with any other  
*Plasmodium* species

**B50.0 *Plasmodium falciparum* malaria with cerebral complications**

Cerebral malaria NOS

**B50.8 Other severe and complicated *Plasmodium falciparum* malaria**

Severe or complicated *Plasmodium falciparum* malaria NOS

**B50.9 *Plasmodium falciparum* malaria, unspecified**

**B51 Plasmodium vivax**

**Includes:** mixed infections of *Plasmodium vivax* with other *Plasmodium*  
species, except *Plasmodium falciparum*

**Excludes:** mixed with *Plasmodium falciparum* (B50-)

**B51.0 *Plasmodium vivax* malaria with rupture of spleen**

**B51.8 *Plasmodium vivax* malaria with other complications**



**B51.9 *Plasmodium vivax* malaria without complication**

*Plasmodium vivax* malaria NOS

**B52 *Plasmodium malariae***

***Includes:*** mixed infections of *Plasmodium malariae* with other *Plasmodium* species, except *Plasmodium falciparum* and *Plasmodium vivax*

***Excludes:*** when mixed with *Plasmodium*:

- *falciparum* (B50-)
- *vivax* (B51-)

**B52.0 *Plasmodium malariae* malaria with nephropathy**

**B52.8 *Plasmodium malariae* malaria with other complications**

**B52.9 *Plasmodium malariae* malaria without complication**

*Plasmodium malariae* malaria NOS

**B53 Other parasitologically confirmed malaria**

**B53.0 *Plasmodium ovale* malaria**

***Excludes:*** when mixed with *Plasmodium*:

- *falciparum* (B50-)
- *malariae* (B52-)
- *vivax* (B51-)

**B53.1 Malaria due to simian plasmodia**

***Excludes:*** when mixed with *Plasmodium*:

- *falciparum* (B50-)
- *malariae* (B52-)
- *ovale* (B53.0)
- *vivax* (B51-)

**B53.8 Other parasitologically confirmed malaria, not elsewhere classified**

Parasitologically confirmed malaria NOS

**B54 Unspecified malaria**

Clinically diagnosed malaria without parasitological confirmation

**B55 Leishmaniasis**

**B55.0 Visceral leishmaniasis**

Kala-azar

Post-kala-azar dermal leishmaniasis

**B55.1 Cutaneous leishmaniasis**

**B55.2 Mucocutaneous leishmaniasis**

**B55.9 Leishmaniasis, unspecified**

**B56 African trypanosomiasis**

**B56.0 Gambiense trypanosomiasis**

Infection due to *Trypanosoma brucei gambiense*

West African sleeping sickness

**B56.1 Rhodesiense trypanosomiasis**

East African sleeping sickness

Infection due to *Trypanosoma brucei rhodesiense*

**B56.9 African trypanosomiasis, unspecified**

Sleeping sickness NOS

Trypanosomiasis NOS, in places where African trypanosomiasis is prevalent

**B57 Chagas disease**

**Includes:** American trypanosomiasis  
infection due to *Trypanosoma cruzi*

**B57.0† Acute Chagas disease with heart involvement (I41.2\*, I98.1\*)**

Acute Chagas disease with:

- cardiovascular involvement NEC (I98.1\*)
- myocarditis (I41.2\*)

**B57.1 Acute Chagas disease without heart involvement**

Acute Chagas disease NOS

**B57.2 Chagas disease (chronic) with heart involvement**

American trypanosomiasis NOS

Chagas disease (chronic) (with):

- NOS
- cardiovascular involvement NEC† (I98.1\*)
- myocarditis† (I41.2\*)

Trypanosomiasis NOS, in places where Chagas disease is prevalent

**B57.3 Chagas disease (chronic) with digestive system involvement**

**B57.4 Chagas disease (chronic) with nervous system involvement**

**B57.5 Chagas disease (chronic) with other organ involvement**

**B58 Toxoplasmosis**

**Includes:** infection due to *Toxoplasma gondii*

**Excludes:** congenital toxoplasmosis (P37.1)

**B58.0† Toxoplasma oculopathy**

Toxoplasma chorioretinitis (H32.0\*)

**B58.1† Toxoplasma hepatitis (K77.0\*)**

**B58.2† Toxoplasma meningoencephalitis (G05.2\*)**

**B58.3† Pulmonary toxoplasmosis (J17.3\*)**

**B58.8 Toxoplasmosis with other organ involvement**

Toxoplasma:

- myocarditis† (I41.2\*)
- myositis† (M63.1\*)

**B58.9 Toxoplasmosis, unspecified**

**B59 Pneumocystosis (J17.3\*)**

Pneumonia due to:

- *Pneumocystis carinii*
- *Pneumocystis jirovecii*

**B60 Other protozoal diseases, not elsewhere classified**

**Excludes:** cryptosporidiosis (A07.2)  
intestinal microsporidiosis (A07.8)  
isosporiasis (A07.3)

**B60.0 Babesiosis**

Piroplasmosis

**B60.1 Acanthamoebiasis**

Conjunctivitis due to *Acanthamoeba*† (H13.1\*)

Keratoconjunctivitis due to *Acanthamoeba*† (H19.2\*)

**B60.2 Naegleriasis**

Primary amoebic meningoencephalitis† (G05.2\*)

**B60.8 Other specified protozoal diseases**

Microsporidiosis

**B64 Unspecified protozoal disease**

**Helminthiasis (B65-B83)**

**B65 Schistosomiasis [bilharziasis]**

*Includes:* snail fever

**B65.0 Schistosomiasis due to *Schistosoma haematobium*  
[urinary schistosomiasis]**

**B65.1 Schistosomiasis due to *Schistosoma mansoni*  
[intestinal schistosomiasis]**

**B65.2 Schistosomiasis due to *Schistosoma japonicum*  
Asiatic schistosomiasis**

**B65.3 Cercarial dermatitis  
Swimmer itch**

**B65.8 Other schistosomiasis**

Infection due to *Schistosoma*:

- *intercalatum*
- *matthei*
- *mekongi*

**B65.9 Schistosomiasis, unspecified**

**B66 Other fluke infections**

**B66.0 Opisthorchiasis**

Infection due to:

- cat liver fluke
- *Opisthorchis (felineus) (viverrini)*

**B66.1 Clonorchiasis**

Chinese liver fluke disease

Infection due to *Clonorchis sinensis*

Oriental liver fluke disease

**B66.2 Dicrocoeliasis**

Infection due to *Dicrocoelium dendriticum*

Lancet fluke infection

**B66.3 Fascioliasis**

Infection due to *Fasciola*:

- *gigantica*
- *hepatica*
- *indica*

Sheep liver fluke disease

**B66.4 Paragonimiasis**

Infection due to *Paragonimus* species

Lung fluke disease  
Pulmonary distomiasis

**B66.5 Fasciolopsiasis**

Infection due to *Fasciolopsis buski*  
Intestinal distomiasis

**B66.8 Other specified fluke infections**

Echinostomiasis  
Heterophyiasis  
Metagonimiasis  
Nanophyetiasis  
Watsoniasis

**B66.9 Fluke infection, unspecified**

**B67 Echinococcosis**

*Includes:* hydatidosis

**B67.0 *Echinococcus granulosus* infection of liver**

**B67.1 *Echinococcus granulosus* infection of lung**

**B67.2 *Echinococcus granulosus* infection of bone**

**B67.3 *Echinococcus granulosus* infection, other and multiple sites**

**B67.4 *Echinococcus granulosus* infection, unspecified**  
Dog tapeworm (infection)

**B67.5** *Echinococcus multilocularis* infection of liver

**B67.6** *Echinococcus multilocularis* infection, other and multiple sites

**B67.7** *Echinococcus multilocularis* infection, unspecified

**B67.8** Echinococcosis, unspecified, of liver

**B67.9** Echinococcosis, other and unspecified  
Echinococcosis NOS

**B68** Taeniasis

*Excludes:* cysticercosis (B69-)

**B68.0** *Taenia solium* taeniasis  
Pork tapeworm (infection)

**B68.1** *Taenia saginata* taeniasis  
Beef tapeworm (infection)  
Infection due to adult tapeworm *Taenia saginata*

**B68.9** Taeniasis, unspecified

**B69** Cysticercosis

*Includes:* cysticerciasis infection due to larval form of *Taenia solium*

**B69.0** Cysticercosis of central nervous system

**B69.1** Cysticercosis of eye



**B69.8 Cysticercosis of other sites**

**B69.9 Cysticercosis, unspecified**

**B70 Diphyllbothriasis and sparganosis**

**B70.0 Diphyllbothriasis**

*Diphyllbothrium* (adult) (*latum*) (*pacificum*) infection  
Fish tapeworm (infection)

**Excludes:** larval diphyllbothriasis (B70.1)

**B70.1 Sparganosis**

Infection due to:

- *Sparganum* (*mansonii*) (*proliferum*)
- *Spirometra* larvae

Larval diphyllbothriasis

Spirometrosis

**B71 Other cestode infections**

**B71.0 Hymenolepiasis**

Dwarf tapeworm (infection)

Rat tapeworm (infection)

**B71.1 Dipylidiasis**

**B71.8 Other specified cestode infections**

Coenurosis

**B71.9 Cestode infection, unspecified**

Tapeworm (infection) NOS

**B72 Dracunculiasis**

Guinea worm infection

Infection due to *Dracunculus medinensis*

**B73 Onchocerciasis**

*Onchocerca volvulus* infection

Onchocercosis

River blindness

**B74 Filariasis**

**Excludes:** onchocerciasis (B73)  
tropical (pulmonary) eosinophilia NOS (J82)

**B74.0 Filariasis due to *Wuchereria bancrofti***

Bancroftian:

- elephantiasis
- filariasis

**B74.1 Filariasis due to *Brugia malayi***

**B74.2 Filariasis due to *Brugia timori***

**B74.3 Loiasis**

Calabar swelling

Eyeworm disease of Africa

*Loa loa* infection

**B74.4 Mansonelliasis**

Infection due to *Mansonella*:

- *ozzardi*

- *perstans*
- *streptocerca*

**B74.8 Other filariases**

Dirofilariasis

**B74.9 Filariasis, unspecified**

**B75 Trichinellosis**

Infection due to *Trichinella* species

Trichiniasis

**B76 Hookworm diseases**

*Includes:* uncinariasis

**B76.0 Ancylostomiasis**

Infection due to *Ancylostoma* species

**B76.1 Necatoriasis**

Infection due to *Necator americanus*

**B76.8 Other hookworm diseases**

**B76.9 Hookworm disease, unspecified**

Cutaneous larva migrans NOS

**B77 Ascariasis**

*Includes:* ascaridiasis  
roundworm infection

**B77.0 Ascariasis with intestinal complications**

**B77.8 Ascariasis with other complications**

**B77.9 Ascariasis, unspecified**

**B78 Strongyloidiasis**

**Excludes:** trichostrongyliasis (B81.2)

**B78.0 Intestinal strongyloidiasis**

**B78.1 Cutaneous strongyloidiasis**

**B78.7 Disseminated strongyloidiasis**

**B78.9 Strongyloidiasis, unspecified**

**B79 Trichuriasis**

Trichocephaliasis

Whipworm (disease) (infection)

**B80 Enterobiasis**

Oxyuriasis

Pinworm infection

Threadworm infection

**B81 Other intestinal helminthiases, not elsewhere classified**

**Excludes:** angiostrongyliasis due to:  
• *Angiostrongylus cantonensis* (B83.2)  
• *Parastrongylus cantonensis* (B83.2)

**B81.0 Anisakiasis**

Infection due to *Anisakis* larvae

**B81.1 Intestinal capillariasis**

Capillariasis NOS

Infection due to *Capillaria philippinensis*

**Excludes:** hepatic capillariasis (B83.8)

**B81.2 Trichostrongyliasis**

**B81.3 Intestinal angiostrongyliasis**

Angiostrongyliasis due to:

- *Angiostrongylus costaricensis*
- *Parastrongylus costaricensis*

**B81.4 Mixed intestinal helminthiases**

Infection due to intestinal helminths classifiable to more than one of the categories B65.0-B81.3 and B81.8

Mixed helminthiasis NOS

**B81.8 Other specified intestinal helminthiases**

Infection due to:

- *Oesophagostomum* species [oesophagostomiasis]
- *Ternidens deminutus* [ternidensiasis]
- *Ternidens diminutus* [ternidensiasis]

**B82 Unspecified intestinal parasitism**

**B82.0 Intestinal helminthiasis, unspecified**

**B82.9 Intestinal parasitism, unspecified**

**B83 Other helminthiases**

**Excludes:** capillariasis:  
• NOS (B81.1)

- intestinal (B81.1)

**B83.0 Visceral larva migrans**

Toxocariasis

**B83.1 Gnathostomiasis**

Wandering swelling

**B83.2 Angiostrongyliasis due to *Parastrongylus cantonensis***

Angiostrongyliasis due to *Angiostrongylus cantonensis*

Eosinophilic meningoencephalitis† (G05.2\*)

**Excludes:** intestinal angiostrongyliasis (B81.3)

**B83.3 Syngamiasis**

Syngamosis

**B83.4 Internal hirudiniasis**

**Excludes:** external hirudiniasis (B88.3)

**B83.8 Other specified helminthiasis**

Acanthocephaliasis

Gongylonemiasis

Hepatic capillariasis

Metastrongyliasis

Thelaziasis

**B83.9 Helminthiasis, unspecified**

Worms NOS

**Excludes:** intestinal helminthiasis NOS (B82.0)

## Pediculosis, acariasis and other infestations (B85-B89)

### B85 Pediculosis and phthiriasis

**B85.0 Pediculosis due to *Pediculus humanus capitis***  
Head-louse infestation

**B85.1 Pediculosis due to *Pediculus humanus corporis***  
Body-louse infestation

**B85.2 Pediculosis, unspecified**

**B85.3 Phthiriasis**  
Infestation by:

- crab-louse
- *Phthirus pubis*

**B85.4 Mixed pediculosis and phthiriasis**  
Infestation classifiable to more than one of the categories B85.0-B85.3

**B86 Scabies**  
Sarcoptic itch

**B87 Myiasis**  
*Includes:* infestation by larvae of flies

**B87.0 Cutaneous myiasis**  
Creeping myiasis

**B87.1 Wound myiasis**

Traumatic myiasis

**B87.2 Ocular myiasis**

**B87.3 Nasopharyngeal myiasis**

Laryngeal myiasis

**B87.4 Aural myiasis**

**B87.8 Myiasis of other sites**

Genitourinary myiasis

Intestinal myiasis

**B87.9 Myiasis, unspecified**

**B88 Other infestations**

**B88.0 Other acariasis**

Acarine dermatitis

Dermatitis due to:

- *Demodex* species
- *Dermanyssus gallinae*
- *Liponyssoides sanguineus*

Trombiculosis

**Excludes:** scabies (B86)

**B88.1 Tungiasis [sandflea infestation]**

**B88.2 Other arthropod infestations**

Scarabiasis



**B88.3 External hirudiniasis**

Leech infestation NOS

**Excludes:** internal hirudiniasis (B83.4)

**B88.8 Other specified infestations**

Ichthyoparasitism due to *Vandellia cirrhosa*

Linguatulosis

Porocephaliasis

**B88.9 Infestation, unspecified**

Infestation (skin) NOS

Infestation by mites NOS

Skin parasites NOS

**B89 Unspecified parasitic disease**

**Sequelae of infectious and parasitic diseases (B90-B94)**

**Note:** Categories B90-B94 are to be used to indicate conditions in categories A00-B89 as the cause of sequelae, which are themselves classified elsewhere. The "sequelae" include conditions specified as such; they also include late effects of diseases classifiable to the above categories if there is evidence that the disease itself is no longer present. For use of these categories, reference should be made to the morbidity coding rules and guidelines in Volume 2 or mortality coding rules and guidelines in Part 2a Instruction Manual (NCHS).

Not to be used for chronic infections. Code current infections to chronic or active infectious disease as appropriate.

**B90 Sequelae of tuberculosis**

**B90.0 Sequelae of central nervous system tuberculosis**

**B90.1 Sequelae of genitourinary tuberculosis**

**B90.2 Sequelae of tuberculosis of bones and joints**

**B90.8 Sequelae of tuberculosis of other organs**

**B90.9 Sequelae of respiratory and unspecified tuberculosis**  
Sequelae of tuberculosis NOS

**B91 Sequelae of poliomyelitis**  
*Excludes:* postpolio syndrome (G14)

**B92 Sequelae of leprosy**

**B94 Sequelae of other and unspecified infectious and parasitic diseases**

**B94.0 Sequelae of trachoma**

**B94.1 Sequelae of viral encephalitis**

**B94.2 Sequelae of viral hepatitis**

**B94.8 Sequelae of other specified infectious and parasitic diseases**

**B94.9 Sequelae of unspecified infectious or parasitic disease**

**Bacterial, viral and other infectious agents (B95-B97)**

**Note:** These categories should never be used in primary coding. They are provided for use as supplementary or additional codes when it is desired to identify the infectious agent(s) in diseases classified elsewhere.

**B95 Streptococcus and staphylococcus as the cause of diseases classified to other chapters**

**B95.0 Streptococcus, group A, as the cause of diseases classified to other chapters**

**B95.1 Streptococcus, group B, as the cause of diseases classified to other chapters**

**B95.2 Streptococcus, group D, as the cause of diseases classified to other chapters**

**B95.3 *Streptococcus pneumoniae* as the cause of diseases classified to other chapters**

**B95.4 Other streptococcus as the cause of diseases classified to other chapters**

**B95.5 Unspecified streptococcus as the cause of diseases classified to other chapters**

**B95.6** *Staphylococcus aureus* as the cause of diseases  
classified to other chapters

**B95.7** Other staphylococcus as the cause of diseases  
classified to other chapters

**B95.8** Unspecified staphylococcus as the cause of diseases  
classified to other chapters

**B96** Other specified bacterial agents as the cause of diseases  
classified to other chapters

**B96.0** *Mycoplasma pneumoniae* [*M. pneumoniae*] as the  
cause of diseases classified to other chapters  
Pleuro-pneumonia-like-organism [PPLO]

**B96.1** *Klebsiella pneumoniae* [*K. pneumoniae*] as the cause  
of diseases classified to other chapters

**B96.2** *Escherichia coli* [*E. coli*] as the cause of diseases  
classified to other chapters

**B96.3** *Haemophilus influenzae* [*H. influenzae*] as the cause  
of diseases classified to other chapters

**B96.4** *Proteus (mirabilis) (morganii)* as the cause of  
diseases classified to other chapters

**B96.5** *Pseudomonas (aeruginosa) (mallei) (pseudomallei)*  
as the cause of diseases classified to other chapters

**B96.6** *Bacillus fragilis* [*B. fragilis*] as the cause of diseases classified to other chapters

**B96.7** *Clostridium perfringens* [*C. perfringens*] as the cause of diseases classified to other chapters

**B96.8** Other specified bacterial agents as the cause of diseases classified to other chapters

**B97** Viral agents as the cause of diseases classified to other chapters

**B97.0** Adenovirus as the cause of diseases classified to other chapters

**B97.1** Enterovirus as the cause of diseases classified to other chapters

Coxsackievirus

Echovirus

**B97.2** Coronavirus as the cause of diseases classified to other chapters

**B97.3** Retrovirus as the cause of diseases classified to other chapters

Lentivirus

Oncovirus

**B97.4** Respiratory syncytial virus as the cause of diseases classified to other chapters

**B97.5 Reovirus as the cause of diseases classified to other chapters**

**B97.6 Parvovirus as the cause of diseases classified to other chapters**

**B97.7 Papillomavirus as the cause of diseases classified to other chapters**

**B97.8 Other viral agents as the cause of diseases classified to other chapters**

Human metapneumovirus

---

Other infectious diseases (B99)

---

**B99 Other and unspecified infectious diseases**

## CHAPTER II - Neoplasms (C00-D48)

**This chapter contains the following broad groups of neoplasms:**

|         |                                                                                                                                  |
|---------|----------------------------------------------------------------------------------------------------------------------------------|
| C00-C97 | Malignant neoplasms                                                                                                              |
| C00-C75 | Malignant neoplasms, stated or presumed to be primary, of specified sites, except of lymphoid, haematopoietic and related tissue |
| C00-C14 | Lip, oral cavity and pharynx                                                                                                     |
| C15-C26 | Digestive organs                                                                                                                 |
| C30-C39 | Respiratory and intrathoracic organs                                                                                             |
| C40-C41 | Bone and articular cartilage                                                                                                     |
| C43-C44 | Skin                                                                                                                             |
| C45-C49 | Mesothelial and soft tissue                                                                                                      |
| C50     | Breast                                                                                                                           |
| C51-C58 | Female genital organs                                                                                                            |
| C60-C63 | Male genital organs                                                                                                              |
| C64-C68 | Urinary tract                                                                                                                    |
| C69-C72 | Eye, brain and other parts of central nervous system                                                                             |
| C73-C75 | Thyroid and other endocrine glands                                                                                               |
| C76-C80 | Malignant neoplasms of ill-defined, secondary and unspecified sites                                                              |
| C81-C96 | Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue                            |
| C97     | Malignant neoplasms of independent (primary) multiple sites                                                                      |
| D00-D09 | In situ neoplasms                                                                                                                |
| D10-D36 | Benign neoplasms                                                                                                                 |
| D37-D48 | Neoplasms of uncertain or unknown behaviour [see note preceeding D37 category]                                                   |

### Notes

#### **1. Primary, ill-defined, secondary and unspecified sites of malignant neoplasms**

Categories C76-C80 include malignant neoplasms for which there is no clear indication of the original site of the cancer or the cancer is stated to be "disseminated", "scattered" or "spread" without mention of the primary site. In both cases the primary site is considered to be unknown.

#### **2. Functional activity**

All neoplasms are classified in this chapter, whether they are functionally active or not. An additional code from Chapter IV may be used, if desired, to identify functional activity associated with any neoplasm. For example, catecholamine-producing malignant phaeochromocytoma of adrenal gland should be coded to C74 with additional code E27.5; basophil adenoma of pituitary gland with Cushing syndrome should be coded to D35.2 with additional code E24.0.

### **3. Morphology**

There are a number of major morphological (histological) groups of malignant neoplasms: carcinomas including squamous (cell) and adeno-carcinomas; sarcomas; other soft tissue tumours including mesotheliomas; lymphomas (Hodgkin and non-Hodgkin); leukaemia; other specified and site-specific types; and unspecified cancers. Cancer is a generic term and may be used for any of the above groups, although it is rarely applied to the malignant neoplasms of lymphatic, haematopoietic and related tissue. "Carcinoma" is sometimes used incorrectly as a synonym for "cancer".

In Chapter II neoplasms are classified predominantly by site within broad groupings for behaviour. In a few exceptional cases morphology is indicated in the category and subcategory titles.

For those wishing to identify the histological type of neoplasm, comprehensive separate morphology codes are provided within the Morphology chapter. These morphology codes are derived from the second edition of International Classification of Diseases for Oncology (ICD-O), which is a dual-axis classification providing independent coding systems for topography and morphology. Morphology codes have six digits: the first four digits identify the histological type; the fifth digit is the behaviour code (malignant primary, malignant secondary (metastatic), in situ, benign, uncertain whether malignant or benign); and the sixth digit is a grading code (differentiation) for solid tumours, and is also used as a special code for lymphomas and leukaemias.

### **4. Use of subcategories in Chapter II**

Attention is drawn to the special use of subcategory .8 in this chapter [see note 5]. Where it has been necessary to provide subcategories for "other", these have generally been designated as subcategory .7.

### **5. Malignant neoplasms overlapping site boundaries and the use of subcategory .8 (overlapping lesion)**

Categories C00-C75 classify primary malignant neoplasms according to their point of origin. Many three-character categories are further divided into named parts or subcategories of the organ in question. A neoplasm that overlaps two or more contiguous sites within a three-character category and whose point of origin cannot be determined should be classified to the subcategory .8 ("overlapping lesion"), unless the combination is specifically indexed elsewhere.



For example, carcinoma of oesophagus and stomach is specifically indexed to C16.0 (cardia), while carcinoma of the tip and ventral surface of the tongue should be assigned to C02.8. On the other hand, carcinoma of the tip of the tongue extending to involve the ventral surface should be coded to C02.1 as the point of origin, the tip, is known. "Over-lapping" implies that the sites involved are contiguous (next to each other). Numerically consecutive subcategories are frequently anatomically contiguous, but this is not invariably so (e.g. bladder C67-) and the coder may need to consult anatomical texts to determine the topographical relationships.

Sometimes a neoplasm overlaps the boundaries of three-character categories within certain systems. To take care of this the following subcategories have been designated:

|       |                                                            |
|-------|------------------------------------------------------------|
| C02.8 | Overlapping lesion of tongue                               |
| C08.8 | Overlapping lesion of major salivary glands                |
| C14.8 | Overlapping lesion of lip, oral cavity and pharynx         |
| C21.8 | Overlapping lesion of rectum, anus and anal canal          |
| C24.8 | Overlapping lesion of biliary tract                        |
| C26.8 | Overlapping lesion of digestive system                     |
| C39.8 | Overlapping lesion of respiratory and intrathoracic organs |
| C41.8 | Overlapping lesion of bone and articular cartilage         |
| C49.8 | Overlapping lesion of connective and soft tissue           |
| C57.8 | Overlapping lesion of female genital organs                |
| C63.8 | Overlapping lesion of male genital organs                  |
| C68.8 | Overlapping lesion of urinary organs                       |
| C72.8 | Overlapping lesion of central nervous system               |

An example of this is a carcinoma of the stomach and small intestine, which should be coded to C26.8 (Overlapping lesion of digestive system).

### **6. Malignant neoplasms of ectopic tissue**

Malignant neoplasms of ectopic tissue are to be coded to the site mentioned, e.g. ectopic pancreatic malignant neoplasms are coded to pancreas, unspecified (C25.9).

### **7. Use of the Alphabetical Index in coding neoplasms**

In addition to site, morphology and behaviour must also be taken into consideration when coding neoplasms, and reference should always be made first to the Alphabetical Index entry for the morphological description.

The introductory pages of Volume 3 include general instructions about the correct use of the Alphabetical Index. The specific instructions and examples pertaining to neoplasms should be consulted to ensure correct use of the categories and subcategories in Chapter II.

**8. Use of the second edition of International Classification of Diseases for Oncology (ICD-O)**

For certain morphological types, Chapter II provides a rather restricted topographical classification, or none at all. The topography codes of ICD-O use for all neoplasms essentially the same three- and four-character categories that Chapter II uses for malignant neoplasms (C00-C77, C80), thus providing increased specificity of site for other neoplasms (malignant secondary (metastatic), benign, in situ and uncertain or unknown).

It is therefore recommended that agencies interested in identifying both the site and morphology of tumours, e.g. cancer registries, cancer hospitals, pathology departments and other agencies specializing in cancer, use ICD-O.

**Malignant neoplasms (C00-C97)**

**Malignant neoplasms of lip, oral cavity and pharynx  
(C00-C14)**

**C00 Malignant neoplasm of lip**

***Excludes:*** skin of lip (C43.0, C44.0)

**C00.0 External upper lip**

Upper lip:

- NOS
- lipstick area
- vermilion border

**C00.1 External lower lip**

Lower lip:

- NOS
- lipstick area

- vermillion border

**C00.2 External lip, unspecified**

Vermilion border NOS

**C00.3 Upper lip, inner aspect**

Upper lip:

- buccal aspect
- frenulum
- mucosa
- oral aspect

**C00.4 Lower lip, inner aspect**

Lower lip:

- buccal aspect
- frenulum
- mucosa
- oral aspect

**C00.5 Lip, unspecified, inner aspect**

Lip, not specified whether upper or lower:

- buccal aspect
- frenulum
- mucosa
- oral aspect

**C00.6 Commissure of lip**

**C00.8 Overlapping lesion of lip**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

**C00.9 Lip, unspecified**

**C01 Malignant neoplasm of base of tongue**

Dorsal surface of base of tongue

Fixed part of tongue NOS

Posterior third of tongue

**C02 Malignant neoplasm of other and unspecified parts of tongue**

**C02.0 Dorsal surface of tongue**

Anterior two-thirds of tongue, dorsal surface

*Excludes:* dorsal surface of base of tongue (C01)

**C02.1 Border of tongue**

Tip of tongue

**C02.2 Ventral surface of tongue**

Anterior two-thirds of tongue, ventral surface

Frenulum linguae

**C02.3 Anterior two-thirds of tongue, part unspecified**

Middle third of tongue NOS

Mobile part of tongue NOS

**C02.4 Lingual tonsil**

*Excludes:* tonsil NOS (C09.9)

**C02.8 Overlapping lesion of tongue**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

Malignant neoplasm of tongue whose point of origin cannot be classified to any one of the categories C01-C02.4

**C02.9 Tongue, unspecified**

**C03 Malignant neoplasm of gum**

***Includes:*** alveolar (ridge) mucosa  
gingiva

***Excludes:*** malignant odontogenic neoplasms (C41.0-C41.1)

**C03.0 Upper gum**

**C03.1 Lower gum**

**C03.9 Gum, unspecified**

**C04 Malignant neoplasm of floor of mouth**

**C04.0 Anterior floor of mouth**

Anterior to the premolar-canine junction

**C04.1 Lateral floor of mouth**

**C04.8 Overlapping lesion of floor of mouth**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

**C04.9 Floor of mouth, unspecified**

**C05 Malignant neoplasm of palate**

**C05.0 Hard palate**

**C05.1 Soft palate**

***Excludes:*** nasopharyngeal surface of soft palate (C11.3)

**C05.2 Uvula**

**C05.8 Overlapping lesion of palate**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

**C05.9 Palate, unspecified**

Roof of mouth

**C06 Malignant neoplasm of other and unspecified parts of mouth**

**C06.0 Cheek mucosa**

Buccal mucosa NOS

Internal cheek

**C06.1 Vestibule of mouth**

Buccal sulcus (upper)(lower)

Labial sulcus (upper)(lower)

**C06.2 Retromolar area**

**C06.8 Overlapping lesion of other and unspecified parts of mouth**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

**C06.9 Mouth, unspecified**

Minor salivary gland, unspecified site

Oral cavity NOS

**C07 Malignant neoplasm of parotid gland**

**C08 Malignant neoplasm of other and unspecified major salivary glands**

**Excludes:** malignant neoplasms of specified minor salivary which are classified according to their anatomical location  
malignant neoplasms of minor salivary glands NOS (C06.9)  
parotid gland (C07)

**C08.0 Submandibular gland**

Submaxillary gland

**C08.1 Sublingual gland**

**C08.8 Overlapping lesion of major salivary glands**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

Malignant neoplasm of major salivary glands whose point of origin cannot be classified to any one of the categories C07-C08.1

**C08.9 Major salivary gland, unspecified**

Salivary gland (major) NOS

**C09 Malignant neoplasm of tonsil**

**Excludes:** lingual tonsil (C02.4)  
pharyngeal tonsil (C11.1)

**C09.0 Tonsillar fossa**

**C09.1 Tonsillar pillar (anterior)(posterior)**

**C09.8 Overlapping lesion of tonsil**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

**C09.9 Tonsil, unspecified**

Tonsil:

- NOS
- faucial
- palatine

**C10 Malignant neoplasm of oropharynx**

***Excludes:*** tonsil (C09-)

**C10.0 Vallecula**

**C10.1 Anterior surface of epiglottis**

Epiglottis, free border [margin]

Glossoepiglottic fold(s)

***Excludes:*** epiglottis (suprahyoid portion) NOS (C32.1)

**C10.2 Lateral wall of oropharynx**

**C10.3 Posterior wall of oropharynx**

**C10.4 Branchial cleft**

Branchial cyst [site of neoplasm]

**C10.8 Overlapping lesion of oropharynx**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

Junctional region of oropharynx

**C10.9 Oropharynx, unspecified**

**C11 Malignant neoplasm of nasopharynx**



**C11.0 Superior wall of nasopharynx**

Roof of nasopharynx

**C11.1 Posterior wall of nasopharynx**

Adenoid

Pharyngeal tonsil

**C11.2 Lateral wall of nasopharynx**

Fossa of Rosenmüller

Opening of auditory tube

Pharyngeal recess

**C11.3 Anterior wall of nasopharynx**

Floor of nasopharynx

Nasopharyngeal (anterior) (posterior) surface of soft palate

Posterior margin of nasal:

- choana
- septum

**C11.8 Overlapping lesion of nasopharynx**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

**C11.9 Nasopharynx, unspecified**

Nasopharyngeal wall NOS

**C12 Malignant neoplasm of pyriform sinus**

Pyriform fossa

**C13 Malignant neoplasm of hypopharynx**

**Excludes:** pyriform sinus (C12)

**C13.0 Postcricoid region**

**C13.1 Aryepiglottic fold, hypopharyngeal aspect**

Aryepiglottic fold:

- NOS
- marginal zone

*Excludes:* aryepiglottic fold, laryngeal aspect (C32.1)

**C13.2 Posterior wall of hypopharynx**

**C13.8 Overlapping lesion of hypopharynx**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

**C13.9 Hypopharynx, unspecified**

Hypopharyngeal wall NOS

**C14 Malignant neoplasm of other and ill-defined sites in the lip, oral cavity and pharynx**

*Excludes:* oral cavity NOS (C06.9)

**C14.0 Pharynx, unspecified**

**C14.2 Waldeyer ring**

**C14.8 Overlapping lesion of lip, oral cavity and pharynx**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

Malignant neoplasm of lip, oral cavity and pharynx whose point of origin cannot be classified to any one of the categories C00-C14.2

## Malignant neoplasms of digestive organs (C15-C26)

### **C15 Malignant neoplasm of oesophagus**

**Note:**

Two alternative subclassifications are given:

.0-.2 by anatomical description

.3-.5 by thirds

This departure from the principle that categories should be mutually exclusive is deliberate, since both forms of terminology are in use but the resulting anatomical divisions are not analogous.

#### **C15.0 Cervical part of oesophagus**

#### **C15.1 Thoracic part of oesophagus**

#### **C15.2 Abdominal part of oesophagus**

#### **C15.3 Upper third of oesophagus**

#### **C15.4 Middle third of oesophagus**

#### **C15.5 Lower third of oesophagus**

#### **C15.8 Overlapping lesion of oesophagus**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

#### **C15.9 Oesophagus, unspecified**

### **C16 Malignant neoplasm of stomach**

**C16.0 Cardia**

Cardiac orifice  
Cardio-oesophageal junction  
Gastro-oesophageal junction  
Oesophagus and stomach

**C16.1 Fundus of stomach**

**C16.2 Body of stomach**

**C16.3 Pyloric antrum**

Gastric antrum

**C16.4 Pylorus**

Prepylorus  
Pyloric canal

**C16.5 Lesser curvature of stomach, unspecified**

Lesser curvature of stomach, not classifiable to C16.1-C16.4

**C16.6 Greater curvature of stomach, unspecified**

Greater curvature of stomach, not classifiable to C16.0-C16.4

**C16.8 Overlapping lesion of stomach**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

**C16.9 Stomach, unspecified**

Gastric cancer NOS

**C17 Malignant neoplasm of small intestine**

**C17.0 Duodenum**

**C17.1 Jejunum**

**C17.2 Ileum**

*Excludes:* ileocaecal valve (C18.0)

**C17.3 Meckel diverticulum**

**C17.8 Overlapping lesion of small intestine**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

**C17.9 Small intestine, unspecified**

**C18 Malignant neoplasm of colon**

**C18.0 Caecum**

Ileocaecal valve

**C18.1 Appendix**

**C18.2 Ascending colon**

**C18.3 Hepatic flexure**

**C18.4 Transverse colon**

**C18.5 Splenic flexure**

**C18.6 Descending colon**

**C18.7 Sigmoid colon**

Sigmoid (flexure)

**Excludes:** rectosigmoid junction (C19)

**C18.8 Overlapping lesion of colon**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

**C18.9 Colon, unspecified**

Large intestine NOS

**C19 Malignant neoplasm of rectosigmoid junction**

Colon with rectum

Rectosigmoid (colon)

**C20 Malignant neoplasm of rectum**

Rectal ampulla

**C21 Malignant neoplasm of anus and anal canal**

**C21.0 Anus, unspecified**

**Excludes:** anal:

- margin (C43.5, C44.5)
- skin (C43.5, C44.5)

perianal skin (C43.5, C44.5)

**C21.1 Anal canal**

Anal sphincter

**C21.2 Cloacogenic zone**

**C21.8 Overlapping lesion of rectum, anus and anal canal**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

Anorectal junction

Anorectum

Malignant neoplasm of rectum, anus and anal canal whose point of origin cannot be classified to any one of the categories C20-C21.2

**C22 Malignant neoplasm of liver and intrahepatic bile ducts**

**Excludes:** biliary tract NOS (C24.9)  
secondary malignant neoplasm of liver (C78.7)

**C22.0 Liver cell carcinoma**

Hepatocellular carcinoma

Hepatoma

**C22.1 Intrahepatic bile duct carcinoma**

Cholangiocarcinoma

**C22.2 Hepatoblastoma**

**C22.3 Angiosarcoma of liver**

Kupffer cell sarcoma

**C22.4 Other sarcomas of liver**

**C22.7 Other specified carcinomas of liver**

**C22.9 Liver, unspecified**

**C23 Malignant neoplasm of gallbladder**

**C24 Malignant neoplasm of other and unspecified parts of biliary tract**

**Excludes:** intrahepatic bile duct (C22.1)

**C24.0 Extrahepatic bile duct**

Biliary duct or passage NOS

Common bile duct

Cystic duct

Hepatic duct

**C24.1 Ampulla of Vater**

**C24.8 Overlapping lesion of biliary tract**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

Malignant neoplasm involving both intrahepatic and extrahepatic bile ducts

Malignant neoplasm of biliary tract whose point of origin cannot be classified to any one of the categories C22.0-C24.1

**C24.9 Biliary tract, unspecified**

**C25 Malignant neoplasm of pancreas**

**C25.0 Head of pancreas**

**C25.1 Body of pancreas**

**C25.2 Tail of pancreas**

**C25.3 Pancreatic duct**



**C25.4 Endocrine pancreas**

Islets of Langerhans

**C25.7 Other parts of pancreas**

Neck of pancreas

**C25.8 Overlapping lesion of pancreas**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

**C25.9 Pancreas, unspecified**

**C26 Malignant neoplasm of other and ill-defined digestive organs**

**Excludes:** peritoneum and retroperitoneum (C48-)

**C26.0 Intestinal tract, part unspecified**

Intestine NOS

**C26.1 Spleen**

**Excludes:** Hodgkin disease (C81-)  
non-Hodgkin lymphoma (C82-C85)

**C26.8 Overlapping lesion of digestive system**

[See note 5 preceding Malignant Neoplasms (C00-C97)]

Malignant neoplasm of digestive organs whose point of origin cannot be classified to any one of the categories C15-C26.1

**Excludes:** cardio-oesophageal junction (C16.0)

**C26.9 Ill-defined sites within the digestive system**

Alimentary canal or tract NOS

Gastrointestinal tract NOS

## Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

**Includes:** middle ear

**Excludes:** mesothelioma (C45-)

### C30 Malignant neoplasm of nasal cavity and middle ear

#### C30.0 Nasal cavity

Cartilage of nose  
Concha, nasal  
Internal nose  
Septum of nose  
Vestibule of nose

**Excludes:** nasal bone (C41.0)  
nose NOS (C76.0)  
olfactory bulb (C72.2)  
posterior margin of nasal septum and choana (C11.3)  
skin of nose (C43.3, C44.3)

#### C30.1 Middle ear

Eustachian tube  
Inner ear  
Mastoid air cells

**Excludes:** auricular canal (external) (C43.2, C44.2)  
bone of ear (meatus) (C41.0)  
cartilage of ear (C49.0)  
skin of (external) ear (C43.2, C44.2)

### C31 Malignant neoplasm of accessory sinuses

#### C31.0 Maxillary sinus

Antrum (Highmore) (maxillary)

**C31.1 Ethmoidal sinus**

**C31.2 Frontal sinus**

**C31.3 Sphenoidal sinus**

**C31.8 Overlapping lesion of accessory sinuses**  
[See note 5 preceding Malignant Neoplasms C00-C97]

**C31.9 Accessory sinus, unspecified**

**C32 Malignant neoplasm of larynx**

**C32.0 Glottis**  
Intrinsic larynx  
Vocal cord (true) NOS

**C32.1 Supraglottis**  
Aryepiglottic fold, laryngeal aspect  
Epiglottis (suprahyoid portion) NOS  
Extrinsic larynx  
False vocal cord  
Posterior (laryngeal) surface of epiglottis  
Ventricular bands

**Excludes:** anterior surface of epiglottis (C10.1)  
aryepiglottic fold:  
• NOS (C13.1)  
• hypopharyngeal aspect (C13.1)  
• marginal zone (C13.1)

**C32.2 Subglottis**

**C32.3 Laryngeal cartilage**

**C32.8 Overlapping lesion of larynx**  
[See note 5 preceding Malignant Neoplasms C00-C97]

**C32.9 Larynx, unspecified**

**C33 Malignant neoplasm of trachea**

**C34 Malignant neoplasm of bronchus and lung**

**C34.0 Main bronchus**  
Carina  
Hilus (of lung)

**C34.1 Upper lobe, bronchus or lung**

**C34.2 Middle lobe, bronchus or lung**

**C34.3 Lower lobe, bronchus or lung**

**C34.8 Overlapping lesion of bronchus and lung**  
[See note 5 preceding Malignant Neoplasms C00-C97]

**C34.9 Bronchus or lung, unspecified**

**C37 Malignant neoplasm of thymus**

**C38 Malignant neoplasm of heart, mediastinum and pleura**

**Excludes:** mesothelioma (C45-)

**C38.0 Heart**

Pericardium

**Excludes:** great vessels (C49.3)

**C38.1 Anterior mediastinum**

**C38.2 Posterior mediastinum**

**C38.3 Mediastinum, part unspecified**

**C38.4 Pleura**

**C38.8 Overlapping lesion of heart, mediastinum and pleura**

[See note 5 preceding Malignant Neoplasms C00-C97]

**C39 Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs**

**Excludes:** intrathoracic NOS (C76.1)  
thoracic NOS (C76.1)

**C39.0 Upper respiratory tract, part unspecified**

**C39.8 Overlapping lesion of respiratory and intrathoracic organs**

[See note 5 preceding Malignant Neoplasms C00-C97]

Malignant neoplasm of respiratory and intrathoracic organs whose point of origin cannot be classified to any one of the categories C30-C39.0

**C39.9 Ill-defined sites within the respiratory system**  
Respiratory tract NOS

**Malignant neoplasms of bone and articular cartilage  
(C40-C41)**

**Excludes:** bone marrow NOS (C96.7)  
synovia (C49-)

**C40 Malignant neoplasm of bone and articular cartilage of limbs**

**C40.0 Scapula and long bones of upper limb**

**C40.1 Short bones of upper limb**

**C40.2 Long bones of lower limb**

**C40.3 Short bones of lower limb**

**C40.8 Overlapping lesion of bone and articular cartilage of limbs**

[See note 5 preceding Malignant Neoplasms C00-C97]

**C40.9 Bone and articular cartilage of limb, unspecified**

**C41 Malignant neoplasm of bone and articular cartilage of other and unspecified sites**

**Excludes:** bones of limbs (C40-)  
cartilage of:  
• ear (C49.0)

- larynx (C32.3)
- limbs (C40-)
- nose (C30.0)

**C41.0 Bones of skull and face**

Maxilla (superior)

Orbital bone

**Excludes:** carcinoma, any type except intraosseous or odontogenic of:

- maxillary sinus (C31.0)
- upper jaw (C03.0)

jaw bone (lower) (C41.1)

**C41.1 Mandible**

Lower jaw bone

**Excludes:** carcinoma, any type except intraosseous or odontogenic of:

- jaw NOS (C03.9)
- lower (C03.1)

upper jaw bone (C41.0)

**C41.2 Vertebral column**

**Excludes:** sacrum and coccyx (C41.4)

**C41.3 Ribs, sternum and clavicle**

**C41.4 Pelvic bones, sacrum and coccyx**

**C41.8 Overlapping lesion of bone and articular cartilage**

[See note 5 preceding Malignant Neoplasms C00-C97]

Malignant neoplasm of bone and articular cartilage whose point of origin cannot be classified to any one of the categories C40-C41.4

**C41.9 Bone and articular cartilage, unspecified**

**Melanoma and other malignant neoplasms of skin  
(C43-C44)**

**C43 Malignant melanoma of skin**

**Includes:** morphology codes M872-M879 with behaviour code /3

**Excludes:** malignant melanoma of skin of genital organs (C51-C52, C60-, C63-)

**C43.0 Malignant melanoma of lip**

**Excludes:** vermillion border of lip (C00.0-C00.2)

**C43.1 Malignant melanoma of eyelid, including canthus**

**C43.2 Malignant melanoma of ear and external auricular canal**

**C43.3 Malignant melanoma of other and unspecified parts of face**

**C43.4 Malignant melanoma of scalp and neck**

**C43.5 Malignant melanoma of trunk**

Anal:

- margin
- skin

Perianal skin

Skin of breast



**Excludes:** anus NOS (C21.0)

**C43.6 Malignant melanoma of upper limb, including shoulder**

**C43.7 Malignant melanoma of lower limb, including hip**

**C43.8 Overlapping malignant melanoma of skin**  
[See note 5 preceding Malignant Neoplasms C00-C97]

**C43.9 Malignant melanoma of skin, unspecified**  
Melanoma (malignant) NOS

**C44 Other malignant neoplasms of skin**

**Includes:** malignant neoplasm of:  
• sebaceous glands  
• sweat glands

**Excludes:** Kaposi sarcoma (C46-)  
malignant melanoma of skin (C43-)  
skin of genital organs (C51-C52, C60-, C63-)

**C44.0 Skin of lip**  
Basal cell carcinoma of lip

**Excludes:** malignant neoplasm of lip (C00-)

**C44.1 Skin of eyelid, including canthus**  
**Excludes:** connective tissue of eyelid (C49.0)

**C44.2 Skin of ear and external auricular canal**  
**Excludes:** connective tissue of ear (C49.0)

**C44.3 Skin of other and unspecified parts of face**

**C44.4 Skin of scalp and neck**

**C44.5 Skin of trunk**

Anal:

- margin
- skin

Perianal skin

Skin of breast

**Excludes:** anus NOS (C21.0)

**C44.6 Skin of upper limb, including shoulder**

**C44.7 Skin of lower limb, including hip**

**C44.8 Overlapping lesion of skin**

[See note 5 preceding Malignant Neoplasms C00-C97]

**C44.9 Malignant neoplasm of skin, unspecified**

**Malignant neoplasms of mesothelial and soft tissue  
(C45-C49)**

**C45 Mesothelioma**

**Includes:** morphology code M905 with behaviour code /3

**C45.0 Mesothelioma of pleura**

**Excludes:** other malignant neoplasms of pleura (C38.4)

**C45.1 Mesothelioma of peritoneum**

Mesentery

Mesocolon

Omentum

Peritoneum (parietal) (pelvic)

*Excludes:* other malignant neoplasms of peritoneum (C48-)

**C45.2 Mesothelioma of pericardium**

*Excludes:* other malignant neoplasms of pericardium (C38.0)

**C45.7 Mesothelioma of other sites**

**C45.9 Mesothelioma, unspecified**

**C46 Kaposi sarcoma**

*Includes:* morphology code M9140 with behaviour code /3

**C46.0 Kaposi sarcoma of skin**

**C46.1 Kaposi sarcoma of soft tissue**

**C46.2 Kaposi sarcoma of palate**

**C46.3 Kaposi sarcoma of lymph nodes**

**C46.7 Kaposi sarcoma of other sites**

**C46.8 Kaposi sarcoma of multiple organs**

**C46.9 Kaposi sarcoma, unspecified**

**C47 Malignant neoplasm of peripheral nerves and autonomic nervous system**

**Includes:** sympathetic and parasympathetic nerves and ganglia

**C47.0 Peripheral nerves of head, face and neck**

**Excludes:** peripheral nerves of orbit (C69.6)

**C47.1 Peripheral nerves of upper limb, including shoulder**

**C47.2 Peripheral nerves of lower limb, including hip**

**C47.3 Peripheral nerves of thorax**

**C47.4 Peripheral nerves of abdomen**

**C47.5 Peripheral nerves of pelvis**

**C47.6 Peripheral nerves of trunk, unspecified**

**C47.8 Overlapping lesion of peripheral nerves and autonomic nervous system**

[See note 5 preceding Malignant Neoplasms C00-C97]

**C47.9 Peripheral nerves and autonomic nervous system, unspecified**

**C48 Malignant neoplasm of retroperitoneum and peritoneum**

**Excludes:** Kaposi sarcoma (C46.1)  
mesothelioma (C45-)

**C48.0 Retroperitoneum**

**C48.1 Specified parts of peritoneum**

Mesentery

Mesocolon

Omentum

Peritoneum:

- parietal
- pelvic

**C48.2 Peritoneum, unspecified**

**C48.8 Overlapping lesion of retroperitoneum and peritoneum**

[See note 5 preceding Malignant Neoplasms C00-C97]

**C49 Malignant neoplasm of other connective and soft tissue**

**Includes:** blood vessel  
bursa  
cartilage  
fascia  
fat  
ligament, except uterine  
lymphatic vessel  
muscle  
synovia  
tendon (sheath)

**Excludes:** cartilage (of):

- articular (C40-C41)
- larynx (C32.3)
- nose (C30.0)

connective tissue of breast (C50-)  
Kaposi sarcoma (C46-)  
mesothelioma (C45-)  
peripheral nerves and autonomic nervous system (C47-)  
peritoneum (C48-)  
retroperitoneum (C48.0)

**C49.0 Connective and soft tissue of head, face and neck**

Connective tissue of:

- ear
- eyelid

**Excludes:** connective tissue of orbit (C69.6)

**C49.1 Connective and soft tissue of upper limb, including shoulder**

**C49.2 Connective and soft tissue of lower limb, including hip**

**C49.3 Connective and soft tissue of thorax**

Axilla

Diaphragm

Great vessels

**Excludes:** breast (C50-)  
heart (C38.0)  
mediastinum (C38.1-C38.3)  
thymus (C37)

**C49.4 Connective and soft tissue of abdomen**

Abdominal wall

Hypochondrium

**C49.5 Connective and soft tissue of pelvis**

Buttock

Groin

Perineum

**C49.6 Connective and soft tissue of trunk, unspecified**

Back NOS

**C49.8 Overlapping lesion of connective and soft tissue**

[See note 5 preceding Malignant Neoplasms C00-C97]

Malignant neoplasm of connective and soft tissue whose point of origin cannot be classified to any one of the categories C47-C49.6

**C49.9 Connective and soft tissue, unspecified**

**Malignant neoplasm of breast (C50)**

**C50 Malignant neoplasm of breast**

***Includes:*** connective tissue of breast

***Excludes:*** skin of breast (C43.5, C44.5)

**C50.0 Nipple and areola**

**C50.1 Central portion of breast**

**C50.2 Upper-inner quadrant of breast**

**C50.3 Lower-inner quadrant of breast**

**C50.4 Upper-outer quadrant of breast**

**C50.5 Lower-outer quadrant of breast**

**C50.6 Axillary tail of breast**

**C50.8 Overlapping lesion of breast**

[See note 5 preceding Malignant Neoplasms C00-C97]

**C50.9 Breast, unspecified**

**Malignant neoplasms of female genital organs (C51-C58)**

***Includes:*** skin of female genital organs

**C51 Malignant neoplasm of vulva**

**C51.0 Labium majus**

Bartholin [greater vestibular] gland

**C51.1 Labium minus**

**C51.2 Clitoris**

**C51.8 Overlapping lesion of vulva**

[See note 5 preceding Malignant Neoplasms C00-C97]

**C51.9 Vulva, unspecified**

External female genitalia NOS

Pudendum

**C52 Malignant neoplasm of vagina**

**C53 Malignant neoplasm of cervix uteri**



**C53.0 Endocervix**

**C53.1 Exocervix**

**C53.8 Overlapping lesion of cervix uteri**  
[See note 5 preceding Malignant Neoplasms C00-C97]

**C53.9 Cervix uteri, unspecified**

**C54 Malignant neoplasm of corpus uteri**

**C54.0 Isthmus uteri**  
Lower uterine segment

**C54.1 Endometrium**

**C54.2 Myometrium**

**C54.3 Fundus uteri**

**C54.8 Overlapping lesion of corpus uteri**  
[See note 5 preceding Malignant Neoplasms C00-C97]

**C54.9 Corpus uteri, unspecified**

**C55 Malignant neoplasm of uterus, part unspecified**

**C56 Malignant neoplasm of ovary**

**C57 Malignant neoplasm of other and unspecified female genital organs**

**C57.0 Fallopian tube**

Oviduct

Uterine tube

**C57.1 Broad ligament**

**C57.2 Round ligament**

**C57.3 Parametrium**

Uterine ligament NOS

**C57.4 Uterine adnexa, unspecified**

**C57.7 Other specified female genital organs**

Wolffian body or duct

**C57.8 Overlapping lesion of female genital organs**

[See note 5 preceding Malignant Neoplasms C00-C97]

Malignant neoplasm of female genital organs whose point of origin  
cannot be classified to any one of the categories C51-C57.7, C58

Tubo-ovarian

Utero-ovarian

**C57.9 Female genital organ, unspecified**

Female genitourinary tract NOS

**C58 Malignant neoplasm of placenta**

Choriocarcinoma NOS

Chorionepithelioma NOS

**Excludes:** chorioadenoma (destruens) (D39.2)  
hydatidiform mole:  
• NOS (O01.9)  
• invasive (D39.2)  
• malignant (D39.2)

## **Malignant neoplasms of male genital organs (C60-C63)**

**Includes:** skin of male genital organs

### **C60 Malignant neoplasm of penis**

**C60.0 Prepuce**  
Foreskin

**C60.1 Glans penis**

**C60.2 Body of penis**  
Corpus cavernosum

**C60.8 Overlapping lesion of penis**  
[See note 5 preceding Malignant Neoplasms C00-C97]

**C60.9 Penis, unspecified**  
Skin of penis NOS

### **C61 Malignant neoplasm of prostate**

**C62 Malignant neoplasm of testis**

**C62.0 Undescended testis**

Ectopic testis [site of neoplasm]

Retained testis [site of neoplasm]

**C62.1 Descended testis**

Scrotal testis

**C62.9 Testis, unspecified**

**C63 Malignant neoplasm of other and unspecified male genital organs**

**C63.0 Epididymis**

**C63.1 Spermatic cord**

**C63.2 Scrotum**

Skin of scrotum

**C63.7 Other specified male genital organs**

Seminal vesicle

Tunica vaginalis

**C63.8 Overlapping lesion of male genital organs**

[See note 5 preceding Malignant Neoplasms C00-C97]

Malignant neoplasm of male genital organs whose point of origin  
cannot be classified to any one of the categories C60-C63.7

**C63.9 Male genital organ, unspecified**

Male genitourinary tract NOS

## Malignant neoplasms of urinary tract (C64-C68)

### **C64 Malignant neoplasm of kidney, except renal pelvis**

- Excludes:** renal:
- calyces (C65)
  - pelvis (C65)

### **C65 Malignant neoplasm of renal pelvis**

Pelviureteric junction  
Renal calyces

### **C66 Malignant neoplasm of ureter**

- Excludes:** ureteric orifice of bladder (C67.6)

### **C67 Malignant neoplasm of bladder**

#### **C67.0 Trigone of bladder**

#### **C67.1 Dome of bladder**

#### **C67.2 Lateral wall of bladder**

#### **C67.3 Anterior wall of bladder**

#### **C67.4 Posterior wall of bladder**

**C67.5 Bladder neck**  
Internal urethral orifice

**C67.6 Ureteric orifice**

**C67.7 Urachus**

**C67.8 Overlapping lesion of bladder**  
[See note 5 preceding Malignant Neoplasms C00-C97]

**C67.9 Bladder, unspecified**

**C68 Malignant neoplasm of other and unspecified urinary organs**

**Excludes:** genitourinary tract NOS:  
• female (C57.9)  
• male (C63.9)

**C68.0 Urethra**  
**Excludes:** urethral orifice of bladder (C67.5)

**C68.1 Paraurethral gland**

**C68.8 Overlapping lesion of urinary organs**  
[See note 5 preceding Malignant Neoplasms C00-C97]

Malignant neoplasm of urinary organs whose point of origin cannot be classified to any one of the categories C64-C68.1

**C68.9 Urinary organ, unspecified**  
Urinary system NOS

**Malignant neoplasms of eye, brain and other parts of  
central nervous system (C69-C72)**

**C69 Malignant neoplasm of eye and adnexa**

**Excludes:** connective tissue of eyelid (C49.0)  
eyelid (skin) (C43.1, C44.1)  
optic nerve (C72.3)

**C69.0 Conjunctiva**

**C69.1 Cornea**

**C69.2 Retina**

**C69.3 Choroid**

**C69.4 Ciliary body**

**C69.5 Lacrimal gland and duct**

Lacrimal sac  
Nasolacrimal duct

**C69.6 Orbit**

Connective tissue of orbit  
Extraocular muscle  
Peripheral nerves of orbit  
Retrobulbar tissue  
Retro-ocular tissue

**Excludes:** orbital bone (C41.0)

**C69.8 Overlapping lesion of eye and adnexa**

[See note 5 preceding Malignant Neoplasms C00-C97]

**C69.9 Eye, unspecified**

Eyeball

**C70 Malignant neoplasm of meninges**

**C70.0 Cerebral meninges**

**C70.1 Spinal meninges**

**C70.9 Meninges, unspecified**

**C71 Malignant neoplasm of brain**

**Excludes:** cranial nerves (C72.2-C72.5)  
retrobulbar tissue (C69.6)

**C71.0 Cerebrum, except lobes and ventricles**

Supratentorial NOS

**C71.1 Frontal lobe**

**C71.2 Temporal lobe**

**C71.3 Parietal lobe**

**C71.4 Occipital lobe**

**C71.5 Cerebral ventricle**



**Excludes:** fourth ventricle (C71.7)

**C71.6 Cerebellum**

**C71.7 Brain stem**

Fourth ventricle

Infratentorial NOS

**C71.8 Overlapping lesion of brain**

[See note 5 preceding Malignant Neoplasms C00-C97]

**C71.9 Brain, unspecified**

**C72 Malignant neoplasm of spinal cord, cranial nerves and other parts of central nervous system**

**Excludes:** meninges (C70-)  
peripheral nerves and autonomic nervous system (C47-)

**C72.0 Spinal cord**

**C72.1 Cauda equina**

**C72.2 Olfactory nerve**

Olfactory bulb

**C72.3 Optic nerve**

**C72.4 Acoustic nerve**

**C72.5 Other and unspecified cranial nerves**

Cranial nerve NOS

**C72.8 Overlapping lesion of brain and other parts of central nervous system**

[See note 5 preceding Malignant Neoplasms C00-C97]

Malignant neoplasm of brain and other parts of central nervous system whose point of origin cannot be classified to any one of the categories C70-C72.5

**C72.9 Central nervous system, unspecified**

Nervous system NOS

**Malignant neoplasms of thyroid and other endocrine glands (C73-C75)**

**C73 Malignant neoplasm of thyroid gland**

**C74 Malignant neoplasm of adrenal gland**

**C74.0 Cortex of adrenal gland**

**C74.1 Medulla of adrenal gland**

**C74.9 Adrenal gland, unspecified**

**C75 Malignant neoplasm of other endocrine glands and related structures**

**Excludes:** adrenal gland (C74-)  
endocrine pancreas (C25.4)  
ovary (C56)

testis (C62-)  
thymus (C37)  
thyroid gland (C73)

**C75.0 Parathyroid gland**

**C75.1 Pituitary gland**

**C75.2 Craniopharyngeal duct**

**C75.3 Pineal gland**

**C75.4 Carotid body**

**C75.5 Aortic body and other paraganglia**

**C75.8 Pluriglandular involvement, unspecified**

**Note:** If the sites of multiple involvement are known, they should be coded separately.

**C75.9 Endocrine gland, unspecified**

Malignant neoplasms of ill-defined, secondary and unspecified sites (C76-C80)

**C76 Malignant neoplasm of other and ill-defined sites**

**Excludes:** malignant neoplasm of:  
• genitourinary tract NOS:  
• female (C57.9)

- male (C63.9)
- lymphoid, haematopoietic and related tissue (C81-C96)
- unspecified site (C80)

**C76.0 Head, face and neck**

Cheek NOS

Nose

**C76.1 Thorax**

Axilla NOS

Intrathoracic NOS

Thoracic NOS

**C76.2 Abdomen**

**C76.3 Pelvis**

Groin NOS

Sites overlapping systems within the pelvis, such as:

- rectovaginal (septum)
- rectovesical (septum)

**C76.4 Upper limb**

**C76.5 Lower limb**

**C76.7 Other ill-defined sites**

**C76.8 Overlapping lesion of other and ill-defined sites**

[See note 5 preceding Malignant Neoplasms C00-C97]

**C77 Secondary and unspecified malignant neoplasm of lymph nodes**

**Excludes:** malignant neoplasm of lymph nodes, specified as primary  
(C81-C87, C96-)

**C77.0 Lymph nodes of head, face and neck**  
Supraclavicular lymph nodes

**C77.1 Intrathoracic lymph nodes**

**C77.2 Intra-abdominal lymph nodes**

**C77.3 Axillary and upper limb lymph nodes**  
Pectoral lymph nodes

**C77.4 Inguinal and lower limb lymph nodes**

**C77.5 Intrapelvic lymph nodes**

**C77.8 Lymph nodes of multiple regions**

**C77.9 Lymph node, unspecified**

**C78 Secondary malignant neoplasm of respiratory and digestive organs**

**C78.0 Secondary malignant neoplasm of lung**

**C78.1 Secondary malignant neoplasm of mediastinum**

**C78.2 Secondary malignant neoplasm of pleura**  
Malignant pleural effusion NOS

**C78.3 Secondary malignant neoplasm of other and unspecified respiratory organs**

**C78.4 Secondary malignant neoplasm of small intestine**

**C78.5 Secondary malignant neoplasm of large intestine and rectum**

**C78.6 Secondary malignant neoplasm of retroperitoneum and peritoneum**  
Malignant ascites NOS

**C78.7 Secondary malignant neoplasm of liver**

**C78.8 Secondary malignant neoplasm of other and unspecified digestive organs**

**C79 Secondary malignant neoplasm of other sites**

**C79.0 Secondary malignant neoplasm of kidney and renal pelvis**

**C79.1 Secondary malignant neoplasm of bladder and other and unspecified urinary organs**

**C79.2 Secondary malignant neoplasm of skin**

**C79.3 Secondary malignant neoplasm of brain and cerebral meninges**

**C79.4 Secondary malignant neoplasm of other and unspecified parts of nervous system**

**C79.5 Secondary malignant neoplasm of bone and bone marrow**

**C79.6 Secondary malignant neoplasm of ovary**

**C79.7 Secondary malignant neoplasm of adrenal gland**

**C79.8 Secondary malignant neoplasm of other specified sites**

**C80 Malignant neoplasm without specification of site**

Cancer

Carcinoma

Carcinomatosis

Generalized:

- cancer

- malignancy

Malignancy

Multiple cancer

Malignant cachexia

Primary site unknown

unspecified site (primary) (secondary)

## Malignant neoplasms of lymphoid, haematopoietic and related tissue (C81-C96)

**Note:** The terms used in categories C82-C85 for non-Hodgkin lymphomas are those of the Working Formulation, which attempted to find common ground among several major classification schemes. The terms used in these schemes are not given in the Tabular List but appear in the Alphabetical Index; exact equivalence with the terms appearing in the Tabular List is not always possible.

**Includes:** morphology codes M959-M994 with behaviour code /3

***Excludes:*** secondary and unspecified neoplasm of lymph nodes (C77-)

**C81 Hodgkin disease**

***Includes:*** morphology codes M965-M966 with behaviour code /3

**C81.0 Lymphocytic predominance**

Lymphocytic-histiocytic predominance

**C81.1 Nodular sclerosis**

**C81.2 Mixed cellularity**

**C81.3 Lymphocytic depletion**

**C81.7 Other Hodgkin disease**

**C81.9 Hodgkin disease, unspecified**

**C82 Follicular [nodular] non-Hodgkin lymphoma**

***Includes:*** follicular non-Hodgkin lymphoma with or without diffuse areas  
morphology code M969 with behaviour code /3

**C82.0 Small cleaved cell, follicular**

**C82.1 Mixed small cleaved and large cell, follicular**

**C82.2 Large cell, follicular**

**C82.7 Other types of follicular non-Hodgkin lymphoma**



**C82.9 Follicular non-Hodgkin lymphoma, unspecified**  
Nodular non-Hodgkin lymphoma NOS

**C83 Diffuse non-Hodgkin lymphoma**

**Includes:** morphology codes M9593, M9595, M967-M968 with behaviour code /3

**C83.0 Small cell (diffuse)**

**C83.1 Small cleaved cell (diffuse)**

**C83.2 Mixed small and large cell (diffuse)**

**C83.3 Large cell (diffuse)**  
Reticulum cell sarcoma

**C83.4 Immunoblastic (diffuse)**

**C83.5 Lymphoblastic (diffuse)**

**C83.6 Undifferentiated (diffuse)**

**C83.7 Burkitt tumour**

**C83.8 Other types of diffuse non-Hodgkin lymphoma**

**C83.9 Diffuse non-Hodgkin lymphoma, unspecified**

**C84 Peripheral and cutaneous T-cell lymphomas**

**Includes:** morphology code M970 with behaviour code /3

**C84.0 Mycosis fungoides**

**C84.1 Sézary disease**

**C84.2 T-zone lymphoma**

**C84.3 Lymphoepithelioid lymphoma**  
Lennert lymphoma

**C84.4 Peripheral T-cell lymphoma**

**C84.5 Other and unspecified T-cell lymphomas**

**Note:** If T-cell lineage or involvement is mentioned in conjunction with a specific lymphoma, code to the more specific description.

**C85 Other and unspecified types of non-Hodgkin lymphoma**

**Includes:** morphology codes M9590-M9592, M9594, M971 with behaviour code /3

**C85.0 Lymphosarcoma**

**C85.1 B-cell lymphoma, unspecified**

**Note:** If B-cell lineage or involvement is mentioned in conjunction with a specific lymphoma, code to the more specific description.

**C85.7 Other specified types of non-Hodgkin lymphoma**

Malignant:

- reticuloendotheliosis
- reticulosis

Microglioma

**C85.9 Non-Hodgkin lymphoma, unspecified type**

Lymphoma NOS

Malignant lymphoma NOS

Non-Hodgkin lymphoma NOS

**C88 Malignant immunoproliferative diseases**

*Includes:* morphology code M976 with behaviour code /3

**C88.0 Waldenström macroglobulinaemia**

**C88.1 Alpha heavy chain disease**

**C88.2 Gamma heavy chain disease**

Franklin disease

**C88.3 Immunoproliferative small intestinal disease**

Mediterranean disease

**C88.7 Other malignant immunoproliferative diseases**

**C88.9 Malignant immunoproliferative disease, unspecified**

Immunoproliferative disease NOS

**C90 Multiple myeloma and malignant plasma cell neoplasms**

*Includes:* morphology codes M973, M9830 with behaviour code /3

**C90.0 Multiple myeloma**

Kahler disease

Myelomatosis

*Excludes:* solitary myeloma (C90.2)

**C90.1 Plasma cell leukaemia**

**C90.2 Plasmacytoma, extramedullary**

Malignant plasma cell tumour NOS

Plasmacytoma NOS

Solitary myeloma

**C91 Lymphoid leukaemia**

*Includes:* morphology codes M982, M9940-M9941 with behaviour code /3

**C91.0 Acute lymphoblastic leukaemia**

*Excludes:* acute exacerbation of chronic lymphocytic leukaemia (C91.1)

**C91.1 Chronic lymphocytic leukaemia**

**C91.2 Subacute lymphocytic leukaemia**

**C91.3 Prolymphocytic leukaemia**

**C91.4 Hairy-cell leukaemia**

Leukaemic reticuloendotheliosis

**C91.5 Adult T-cell leukaemia**

**C91.7 Other lymphoid leukaemia**

**C91.9 Lymphoid leukaemia, unspecified**

**C92 Myeloid leukaemia**

*Includes:* leukaemia:

- granulocytic
  - myelogenous
- morphology codes M986-M988, M9930 with behaviour code /3

**C92.0 Acute myeloid leukaemia**

**Excludes:** acute exacerbation of chronic myeloid leukaemia (C92.1)

**C92.1 Chronic myeloid leukaemia**

**C92.2 Subacute myeloid leukaemia**

**C92.3 Myeloid sarcoma**

Chloroma

Granulocytic sarcoma

**C92.4 Acute promyelocytic leukaemia**

**C92.5 Acute myelomonocytic leukaemia**

**C92.7 Other myeloid leukaemia**

**C92.9 Myeloid leukaemia, unspecified**

**C93 Monocytic leukaemia**

**Includes:** monocytoid leukaemia  
morphology code M989 with behaviour code /3

**C93.0 Acute monocytic leukaemia**

**Excludes:** acute exacerbation of chronic monocytic leukaemia  
(C93.1)

**C93.1 Chronic monocytic leukaemia**

**C93.2 Subacute monocytic leukaemia**

**C93.7 Other monocytic leukaemia**

**C93.9 Monocytic leukaemia, unspecified**

**C94 Other leukaemias of specified cell type**

**Includes:** morphology codes M984, M9850, M9900, M9910, M9931-M9932  
with behaviour code /3

**Excludes:** leukaemic reticuloendotheliosis (C91.4)  
plasma cell leukaemia (C90.1)

**C94.0 Acute erythraemia and erythroleukaemia**

Acute erythraemic myelosis  
Di Guglielmo disease

**C94.1 Chronic erythraemia**

Heilmeyer-Schöner disease

**C94.2 Acute megakaryoblastic leukaemia**

Leukaemia:

- megakaryoblastic (acute)
- megakaryocytic (acute)

**C94.3 Mast cell leukaemia**

**C94.4 Acute panmyelosis**

**C94.5 Acute myelofibrosis**

**C94.7 Other specified leukaemias**

Lymphosarcoma cell leukaemia

**C95 Leukaemia of unspecified cell type**

**Includes:** morphology code M980 with behaviour code /3

**C95.0 Acute leukaemia of unspecified cell type**

Blast cell leukaemia

Stem cell leukaemia

**Excludes:** acute exacerbation of unspecified chronic leukaemia (C95.1)

**C95.1 Chronic leukaemia of unspecified cell type**

**C95.2 Subacute leukaemia of unspecified cell type**

**C95.7 Other leukaemia of unspecified cell type**

**C95.9 Leukaemia, unspecified**

**C96 Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue**

**Includes:** morphology codes M972, M974 with behaviour code /3

**C96.0 Letterer-Siwe disease**

Nonlipid:

- reticuloendotheliosis
- reticulosis

**C96.1 Malignant histiocytosis**

Histiocytic medullary reticulosis

**C96.2 Malignant mast cell tumour**

Malignant:

- mastocytoma
  - mastocytosis
- Mast cell sarcoma

**Excludes:** mast cell leukaemia (C94.3)  
mastocytosis (cutaneous) (Q82.2)

**C96.3 True histiocytic lymphoma**

**C96.7 Other specified malignant neoplasms of lymphoid, haematopoietic and related tissue**

**C96.9 Malignant neoplasm of lymphoid, haematopoietic and related tissue, unspecified**

**Malignant neoplasms of independent (primary) multiple sites (C97)**

**C97 Malignant neoplasms of independent (primary) multiple sites**

**Note:** For use of this category, reference should be made to the mortality coding rules and guidelines in Part 2a Instruction Manual (NCHS).

**In situ neoplasms (D00-D09)**

**Note:** Many in situ neoplasms are regarded as being located within a continuum of morphological change between dysplasia and invasive cancer. For example, for cervical intraepithelial neoplasia (CIN) three grades are recognized, the third of which (CIN III) includes both severe dysplasia and carcinoma in situ. This system of grading has been extended to other organs, such as vulva and vagina. Descriptions of grade III intraepithelial



neoplasia, with or without mention of severe dysplasia, are assigned to this section; grades I and II are classified as dysplasia of the organ system involved and should be coded to the relevant body system chapter.

***Includes:*** Bowen disease  
erythroplasia  
morphology codes with behaviour code /2  
Queyrat erythroplasia

**D00 Carcinoma in situ of oral cavity, oesophagus and stomach**

***Excludes:*** melanoma in situ (D03-)

**D00.0 Lip, oral cavity and pharynx**

Aryepiglottic fold:

- NOS
- hypopharyngeal aspect
- marginal zone

Vermilion border of lip

***Excludes:*** aryepiglottic fold, laryngeal aspect (D02.0)  
epiglottis:  
• NOS (D02.0)  
• suprahyoid portion (D02.0)  
skin of lip (D03.0, D04.0)

**D00.1 Oesophagus**

**D00.2 Stomach**

**D01 Carcinoma in situ of other and unspecified digestive organs**

***Excludes:*** melanoma in situ (D03-)

**D01.0 Colon**

***Excludes:*** rectosigmoid junction (D01.1)

**D01.1 Rectosigmoid junction**

**D01.2 Rectum**

**D01.3 Anus and anal canal**

- Excludes:** anal:
- margin (D03.5, D04.5)
  - skin (D03.5, D04.5)
- perianal skin (D03.5, D04.5)

**D01.4 Other and unspecified parts of intestine**

- Excludes:** ampulla of Vater (D01.5)

**D01.5 Liver, gallbladder and bile ducts**

Ampulla of Vater

**D01.7 Other specified digestive organs**

Pancreas

**D01.9 Digestive organ, unspecified**

**D02 Carcinoma in situ of middle ear and respiratory system**

- Excludes:** melanoma in situ (D03-)

**D02.0 Larynx**

Aryepiglottic fold, laryngeal aspect

Epiglottis (suprahyoid portion)

- Excludes:** aryepiglottic fold:
- NOS (D00.0)
  - hypopharyngeal aspect (D00.0)
  - marginal zone (D00.0)

**D02.1 Trachea**

**D02.2 Bronchus and lung**

**D02.3 Other parts of respiratory system**

Accessory sinuses

Middle ear

Nasal cavities

**Excludes:** ear (external)(skin) (D03.2, D04.2)  
nose:  
• NOS (D09.7)  
• skin (D03.3, D04.3)

**D02.4 Respiratory system, unspecified**

**D03 Melanoma in situ**

**Includes:** morphology codes M872-M879 with behaviour code /2

**D03.0 Melanoma in situ of lip**

**D03.1 Melanoma in situ of eyelid, including canthus**

**D03.2 Melanoma in situ of ear and external auricular canal**

**D03.3 Melanoma in situ of other and unspecified parts of face**

**D03.4 Melanoma in situ of scalp and neck**

**D03.5 Melanoma in situ of trunk**

Anal:

- margin
- skin

Breast (skin)(soft tissue)

Perianal skin

**D03.6 Melanoma in situ of upper limb, including shoulder**

**D03.7 Melanoma in situ of lower limb, including hip**

**D03.8 Melanoma in situ of other sites**

**D03.9 Melanoma in situ, unspecified**

**D04 Carcinoma in situ of skin**

**Excludes:** erythroplasia of Queyrat (penis) NOS (D07.4)  
melanoma in situ (D03-)

**D04.0 Skin of lip**

**Excludes:** vermillion border of lip (D00.0)

**D04.1 Skin of eyelid, including canthus**

**D04.2 Skin of ear and external auricular canal**

**D04.3 Skin of other and unspecified parts of face**

**D04.4 Skin of scalp and neck**

**D04.5 Skin of trunk**

Anal:

- margin
- skin

Perianal skin

Skin of breast

**Excludes:** anus NOS (D01.3)  
skin of genital organs (D07-)

**D04.6 Skin of upper limb, including shoulder**

**D04.7 Skin of lower limb, including hip**

**D04.8 Skin of other sites**

**D04.9 Skin, unspecified**

**D05 Carcinoma in situ of breast**

**Excludes:** carcinoma in situ of skin of breast (D04.5)  
melanoma in situ of breast (skin) (D03.5)

**D05.0 Lobular carcinoma in situ**

**D05.1 Intraductal carcinoma in situ**

**D05.7 Other carcinoma in situ of breast**

**D05.9 Carcinoma in situ of breast, unspecified**

**D06 Carcinoma in situ of cervix uteri**

**Includes:** cervical intraepithelial neoplasia [CIN], grade III, with or without  
mention of severe dysplasia

**Excludes:** melanoma in situ of cervix (D03.5)  
severe dysplasia of cervix NOS (N87.2)

**D06.0 Endocervix**

**D06.1 Exocervix**

**D06.7 Other parts of cervix**

**D06.9 Cervix, unspecified**

**D07 Carcinoma in situ of other and unspecified genital organs**

*Excludes:* melanoma in situ (D03.5)

**D07.0 Endometrium**

**D07.1 Vulva**

Vulvar intraepithelial neoplasia [VIN], grade III, with or without mention of severe dysplasia

*Excludes:* severe dysplasia of vulva NOS (N90.2)

**D07.2 Vagina**

Vaginal intraepithelial neoplasia [VAIN], grade III, with or without mention of severe dysplasia

*Excludes:* severe dysplasia of vagina NOS (N89.2)

**D07.3 Other and unspecified female genital organs**

**D07.4 Penis**

Erythroplasia of Queyrat NOS

**D07.5 Prostate**

*Excludes:* low grade dysplasia of prostate (N42.3)

**D07.6 Other and unspecified male genital organs**

**D09 Carcinoma in situ of other and unspecified sites**

**Excludes:** melanoma in situ (D03-)

**D09.0 Bladder**

**D09.1 Other and unspecified urinary organs**

**D09.2 Eye**

**Excludes:** skin of eyelid (D04.1)

**D09.3 Thyroid and other endocrine glands**

**Excludes:** endocrine pancreas (D01.7)  
ovary (D07.3)  
testis (D07.6)

**D09.7 Carcinoma in situ of other specified sites**

**D09.9 Carcinoma in situ, unspecified**

**Benign neoplasms (D10-D36)**

**Includes:** morphology codes with behaviour code /0

**D10 Benign neoplasm of mouth and pharynx**

**D10.0 Lip**

Lip (frenulum) (inner aspect) (mucosa) (vermillion border)

**Excludes:** skin of lip (D22.0, D23.0)

**D10.1 Tongue**

Lingual tonsil

## **D10.2 Floor of mouth**

## **D10.3 Other and unspecified parts of mouth**

Minor salivary gland NOS

**Excludes:** benign odontogenic neoplasms (D16.4-D16.5)  
mucosa of lip (D10.0)  
nasopharyngeal surface of soft palate (D10.6)

## **D10.4 Tonsil**

Tonsil (faucial) (palatine)

**Excludes:** lingual tonsil (D10.1)  
pharyngeal tonsil (D10.6)  
tonsillar:  
• fossa (D10.5)  
• pillars (D10.5)

## **D10.5 Other parts of oropharynx**

Epiglottis, anterior aspect

Tonsillar:

- fossa
- pillars

Vallecula

**Excludes:** epiglottis:  
• NOS (D14.1)  
• suprahyoid portion (D14.1)

## **D10.6 Nasopharynx**

Pharyngeal tonsil

Posterior margin of septum and choanae

## **D10.7 Hypopharynx**



**D10.9 Pharynx, unspecified**

**D11 Benign neoplasm of major salivary glands**

**Excludes:** benign neoplasms of specified minor salivary glands which are classified according to their anatomical location  
benign neoplasms of minor salivary glands NOS (D10.3)

**D11.0 Parotid gland**

**D11.7 Other major salivary glands**

Gland:

- sublingual
- submandibular

**D11.9 Major salivary gland, unspecified**

**D12 Benign neoplasm of colon, rectum, anus and anal canal**

**D12.0 Caecum**

Ileocaecal valve

**D12.1 Appendix**

**D12.2 Ascending colon**

**D12.3 Transverse colon**

Hepatic flexure

Splenic flexure

**D12.4 Descending colon**

**D12.5 Sigmoid colon**

**D12.6 Colon, unspecified**

Adenomatosis of colon

Large intestine NOS

Polyposis (hereditary) of colon

**D12.7 Rectosigmoid junction**

**D12.8 Rectum**

**D12.9 Anus and anal canal**

***Excludes:*** anal:  
• margin (D22.5, D23.5)  
• skin (D22.5, D23.5)  
perianal skin (D22.5, D23.5)

**D13 Benign neoplasm of other and ill-defined parts of digestive system**

**D13.0 Oesophagus**

**D13.1 Stomach**

**D13.2 Duodenum**

**D13.3 Other and unspecified parts of small intestine**

**D13.4 Liver**

Intrahepatic bile ducts

**D13.5 Extrahepatic bile ducts**

**D13.6 Pancreas**

*Excludes:* endocrine pancreas (D13.7)

**D13.7 Endocrine pancreas**

Islet cell tumour

Islets of Langerhans

**D13.9 Ill-defined sites within the digestive system**

Digestive system NOS

Intestine NOS

Spleen

**D14 Benign neoplasm of middle ear and respiratory system**

**D14.0 Middle ear, nasal cavity and accessory sinuses**

Cartilage of nose

*Excludes:* auricular canal (external) (D22.2, D23.2)  
bone of:  
• ear (D16.4)  
• nose (D16.4)  
cartilage of ear (D21.0)  
ear (external)(skin) (D22.2, D23.2)  
nose:  
• NOS (D36.7)  
• skin (D22.3, D23.3)  
olfactory bulb (D33.3)  
polyp (of):  
• accessory sinus (J33.8)  
• ear (middle) (H74.4)  
• nasal (cavity) (J33-)  
posterior margin of septum and choanae (D10.6)

**D14.1 Larynx**

Epiglottis (suprahyoid portion)

**Excludes:** epiglottis, anterior aspect (D10.5)  
polyp of vocal cord and larynx (J38.1)

**D14.2 Trachea**

**D14.3 Bronchus and lung**

**D14.4 Respiratory system, unspecified**

**D15 Benign neoplasm of other and unspecified intrathoracic organs**

**Excludes:** mesothelial tissue (D19-)

**D15.0 Thymus**

**D15.1 Heart**

**Excludes:** great vessels (D21.3)

**D15.2 Mediastinum**

**D15.7 Other specified intrathoracic organs**

**D15.9 Intrathoracic organ, unspecified**

**D16 Benign neoplasm of bone and articular cartilage**

**Excludes:** connective tissue of:  
• ear (D21.0)  
• eyelid (D21.0)  
• larynx (D14.1)  
• nose (D14.0)  
synovia (D21-)

**D16.0 Scapula and long bones of upper limb**

**D16.1 Short bones of upper limb**

**D16.2 Long bones of lower limb**

**D16.3 Short bones of lower limb**

**D16.4 Bones of skull and face**

Maxilla (superior)

Orbital bone

*Excludes:* lower jaw bone (D16.5)

**D16.5 Lower jaw bone**

**D16.6 Vertebral column**

*Excludes:* sacrum and coccyx (D16.8)

**D16.7 Ribs, sternum and clavicle**

**D16.8 Pelvic bones, sacrum and coccyx**

**D16.9 Bone and articular cartilage, unspecified**

**D17 Benign lipomatous neoplasm**

*Includes:* morphology codes M885-M888 with behaviour code /0

**D17.0 Benign lipomatous neoplasm of skin and subcutaneous tissue of head, face and neck**

**D17.1 Benign lipomatous neoplasm of skin and subcutaneous tissue of trunk**

**D17.2 Benign lipomatous neoplasm of skin and subcutaneous tissue of limbs**

**D17.3 Benign lipomatous neoplasm of skin and subcutaneous tissue of other and unspecified sites**

**D17.4 Benign lipomatous neoplasm of intrathoracic organs**

**D17.5 Benign lipomatous neoplasm of intra-abdominal organs**

*Excludes:* peritoneum and retroperitoneum (D17.7)

**D17.6 Benign lipomatous neoplasm of spermatic cord**

**D17.7 Benign lipomatous neoplasm of other sites**

Peritoneum

Retroperitoneum

**D17.9 Benign lipomatous neoplasm, unspecified**

Lipoma NOS

**D18 Haemangioma and lymphangioma, any site**

*Includes:* morphology codes M912-M917 with behaviour code /0

*Excludes:* blue or pigmented naevus (D22-)

**D18.0 Haemangioma, any site**

Angioma NOS

**D18.1 Lymphangioma, any site**

**D19 Benign neoplasm of mesothelial tissue**

*Includes:* morphology code M905 with behaviour code /0

**D19.0 Mesothelial tissue of pleura**

**D19.1 Mesothelial tissue of peritoneum**

**D19.7 Mesothelial tissue of other sites**

**D19.9 Mesothelial tissue, unspecified**

Benign mesothelioma NOS

**D20 Benign neoplasm of soft tissue of retroperitoneum and peritoneum**

*Excludes:* benign lipomatous neoplasm of peritoneum and retroperitoneum (D17.7)  
mesothelial tissue (D19-)

**D20.0 Retroperitoneum**

**D20.1 Peritoneum**

**D21 Other benign neoplasms of connective and other soft tissue**

*Includes:* blood vessel  
bursa  
cartilage  
fascia  
fat  
ligament, except uterine  
lymphatic channel  
muscle

synovia  
tendon (sheath)

**Excludes:** cartilage:  
• articular (D16-)  
• larynx (D14.1)  
• nose (D14.0)  
connective tissue of breast (D24)  
haemangioma (D18.0)  
lipomatous neoplasm (D17-)  
lymphangioma (D18.1)  
peripheral nerves and autonomic nervous system (D36.1)  
peritoneum (D20.1)  
retroperitoneum (D20.0)  
uterine:  
• leiomyoma (D25-)  
• ligament, any (D28.2)  
vascular tissue (D18-)

**D21.0 Connective and other soft tissue of head, face and neck**

Connective tissue of:

- ear
- eyelid

**Excludes:** connective tissue of orbit (D31.6)

**D21.1 Connective and other soft tissue of upper limb, including shoulder**

**D21.2 Connective and other soft tissue of lower limb, including hip**

**D21.3 Connective and other soft tissue of thorax**

Axilla  
Diaphragm  
Great vessels

**Excludes:** heart (D15.1)



mediastinum (D15.2)  
thymus (D15.0)

**D21.4 Connective and other soft tissue of abdomen**

**D21.5 Connective and other soft tissue of pelvis**

**Excludes:** uterine:  
• leiomyoma (D25-)  
• ligament, any (D28.2)

**D21.6 Connective and other soft tissue of trunk, unspecified**

Back NOS

**D21.9 Connective and other soft tissue, unspecified**

**D22 Melanocytic naevi**

**Includes:** morphology codes M872-M879 with behaviour code /0  
naevus:  
• NOS  
• blue  
• hairy  
• pigmented

**D22.0 Melanocytic naevi of lip**

**D22.1 Melanocytic naevi of eyelid, including canthus**

**D22.2 Melanocytic naevi of ear and external auricular canal**

**D22.3 Melanocytic naevi of other and unspecified parts of face**

**D22.4 Melanocytic naevi of scalp and neck**

**D22.5 Melanocytic naevi of trunk**

Anal:

- margin
- skin

Perianal skin

Skin of breast

**D22.6 Melanocytic naevi of upper limb, including shoulder**

**D22.7 Melanocytic naevi of lower limb, including hip**

**D22.9 Melanocytic naevi, unspecified**

**D23 Other benign neoplasms of skin**

**Includes:** benign neoplasm of:

- hair follicles
- sebaceous glands
- sweat glands

**Excludes:** benign lipomatous neoplasms (D17.0-D17.3)  
melanocytic naevi (D22-)

**D23.0 Skin of lip**

**Excludes:** vermillion border of lip (D10.0)

**D23.1 Skin of eyelid, including canthus**

**D23.2 Skin of ear and external auricular canal**

**D23.3 Skin of other and unspecified parts of face**

**D23.4 Skin of scalp and neck**

**D23.5 Skin of trunk**

Anal:

- margin
- skin

Perianal skin

Skin of breast

**Excludes:** anus NOS (D12.9)  
skin of genital organs (D28-D29)

**D23.6 Skin of upper limb, including shoulder**

**D23.7 Skin of lower limb, including hip**

**D23.9 Skin, unspecified**

**D24 Benign neoplasm of breast**

Breast:

- connective tissue
- soft parts

**Excludes:** benign mammary dysplasia (N60-)  
skin of breast (D22.5, D23.5)

**D25 Leiomyoma of uterus**

**Includes:** benign neoplasms of uterus with morphology code M889 and  
behaviour code /0  
fibromyoma of uterus

**D25.0 Submucous leiomyoma of uterus**

**D25.1 Intramural leiomyoma of uterus**

**D25.2 Subserosal leiomyoma of uterus**

**D25.9 Leiomyoma of uterus, unspecified**

**D26 Other benign neoplasms of uterus**

**D26.0 Cervix uteri**

**D26.1 Corpus uteri**

**D26.7 Other parts of uterus**

**D26.9 Uterus, unspecified**

**D27 Benign neoplasm of ovary**

**D28 Benign neoplasm of other and unspecified female genital organs**

*Includes:* adenomatous polyp  
skin of female genital organs

**D28.0 Vulva**

**D28.1 Vagina**

**D28.2 Uterine tubes and ligaments**

Fallopian tube  
Uterine ligament (broad)(round)

**D28.7 Other specified female genital organs**

**D28.9 Female genital organ, unspecified**

**D29 Benign neoplasm of male genital organs**

*Includes:* skin of male genital organs

**D29.0 Penis**

**D29.1 Prostate**

*Excludes:* hyperplasia of prostate (adenomatous) (N40)  
prostatic:  
• enlargement (N40)  
• hypertrophy (N40)

**D29.2 Testis**

**D29.3 Epididymis**

**D29.4 Scrotum**

Skin of scrotum

**D29.7 Other male genital organs**

Seminal vesicle  
Spermatic cord  
Tunica vaginalis

**D29.9 Male genital organ, unspecified**

**D30 Benign neoplasm of urinary organs**

**D30.0 Kidney**

*Excludes:* renal:  
• calyces (D30.1)

- pelvis (D30.1)

**D30.1 Renal pelvis**

**D30.2 Ureter**

*Excludes:* ureteric orifice of bladder (D30.3)

**D30.3 Bladder**

Orifice of bladder:

- urethral
- ureteric

**D30.4 Urethra**

*Excludes:* urethral orifice of bladder (D30.3)

**D30.7 Other urinary organs**

Paraurethral glands

**D30.9 Urinary organ, unspecified**

Urinary system NOS

**D31 Benign neoplasm of eye and adnexa**

*Excludes:* connective tissue of eyelid (D21.0)  
optic nerve (D33.3)  
skin of eyelid (D22.1, D23.1)

**D31.0 Conjunctiva**

**D31.1 Cornea**

**D31.2 Retina**

**D31.3 Choroid**

**D31.4 Ciliary body**

**D31.5 Lacrimal gland and duct**

Lacrimal sac

Nasolacrimal duct

**D31.6 Orbit, unspecified**

Connective tissue of orbit

Extraocular muscle

Peripheral nerves of orbit

Retrobulbar tissue

Retro-ocular tissue

*Excludes:* orbital bone (D16.4)

**D31.9 Eye, unspecified**

Eyeball

**D32 Benign neoplasm of meninges**

**D32.0 Cerebral meninges**

**D32.1 Spinal meninges**

**D32.9 Meninges, unspecified**

Meningioma NOS

**D33 Benign neoplasm of brain and other parts of central nervous system**

*Excludes:* angioma (D18.0)

meninges (D32-)  
peripheral nerves and autonomic nervous system (D36.1)  
retro-ocular tissue (D31.6)

**D33.0 Brain, supratentorial**

|                       |      |
|-----------------------|------|
| Cerebral<br>ventricle |      |
| Cerebrum              |      |
| Frontal               | lobe |
| Occipital             |      |
| Parietal              |      |
| Temporal              |      |

**Excludes:** fourth ventricle (D33.1)

**D33.1 Brain, infratentorial**

Brain stem  
Cerebellum  
Fourth ventricle

**D33.2 Brain, unspecified**

**D33.3 Cranial nerves**

Olfactory bulb

**D33.4 Spinal cord**

**D33.7 Other specified parts of central nervous system**

**D33.9 Central nervous system, unspecified**

Nervous system (central) NOS

**D34 Benign neoplasm of thyroid gland**



**D35 Benign neoplasm of other and unspecified endocrine glands**

**Excludes:** endocrine pancreas (D13.7)  
ovary (D27)  
testis (D29.2)  
thymus (D15.0)

**D35.0 Adrenal gland**

**D35.1 Parathyroid gland**

**D35.2 Pituitary gland**

**D35.3 Craniopharyngeal duct**

**D35.4 Pineal gland**

**D35.5 Carotid body**

**D35.6 Aortic body and other paraganglia**

**D35.7 Other specified endocrine glands**

**D35.8 Pluriglandular involvement**

**D35.9 Endocrine gland, unspecified**

**D36 Benign neoplasm of other and unspecified sites**

**D36.0 Lymph nodes**

**D36.1 Peripheral nerves and autonomic nervous system**

*Excludes:* peripheral nerves of orbit (D31.6)

**D36.7 Other specified sites**

Nose NOS

**D36.9 Benign neoplasm of unspecified site**

**Neoplasms of uncertain or unknown behaviour (D37-D48)**

*Note:* Categories D37-D48 classify by site neoplasms of uncertain or unknown behaviour, i.e., there is doubt whether the neoplasm is malignant or benign. Such neoplasms are assigned behaviour code /1 in the classification of the morphology of neoplasms.

**D37 Neoplasm of uncertain or unknown behaviour of oral cavity and digestive organs**

**D37.0 Lip, oral cavity and pharynx**

Aryepiglottic fold:

- NOS
- hypopharyngeal aspect
- marginal zone

Major and minor salivary glands

Vermilion border of lip

*Excludes:* aryepiglottic fold, laryngeal aspect (D38.0)  
epiglottis:

- NOS (D38.0)
- suprahyoid portion (D38.0)

skin of lip (D48.5)

**D37.1 Stomach**

**D37.2 Small intestine**

**D37.3 Appendix**

**D37.4 Colon**

**D37.5 Rectum**

Rectosigmoid junction

**D37.6 Liver, gallbladder and bile ducts**

Ampulla of Vater

**D37.7 Other digestive organs**

Anal:

- canal
- sphincter

Anus NOS

Intestine NOS

Oesophagus

Pancreas

**Excludes:** anal:

- margin (D48.5)
- skin (D48.5)

perianal skin (D48.5)

**D37.9 Digestive organ, unspecified**

**D38 Neoplasm of uncertain or unknown behaviour of middle ear and respiratory and intrathoracic organs**

**Excludes:** heart (D48.7)

**D38.0 Larynx**

Aryepiglottic fold, laryngeal aspect

Epiglottis (suprahyoid portion)

- Excludes:** aryepiglottic fold:
- NOS (D37.0)
  - hypopharyngeal aspect (D37.0)
  - marginal zone (D37.0)

### **D38.1 Trachea, bronchus and lung**

### **D38.2 Pleura**

### **D38.3 Mediastinum**

### **D38.4 Thymus**

### **D38.5 Other respiratory organs**

Accessory sinuses  
Cartilage of nose  
Middle ear  
Nasal cavities

- Excludes:** ear (external)(skin) (D48.5)  
nose:
- NOS (D48.7)
  - skin (D48.5)

### **D38.6 Respiratory organ, unspecified**

## **D39 Neoplasm of uncertain or unknown behaviour of female genital organs**

### **D39.0 Uterus**

**D39.1 Ovary**

**D39.2 Placenta**

Chorioadenoma destruens

Hydatidiform mole:

- invasive
- malignant

*Excludes:* hydatidiform mole NOS (O01.9)

**D39.7 Other female genital organs**

Skin of female genital organs

**D39.9 Female genital organ, unspecified**

**D40 Neoplasm of uncertain or unknown behaviour of male genital organs**

**D40.0 Prostate**

**D40.1 Testis**

**D40.7 Other male genital organs**

Skin of male genital organs

**D40.9 Male genital organ, unspecified**

**D41 Neoplasm of uncertain or unknown behaviour of urinary organs**

**D41.0 Kidney**

*Excludes:* renal pelvis (D41.1)

**D41.1 Renal pelvis**

**D41.2 Ureter**

**D41.3 Urethra**

**D41.4 Bladder**

**D41.7 Other urinary organs**

**D41.9 Urinary organ, unspecified**

**D42 Neoplasm of uncertain or unknown behaviour of meninges**

**D42.0 Cerebral meninges**

**D42.1 Spinal meninges**

**D42.9 Meninges, unspecified**

**D43 Neoplasm of uncertain or unknown behaviour of brain and central nervous system**

**Excludes:** peripheral nerves and autonomic nervous system (D48.2)

**D43.0 Brain, supratentorial**

Cerebral  
ventricle  
Cerebrum  
Frontal  
Occipital  
Parietal

lobe

Temporal |

**Excludes:** fourth ventricle (D43.1)

**D43.1 Brain, infratentorial**

Brain stem

Cerebellum

Fourth ventricle

**D43.2 Brain, unspecified**

**D43.3 Cranial nerves**

**D43.4 Spinal cord**

**D43.7 Other parts of central nervous system**

**D43.9 Central nervous system, unspecified**

Nervous system (central) NOS

**D44 Neoplasm of uncertain or unknown behaviour of endocrine glands**

**Excludes:** endocrine pancreas (D37.7)  
ovary (D39.1)  
testis (D40.1)  
thymus (D38.4)

**D44.0 Thyroid gland**

**D44.1 Adrenal gland**

**D44.2 Parathyroid gland**

**D44.3 Pituitary gland**

**D44.4 Craniopharyngeal duct**

**D44.5 Pineal gland**

**D44.6 Carotid body**

**D44.7 Aortic body and other paraganglia**

**D44.8 Pluriglandular involvement**

Multiple endocrine adenomatosis

**D44.9 Endocrine gland, unspecified**

**D45 Polycythaemia vera**

Morphology code M9950 with behaviour code /1

**D46 Myelodysplastic syndromes**

***Includes:*** morphology code M998 with behaviour code /1

**D46.0 Refractory anaemia without sideroblasts, so stated**

**D46.1 Refractory anaemia with sideroblasts**

**D46.2 Refractory anaemia with excess of blasts**

**D46.3 Refractory anaemia with excess of blasts with transformation**



**D46.4 Refractory anaemia, unspecified**

**D46.7 Other myelodysplastic syndromes**

**D46.9 Myelodysplastic syndrome, unspecified**

Myelodysplasia NOS

Preleukaemia (syndrome) NOS

**D47 Other neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue**

**Includes:** morphology codes M974, M976, M996-M997 with behaviour code /1

**D47.0 Histiocytic and mast cell tumours of uncertain and unknown behaviour**

Mast cell tumour NOS

Mastocytoma NOS

**Excludes:** mastocytosis (cutaneous) (Q82.2)

**D47.1 Chronic myeloproliferative disease**

Myelofibrosis (with myeloid metaplasia)

Myeloproliferative disease, unspecified

Myelosclerosis (megakaryocytic) with myeloid metaplasia

**D47.2 Monoclonal gammopathy (of undetermined significance (MGUS))**

**D47.3 Essential (haemorrhagic) thrombocythaemia**

Idiopathic haemorrhagic thrombocythaemia

**D47.7 Other specified neoplasms of uncertain or unknown behaviour of lymphoid,**

**haematopoietic and related tissue**

**D47.9 Neoplasm of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue, unspecified**

Lymphoproliferative disease NOS

**D48 Neoplasm of uncertain or unknown behaviour of other and unspecified sites**

**Excludes:** neurofibromatosis (nonmalignant) (Q85.0)

**D48.0 Bone and articular cartilage**

**Excludes:** cartilage of:

- ear (D48.1)
- larynx (D38.0)
- nose (D38.5)

connective tissue of eyelid (D48.1)  
synovia (D48.1)

**D48.1 Connective and other soft tissue**

Connective tissue of:

- ear
- eyelid

**Excludes:** cartilage (of):

- articular (D48.0)
- larynx (D38.0)
- nose (D38.5)

connective tissue of breast (D48.6)

**D48.2 Peripheral nerves and autonomic nervous system**

**Excludes:** peripheral nerves of orbit (D48.7)

**D48.3 Retroperitoneum**

## **D48.4 Peritoneum**

## **D48.5 Skin**

Anal:

- margin
- skin

Perianal skin

Skin of breast

**Excludes:** anus NOS (D37.7)  
skin of genital organs (D39.7, <sup>lxxxvii</sup>D40.7)  
vermilion border of lip (D37.0)

## **D48.6 Breast**

Connective tissue of breast

Cystosarcoma phyllodes

**Excludes:** skin of breast (D48.5)

## **D48.7 Other specified sites**

Eye

Heart

Peripheral nerves of orbit

**Excludes:** connective tissue (D48.1)  
skin of eyelid (D48.5)

## **D48.9 Neoplasm of uncertain or unknown behaviour, unspecified**

"Growth" NOS

Neoplasm NOS

New growth NOS

Tumour NOS

## **CHAPTER III - Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)**

**Excludes:** autoimmune disease (systemic) NOS (M35.9)  
certain conditions originating in the perinatal period (P00-P96)  
complications of pregnancy, childbirth and the puerperium (O00-O99)  
congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)  
endocrine, nutritional and metabolic diseases (E00-E90)  
human immunodeficiency virus [HIV] disease (B20-B24)  
injury, poisoning and certain other consequences of external causes (S00-T98)  
neoplasms (C00-D48)  
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

### **This chapter contains the following blocks:**

|         |                                                                |
|---------|----------------------------------------------------------------|
| D50-D53 | Nutritional anaemias                                           |
| D55-D59 | Haemolytic anaemias                                            |
| D60-D64 | Aplastic and other anaemias                                    |
| D65-D69 | Coagulation defects, purpura and other haemorrhagic conditions |
| D70-D77 | Other diseases of blood and blood-forming organs               |
| D80-D89 | Certain disorders involving the immune mechanism               |

### **Asterisk categories for this chapter are provided as follows:**

|      |                                                                                    |
|------|------------------------------------------------------------------------------------|
| D63* | Anaemia in chronic diseases classified elsewhere                                   |
| D77* | Other disorders of blood and blood-forming organs in diseases classified elsewhere |

## Nutritional anaemias (D50-D53)

### D50 Iron deficiency anaemia

- Includes:** anaemia:
- asiderotic
  - hypochromic

#### D50.0 Iron deficiency anaemia secondary to blood loss (chronic)

Posthaemorrhagic anaemia (chronic)

- Excludes:** acute posthaemorrhagic anaemia (D62)  
congenital anaemia from fetal blood loss (P61.3)

#### D50.1 Sideropenic dysphagia

Kelly-Paterson syndrome

Plummer-Vinson syndrome

#### D50.8 Other iron deficiency anaemias

#### D50.9 Iron deficiency anaemia, unspecified

### D51 Vitamin B

- Excludes:** vitamin B<sub>12</sub> deficiency (E53.8)

#### D51.0 Vitamin B<sub>12</sub> deficiency anaemia due to intrinsic factor deficiency

Anaemia:

- Addison
- Biermer
- pernicious (congenital)

Congenital intrinsic factor deficiency

**D51.1 Vitamin B<sub>12</sub> deficiency anaemia due to selective  
vitamin B<sub>12</sub> malabsorption with proteinuria**

Imerslund(-Gräsbeck) syndrome  
Megaloblastic hereditary anaemia

**D51.2 Transcobalamin II deficiency**

**D51.3 Other dietary vitamin B<sub>12</sub> deficiency anaemia**

Vegan anaemia

**D51.8 Other vitamin B<sub>12</sub> deficiency anaemias**

**D51.9 Vitamin B<sub>12</sub> deficiency anaemia, unspecified**

**D52 Folate deficiency anaemia**

**D52.0 Dietary folate deficiency anaemia**

Nutritional megaloblastic anaemia

**D52.1 Drug-induced folate deficiency anaemia**

Use additional external cause code (Chapter XX), if desired, to identify  
drug.

**D52.8 Other folate deficiency anaemias**

**D52.9 Folate deficiency anaemia, unspecified**

Folic acid deficiency anaemia NOS

**D53 Other nutritional anaemias**

**Includes:** megaloblastic anaemia unresponsive to vitamin B<sub>12</sub> or folate therapy

**D53.0 Protein deficiency anaemia**

Amino-acid deficiency anaemia

Orotaciduric anaemia

**Excludes:** Lesch-Nyhan syndrome (E79.1)

**D53.1 Other megaloblastic anaemias, not elsewhere classified**

Megaloblastic anaemia NOS

**Excludes:** Di Guglielmo disease (C94.0)

**D53.2 Scorbatic anaemia**

**Excludes:** scurvy (E54)

**D53.8 Other specified nutritional anaemias**

Anaemia associated with deficiency of:

- copper
- molybdenum
- zinc

**Excludes:** nutritional deficiencies without mention of anaemia, such as:

- copper deficiency (E61.0)
- molybdenum deficiency (E61.5)
- zinc deficiency (E60)

**D53.9 Nutritional anaemia, unspecified**

Simple chronic anaemia

**Excludes:** anaemia NOS (D64.9)

## Haemolytic anaemias (D55-D59)

### D55 Anaemia due to enzyme disorders

**Excludes:** drug-induced enzyme deficiency anaemia (D59.2)

#### D55.0 Anaemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiency

Favism

G6PD deficiency anaemia

#### D55.1 Anaemia due to other disorders of glutathione metabolism

Anaemia (due to):

- enzyme deficiencies, except G6PD, related to the hexose monophosphate [HMP] shunt pathway
- haemolytic nonspherocytic (hereditary), type I

#### D55.2 Anaemia due to disorders of glycolytic enzymes

Anaemia:

- haemolytic nonspherocytic (hereditary), type II
- hexokinase deficiency
- pyruvate kinase [PK] deficiency
- triose-phosphate isomerase deficiency

#### D55.3 Anaemia due to disorders of nucleotide metabolism

#### D55.8 Other anaemias due to enzyme disorders

#### D55.9 Anaemia due to enzyme disorder, unspecified

### D56 Thalassaemia



**D56.0 Alpha thalassaemia**

**Excludes:** hydrops fetalis due to haemolytic disease (P56-)

**D56.1 Beta thalassaemia**

Cooley anaemia

Severe beta thalassaemia

Thalassaemia:

- intermedia
- major

**D56.2 Delta-beta thalassaemia**

**D56.3 Thalassaemia trait**

**D56.4 Hereditary persistence of fetal haemoglobin [HPFH]**

**D56.8 Other thalassaemias**

**D56.9 Thalassaemia, unspecified**

Mediterranean anaemia (with other haemoglobinopathy)

Thalassaemia (minor)(mixed)(with other haemoglobinopathy)

**D57 Sickle-cell disorders**

**Excludes:** other haemoglobinopathies (D58-)

**D57.0 Sickle-cell anaemia with crisis**

Hb-SS disease with crisis

**D57.1 Sickle-cell anaemia without crisis**

Sickle-cell:

- anaemia
- disease
- disorder

NOS

**D57.2 Double heterozygous sickling disorders**

Disease:

- Hb-SC
- Hb-SD
- Hb-SE
- sickle-cell thalassaemia

**D57.3 Sickle-cell trait**

Hb-S trait

Heterozygous haemoglobin S [HbAS]

**D57.8 Other sickle-cell disorders**

**D58 Other hereditary haemolytic anaemias**

**D58.0 Hereditary spherocytosis**

Acholuric (familial) jaundice

Congenital (spherocytic) haemolytic icterus

Minkowski-Chauffard syndrome

**D58.1 Hereditary elliptocytosis**

Elliptocytosis (congenital)

Ovalocytosis (congenital)(hereditary)

**D58.2 Other haemoglobinopathies**

Abnormal haemoglobin NOS

Congenital Heinz body anaemia

Disease:

- Hb-C
- Hb-D
- Hb-E

Haemoglobinopathy NOS  
Unstable haemoglobin haemolytic disease

**Excludes:** familial polycythaemia (D75.0)  
Hb-M disease (D74.0)  
hereditary persistence of fetal haemoglobin [HPFH]  
(D56.4)  
high-altitude polycythaemia (D75.1)  
methaemoglobinaemia (D74-)

**D58.8 Other specified hereditary haemolytic anaemias**  
Stomatocytosis

**D58.9 Hereditary haemolytic anaemia, unspecified**

**D59 Acquired haemolytic anaemia**

**D59.0 Drug-induced autoimmune haemolytic anaemia**  
Use additional external cause code (Chapter XX), if desired, to identify drug.

**D59.1 Other autoimmune haemolytic anaemias**  
Autoimmune haemolytic disease (cold type)(warm type)  
Chronic cold haemagglutinin disease  
Cold agglutinin:  
• disease  
• haemoglobinuria  
Haemolytic anaemia:  
• cold type (secondary)(symptomatic)  
• warm type (secondary)(symptomatic)

**Excludes:** Evans syndrome (D69.3)  
haemolytic disease of fetus and newborn (P55-)  
paroxysmal cold haemoglobinuria (D59.6)

**D59.2 Drug-induced nonautoimmune haemolytic anaemia**

Drug-induced enzyme deficiency anaemia

Use additional external cause code (Chapter XX), if desired, to identify drug.

**D59.3 Haemolytic-uraemic syndrome**

**D59.4 Other nonautoimmune haemolytic anaemias**

Haemolytic anaemia:

- mechanical
- microangiopathic
- toxic

Use additional external cause code (Chapter XX), if desired, to identify cause.

**D59.5 Paroxysmal nocturnal haemoglobinuria  
[Marchiafava-Micheli]**

*Excludes:* haemoglobinuria NOS (R82.3)

**D59.6 Haemoglobinuria due to haemolysis from other external causes**

Haemoglobinuria:

- from exertion
- march
- paroxysmal cold

Use additional external cause code (Chapter XX), if desired, to identify cause.

*Excludes:* haemoglobinuria NOS (R82.3)

**D59.8 Other acquired haemolytic anaemias**

**D59.9 Acquired haemolytic anaemia, unspecified**

Idiopathic haemolytic anaemia, chronic

## Aplastic and other anaemias (D60-D64)

### D60 Acquired pure red cell aplasia [erythroblastopenia]

**Includes:** red cell aplasia (acquired)(adult)(with thymoma)

#### D60.0 Chronic acquired pure red cell aplasia

#### D60.1 Transient acquired pure red cell aplasia

#### D60.8 Other acquired pure red cell aplasias

#### D60.9 Acquired pure red cell aplasia, unspecified

### D61 Other aplastic anaemias

**Excludes:** agranulocytosis (D70)

#### D61.0 Constitutional aplastic anaemia

Aplasia, (pure) red cell (of):

- congenital
- infants
- primary

Blackfan-Diamond syndrome

Familial hypoplastic anaemia

Fanconi anaemia

Pancytopenia with malformations

#### D61.1 Drug-induced aplastic anaemia

Use additional external cause code (Chapter XX), if desired, to identify drug.

#### D61.2 Aplastic anaemia due to other external agents

Use additional external cause code (Chapter XX), if desired, to identify cause.

**D61.3 Idiopathic aplastic anaemia**

**D61.8 Other specified aplastic anaemias**

**D61.9 Aplastic anaemia, unspecified**

Hypoplastic anaemia NOS

Medullary hypoplasia

Panmyelophthisis

**D62 Acute posthaemorrhagic anaemia**

**Excludes:** congenital anaemia from fetal blood loss (P61.3)

**D63 Anaemia in chronic diseases classified elsewhere**

**D63.0\* Anaemia in neoplastic disease (C00-D48†)**

**D63.8\* Anaemia in other chronic diseases classified elsewhere**

Anaemia in chronic kidney disease > stage 3 (N18.3-N18.5†)

**D64 Other anaemias**

**Excludes:** refractory anaemia:

- NOS (D46.4)
- with excess of blasts (D46.2)
  - with transformation (D46.3)
- with sideroblasts (D46.1)
- without sideroblasts (D46.0)

**D64.0 Hereditary sideroblastic anaemia**

Sex-linked hypochromic sideroblastic anaemia

**D64.1 Secondary sideroblastic anaemia due to disease**

Use additional code, if desired, to identify disease.

**D64.2 Secondary sideroblastic anaemia due to drugs and toxins**

Use additional external cause code (Chapter XX), if desired, to identify cause.

**D64.3 Other sideroblastic anaemias**

Sideroblastic anaemia:

- NOS
- pyridoxine-responsive NEC

**D64.4 Congenital dyserythropoietic anaemia**

Dyshaematopoietic anaemia (congenital)

**Excludes:** Blackfan-Diamond syndrome (D61.0)  
Di Guglielmo disease (C94.0)

**D64.8 Other specified anaemias**

Infantile pseudoleukaemia

Leukoerythroblastic anaemia

**D64.9 Anaemia, unspecified**

## Coagulation defects, purpura and other haemorrhagic conditions (D65-D69)

### D65 Disseminated intravascular coagulation [defibrination syndrome]

Afibrinogenaemia, acquired

Consumption coagulopathy

Diffuse or disseminated intravascular coagulation [DIC]

Fibrinolytic haemorrhage, acquired

Purpura:

- fibrinolytic
- fulminans

**Excludes:** that (complicating):

- abortion or ectopic or molar pregnancy (O00-O07, O08.1)
- in newborn (P60)
- pregnancy, childbirth and the puerperium (O45.0, O46.0, O67.0, O72.3)

### D66 Hereditary factor VIII deficiency

Deficiency factor VIII (with functional defect)

Haemophilia:

- NOS
- A
- classical

**Excludes:** factor VIII deficiency with vascular defect (D68.0)

### D67 Hereditary factor IX deficiency

Christmas disease

Deficiency:

- factor IX (with functional defect)
- plasma thromboplastin component [PTC]

Haemophilia B



**D68 Other**

- Excludes:** those complicating:
- abortion or ectopic or molar pregnancy (O00-O07, O08.1)
  - pregnancy, childbirth and the puerperium (O45.0, O46.0, O67.0, O72.3)

**D68.0 Von Willebrand disease**

Angiohaemophilia

Factor VIII deficiency with vascular defect

Vascular haemophilia

- Excludes:** capillary fragility (hereditary) (D69.8)
- factor VIII deficiency:
- NOS (D66)
  - with functional defect (D66)

**D68.1 Hereditary factor XI deficiency**

Haemophilia C

Plasma thromoplastin antecedent [PTA] deficiency

**D68.2 Hereditary deficiency of other clotting factors**

Congenital afibrinogenaemia

Deficiency:

- AC globulin
- proaccelerin

Deficiency of factor:

- I [fibrinogen]
- II [prothrombin]
- V [labile]
- VII [stable]
- X [Stuart-Prower]
- XII [Hageman]
- XIII [fibrin-stabilizing]

Dysfibrinogenaemia (congenital)

Hypoproconvertinaemia

Owren disease

**D68.3 Haemorrhagic disorder due to circulating anticoagulants**

Haemorrhage during long term use of anticoagulants

Hyperheparinaemia

Increase in:

- antithrombin
- anti-VIIIa
- anti-IXa
- anti-Xa
- anti-XIa

Use additional external cause code (Chapter XX), if desired, to identify any administered anticoagulant.

**Excludes:** long term use of anticoagulants without haemorrhage  
(<sup>lxxxviii</sup>Z92.1)

**D68.4 Acquired coagulation factor deficiency**

Deficiency of coagulation factor due to:

- liver disease
- vitamin K deficiency

**Excludes:** vitamin K deficiency of newborn (P53)

**D68.5 Primary thrombophilia**

Activated protein C resistance [factor V Leiden mutation]

Deficiency:

- antithrombin
- protein C
- protein S

Prothrombin gene mutation

**D68.6 Other thrombophilia**

Anticardiolipin syndrome

Antiphospholipid syndrome

Presence of the lupus anticoagulant

**Excludes:** disseminated intravascular coagulation (D65)

hyperhomocysteinemia (E72.1)

## **D68.8 Other specified coagulation defects**

## **D68.9 Coagulation defect, unspecified**

## **D69 Purpura and other haemorrhagic conditions**

**Excludes:** benign hypergammaglobulinaemic purpura (D89.0)  
cryoglobulinaemic purpura (D89.1)  
essential (haemorrhagic) thrombocythaemia (D47.3)  
purpura fulminans (D65)  
thrombotic thrombocytopenic purpura (M31.1)

## **D69.0 Allergic purpura**

Purpura:

- anaphylactoid
- Henoch(-Schönlein)
- nonthrombocytopenic:
  - haemorrhagic
  - idiopathic
- vascular

Vasculitis, allergic

## **D69.1 Qualitative platelet defects**

Bernard-Soulier [giant platelet] syndrome

Glanzmann disease

Grey platelet syndrome

Thromboasthenia (haemorrhagic)(hereditary)

Thrombocytopathy

**Excludes:** von Willebrand disease (D68.0)

## **D69.2 Other nonthrombocytopenic purpura**

Purpura:

- NOS

- senile
- simplex

**D69.3 Idiopathic thrombocytopenic purpura**

Evans syndrome

**D69.4 Other primary thrombocytopenia**

*Excludes:* thrombocytopenia with absent radius (Q87.2)  
transient neonatal thrombocytopenia (P61.0)  
Wiskott-Aldrich syndrome (D82.0)

**D69.5 Secondary thrombocytopenia**

Use additional external cause code (Chapter XX), if desired, to identify cause.

**D69.6 Thrombocytopenia, unspecified**

**D69.8 Other specified haemorrhagic conditions**

Capillary fragility (hereditary)  
Vascular pseudohaemophilia

**D69.9 Haemorrhagic condition, unspecified**

Other diseases of blood and blood-forming organs  
(D70-D77)

**D70 Agranulocytosis**

Agranulocytic angina  
Infantile genetic agranulocytosis  
Kostmann disease

Neutropenia:

- NOS
- congenital
- cyclic
- drug-induced
- periodic
- splenic (primary)
- toxic

Neutropenic splenomegaly

Werner-Schultz disease

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**Excludes:** transient neonatal neutropenia (P61.5)

## **D71 Functional disorders of polymorphonuclear neutrophils**

Cell membrane receptor complex [CR3] defect

Chronic (childhood) granulomatous disease

Congenital dysphagocytosis

Progressive septic granulomatosis

## **D72 Other disorders of white blood cells**

**Excludes:** abnormal white blood cells (count)(R72)  
basophilia (D75.8)  
immunity disorders (D80-D89)  
neutropenia (D70)  
preleukaemia (syndrome) (D46.9)

### **D72.0 Genetic anomalies of leukocytes**

Anomaly (granulation)(granulocyte) or syndrome:

- Alder
- May-Hegglin
- Pelger-Huët

Hereditary:

- leukocytic:
  - hypersegmentation

- hyposegmentation
- leukomelanopathy

**Excludes:** Chediak(-Steinbrinck)-Higashi syndrome (E70.3)

### **D72.1 Eosinophilia**

Eosinophilia:

- allergic
- hereditary

### **D72.8 Other specified disorders of white blood cells**

Leukaemoid reaction:

- lymphocytic
- monocytic
- myelocytic

Leukocytosis

Lymphocytosis (symptomatic)

Lymphopenia

Monocytosis (symptomatic)

Plasmacytosis

### **D72.9 Disorder of white blood cells, unspecified**

## **D73 Diseases of spleen**

### **D73.0 Hyposplenism**

Asplenia, postsurgical

Atrophy of spleen

**Excludes:** asplenia (congenital) (Q89.0)

### **D73.1 Hypersplenism**

**Excludes:** splenomegaly:

- NOS (R16.1)
- congenital (Q89.0)

**D73.2 Chronic congestive splenomegaly**

**D73.3 Abscess of spleen**

**D73.4 Cyst of spleen**

**D73.5 Infarction of spleen**

Splenic rupture, nontraumatic

Torsion of spleen

*Excludes:* traumatic rupture of spleen (S36.0)

**D73.8 Other diseases of spleen**

Fibrosis of spleen NOS

Perisplenitis

Splenitis NOS

**D73.9 Disease of spleen, unspecified**

**D74 Methaemoglobinaemia**

**D74.0 Congenital methaemoglobinaemia**

Congenital NADH-methaemoglobin reductase deficiency

Haemoglobin-M [Hb-M] disease

Methaemoglobinaemia, hereditary

**D74.8 Other methaemoglobinaemias**

Acquired methaemoglobinaemia (with sulfhaemoglobinaemia)

Toxic methaemoglobinaemia

Use additional external cause code (Chapter XX), if desired, to identify cause.

## **D74.9 Methaemoglobinaemia, unspecified**

### **D75 Other diseases of blood and blood-forming organs**

**Excludes:** enlarged lymph nodes (R59-)  
hypergammaglobulinaemia NOS (D89.2)  
lymphadenitis:  
• NOS (I88.9)  
• acute (L04-)  
• chronic (I88.1)  
• mesenteric (acute)(chronic) (I88.0)

### **D75.0 Familial erythrocytosis**

Polycythaemia:

- benign
- familial

**Excludes:** hereditary ovalocytosis (D58.1)

### **D75.1 Secondary polycythaemia**

Erythrocytosis NOS

Polycythaemia:

- acquired
- due to:
  - erythropoietin
  - fall in plasma volume
  - high altitude
  - stress
- emotional
- hypoxaemic
- nephrogenous
- relative

**Excludes:** polycythaemia:  
• neonatorum (P61.1)  
• vera (D45)

### **D75.2 Essential thrombocytosis**



**Excludes:** essential (haemorrhagic) thrombocythaemia (D47.3)

**D75.8 Other specified diseases of blood and blood-forming organs**

Basophilia

**D75.9 Disease of blood and blood-forming organs, unspecified**

**D76 Certain diseases involving lymphoreticular tissue and reticulohistiocytic system**

**Excludes:** Letterer-Siwe disease (C96.0)  
malignant histiocytosis (C96.1)  
reticuloendotheliosis or reticulosis:  
• histiocytic medullary (C96.1)  
• leukaemic (C91.4)  
• lipomelanotic (I89.8)  
• malignant (C85.7)  
• nonlipid (C96.0)

**D76.0 Langerhans cell histiocytosis, not elsewhere classified**

Eosinophilic granuloma

Hand-Schüller-Christian disease

Histiocytosis X (chronic)

**D76.1 Haemophagocytic lymphohistiocytosis**

Familial haemophagocytic reticulosis

Histiocytoses of mononuclear phagocytes other than Langerhans cells  
NOS

**D76.2 Haemophagocytic syndrome, infection-associated**

Use additional code, if desired, to identify infectious agent or disease.

**D76.3 Other histiocytosis syndromes**

Reticulohistiocytoma (giant-cell)  
Sinus histiocytosis with massive lymphadenopathy  
Xanthogranuloma

**D77 Other disorders of blood and blood-forming organs in diseases classified elsewhere**

Fibrosis of spleen in schistosomiasis [bilharziasis] (B65†)

**Certain disorders involving the immune mechanism  
(D80-D89)**

**Includes:** defects in the complement system  
immunodeficiency disorders, except human immunodeficiency virus [HIV] disease  
sarcoidosis

**Excludes:** autoimmune disease (systemic) NOS (M35.9)  
functional disorders of polymorphonuclear neutrophils (D71)  
human immunodeficiency virus [HIV] disease (B20-B24)  
human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium (O98.7)

**D80 Immunodeficiency with predominantly antibody defects**

**D80.0 Hereditary hypogammaglobulinaemia**

Autosomal recessive agammaglobulinaemia (Swiss type)  
X-linked agammaglobulinaemia [Bruton] (with growth hormone deficiency)

**D80.1 Nonfamilial hypogammaglobulinaemia**

Agammaglobulinaemia with immunoglobulin-bearing B-lymphocytes  
Common variable agammaglobulinaemia [CVAgamma]  
Hypogammaglobulinaemia NOS

**D80.2 Selective deficiency of immunoglobulin A [IgA]**

**D80.3 Selective deficiency of immunoglobulin G [IgG] subclasses**

**D80.4 Selective deficiency of immunoglobulin M [IgM]**

**D80.5 Immunodeficiency with increased immunoglobulin M [IgM]**

**D80.6 Antibody deficiency with near-normal immunoglobulins or with hyperimmunoglobulinaemia**

**D80.7 Transient hypogammaglobulinaemia of infancy**

**D80.8 Other immunodeficiencies with predominantly antibody defects**  
Kappa light chain deficiency

**D80.9 Immunodeficiency with predominantly antibody defects, unspecified**

**D81 Combined immunodeficiencies**

***Excludes:*** autosomal recessive agammaglobulinaemia (Swiss type) (D80.0)

**D81.0 Severe combined immunodeficiency [SCID] with reticular dysgenesis**

**D81.1 Severe combined immunodeficiency [SCID] with low T- and B-cell numbers**

**D81.2 Severe combined immunodeficiency [SCID] with low or normal B-cell numbers**

**D81.3 Adenosine deaminase [ADA] deficiency**

**D81.4 Nezelof syndrome**

**D81.5 Purine nucleoside phosphorylase [PNP] deficiency**

**D81.6 Major histocompatibility complex class I deficiency**  
Bare lymphocyte syndrome

**D81.7 Major histocompatibility complex class II deficiency**

**D81.8 Other combined immunodeficiencies**  
Biotin-dependent carboxylase deficiency

**D81.9 Combined immunodeficiency, unspecified**  
Severe combined immunodeficiency disorder [SCID] NOS

**D82 Immunodeficiency associated with other major defects**

***Excludes:*** ataxia telangiectasia [Louis-Bar] (G11.3)

**D82.0 Wiskott-Aldrich syndrome**  
Immunodeficiency with thrombocytopenia and eczema

**D82.1 Di George syndrome**  
Pharyngeal pouch syndrome  
Thymic:

- alymphoplasia
- aplasia or hypoplasia with immunodeficiency

**D82.2 Immunodeficiency with short-limbed stature**

**D82.3 Immunodeficiency following hereditary defective response to Epstein-Barr virus**

X-linked lymphoproliferative disease

**D82.4 Hyperimmunoglobulin E [IgE] syndrome**

**D82.8 Immunodeficiency associated with other specified major defects**

**D82.9 Immunodeficiency associated with major defect, unspecified**

**D83 Common variable immunodeficiency**

**D83.0 Common variable immunodeficiency with predominant abnormalities of B-cell numbers and function**

**D83.1 Common variable immunodeficiency with predominant immunoregulatory T-cell disorders**

**D83.2 Common variable immunodeficiency with autoantibodies to B- or T-cells**

**D83.8 Other common variable immunodeficiencies**

**D83.9 Common variable immunodeficiency, unspecified**

**D84 Other immunodeficiencies**

**D84.0 Lymphocyte function antigen-1 [LFA-1] defect**

**D84.1 Defects in the complement system**

C1 esterase inhibitor [C1-INH] deficiency

**D84.8 Other specified immunodeficiencies**

**D84.9 Immunodeficiency, unspecified**

**D86 Sarcoidosis**

**D86.0 Sarcoidosis of lung**

**D86.1 Sarcoidosis of lymph nodes**

**D86.2 Sarcoidosis of lung with sarcoidosis of lymph nodes**

**D86.3 Sarcoidosis of skin**

**D86.8 Sarcoidosis of other and combined sites**

Iridocyclitis in sarcoidosis† (H22.1\*)

Multiple cranial nerve palsies in sarcoidosis† (G53.2\*)

Sarcoid:

- arthropathy† (M14.8\*)
- myocarditis† (I41.8\*)
- myositis† (M63.3\*)

Uveoparotid fever [Heerfordt]

**D86.9 Sarcoidosis, unspecified**

**D89 Other disorders involving the immune mechanism, not elsewhere classified**

**Excludes:** hyperglobulinaemia NOS (R77.1)  
monoclonal gammopathy (D47.2)  
transplant failure and rejection (T86-)

**D89.0 Polyclonal hypergammaglobulinaemia**

Benign hypergammaglobulinaemic purpura  
Polyclonal gammopathy NOS

**D89.1 Cryoglobulinaemia**

Cryoglobulinaemia:

- essential
- idiopathic
- mixed
- primary
- secondary

Cryoglobulinaemic:

- purpura
- vasculitis

**D89.2 Hypergammaglobulinaemia, unspecified**

**D89.3 Immune reconstitution syndrome**

Immune reconstitution inflammatory syndrome [IRIS]

**D89.8 Other specified disorders involving the immune mechanism, not elsewhere classified**

**D89.9 Disorder involving the immune mechanism, unspecified**

Immune disease NOS

## CHAPTER IV - Endocrine, nutritional and metabolic diseases (E00-E90)

**Note:** All neoplasms, whether functionally active or not, are classified in Chapter II. Appropriate codes in this chapter (i.e. E05.8, E07.0, E16-E31, E34-) may be used, if desired, as additional codes to indicate either functional activity by neoplasms and ectopic endocrine tissue or hyperfunction and hypofunction of endocrine glands associated with neoplasms and other conditions classified elsewhere.

**Excludes:** complications of pregnancy, childbirth and the puerperium (O00-O99)  
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)  
transitory endocrine and metabolic disorders specific to fetus and newborn (P70-P74)

### **This chapter contains the following blocks:**

|         |                                                                         |
|---------|-------------------------------------------------------------------------|
| E00-E07 | Disorders of thyroid gland                                              |
| E10-E14 | Diabetes mellitus                                                       |
| E15-E16 | Other disorders of glucose regulation and pancreatic internal secretion |
| E20-E35 | Disorders of other endocrine glands                                     |
| E40-E46 | Malnutrition                                                            |
| E50-E64 | Other nutritional deficiencies                                          |
| E65-E68 | Obesity and other hyperalimentation                                     |
| E70-E90 | Metabolic disorders                                                     |

### **Asterisk categories for this chapter are provided as follows:**

|      |                                                                      |
|------|----------------------------------------------------------------------|
| E35* | Disorders of endocrine glands in diseases classified elsewhere       |
| E90* | Nutritional and metabolic disorders in diseases classified elsewhere |



## Disorders of thyroid gland (E00-E07)

### **E00 Congenital iodine-deficiency syndrome**

**Includes:** endemic conditions associated with environmental iodine deficiency either directly or as a consequence of maternal iodine deficiency. Some of the conditions have no current hypothyroidism but are the consequence of inadequate thyroid hormone secretion in the developing fetus. Environmental goitrogens may be associated.  
Use additional code (F70-F79), if desired, to identify associated mental retardation.

**Excludes:** subclinical iodine-deficiency hypothyroidism (E02)

#### **E00.0 Congenital iodine-deficiency syndrome, neurological type**

Endemic cretinism, neurological type

#### **E00.1 Congenital iodine-deficiency syndrome, myxoedematous type**

Endemic cretinism:

- hypothyroid
- myxoedematous type

#### **E00.2 Congenital iodine-deficiency syndrome, mixed type**

Endemic cretinism, mixed type

#### **E00.9 Congenital iodine-deficiency syndrome, unspecified**

Congenital iodine-deficiency hypothyroidism NOS

Endemic cretinism NOS

### **E01 Iodine-deficiency-related thyroid disorders and allied conditions**

**Excludes:** congenital iodine-deficiency syndrome (E00-)  
subclinical iodine-deficiency hypothyroidism (E02)

**E01.0 Iodine-deficiency-related diffuse (endemic) goitre**

**E01.1 Iodine-deficiency-related multinodular (endemic) goitre**

Iodine-deficiency-related nodular goitre

**E01.2 Iodine-deficiency-related (endemic) goitre, unspecified**

Endemic goitre NOS

**E01.8 Other iodine-deficiency-related thyroid disorders and allied conditions**

Acquired iodine-deficiency hypothyroidism NOS

**E02 Subclinical iodine-deficiency hypothyroidism**

**E03 Other hypothyroidism**

**Excludes:** iodine-deficiency-related hypothyroidism (E00-E02)  
postprocedural hypothyroidism (E89.0)

**E03.0 Congenital hypothyroidism with diffuse goitre**

Goitre (nontoxic) congenital:

- NOS
- parenchymatous

**Excludes:** transitory congenital goitre with normal function (P72.0)

**E03.1 Congenital hypothyroidism without goitre**

Aplasia of thyroid (with myxoedema)

Congenital:

- atrophy of thyroid
- hypothyroidism NOS

**E03.2 Hypothyroidism due to medicaments and other exogenous substances**

Use additional external cause code (Chapter XX), if desired, to identify cause.

**E03.3 Postinfectious hypothyroidism**

**E03.4 Atrophy of thyroid (acquired)**

**Excludes:** congenital atrophy of thyroid (E03.1)

**E03.5 Myxoedema coma**

**E03.8 Other specified hypothyroidism**

**E03.9 Hypothyroidism, unspecified**

Myxoedema NOS

**E03.90 Advanced hypothyroidism**

Grave hypothyroidism

Severe hypothyroidism

**E04 Other nontoxic goitre**

**Excludes:** congenital goitre:

- |                                                                                              |  |         |
|----------------------------------------------------------------------------------------------|--|---------|
| <ul style="list-style-type: none"><li>• NOS</li><li>• diffuse</li><li>•</li></ul>            |  | (E03.0) |
| parenchymatous                                                                               |  |         |
| <ul style="list-style-type: none"><li>• iodine-deficiency-related goitre (E00-E02)</li></ul> |  |         |

**E04.0 Nontoxic diffuse goitre**

Goitre, nontoxic:

- diffuse (colloid)
- simple

**E04.1 Nontoxic single thyroid nodule**

Colloid nodule (cystic)(thyroid)

Nontoxic uninodular goitre

Thyroid (cystic) nodule NOS

**E04.2 Nontoxic multinodular goitre**

Cystic goitre NOS

Multinodular (cystic) goitre NOS

**E04.8 Other specified nontoxic goitre**

**E04.9 Nontoxic goitre, unspecified**

Goitre NOS

Nodular goitre (nontoxic) NOS

**E05 Thyrotoxicosis [hyperthyroidism]**

**Excludes:** chronic thyroiditis with transient thyrotoxicosis (E06.2)  
neonatal thyrotoxicosis (P72.1)

**E05.0 Thyrotoxicosis with diffuse goitre**

Exophthalmic or toxic goitre NOS

Graves disease

Toxic diffuse goitre

**E05.1 Thyrotoxicosis with toxic single thyroid nodule**

Thyrotoxicosis with toxic uninodular goitre

**E05.2 Thyrotoxicosis with toxic multinodular goitre**

Toxic nodular goitre NOS

**E05.3 Thyrotoxicosis from ectopic thyroid tissue**

**E05.4 Thyrotoxicosis factitia**

**E05.5 Thyroid crisis or storm**

**E05.8 Other thyrotoxicosis**

Overproduction of thyroid-stimulating hormone

Use additional external cause code (Chapter XX), if desired, to identify cause.

**E05.9 Thyrotoxicosis, unspecified**

Hyperthyroidism NOS

Thyrotoxic heart disease† (I43.8\*)

**E06 Thyroiditis**

**Excludes:** postpartum thyroiditis (O90.5)

**E06.0 Acute thyroiditis**

Abscess of thyroid

Thyroiditis:

- pyogenic
- suppurative

Use additional code (B95-B97), if desired, to identify infectious agent.

**E06.1 Subacute thyroiditis**

Thyroiditis:

- de Quervain
- giant-cell
- granulomatous
- nonsuppurative

**Excludes:** autoimmune thyroiditis (E06.3)

**E06.2 Chronic thyroiditis with transient thyrotoxicosis**

**Excludes:** autoimmune thyroiditis (E06.3)

**E06.3 Autoimmune thyroiditis**

Hashimoto thyroiditis  
Hashitoxicosis (transient)  
Lymphadenoid goitre  
Lymphocytic thyroiditis  
Struma lymphomatosa

**E06.4 Drug-induced thyroiditis**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**E06.5 Other chronic thyroiditis**

Thyroiditis:  
• chronic:  
    • NOS  
    • fibrous  
• ligneous  
• Riedel

**E06.9 Thyroiditis, unspecified**

**E07 Other disorders of thyroid**

**E07.0 Hypersecretion of calcitonin**

C-cell hyperplasia of thyroid  
Hypersecretion of thyrocalcitonin

**E07.1 Dyshormogenetic goitre**

Familial dyshormogenetic goitre  
Pendred syndrome

**Excludes:** transitory congenital goitre with normal function (P72.0)

**E07.8 Other specified disorders of thyroid**

Abnormality of thyroid-binding globulin

|             |            |
|-------------|------------|
| Haemorrhage | of thyroid |
| Infarction  |            |

Sick-euthyroid syndrome

## E07.9 Disorder of thyroid, unspecified

### Diabetes mellitus (E10-E14)

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

The following fourth-character subdivisions are for use with categories E10-E14:

#### **.0 With coma**

Diabetic:

- coma with or without ketoacidosis
- hyperosmolar coma
- hypoglycaemic coma

Hyperglycaemic coma NOS

#### **.1 With ketoacidosis**

Diabetic:

- |                                                                                    |                         |
|------------------------------------------------------------------------------------|-------------------------|
| <ul style="list-style-type: none"><li>• acididosis</li><li>• ketoacidoss</li></ul> | without mention of coma |
|                                                                                    |                         |

#### **.2† With renal complications**

Diabetic nephropathy (N08.3\*)

Intracapillary glomerulonephrosis (N08.3\*)

Kimmelstiel-Wilson syndrome (N08.3\*)

#### **.3† With ophthalmic complications**

Diabetic:

- cataract (H28.0\*)
- retinopathy (H36.0\*)

#### **.4† With neurological complications**

Diabetic:

## ICD-10-Mortality 2e-Volume1 - 2017

- amyotrophy (G73.0\*)
- autonomic neuropathy (G99.0\*)
- mononeuropathy (G59.0\*)
- polyneuropathy (G63.2\*)
  - autonomic (G99.0\*)

### **.5 With peripheral circulatory complications**

Diabetic:

- gangrene
- peripheral angiopathy† (I79.2\*)
- ulcer

### **.6 With other specified complications**

Diabetic arthropathy† (M14.2\*)

- neuropathic† (M14.6\*)

### **.7 With multiple complications**

### **.8 With unspecified complications**

### **.9 Without complications**

## **E10 Type 1 diabetes mellitus**

[See before E10 for subdivisions]

***Includes:*** diabetes (mellitus):

- brittle
- juvenile-onset
- ketosis-prone

***Excludes:*** diabetes mellitus (in):

- malnutrition-related (E12-)
  - neonatal (P70.2)
  - pregnancy, childbirth and the puerperium (O24-)
- glycosuria:
- NOS (R81)
  - renal (E74.8)
- impaired glucose tolerance (R73.0)
- postsurgical hypoinsulinaemia (E89.1)

## **E11 Type 2 diabetes mellitus**



## ICD-10-Mortality 2e-Volume1 - 2017

[See before E10 for subdivisions]

**Includes:** diabetes (mellitus)(nonobese)(obese):

- adult-onset
- maturity-onset
- nonketotic
- stable

**Excludes:** diabetes mellitus (in):

- malnutrition-related (E12-)
- neonatal (P70.2)
- pregnancy, childbirth and the puerperium (O24-)

glycosuria:

- NOS (R81)
- renal (E74.8)

impaired glucose tolerance (R73.0)

postsurgical hypoinsulinaemia (E89.1)

### E12 Malnutrition-related diabetes mellitus

[See before E10 for subdivisions]

**Includes:** malnutrition-related diabetes mellitus:

- type 1
- type 2

**Excludes:** diabetes mellitus in pregnancy, childbirth and the puerperium (O24-)

glycosuria:

- NOS (R81)
- renal (E74.8)

impaired glucose tolerance (R73.0)

neonatal diabetes mellitus (P70.2)

postsurgical hypoinsulinaemia (E89.1)

### E13 Other specified diabetes mellitus

[See before E10 for subdivisions]

**Excludes:** diabetes mellitus (in):

- malnutrition-related (E12-)
- neonatal (P70.2)
- pregnancy, childbirth and the puerperium (O24-)

- type 1 (E10-)
  - type 2 (E11-)
- glycosuria:
- NOS (R81)
  - renal (E74.8)
- impaired glucose tolerance (R73.0)  
postsurgical hypoinsulinaemia (E89.1)

**E14 Unspecified diabetes mellitus**

[See before E10 for subdivisions]

***Includes:*** diabetes NOS

***Excludes:*** diabetes mellitus (in):

- malnutrition-related (E12-)
- neonatal (P70.2)
- pregnancy, childbirth and the puerperium (O24-)
- type 1 (E10-)
- type 2 (E11-)

glycosuria:

- NOS (R81)
- renal (E74.8)

impaired glucose tolerance (R73.0)  
postsurgical hypoinsulinaemia (E89.1)

**Other disorders of glucose regulation and pancreatic  
internal secretion (E15-E16)**

**E15 Nondiabetic hypoglycaemic coma**

Drug-induced insulin coma in nondiabetic

Hyperinsulinism with hypoglycaemic coma

Hypoglycaemic coma NOS

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

## **E16 Other disorders of pancreatic internal secretion**

### **E16.0 Drug-induced hypoglycaemia without coma**

Use additional external cause code (Chapter XX), if desired, to identify drug.

### **E16.1 Other hypoglycaemia**

Functional nonhyperinsulinaemic hypoglycaemia

Hyperinsulinism:

- NOS

- functional

Hyperplasia of pancreatic islet beta cells NOS

Posthypoglycaemic coma encephalopathy

### **E16.2 Hypoglycaemia, unspecified**

### **E16.3 Increased secretion of glucagon**

Hyperplasia of pancreatic endocrine cells with glucagon excess

### **E16.4 Abnormal secretion of gastrin**

Hypergastrinaemia

Zollinger-Ellison syndrome

### **E16.8 Other specified disorders of pancreatic internal secretion**

Increased secretion from endocrine pancreas of:

- growth hormone-releasing hormone

- pancreatic polypeptide

- somatostatin

- vasoactive-intestinal polypeptide

### **E16.9 Disorder of pancreatic internal secretion, unspecified**

Islet-cell hyperplasia NOS

Pancreatic endocrine cell hyperplasia NOS

## Disorders of other endocrine glands (E20-E35)

**Excludes:** galactorrhoea (N64.3)  
gynaecomastia (N62)

### E20 Hypoparathyroidism

**Excludes:** Di George syndrome (D82.1)  
postprocedural hypoparathyroidism (E89.2)  
tetany NOS (R29.0 )  
transitory neonatal hypoparathyroidism (P71.4)

#### E20.0 Idiopathic hypoparathyroidism

#### E20.1 Pseudohypoparathyroidism

#### E20.8 Other hypoparathyroidism

#### E20.9 Hypoparathyroidism, unspecified

Parathyroid tetany

### E21 Hyperparathyroidism and other disorders of parathyroid gland

**Excludes:** osteomalacia:  
• adult (M83-)  
• infantile and juvenile (E55.0)

#### E21.0 Primary hyperparathyroidism

Hyperplasia of parathyroid

Osteitis fibrosa cystica generalisata [von Recklinghausen disease of bone]

#### E21.1 Secondary hyperparathyroidism, not elsewhere classified

**Excludes:** secondary hyperparathyroidism of renal origin (N25.8)

**E21.2 Other hyperparathyroidism**

Tertiary hyperparathyroidism

**Excludes:** familial hypocalciuric hypercalcaemia (E83.5)

**E21.3 Hyperparathyroidism, unspecified**

**E21.4 Other specified disorders of parathyroid gland**

**E21.5 Disorder of parathyroid gland, unspecified**

**E22 Hyperfunction of pituitary gland**

**Excludes:** Cushing syndrome (E24-)  
Nelson syndrome (E24.1)  
overproduction of:  
• ACTH not associated with Cushing disease (E27.0)  
• pituitary ACTH (E24.0)  
• thyroid-stimulating hormone (E05.8)

**E22.0 Acromegaly and pituitary gigantism**

Arthropathy associated with acromegaly† (M14.5\*)

Overproduction of growth hormone

**Excludes:** constitutional:  
• gigantism (E34.4)  
• tall stature (E34.4)  
increased secretion from endocrine pancreas of growth hormone-releasing hormone (E16.8)

**E22.1 Hyperprolactinaemia**

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**E22.2 Syndrome of inappropriate secretion of antidiuretic hormone**

**E22.8 Other hyperfunction of pituitary gland**

Central precocious puberty

**E22.9 Hyperfunction of pituitary gland, unspecified**

**E23 Hypofunction and other disorders of pituitary gland**

**Includes:** the listed conditions whether the disorder is in the pituitary or the hypothalamus

**Excludes:** postprocedural hypopituitarism (E89.3)

**E23.0 Hypopituitarism**

Fertile eunuch syndrome

Hypogonadotropic hypogonadism

Idiopathic growth hormone deficiency

Isolated deficiency of:

- gonadotropin
- growth hormone
- pituitary hormone

Kallmann syndrome

Lorain-Levi short stature

Necrosis of pituitary gland (postpartum)

Panhypopituitarism

Pituitary:

- cachexia
- insufficiency NOS
- short stature

Sheehan syndrome

Simmonds disease

**E23.1 Drug-induced hypopituitarism**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**E23.2 Diabetes insipidus**

**Excludes:** nephrogenic diabetes insipidus (N25.1)

**E23.3 Hypothalamic dysfunction, not elsewhere classified**

**Excludes:** Prader-Willi syndrome (Q87.1)  
Russell-Silver syndrome (Q87.1)

**E23.6 Other disorders of pituitary gland**

Abscess of pituitary  
Adiposogenital dystrophy

**E23.7 Disorder of pituitary gland, unspecified**

**E24 Cushing syndrome**

**E24.0 Pituitary-dependent Cushing disease**

Overproduction of pituitary ACTH  
Pituitary-dependent hyperadrenocorticism

**E24.1 Nelson syndrome**

**E24.2 Drug-induced Cushing syndrome**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**E24.3 Ectopic ACTH syndrome**

**E24.4 Alcohol-induced pseudo-Cushing syndrome**

**E24.8 Other Cushing syndrome**

**E24.9 Cushing syndrome, unspecified**

**E25 Adrenogenital disorders**

**Includes:** adrenogenital syndromes, virilizing or feminizing, whether acquired or due to adrenal hyperplasia consequent on inborn enzyme defects in hormone synthesis

female:

- adrenal pseudohermaphroditism
- heterosexual precocious pseudopuberty

male:

- isosexual precocious pseudopuberty
  - macrogenitosomia praecox
  - sexual precocity with adrenal hyperplasia
- virilization (female)

**E25.0 Congenital adrenogenital disorders associated with enzyme deficiency**

Congenital adrenal hyperplasia

21-Hydroxylase deficiency

Salt-losing congenital adrenal hyperplasia

**E25.8 Other adrenogenital disorders**

Idiopathic adrenogenital disorder

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**E25.9 Adrenogenital disorder, unspecified**

Adrenogenital syndrome NOS

**E26 Hyperaldosteronism**

**E26.0 Primary hyperaldosteronism**

Conn syndrome

Primary aldosteronism due to adrenal hyperplasia (bilateral)

**E26.1 Secondary hyperaldosteronism**



**E26.8 Other hyperaldosteronism**

Bartter syndrome

**E26.9 Hyperaldosteronism, unspecified**

**E27 Other disorders of adrenal gland**

**E27.0 Other adrenocortical overactivity**

Overproduction of ACTH, not associated with Cushing disease

Premature adrenarche

*Excludes:* Cushing syndrome (E24-)

**E27.1 Primary adrenocortical insufficiency**

Addison disease

Autoimmune adrenalitis

*Excludes:* amyloidosis (E85-)  
tuberculous Addison disease (A18.7)  
Waterhouse-Friderichsen syndrome (A39.1)

**E27.2 Addisonian crisis**

Adrenal crisis

Adrenocortical crisis

**E27.3 Drug-induced adrenocortical insufficiency**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**E27.4 Other and unspecified adrenocortical insufficiency**

Adrenal:

- haemorrhage
- infarction

Adrenocortical insufficiency NOS

Hypoaldosteronism

**Excludes:** adrenoleukodystrophy [Addison-Schilder] (E71.3)  
Waterhouse-Friderichsen syndrome (A39.1)

**E27.5 Adrenomedullary hyperfunction**

Adrenomedullary hyperplasia  
Catecholamine hypersecretion

**E27.8 Other specified disorders of adrenal gland**

Abnormality of cortisol-binding globulin

**E27.9 Disorder of adrenal gland, unspecified**

**E28 Ovarian dysfunction**

**Excludes:** isolated gonadotropin deficiency (E23.0)  
postprocedural ovarian failure (E89.4)

**E28.0 Estrogen excess**

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**E28.1 Androgen excess**

Hypersecretion of ovarian androgens  
Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**E28.2 Polycystic ovarian syndrome**

Sclerocystic ovary syndrome  
Stein-Leventhal syndrome

**E28.3 Primary ovarian failure**

Decreased estrogen  
Premature menopause NOS

Resistant ovary syndrome

**Excludes:** menopausal and female climacteric states (N95.1)  
pure gonadal dysgenesis (Q99.1)  
Turner syndrome (Q96-)

**E28.8 Other ovarian dysfunction**

Ovarian hyperfunction NOS

**E28.9 Ovarian dysfunction, unspecified**

**E29 Testicular dysfunction**

**Excludes:** androgen resistance syndrome (E34.5)  
azoospermia or oligospermia NOS (N46)  
isolated gonadotropin deficiency (E23.0)  
Klinefelter syndrome (Q98.0-Q98.2, Q98.4)  
postprocedural testicular hypofunction (E89.5)  
testicular feminization (syndrome) (E34.5)

**E29.0 Testicular hyperfunction**

Hypersecretion of testicular hormones

**E29.1 Testicular hypofunction**

Defective biosynthesis of testicular androgen NOS  
5- $\alpha$ -Reductase deficiency (with male pseudohermaphroditism)  
Testicular hypogonadism NOS  
Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**E29.8 Other testicular dysfunction**

**E29.9 Testicular dysfunction, unspecified**

**E30 Disorders of puberty, not elsewhere classified**

**E30.0 Delayed puberty**

Constitutional delay of puberty  
Delayed sexual development

**E30.1 Precocious puberty**

Precocious menstruation

**Excludes:** Albright(-McCune)(-Sternberg) syndrome (Q78.1)  
central precocious puberty (E22.8)  
congenital adrenal hyperplasia (E25.0)  
female heterosexual precocious pseudopuberty (E25-)  
male isosexual precocious pseudopuberty (E25-)

**E30.8 Other disorders of puberty**

Premature thelarche

**E30.9 Disorder of puberty, unspecified**

**E31 Polyglandular dysfunction**

**Excludes:** ataxia telangiectasia [Louis-Bar] (G11.3)  
dystrophia myotonica [Steinert] (G71.1)  
pseudohypoparathyroidism (E20.1)

**E31.0 Autoimmune polyglandular failure**

Schmidt syndrome

**E31.1 Polyglandular hyperfunction**

**Excludes:** multiple endocrine adenomatosis (D44.8)

**E31.8 Other polyglandular dysfunction**

**E31.9 Polyglandular dysfunction, unspecified**

**E32 Diseases of thymus**

**Excludes:** aplasia or hypoplasia with immunodeficiency (D82.1)  
myasthenia gravis (G70.0)

**E32.0 Persistent hyperplasia of thymus**

Hypertrophy of thymus

**E32.1 Abscess of thymus**

**E32.8 Other diseases of thymus**

**E32.9 Disease of thymus, unspecified**

**E34 Other endocrine disorders**

**Excludes:** pseudohypoparathyroidism (E20.1)

**E34.0 Carcinoid syndrome**

**Note:** May be used as an additional code, if desired, to identify functional activity associated with a carcinoid tumour.

**E34.1 Other hypersecretion of intestinal hormones**

**E34.2 Ectopic hormone secretion, not elsewhere classified**

**E34.3 Short stature, not elsewhere classified**

Short stature:

- NOS
- constitutional
- Laron-type
- psychosocial

**Excludes:** progeria (E34.8)  
Russell-Silver syndrome (Q87.1)

short-limbed stature with immunodeficiency (D82.2)

short stature:

- achondroplastic (Q77.4)
- hypochondroplastic (Q77.4)
- in specific dysmorphic syndromes - code to syndrome - see Alphabetical Index
- nutritional (E45)
- pituitary (E23.0)
- renal (N25.0)

**E34.4 Constitutional tall stature**

Constitutional gigantism

**E34.5 Androgen resistance syndrome**

Male pseudohermaphroditism with androgen resistance

Peripheral hormonal receptor disorder

Reifenstein syndrome

Testicular feminization (syndrome)

**E34.8 Other specified endocrine disorders**

Pineal gland dysfunction

Progeria

**E34.9 Endocrine disorder, unspecified**

Disturbance:

- endocrine NOS
- hormone NOS

**E35 Disorders of endocrine glands in diseases classified elsewhere**

**E35.0\* Disorders of thyroid gland in diseases classified elsewhere**

Tuberculosis of thyroid gland (A18.8†)

**E35.1\* Disorders of adrenal glands in diseases classified elsewhere**

Tuberculous Addison disease (A18.7†)

Waterhouse-Friderichsen syndrome (meningococcal) (A39.1†)

**E35.8\* Disorders of other endocrine glands in diseases classified elsewhere**

**Malnutrition (E40-E46)**

**Note:** The degree of malnutrition is usually measured in terms of weight, expressed in standard deviations from the mean of the relevant reference population. When one or more previous measurements are available, lack of weight gain in children, or evidence of weight loss in children or adults, is usually indicative of malnutrition. When only one measurement is available, the diagnosis is based on probabilities and is not definitive without other clinical or laboratory tests. In the exceptional circumstances that no measurement of weight is available, reliance should be placed on clinical evidence.

If an observed weight is below the mean value of the reference population, there is a high probability of severe malnutrition if there is an observed value situated 3 or more standard deviations below the mean value of the reference population; a high probability of moderate malnutrition for an observed value located between 2 and less than 3 standard deviations below this mean; and a high probability of mild malnutrition for an observed value located between 1 and less than 2 standard deviations below this mean.

**Excludes:** intestinal malabsorption (K90-)  
nutritional anaemias (D50-D53)  
sequelae of protein-energy malnutrition (E64.0)  
slim disease (B22.2)  
starvation (T73.0)

**E40 Kwashiorkor**

Severe malnutrition with nutritional oedema with dyspigmentation of skin and hair.

**Excludes:** marasmic kwashiorkor (E42)

**E41 Nutritional marasmus**

Severe malnutrition with marasmus

**Excludes:** marasmic kwashiorkor (E42)

**E42 Marasmic kwashiorkor**

Severe protein-energy malnutrition [as in E43]:

- intermediate form
- with signs of both kwashiorkor and marasmus

**E43 Unspecified severe protein-energy malnutrition**

Severe loss of weight [wasting] in children or adults, or lack of weight gain in children leading to an observed weight that is at least 3 standard deviations below the mean value for the reference population (or a similar loss expressed through other statistical approaches). When only one measurement is available, there is a high probability of severe wasting when the observed weight is 3 or more standard deviations below the mean of the reference population.

Starvation oedema

**E44 Protein-energy malnutrition of moderate and mild degree**

**E44.0 Moderate protein-energy malnutrition**

Weight loss in children or adults, or lack of weight gain in children leading to an observed weight that is 2 or more but less than 3 standard deviations below the mean value for the reference population (or a similar loss expressed through other statistical approaches). When only one measurement is available, there is a high probability of moderate protein-energy malnutrition when the observed weight is 2 or more but less than 3 standard deviations below the mean of the reference population.

**E44.1 Mild protein-energy malnutrition**



Weight loss in children or adults, or lack of weight gain in children leading to an observed weight that is 1 or more but less than 2 standard deviations below the mean value for the reference population (or a similar loss expressed through other statistical approaches). When only one measurement is available, there is a high probability of mild protein-energy malnutrition when the observed weight is 1 or more but less than 2 standard deviations below the mean of the reference population.

**E45 Retarded development following protein-energy malnutrition**

Nutritional:

- short stature
- stunting

Physical retardation due to malnutrition

**E46 Unspecified protein-energy malnutrition**

Malnutrition NOS

Protein-energy imbalance NOS

**Other nutritional deficiencies (E50-E64)**

**Excludes:** nutritional anaemias (D50-D53)

**E50 Vitamin A deficiency**

**Excludes:** sequelae of vitamin A deficiency (E64.1)

**E50.0 Vitamin A deficiency with conjunctival xerosis**

**E50.1 Vitamin A deficiency with Bitot spot and conjunctival xerosis**

Bitot spot in the young child

**E50.2 Vitamin A deficiency with corneal xerosis**

**E50.3 Vitamin A deficiency with corneal ulceration and xerosis**

**E50.4 Vitamin A deficiency with keratomalacia**

**E50.5 Vitamin A deficiency with night blindness**

**E50.6 Vitamin A deficiency with xerophthalmic scars of cornea**

**E50.7 Other ocular manifestations of vitamin A deficiency**  
Xerophthalmia NOS

**E50.8 Other manifestations of vitamin A deficiency**  
Follicular keratosis | due to vitamin A deficiency† (L86\*)  
Xeroderma

**E50.9 Vitamin A deficiency, unspecified**  
Hypovitaminosis A NOS

**E51 Thiamine deficiency**  
*Excludes:* sequelae of thiamine deficiency (E64.8)

**E51.1 Beriberi**  
Beriberi:  
• dry  
• wet† (I98.8\*)

**E51.2 Wernicke encephalopathy**

**E51.8 Other manifestations of thiamine deficiency**

**E51.9 Thiamine deficiency, unspecified**

**E52 Niacin deficiency [pellagra]**

Deficiency:

- niacin(-tryptophan)
- nicotinamide

Pellagra (alcoholic)

**Excludes:** sequelae of niacin deficiency (E64.8)

**E53 Deficiency of other B group vitamins**

**Excludes:** sequelae of vitamin B deficiency (E64.8)  
vitamin B<sub>12</sub> deficiency anaemia (D51-)

**E53.0 Riboflavin deficiency**

Ariboflavinosis

**E53.1 Pyridoxine deficiency**

Vitamin B<sub>6</sub> deficiency

**Excludes:** pyridoxine-responsive sideroblastic anaemia (D64.3)

**E53.8 Deficiency of other specified B group vitamins**

Deficiency:

- biotin
- cyanocobalamin
- folate
- folic acid
- pantothenic acid
- vitamin B<sub>12</sub>

**E53.9 Vitamin B deficiency, unspecified**

**E54 Ascorbic acid deficiency**

Deficiency of vitamin C

Scurvy

**Excludes:** scorbutic anaemia (D53.2)  
sequelae of vitamin C deficiency (E64.2)

**E55 Vitamin D deficiency**

**Excludes:** adult osteomalacia (M83-)  
osteoporosis (M80-M81)  
sequelae of rickets (E64.3)

**E55.0 Rickets, active**

Osteomalacia:

- infantile
- juvenile

**Excludes:** rickets:  
• coeliac (K90.0)  
• Crohn (K50-)  
• inactive (E64.3)  
• renal (N25.0)  
• vitamin-D-resistant (E83.3)

**E55.9 Vitamin D deficiency, unspecified**

Avitaminosis D

**E56 Other vitamin deficiencies**

**Excludes:** sequelae of other vitamin deficiencies (E64.8)

**E56.0 Deficiency of vitamin E**

**E56.1 Deficiency of vitamin K**

**Excludes:** deficiency of coagulation factor due to vitamin K deficiency (D68.4)  
vitamin K deficiency of newborn (P53)

**E56.8 Deficiency of other vitamins**

**E56.9 Vitamin deficiency, unspecified**

**E58 Dietary calcium deficiency**

**Excludes:** disorder of calcium metabolism (E83.5)  
sequelae of calcium deficiency (E64.8)

**E59 Dietary selenium deficiency**

Keshan disease

**Excludes:** sequelae of selenium deficiency (E64.8)

**E60 Dietary zinc deficiency**

**E61 Deficiency of other nutrient elements**

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**Excludes:** disorders of mineral metabolism (E83-)  
iodine-deficiency-related thyroid disorders (E00-E02)  
sequelae of malnutrition and other nutritional deficiencies (E64-)

**E61.0 Copper deficiency**

**E61.1 Iron deficiency**

**Excludes:** iron deficiency anaemia (D50-)

**E61.2 Magnesium deficiency**

**E61.3 Manganese deficiency**

**E61.4 Chromium deficiency**

**E61.5 Molybdenum deficiency**

**E61.6 Vanadium deficiency**

**E61.7 Deficiency of multiple nutrient elements**

**E61.8 Deficiency of other specified nutrient elements**

**E61.9 Deficiency of nutrient element, unspecified**

**E63 Other nutritional deficiencies**

**Excludes:** dehydration (E86)  
failure to thrive (R62.8)  
feeding problems in newborn (P92-)  
sequelae of malnutrition and other nutritional deficiencies (E64-)

**E63.0 Essential fatty acid [EFA] deficiency**

**E63.1 Imbalance of constituents of food intake**

**E63.8 Other specified nutritional deficiencies**

**E63.9 Nutritional deficiency, unspecified**

Nutritional cardiomyopathy NOS† (I43.2\*)

**E64 Sequelae of malnutrition and other nutritional deficiencies**

**Note:** Not to be used for chronic malnutrition or nutritional deficiency.  
Code these to current malnutrition or nutritional deficiency.

**E64.0 Sequelae of protein-energy malnutrition**

**Excludes:** retarded development following protein-energy malnutrition (E45)

**E64.1 Sequelae of vitamin A deficiency**

**E64.2 Sequelae of vitamin C deficiency**

**E64.3 Sequelae of rickets**

Use additional code (M40.1, M41.5) if desired, to identify spinal deformity.

**E64.8 Sequelae of other nutritional deficiencies**

**E64.9 Sequelae of unspecified nutritional deficiency**

**Obesity and other hyperalimentation (E65-E68)**

**E65 Localized adiposity**

Fat pad

**E66 Obesity**

**Excludes:** adiposogenital dystrophy (E23.6)  
lipomatosis:  
• NOS (E88.2)  
• dolorosa [Dercum] (E88.2)  
Prader-Willi syndrome (Q87.1)

**E66.0 Obesity due to excess calories**

**E66.1 Drug-induced obesity**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**E66.2 Extreme obesity with alveolar hypoventilation**

Obesity hypoventilation syndrome (OHS)

Pickwickian syndrome

**E66.8 Other obesity**

Morbid obesity

**E66.9 Obesity, unspecified**

Simple obesity NOS

**E67 Other hyperalimentation**

**Excludes:** hyperalimentation NOS (R63.2)  
sequelae of hyperalimentation (E68)

**E67.0 Hypervitaminosis A**

**E67.1 Hypercarotenaemia**

**E67.2 Megavitamin-B<sub>6</sub> syndrome**

**E67.3 Hypervitaminosis D**

**E67.8 Other specified hyperalimentation**



**E68 Sequelae of hyperalimentation**

**Note:** Not to be used for chronic hyperalimentation. Code these to current hyperalimentation.

**Metabolic disorders (E70-E90)**

**Excludes:** androgen resistance syndrome (E34.5)  
congenital adrenal hyperplasia (E25.0)  
Ehlers-Danlos syndrome (Q79.6)  
haemolytic anaemias due to enzyme disorders (D55-)  
Marfan syndrome (Q87.4)  
5- $\alpha$ -reductase deficiency (E29.1)

**E70 Disorders of aromatic amino-acid metabolism**

**E70.0 Classical phenylketonuria**

**E70.1 Other hyperphenylalaninaemias**

**E70.2 Disorders of tyrosine metabolism**

Alkaptonuria  
Hypertyrosinaemia  
Ochronosis  
Tyrosinaemia  
Tyrosinosis

**E70.3 Albinism**

Albinism:  
• ocular  
• oculocutaneous  
Syndrome:  
• Chediak(-Steinbrinck)-Higashi  
• Cross

- Hermansky-Pudlak

**E70.8 Other disorders of aromatic amino-acid metabolism**

Disorders of:

- histidine metabolism
- tryptophan metabolism

**E70.9 Disorder of aromatic amino-acid metabolism, unspecified**

**E71 Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism**

**E71.0 Maple-syrup-urine disease**

**E71.1 Other disorders of branched-chain amino-acid metabolism**

Hyperleucine-isoleucinaemia

Hypervalinaemia

Isovaleric acidaemia

Methylmalonic acidaemia

Propionic acidaemia

**E71.2 Disorder of branched-chain amino-acid metabolism, unspecified**

**E71.3 Disorders of fatty-acid metabolism**

Adrenoleukodystrophy [Addison-Schilder]

Muscle carnitine palmyltransferase deficiency

Very long chain acyl-CoA dehydrogenase (VLCAD) deficiency

**Excludes:** Schilder disease (G37.0)

**E72 Other disorders of amino-acid metabolism**

**Excludes:** abnormal findings without manifest disease (R70-R89)  
disorders of:

- aromatic amino-acid metabolism (E70-)
- branched-chain amino-acid metabolism (E71.0-E71.2)
- fatty-acid metabolism (E71.3)
- purine and pyrimidine metabolism (E79-)

gout (M10-)

**E72.0 Disorders of amino-acid transport**

Cystine storage disease† (N29.8\*)

Cystinosis

Cystinuria

Fanconi(-de Toni)(-Debré) syndrome

Hartnup disease

Lowe syndrome

**Excludes:** disorders of tryptophan metabolism (E70.8)

**E72.1 Disorders of sulfur-bearing amino-acid metabolism**

Cystathioninuria

Homocystinuria

Methioninaemia

Sulfite oxidase deficiency

**Excludes:** transcobalamin II deficiency (D51.2)

**E72.2 Disorders of urea cycle metabolism**

Argininaemia

Argininosuccinic aciduria

Citrullinaemia

Hyperammonaemia

**Excludes:** disorders of ornithine metabolism (E72.4)

**E72.3 Disorders of lysine and hydroxylysine metabolism**

Glutaric aciduria

Hydroxylysinaemia  
Hyperlysinaemia

**Excludes:** Refsum disease (G60.1)  
Zellweger syndrome (Q87.8)

**E72.4 Disorders of ornithine metabolism**

Ornithinaemia (types I, II)

**E72.5 Disorders of glycine metabolism**

Hyperhydroxyprolinaemia  
Hyperprolinaemia (types I, II)  
Non-ketotic hyperglycinaemia  
Sarcosinaemia

**E72.8 Other specified disorders of amino-acid metabolism**

Disorders of:

- $\beta$ -amino-acid metabolism
- $\gamma$ -glutamyl cycle

**E72.9 Disorder of amino-acid metabolism, unspecified**

**E73 Lactose intolerance**

**E73.0 Congenital lactase deficiency**

**E73.1 Secondary lactase deficiency**

**E73.8 Other lactose intolerance**

**E73.9 Lactose intolerance, unspecified**

**E74 Other disorders of carbohydrate metabolism**

**Excludes:** increased secretion of glucagon (E16.3)  
diabetes mellitus (E10-E14)  
hypoglycaemia NOS (E16.2)  
mucopolysaccharidosis (E76.0-E76.3)

**E74.0 Glycogen storage disease**

Cardiac glycogenosis

Disease:

- Andersen
- Cori
- Forbes
- Hers
- McArdle
- Pompe
- Tarui
- Tauri
- von Gierke

Liver phosphorylase deficiency

**E74.1 Disorders of fructose metabolism**

Essential fructosuria

Fructose-1,6-diphosphatase deficiency

Hereditary fructose intolerance

**E74.2 Disorders of galactose metabolism**

Galactokinase deficiency

Galactosaemia

**E74.3 Other disorders of intestinal carbohydrate absorption**

Glucose-galactose malabsorption

Sucrase deficiency

**Excludes:** lactose intolerance (E73-)

**E74.4 Disorders of pyruvate metabolism and gluconeogenesis**

Deficiency of:

- phosphoenolpyruvate carboxykinase
- pyruvate:
- carboxylase
- dehydrogenase

**Excludes:** with anaemia (D55-)

**E74.8 Other specified disorders of carbohydrate metabolism**

Essential pentosuria

Oxalosis

Oxaluria

Renal glycosuria

**E74.9 Disorder of carbohydrate metabolism, unspecified**

**E75 Disorders of sphingolipid metabolism and other lipid storage disorders**

**Excludes:** mucopolipidosis, types I-III (E77.0-E77.1)  
Refsum disease (G60.1)

**E75.0 GM<sub>2</sub> gangliosidosis**

Disease:

- Sandhoff
- Tay-Sachs

GM<sub>2</sub> gangliosidosis:

- NOS
- adult
- juvenile

**E75.1 Other gangliosidosis**

Gangliosidosis:

- NOS
- GM<sub>1</sub>
- GM<sub>3</sub>

Mucopolipidosis IV

## **E75.2 Other sphingolipidosis**

Disease:

- Fabry(-Anderson)
- Gaucher
- Krabbe
- Niemann-Pick

Farber's syndrome

Metachromatic leukodystrophy

Sulfatase deficiency

**Excludes:** adrenoleukodystrophy [Addison-Schilder] (E71.3)

## **E75.3 Sphingolipidosis, unspecified**

## **E75.4 Neuronal ceroid lipofuscinosis**

Disease:

- Batten
- Bielschowsky-Jansky
- Kufs
- Spielmeyer-Vogt

## **E75.5 Other lipid storage disorders**

Cerebrotendinous cholesterosis [van Bogaert-Scherer-Epstein]

Wolman disease

## **E75.6 Lipid storage disorder, unspecified**

**E76 Disorders of glycosaminoglycan metabolism**

**E76.0 Mucopolysaccharidosis, type I**

Syndrome:

- Hurler
- Hurler-Scheie
- Scheie

**E76.1 Mucopolysaccharidosis, type II**

Hunter syndrome

**E76.2 Other mucopolysaccharidoses**

$\beta$ -Glucuronidase deficiency

Mucopolysaccharidosis, types III, IV, VI, VII

Syndrome:

- Maroteaux-Lamy (mild) (severe)
- Morquio(-like) (classic)
- Sanfilippo (type B) (type C) (type D)

**E76.3 Mucopolysaccharidosis, unspecified**

**E76.8 Other disorders of glucosaminoglycan metabolism**

**E76.9 Disorder of glucosaminoglycan metabolism, unspecified**

**E77 Disorders of glycoprotein metabolism**

**E77.0 Defects in post-translational modification of lysosomal enzymes**

Mucopolipidosis II [I-cell disease]

Mucopolipidosis III [pseudo-Hurler polydystrophy]



**E77.1 Defects in glycoprotein degradation**

Aspartylglucosaminuria  
Fucosidosis  
Mannosidosis  
Sialidosis [mucopolipidosis I]

**E77.8 Other disorders of glycoprotein metabolism**

**E77.9 Disorder of glycoprotein metabolism, unspecified**

**E78 Disorders of lipoprotein metabolism and other lipidaemias**

*Excludes:* sphingolipidosis (E75.0-E75.3)

**E78.0 Pure hypercholesterolaemia**

Familial hypercholesterolaemia  
Fredrickson hyperlipoproteinaemia, type IIa  
Hyperbetalipoproteinaemia  
Hyperlipidaemia, group A  
Low-density-lipoprotein-type [LDL] hyperlipoproteinaemia

**E78.1 Pure hyperglyceridaemia**

Endogenous hyperglyceridaemia  
Fredrickson hyperlipoproteinaemia, type IV  
Hyperlipidaemia, group B  
Hyperprebetalipoproteinaemia  
Very-low-density-lipoprotein-type [VLDL] hyperlipoproteinaemia

**E78.2 Mixed hyperlipidaemia**

Broad- or floating-betalipoproteinaemia  
Fredrickson hyperlipoproteinaemia, type IIb or III  
Hyperbetalipoproteinaemia with prebetalipoproteinaemia  
Hypercholesterolaemia with endogenous hyperglyceridaemia  
Hyperlipidaemia, group C  
Tubero-eruptive xanthoma

Xanthoma tuberosum

**Excludes:** cerebrotendinous cholesterosis [van Bogaert-Scherer-Epstein] (E75.5)

**E78.3 Hyperchylomicronaemia**

Fredrickson hyperlipoproteinaemia, type I or V  
Hyperlipidaemia, group D  
Mixed hyperglyceridaemia

**E78.4 Other hyperlipidaemia**

Familial combined hyperlipidaemia

**E78.5 Hyperlipidaemia, unspecified**

**E78.6 Lipoprotein deficiency**

Abetalipoproteinaemia  
High-density lipoprotein deficiency  
Hypoalphalipoproteinaemia  
Hypobetalipoproteinaemia (familial)  
Lecithin cholesterol acyltransferase deficiency  
Tangier disease

**E78.8 Other disorders of lipoprotein metabolism**

**E78.9 Disorder of lipoprotein metabolism, unspecified**

**E79 Disorders of purine and pyrimidine metabolism**

**Excludes:** calculus of kidney (N20.0)  
combined immunodeficiency disorders (D81-)  
gout (M10-)  
orotaciduric anaemia (D53.0)  
xeroderma pigmentosum (Q82.1)

**E79.0 Hyperuricaemia without signs of inflammatory arthritis and tophaceous disease**

Asymptomatic hyperuricaemia

**E79.1 Lesch-Nyhan syndrome**

**E79.8 Other disorders of purine and pyrimidine metabolism**

Hereditary xanthinuria

**E79.9 Disorder of purine and pyrimidine metabolism, unspecified**

**E80 Disorders of porphyrin and bilirubin metabolism**

*Includes:* defects of catalase and peroxidase

**E80.0 Hereditary erythropoietic porphyria**

Congenital erythropoietic porphyria

Erythropoietic protoporphyria

**E80.1 Porphyria cutanea tarda**

**E80.2 Other porphyria**

Hereditary coproporphyria

Porphyria:

- NOS
- acute intermittent (hepatic)

Use additional external cause code (Chapter XX), if desired, to identify cause.

**E80.3 Defects of catalase and peroxidase**

Acatlasia [Takahara]

**E80.4 Gilbert syndrome**

**E80.5 Crigler-Najjar syndrome**

**E80.6 Other disorders of bilirubin metabolism**

Dubin-Johnson syndrome

Rotor syndrome

**E80.7 Disorder of bilirubin metabolism, unspecified**

**E83 Disorders of mineral metabolism**

**Excludes:** dietary mineral deficiency (E58-E61)  
parathyroid disorders (E20-E21)  
vitamin D deficiency (E55-)

**E83.0 Disorders of copper metabolism**

Menkes (kinky hair)(steely hair) disease

Wilson disease

**E83.1 Disorders of iron metabolism**

Haemochromatosis

**Excludes:** anaemia:  
• iron deficiency (D50-)  
• sideroblastic (D64.0-D64.3)

**E83.2 Disorders of zinc metabolism**

Acrodermatitis enteropathica

**E83.3 Disorders of phosphorus metabolism and phosphatases**

Acid phosphatase deficiency

Familial hypophosphataemia

Hypophosphatasia

Vitamin-D-resistant:

- osteomalacia
- rickets

**Excludes:** adult osteomalacia (M83-)  
osteoporosis (M80-M81)

#### **E83.4 Disorders of magnesium metabolism**

Hypermagnesaemia

Hypomagnesaemia

#### **E83.5 Disorders of calcium metabolism**

Familial hypocalciuric hypercalcaemia

Idiopathic hypercalciuria

**Excludes:** chondrocalcinosis (M11.1-M11.2)  
hyperparathyroidism (E21.0-E21.3)

#### **E83.8 Other disorders of mineral metabolism**

#### **E83.9 Disorder of mineral metabolism, unspecified**

### **E84 Cystic fibrosis**

**Includes:** mucoviscidosis

#### **E84.0 Cystic fibrosis with pulmonary manifestations**

#### **E84.1 Cystic fibrosis with intestinal manifestations**

Distal intestinal obstruction syndrome

Meconium ileus (P75\*)

**Excludes:** meconium obstruction in cases where cystic fibrosis is known not to be present (P76.0)

**E84.8 Cystic fibrosis with other manifestations**

Cystic fibrosis with combined manifestations

**E84.9 Cystic fibrosis, unspecified**

**E85 Amyloidosis**

*Excludes:* Alzheimer disease (G30-)

**E85.0 Non-neuropathic heredofamilial amyloidosis**

Familial Mediterranean fever

Hereditary amyloid nephropathy

**E85.1 Neuropathic heredofamilial amyloidosis**

Amyloid polyneuropathy (Portuguese)

**E85.2 Heredofamilial amyloidosis, unspecified**

**E85.3 Secondary systemic amyloidosis**

Haemodialysis-associated amyloidosis

**E85.4 Organ-limited amyloidosis**

Localized amyloidosis

**E85.8 Other amyloidosis**

**E85.9 Amyloidosis, unspecified**

**E86 Volume depletion**

Dehydration

Depletion of volume of plasma or extracellular fluid

Hypovolaemia

- Excludes:** dehydration of newborn (P74.1)  
hypovolaemic shock:
- NOS (R57.1)
  - postoperative (T81.1)
  - traumatic (T79.4)

## E87 Other disorders of fluid, electrolyte and acid-base balance

### E87.0 Hyperosmolality and hypernatraemia

Sodium [Na] excess  
Sodium [Na] overload

### E87.1 Hypo-osmolality and hyponatraemia

Sodium [Na] deficiency

- Excludes:** Syndrome of inappropriate secretion of antidiuretic hormone (E22.2)

### E87.2 Acidosis

Acidosis:

- NOS
- lactic
- metabolic
- respiratory

- Excludes:** diabetic acidosis (E10-E14 with common fourth character .1)

### E87.3 Alkalosis

Alkalosis:

- NOS
- metabolic
- respiratory

**E87.4 Mixed disorder of acid-base balance**

**E87.5 Hyperkalaemia**

Potassium [K] excess

Potassium [K] overload

**E87.6 Hypokalaemia**

Potassium [K] deficiency

**E87.7 Fluid overload**

*Excludes:* oedema (R60-)

**E87.8 Other disorders of electrolyte and fluid balance, not elsewhere classified**

Electrolyte imbalance NOS

Hyperchloraemia

Hypochloraemia

**E88 Other metabolic disorders**

*Excludes:* histiocytosis X (chronic) (D76.0)  
Use additional external cause code (Chapter XX), if desired, to  
identify drug, if drug-induced.

**E88.0 Disorders of plasma-protein metabolism, not elsewhere classified**

$\alpha$ -1-Antitrypsin deficiency

Alpha-1 antitrypsin deficiency

Bisalbuminaemia

*Excludes:* disorder of lipoprotein metabolism (E78-)  
monoclonal gammopathy (D47.2)  
polyclonal hypergammaglobulinaemia (D89.0)  
Waldenström macroglobulinaemia (C88.0)



**E88.1 Lipodystrophy, not elsewhere classified**

Lipodystrophy NOS

*Excludes:* Whipple disease (K90.8)

**E88.2 Lipomatosis, not elsewhere classified**

Lipomatosis:

- NOS
- dolorosa [Dercum]

**E88.3 Tumour lysis syndrome**

Tumour lysis (following antineoplastic drug therapy) (spontaneous)

**E88.8 Other specified metabolic disorders**

Launois-Bensaude adenolipomatosis

Trimethylaminuria

**E88.9 Metabolic disorder, unspecified**

**E89 Postprocedural endocrine and metabolic disorders, not elsewhere classified**

**E89.0 Postprocedural hypothyroidism**

Postirradiation hypothyroidism

Postsurgical hypothyroidism

**E89.1 Postprocedural hypoinsulinaemia**

Postpancreatectomy hyperglycaemia

Postsurgical hypoinsulinaemia

**E89.2 Postprocedural hypoparathyroidism**

Parathyoprival tetany

**E89.3 Postprocedural hypopituitarism**

Postirradiation hypopituitarism

**E89.4 Postprocedural ovarian failure**

**E89.5 Postprocedural testicular hypofunction**

**E89.6 Postprocedural adrenocortical(-medullary)  
hypofunction**

**E89.8 Other postprocedural endocrine and metabolic  
disorders**

**E89.9 Postprocedural endocrine and metabolic disorder,  
unspecified**

**E90 Nutritional and metabolic disorders in diseases classified  
elsewhere**

## CHAPTER V - Mental and behavioural disorders (F00-F99)

**Includes:** disorders of psychological development

**Excludes:** symptoms, signs and abnormal clinical laboratory findings, not elsewhere classified (R00-R99)

### **This chapter contains the following blocks:**

|         |                                                                                               |
|---------|-----------------------------------------------------------------------------------------------|
| F00-F09 | Organic, including symptomatic, mental disorders                                              |
| F10-F19 | Mental and behavioural disorders due to psychoactive substance use                            |
| F20-F29 | Schizophrenia, schizotypal and delusional disorders                                           |
| F30-F39 | Mood [affective] disorders                                                                    |
| F40-F48 | Neurotic, stress-related and somatoform disorders                                             |
| F50-F59 | Behavioural syndromes associated with physiological disturbances and physical factors         |
| F60-F69 | Disorders of adult personality and behaviour                                                  |
| F70-F79 | Mental retardation                                                                            |
| F80-F89 | Disorders of psychological development                                                        |
| F90-F98 | Behavioural and emotional disorders with onset usually occurring in childhood and adolescence |
| F99     | Unspecified mental disorder                                                                   |

### **Asterisk categories for this chapter are provided as follows:**

|      |                                                 |
|------|-------------------------------------------------|
| F00* | Dementia in Alzheimer disease                   |
| F02* | Dementia in other diseases classified elsewhere |

### Organic, including symptomatic, mental disorders (F00-F09)

This block comprises a range of mental disorders grouped together on the basis of their having in common a demonstrable etiology in cerebral disease, brain injury, or other insult leading to cerebral dysfunction. The dysfunction may be primary, as in diseases, injuries, and insults that affect the brain directly and selectively; or secondary, as in

systemic diseases and disorders that attack the brain only as one of the multiple organs or systems of the body that are involved.

Dementia (F00-F03) is a syndrome due to disease of the brain, usually of a chronic or progressive nature, in which there is disturbance of multiple higher cortical functions, including memory, thinking, orientation, comprehension, calculation, learning capacity, language, and judgement. Consciousness is not clouded. The impairments of cognitive function are commonly accompanied, and occasionally preceded, by deterioration in emotional control, social behaviour, or motivation. This syndrome occurs in Alzheimer disease, in cerebrovascular disease, and in other conditions primarily or secondarily affecting the brain.

Use additional code, if desired, to identify the underlying disease.

**F00 Dementia in Alzheimer disease (G30.-†)**

Alzheimer disease is a primary degenerative cerebral disease of unknown etiology with characteristic neuropathological and neurochemical features. The disorder is usually insidious in onset and develops slowly but steadily over a period of several years.

**F00.0\* Dementia in Alzheimer disease with early onset (G30.0†)**

Dementia in Alzheimer disease with onset before the age of 65, with a relatively rapid deteriorating course and with marked multiple disorders of the higher cortical functions.

Alzheimer disease, type 2

Presenile dementia, Alzheimer type

Primary degenerative dementia of the Alzheimer type, presenile onset

**F00.1\* Dementia in Alzheimer disease with late onset (G30.1†)**

Dementia in Alzheimer disease with onset after the age of 65, usually in the late 70s or thereafter, with a slow progression, and with memory impairment as the principal feature.

Alzheimer disease, type 1

Primary degenerative dementia of the Alzheimer type, senile onset

Senile dementia, Alzheimer type

**F00.2\* Dementia in Alzheimer disease, atypical or mixed type (G30.8†)**

Atypical dementia, Alzheimer type

**F00.9\* Dementia in Alzheimer disease, unspecified (G30.9†)**

**F01 Vascular dementia**

Vascular dementia is the result of infarction of the brain due to vascular disease, including hypertensive cerebrovascular disease. The infarcts are usually small but cumulative in their effect. Onset is usually in later life.

*Includes:* arteriosclerotic dementia

**F01.0 Vascular dementia of acute onset**

Usually develops rapidly after a succession of strokes from cerebrovascular thrombosis, embolism or haemorrhage. In rare cases, a single large infarction may be the cause.

**F01.1 Multi-infarct dementia**

Gradual in onset, following a number of transient ischaemic episodes which produce an accumulation of infarcts in the cerebral parenchyma.

Predominantly cortical dementia

**F01.2 Subcortical vascular dementia**

Includes cases with a history of hypertension and foci of ischaemic destruction in the deep white matter of the cerebral hemispheres. The cerebral cortex is usually preserved and this contrasts with the clinical picture which may closely resemble that of dementia in Alzheimer disease.

**F01.3 Mixed cortical and subcortical vascular dementia**

**F01.8 Other vascular dementia**

**F01.9 Vascular dementia, unspecified**

**F02 Dementia in other diseases classified elsewhere**

Cases of dementia due, or presumed to be due, to causes other than Alzheimer disease or cerebrovascular disease. Onset may be at any time in life, though rarely in old age.

**F02.0\* Dementia in Pick disease (G31.0†)**

A progressive dementia, commencing in middle age, characterized by early, slowly progressing changes of character and social deterioration, followed by impairment of intellect, memory, and language functions, with apathy, euphoria and, occasionally, extrapyramidal phenomena.

**F02.1\* Dementia in Creutzfeldt-Jakob disease (A81.0†)**

A progressive dementia with extensive neurological signs, due to specific neuropathological changes that are presumed to be caused by a transmissible agent. Onset is usually in middle or later life, but may be at any adult age. The course is subacute, leading to death within one to two years.

**F02.2\* Dementia in Huntington disease (G10†)**

A dementia occurring as part of a widespread degeneration of the brain. The disorder is transmitted by a single autosomal dominant gene. Symptoms typically emerge in the third and fourth decade. Progression is slow, leading to death usually within 10 to 15 years.  
Dementia in Huntington chorea

**F02.3\* Dementia in Parkinson disease (G20†)**

A dementia developing in the course of established Parkinson disease. No particular distinguishing clinical features have yet been demonstrated.

Dementia in:

- paralysis agitans
- parkinsonism

**F02.4\* Dementia in human immunodeficiency virus [HIV] disease (B22.0†)**

Dementia developing in the course of HIV disease, in the absence of a concurrent illness or condition other than HIV infection that could explain the clinical features.

**F02.8\* Dementia in other specified diseases classified elsewhere**

Dementia (in):

- cerebral lipidosis (E75†)
- epilepsy (G40†)
- hepatolenticular degeneration (E83.0†)
- hypercalcaemia (E83.5†)
- hypothyroidism, acquired (E01†, E03†)
- intoxications (T36-T65†)
- Lewy body(ies)(disease) (G31.8†)
- multiple sclerosis (G35†)
- neurosyphilis (A52.1†)
- niacin deficiency [pellagra] (E52†)
- polyarteritis nodosa (M30.0†)
- systemic lupus erythematosus (M32†)
- trypanosomiasis (B56†, B57†)
- uraemia (N18.5†)
- vitamin B<sub>12</sub> deficiency (E53.8†)

**F03 Unspecified dementia**

***Includes:***

Presenile:

- dementia NOS
- psychosis NOS

Senile:

- dementia:
  - NOS
  - depressed or paranoid type
- psychosis NOS

***Excludes:***

senile dementia with delirium or acute confusional state (F05.1)  
senility NOS (R54)

**F04 Organic amnesic syndrome, not induced by alcohol and other psychoactive substances**

A syndrome of prominent impairment of recent and remote memory while immediate recall is preserved, with reduced ability to learn new material and disorientation in time. Confabulation may be a marked feature, but perception and other cognitive functions, including the intellect, are usually intact. The prognosis depends on the course of the underlying lesion.

Korsakov psychosis or syndrome, nonalcoholic

- Excludes:** amnesia:
- NOS (R41.3)
  - anterograde (R41.1)
  - dissociative (F44.0)
  - retrograde (R41.2)
- Korsakov syndrome:
- alcohol-induced or unspecified (F10.6)
  - induced by other psychoactive substances (F11-F19 with common fourth character .6)

**F05 Delirium, not induced by alcohol and other psychoactive substances**

An etiologically nonspecific organic cerebral syndrome characterized by concurrent disturbances of consciousness and attention, perception, thinking, memory, psychomotor behaviour, emotion, and the sleep-wake schedule. The duration is variable and the degree of severity ranges from mild to very severe.

- Includes:** acute or subacute:
- brain syndrome
  - confusional state (nonalcoholic)
  - infective psychosis
  - organic reaction
  - psycho-organic syndrome

**Excludes:** delirium tremens, alcohol-induced or unspecified (F10.4)

**F05.0 Delirium not superimposed on dementia, so described**

**F05.1 Delirium superimposed on dementia**



Conditions meeting the above criteria but developing in the course of a dementia (F00-F03)

**F05.8 Other delirium**

Delirium of mixed origin

**F05.9 Delirium, unspecified**

**F06 Other mental disorders due to brain damage and dysfunction and to physical disease**

Includes miscellaneous conditions causally related to brain disorder due to primary cerebral disease, to systemic disease affecting the brain secondarily, to exogenous toxic substances or hormones, to endocrine disorders, or to other somatic illnesses.

**Excludes:** associated with:

- delirium (F05-)
- dementia as classified in F00-F03

resulting from use of alcohol and other psychoactive substances (F10-F19)

**F06.0 Organic hallucinosis**

A disorder of persistent or recurrent hallucinations, usually visual or auditory, that occur in clear consciousness and may or may not be recognized by the subject as such. Delusional elaboration of the hallucinations may occur, but delusions do not dominate the clinical picture; insight may be preserved.

Organic hallucinatory state (nonalcoholic)

**Excludes:** alcoholic hallucinosis (F10.5)  
schizophrenia (F20-)

**F06.1 Organic catatonic disorder**

A disorder of diminished (stupor) or increased (excitement) psychomotor activity associated with catatonic symptoms. The extremes of psychomotor disturbance may alternate.

- Excludes:** catatonic schizophrenia (F20.2)  
stupor:
- NOS (R40.1)
  - dissociative (F44.2)

### **F06.2 Organic delusional [schizophrenia-like] disorder**

A disorder in which persistent or recurrent delusions dominate the clinical picture. The delusions may be accompanied by hallucinations. Some features suggestive of schizophrenia, such as bizarre hallucinations or thought disorder, may be present.

Paranoid and paranoid-hallucinatory organic states

Schizophrenia-like psychosis in epilepsy

- Excludes:** disorder:
- acute and transient psychotic (F23-)
  - persistent delusional (F22-)
  - psychotic drug-induced (F11-F19 with common fourth character .5) schizophrenia (F20-)

### **F06.3 Organic mood [affective] disorders**

Disorders characterized by a change in mood or affect, usually accompanied by a change in the overall level of activity, depressive, hypomanic, manic or bipolar (see F30-F38), but arising as a consequence of an organic disorder.

- Excludes:** mood disorders, nonorganic or unspecified (F30-F39)

### **F06.4 Organic anxiety disorder**

A disorder characterized by the essential descriptive features of a generalized anxiety disorder (F41.1), a panic disorder (F41.0), or a combination of both, but arising as a consequence of an organic disorder.

- Excludes:** anxiety disorders, nonorganic or unspecified (F41-)

### **F06.5 Organic dissociative disorder**

A disorder characterized by a partial or complete loss of the normal integration between memories of the past, awareness of identity

and immediate sensations, and control of bodily movements (see F44-), but arising as a consequence of an organic disorder.

**Excludes:** dissociative [conversion] disorders, nonorganic or unspecified (F44-)

**F06.6 Organic emotionally labile [asthenic] disorder**

A disorder characterized by emotional incontinence or lability, fatigability, and a variety of unpleasant physical sensations (e.g. dizziness) and pains, but arising as a consequence of an organic disorder.

**Excludes:** somatoform disorders, nonorganic or unspecified (F45-)

**F06.7 Mild cognitive disorder**

A disorder characterized by impairment of memory, learning difficulties, and reduced ability to concentrate on a task for more than brief periods. There is often a marked feeling of mental fatigue when mental tasks are attempted, and new learning is found to be subjectively difficult even when objectively successful. None of these symptoms is so severe that a diagnosis of either dementia (F00-F03) or delirium (F05-) can be made. This diagnosis should be made only in association with a specified physical disorder, and should not be made in the presence of any of the mental or behavioural disorders classified to F10-F99. The disorder may precede, accompany, or follow a wide variety of infections and physical disorders, both cerebral and systemic, but direct evidence of cerebral involvement is not necessarily present. It can be differentiated from postencephalitic syndrome (F07.1) and postconcussional syndrome (F07.2) by its different etiology, more restricted range of generally milder symptoms, and usually shorter duration.

**F06.8 Other specified mental disorders due to brain damage and dysfunction and to physical disease**

Epileptic psychosis NOS

**F06.9 Unspecified mental disorder due to brain damage and dysfunction and to physical disease**

Organic:

- brain syndrome NOS
- mental disorder NOS

## **F07 Personality and behavioural disorders due to brain disease, damage and dysfunction**

Alteration of personality and behaviour can be a residual or concomitant disorder of brain disease, damage or dysfunction.

### **F07.0 Organic personality disorder**

A disorder characterized by a significant alteration of the habitual patterns of behaviour displayed by the subject premorbidly, involving the expression of emotions, needs and impulses. Impairment of cognitive and thought functions, and altered sexuality may also be part of the clinical picture.

Organic:

- pseudopsychopathic personality
- pseudoretarded personality

Syndrome:

- frontal lobe
- limbic epilepsy personality
- lobotomy
- postleucotomy

**Excludes:** enduring personality change after:

- catastrophic experience (F62.0)
- psychiatric illness (F62.1)

postconcussional syndrome (F07.2)  
postencephalitic syndrome (F07.1)  
specific personality disorder (F60-)

### **F07.1 Postencephalitic syndrome**

Residual nonspecific and variable behavioural change following recovery from either viral or bacterial encephalitis. The principal difference between this disorder and the organic personality disorders is that it is reversible.

**Excludes:** organic personality disorder (F07.0)

**F07.2 Postconcussional syndrome**

A syndrome that occurs following head trauma (usually sufficiently severe to result in loss of consciousness) and includes a number of disparate symptoms such as headache, dizziness, fatigue, irritability, difficulty in concentration and performing mental tasks, impairment of memory, insomnia, and reduced tolerance to stress, emotional excitement, or alcohol.

Postcontusional syndrome (encephalopathy)

Post-traumatic brain syndrome, nonpsychotic

**Excludes:** current concussion, brain (S06.0)

**F07.8 Other organic personality and behavioural disorders due to brain disease, damage and dysfunction**

Right hemispheric organic affective disorder

**F07.9 Unspecified organic personality and behavioural disorder due to brain disease, damage and dysfunction**

Organic psychosyndrome

**F09 Unspecified organic or symptomatic mental disorder**

Psychosis:

- organic NOS
- symptomatic NOS

**Excludes:** psychosis NOS (F29)

**Mental and behavioural disorders due to psychoactive substance use (F10-F19)**

This block contains a wide variety of disorders that differ in severity and clinical form but that are all attributable to the use of one or more psychoactive substances, which may or may not have been medically prescribed. The third character of the code identifies the substance involved, and the fourth character specifies the clinical state.

The codes should be used, as required, for each substance specified, but it should be noted that not all fourth-character codes are applicable to all substances.

Identification of the psychoactive substance should be based on as many sources of information as possible. These include self-report data, analysis of blood and other body fluids, characteristic physical and psychological symptoms, clinical signs and behaviour, and other evidence such as a drug being in the patient's possession or reports from informed third parties. Many drug users take more than one type of psychoactive substance. The main diagnosis should be classified, whenever possible, according to the substance or class of substances that has caused or contributed most to the presenting clinical syndrome. Other diagnoses should be coded when other psychoactive substances have been taken in intoxicating amounts (common fourth character .0) or to the extent of causing harm (common fourth character .1), dependence (common fourth character .2) or other disorders (common fourth character .3-.9).

Only in cases in which patterns of psychoactive substance-taking are chaotic and indiscriminate, or in which the contributions of different psychoactive substances are inextricably mixed, should the diagnosis of disorders resulting from multiple drug use (F19-) be used.

**Excludes:** abuse of non-dependence-producing substances (F55)

The following fourth-character subdivisions are for use with categories F10-F19:

### **.0 Acute intoxication**

A condition that follows the administration of a psychoactive substance resulting in disturbances in level of consciousness, cognition, perception, affect or behaviour, or other psycho-physiological functions and responses. The disturbances are directly related to the acute pharmacological effects of the substance and resolve with time, with complete recovery, except where tissue damage or other complications have arisen. Complications may include trauma, inhalation of vomitus, delirium, coma, convulsions, and other medical complications. The nature of these complications depends on the pharmacological class of substance and mode of administration.

"Bad trips" (drugs)

Trance and possession disorders in psychoactive substance intoxication

**Excludes:** intoxication meaning poisoning (T36-T50)

### **.1 Harmful use**

A pattern of psychoactive substance use that is causing damage to health. The damage may be physical (as in cases of hepatitis from the self-administration of injected psychoactive substances) or mental (e.g. episodes of depressive disorder secondary to heavy consumption of alcohol).

Abuse  
Acute drunkenness (in alcoholism)  
Chronic use  
Drunkenness NOS  
DUI  
Excess, excessive  
Hangover  
Heavy intake  
Inebriated  
Influence of (alcohol)  
Intemperence  
Misuse  
Over indulgence  
Problem  
Psychoactive substance abuse

**.2 Dependence syndrome**

A cluster of behavioural, cognitive, and physiological phenomena that develop after repeated substance use and that typically include a strong desire to take the drug, difficulties in controlling its use, persisting in its use despite harmful consequences, a higher priority given to drug use than to other activities and obligations, increased tolerance, and sometimes a physical withdrawal state.

The dependence syndrome may be present for a specific psychoactive substance (e.g. tobacco, alcohol, or diazepam), for a class of substances (e.g. opioid drugs), or for a wider range of pharmacologically different psychoactive substances.

Absinthemia  
Absinthism  
Addiction  
Alcoholism  
Chronic alcoholism  
Chronic drunkenness  
Continual excessive drinking  
Dependence  
Dipsomania  
Drug addiction  
Habit  
Narcotism  
Smokers syndrome  
Tobaccoism

**.3 Withdrawal state**

A group of symptoms of variable clustering and severity occurring on absolute or relative withdrawal of a psychoactive substance after persistent use of that substance. The onset and course of the withdrawal state are time-limited and are related to the type of psychoactive substance and dose being used immediately before cessation or reduction of use. The withdrawal state may be complicated by convulsions.

**.4 Withdrawal state with delirium**

A condition where the withdrawal state as defined in the common fourth character .3 is complicated by delirium as defined in F05-. Convulsions may also occur. When organic factors are also considered to play a role in the etiology, the condition should be classified to F05.8.

Delirium tremens (alcohol-induced)

**.5 Psychotic disorder**

A cluster of psychotic phenomena that occur during or following psychoactive substance use but that are not explained on the basis of acute intoxication alone and do not form part of a withdrawal state. The disorder is characterized by hallucinations (typically auditory, but often in more than one sensory modality), perceptual distortions, delusions (often of a paranoid or persecutory nature), psychomotor disturbances (excitement or stupor), and an abnormal affect, which may range from intense fear to ecstasy. The sensorium is usually clear but some degree of clouding of consciousness, though not severe confusion, may be present.

Alcoholic:

- hallucinosis
- jealousy
- paranoia
- psychosis NOS

**Excludes:** alcohol- or other psychoactive substance-induced residual and late-onset psychotic disorder (F10-F19 with common fourth character .7)

**.6 Amnesic syndrome**

A syndrome associated with chronic prominent impairment of recent and remote memory. Immediate recall is usually preserved and recent memory is characteristically more disturbed than remote memory. Disturbances of time sense and ordering of events are usually evident, as are difficulties in learning new material. Confabulation may be marked but is not invariably present. Other cognitive functions are usually relatively well preserved and amnesic defects are out of proportion to other disturbances.

Amnesic disorder, alcohol- or drug-induced



Korsakov psychosis or syndrome, alcohol- or other psychoactive substance-induced or unspecified

**Excludes:** nonalcoholic Korsakov psychosis or syndrome (F04)

**.7 Residual and late-onset psychotic disorder**

A disorder in which alcohol- or psychoactive substance-induced changes of cognition, affect, personality, or behaviour persist beyond the period during which a direct psychoactive substance-related effect might reasonably be assumed to be operating. Onset of the disorder should be directly related to the use of the psychoactive substance. Cases in which initial onset of the state occurs later than episode(s) of such substance use should be coded here only where clear and strong evidence is available to attribute the state to the residual effect of the psychoactive substance. Flashbacks may be distinguished from psychotic state partly by their episodic nature, frequently of very short duration, and by their duplication of previous alcohol- or other psychoactive substance-related experiences.

Alcoholic dementia NOS

Chronic alcoholic brain syndrome

Dementia and other milder forms of persisting impairment of cognitive functions

Flashbacks

Late-onset psychoactive substance-induced psychotic disorder

Posthallucinogen perception disorder

Residual:

- affective disorder
- disorder of personality and behaviour

**Excludes:** alcohol- or psychoactive substance-induced:

- Korsakov syndrome (F10-F19 with common fourth character .6)
- psychotic state (F10-F19 with common fourth character .5)

**.8 Other mental and behavioural disorders**

**.9 Unspecified mental and behavioural disorder**

Consumption

Drinking NOS

Ingested, Ingestion

Intake

Smoking (chain)(former)(life long)(packs per day)

Use, user, usage

**F10.- Mental and behavioural disorders due to use of alcohol**

[See before F10 for subdivisions]

**F11.- Mental and behavioural disorders due to use of opioids**

[See before F10 for subdivisions]

**F12.- Mental and behavioural disorders due to use of cannabinoids**

[See before F10 for subdivisions]

**F13.- Mental and behavioural disorders due to use of sedatives or hypnotics**

[See before F10 for subdivisions]

**F14.- Mental and behavioural disorders due to use of cocaine**

[See before F10 for subdivisions]

**F15.- Mental and behavioural disorders due to use of other stimulants, including caffeine**

[See before F10 for subdivisions]

**F16.- Mental and behavioural disorders due to use of hallucinogens**

[See before F10 for subdivisions]

**F17.- Mental and behavioural disorders due to use of tobacco**

[See before F10 for subdivisions]

**F18.- Mental and behavioural disorders due to use of volatile solvents**

[See before F10 for subdivisions]

**F19.- Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances**

[See before F10 for subdivisions]

This category should be used when two or more psychoactive substances are known to be involved, but it is impossible to assess which substance is contributing most to the disorders. It should also be used when the exact identity of some or even all the psychoactive substances being used is uncertain or unknown, since many multiple drug users themselves often do not know the details of what they are taking.

***Includes:*** misuse of drugs NOS

## Schizophrenia, schizotypal and delusional disorders (F20-F29)

This block brings together schizophrenia, as the most important member of the group, schizotypal disorder, persistent delusional disorders, and a larger group of acute and transient psychotic disorders. Schizoaffective disorders have been retained here in spite of their controversial nature.

### **F20 Schizophrenia**

The schizophrenic disorders are characterized in general by fundamental and characteristic distortions of thinking and perception, and affects that are inappropriate or blunted. Clear consciousness and intellectual capacity are usually maintained although certain cognitive deficits may evolve in the course of time. The most important psychopathological phenomena include thought echo; thought insertion or withdrawal; thought broadcasting; delusional perception and delusions of control; influence or passivity; hallucinatory voices commenting or discussing the patient in the third person; thought disorders and negative symptoms.

The course of schizophrenic disorders can be either continuous, or episodic with progressive or stable deficit, or there can be one or more episodes with complete or incomplete remission. The diagnosis of schizophrenia should not be made in the presence of extensive depressive or manic symptoms unless it is clear that schizophrenic symptoms antedate the affective disturbance. Nor should schizophrenia be diagnosed in the presence of overt brain disease or during states of drug intoxication or withdrawal. Similar disorders developing in the presence of epilepsy or other brain disease should be classified under F06.2, and those induced by psychoactive substances under F10-F19 with common fourth character .5.

**Excludes:** schizophrenia:  
• acute (undifferentiated) (F23.2)  
• cyclic (F25.2)  
schizophrenic reaction (F23.2)  
schizotypal disorder (F21)

## **F20.0 Paranoid schizophrenia**

Paranoid schizophrenia is dominated by relatively stable, often paranoid delusions, usually accompanied by hallucinations, particularly of the auditory variety, and perceptual disturbances. Disturbances of affect, volition and speech, and catatonic symptoms, are either absent or relatively inconspicuous.

Paraphrenic schizophrenia

**Excludes:** involuntal paranoid state (F22.8)  
paranoia (F22.0)

## **F20.1 Hebephrenic schizophrenia**

A form of schizophrenia in which affective changes are prominent, delusions and hallucinations fleeting and fragmentary, behaviour irresponsible and unpredictable, and mannerisms common. The mood is shallow and inappropriate, thought is disorganized, and speech is incoherent. There is a tendency to social isolation. Usually the prognosis is poor because of the rapid development of "negative" symptoms, particularly flattening of affect and loss of volition. Hebephrenia should normally be diagnosed only in adolescents or young adults.

Disorganized schizophrenia

Hebephrenia

## **F20.2 Catatonic schizophrenia**

Catatonic schizophrenia is dominated by prominent psychomotor disturbances that may alternate between extremes such as hyperkinesis and stupor, or automatic obedience and negativism. Constrained attitudes and postures may be maintained for long periods. Episodes of violent excitement may be a striking feature of the condition. The catatonic phenomena may be combined with a dream-like (oneiroid) state with vivid scenic hallucinations.

Catatonic stupor

Schizophrenic:

- catalepsy
- catatonia
- flexibilitas cerea

### **F20.3 Undifferentiated schizophrenia**

Psychotic conditions meeting the general diagnostic criteria for schizophrenia but not conforming to any of the subtypes in F20.0-F20.2, or exhibiting the features of more than one of them without a clear predominance of a particular set of diagnostic characteristics.

Atypical schizophrenia

**Excludes:** acute schizophrenia-like psychotic disorder (F23.2)  
chronic undifferentiated schizophrenia (F20.5)  
post-schizophrenic depression (F20.4)

### **F20.4 Post-schizophrenic depression**

A depressive episode, which may be prolonged, arising in the aftermath of a schizophrenic illness. Some schizophrenic symptoms, either "positive" or "negative", must still be present but they no longer dominate the clinical picture. These depressive states are associated with an increased risk of suicide. If the patient no longer has any schizophrenic symptoms, a depressive episode should be diagnosed (F32-). If schizophrenic symptoms are still florid and prominent, the diagnosis should remain that of the appropriate schizophrenic subtype (F20.0-F20.3).

### **F20.5 Residual schizophrenia**

A chronic stage in the development of a schizophrenic illness in which there has been a clear progression from an early stage to a later stage characterized by long-term, though not necessarily irreversible, "negative" symptoms, e.g. psychomotor slowing; underactivity; blunting of affect; passivity and lack of initiative; poverty of quantity or content of speech; poor nonverbal communication by facial expression, eye contact, voice modulation and posture; poor self-care and social performance.

Chronic undifferentiated schizophrenia

Restzustand (schizophrenic)

Schizophrenic residual state

### **F20.6 Simple schizophrenia**

A disorder in which there is an insidious but progressive development of oddities of conduct, inability to meet the demands of society, and decline in total performance. The characteristic negative features of residual schizophrenia (e.g. blunting of affect and loss of volition) develop without being preceded by any overt psychotic symptoms.

### **F20.8 Other schizophrenia**

Cenesthopathic schizophrenia

Schizophreniform:

- disorder NOS
- psychosis NOS

**Excludes:** brief schizophreniform disorders (F23.2)

### **F20.9 Schizophrenia, unspecified**

## **F21 Schizotypal disorder**

A disorder characterized by eccentric behaviour and anomalies of thinking and affect which resemble those seen in schizophrenia, though no definite and characteristic schizophrenic anomalies occur at any stage. The symptoms may include a cold or inappropriate affect; anhedonia; odd or eccentric behaviour; a tendency to social withdrawal; paranoid or bizarre ideas not amounting to true delusions; obsessive ruminations; thought disorder and perceptual disturbances; occasional transient quasi-psychotic episodes with intense illusions, auditory or other hallucinations, and delusion-like ideas, usually occurring without external provocation. There is no definite onset and evolution and course are usually those of a personality disorder.

Latent schizophrenic reaction

Schizophrenia:

- borderline
- latent
- prepsychotic
- prodromal

- pseudoneurotic
  - pseudopsychopathic
- Schizotypal personality disorder

**Excludes:** Asperger syndrome (F84.5)  
schizoid personality disorder (F60.1)

## **F22 Persistent delusional disorders**

Includes a variety of disorders in which long-standing delusions constitute the only, or the most conspicuous, clinical characteristic and which cannot be classified as organic, schizophrenic or affective. Delusional disorders that have lasted for less than a few months should be classified, at least temporarily, under F23-.

### **F22.0 Delusional disorder**

A disorder characterized by the development either of a single delusion or of a set of related delusions that are usually persistent and sometimes lifelong. The content of the delusion or delusions is very variable. Clear and persistent auditory hallucinations (voices), schizophrenic symptoms such as delusions of control and marked blunting of affect, and definite evidence of brain disease are all incompatible with this diagnosis. However, the presence of occasional or transitory auditory hallucinations, particularly in elderly patients, does not rule out this diagnosis, provided that they are not typically schizophrenic and form only a small part of the overall clinical picture.

Paranoia

Paranoid:

- psychosis
- state

Paraphrenia (late)

Sensitiver Beziehungswahn

**Excludes:** paranoid:

- personality disorder (F60.0)
- psychosis, psychogenic (F23.3)
- reaction (F23.3)
- schizophrenia (F20.0)

### **F22.8 Other persistent delusional disorders**

Disorders in which the delusion or delusions are accompanied by persistent hallucinatory voices or by schizophrenic symptoms that do not justify a diagnosis of schizophrenia (F20-).

Delusional dysmorphophobia

Involitional paranoid state

Paranoia querulans

### **F22.9 Persistent delusional disorder, unspecified**

## **F23 Acute and transient psychotic disorders**

A heterogeneous group of disorders characterized by the acute onset of psychotic symptoms such as delusions, hallucinations, and perceptual disturbances, and by the severe disruption of ordinary behaviour. Acute onset is defined as a crescendo development of a clearly abnormal clinical picture in about two weeks or less. For these disorders there is no evidence of organic causation. Perplexity and puzzlement are often present but disorientation for time, place and person is not persistent or severe enough to justify a diagnosis of organically caused delirium (F05-). Complete recovery usually occurs within a few months, often within a few weeks or even days. If the disorder persists, a change in classification will be necessary. The disorder may or may not be associated with acute stress, defined as usually stressful events preceding the onset by one to two weeks.

### **F23.0 Acute polymorphic psychotic disorder without symptoms of schizophrenia**

An acute psychotic disorder in which hallucinations, delusions or perceptual disturbances are obvious but markedly variable, changing from day to day or even from hour to hour. Emotional turmoil with intense transient feelings of happiness or ecstasy, or anxiety and irritability, is also frequently present. The polymorphism and instability are characteristic for the overall clinical picture and the psychotic features do not justify a diagnosis of schizophrenia (F20-). These disorders often have an abrupt onset, developing rapidly within a few days, and they frequently show a rapid resolution of symptoms with no recurrence. If the symptoms persist the diagnosis should be changed to persistent delusional disorder (F22-).

Bouffée délirante without symptoms of schizophrenia or unspecified



Cycloid psychosis without symptoms of schizophrenia or unspecified

### **F23.1 Acute polymorphic psychotic disorder with symptoms of schizophrenia**

An acute psychotic disorder in which the polymorphic and unstable clinical picture is present, as described in F23.0; despite this instability, however, some symptoms typical of schizophrenia are also in evidence for the majority of the time. If the schizophrenic symptoms persist the diagnosis should be changed to schizophrenia (F20-).

Bouffée délirante with symptoms of schizophrenia

Cycloid psychosis with symptoms of schizophrenia

### **F23.2 Acute schizophrenia-like psychotic disorder**

An acute psychotic disorder in which the psychotic symptoms are comparatively stable and justify a diagnosis of schizophrenia, but have lasted for less than about one month; the polymorphic unstable features, as described in F23.0, are absent. If the schizophrenic symptoms persist the diagnosis should be changed to schizophrenia (F20-).

Acute (undifferentiated) schizophrenia

Brief schizophreniform:

- disorder

- psychosis

Oneirophrenia

Schizophrenic reaction

**Excludes:** organic delusional [schizophrenia-like] disorder (F06.2)  
schizophreniform disorders NOS (F20.8)

### **F23.3 Other acute predominantly delusional psychotic disorders**

Acute psychotic disorders in which comparatively stable delusions or hallucinations are the main clinical features, but do not justify a diagnosis of schizophrenia (F20-). If the delusions persist the diagnosis should be changed to persistent delusional disorder (F22-).

Paranoid reaction

Psychogenic paranoid psychosis

**F23.8 Other acute and transient psychotic disorders**

Any other specified acute psychotic disorders for which there is no evidence of organic causation and which do not justify classification to F23.0-F23.3.

**F23.9 Acute and transient psychotic disorder, unspecified**

Brief reactive psychosis NOS

Reactive psychosis

**F24 Induced delusional disorder**

A delusional disorder shared by two or more people with close emotional links. Only one of the people suffers from a genuine psychotic disorder; the delusions are induced in the other(s) and usually disappear when the people are separated.

Folie à deux

Induced:

- paranoid disorder
- psychotic disorder

**F25 Schizoaffective disorders**

Episodic disorders in which both affective and schizophrenic symptoms are prominent but which do not justify a diagnosis of either schizophrenia or depressive or manic episodes. Other conditions in which affective symptoms are superimposed on a pre-existing schizophrenic illness, or co-exist or alternate with persistent delusional disorders of other kinds, are classified under F20-F29.

Mood-incongruent psychotic symptoms in affective disorders do not justify a diagnosis of schizoaffective disorder.

**F25.0 Schizoaffective disorder, manic type**

A disorder in which both schizophrenic and manic symptoms are prominent so that the episode of illness does not justify a diagnosis of either schizophrenia or a manic episode. This category should be used for both a single episode and a recurrent disorder in which the majority of episodes are schizoaffective, manic type.

Schizoaffective psychosis, manic type

Schizophreniform psychosis, manic type

**F25.1 Schizoaffective disorder, depressive type**

A disorder in which both schizophrenic and depressive symptoms are prominent so that the episode of illness does not justify a diagnosis of either schizophrenia or a depressive episode. This category should be used for both a single episode and a recurrent disorder in which the majority of episodes are schizoaffective, depressive type.

Schizoaffective psychosis, depressive type

Schizophreniform psychosis, depressive type

**F25.2 Schizoaffective disorder, mixed type**

Cyclic schizophrenia

Mixed schizophrenic and affective psychosis

**F25.8 Other schizoaffective disorders**

**F25.9 Schizoaffective disorder, unspecified**

Schizoaffective psychosis NOS

**F28 Other nonorganic psychotic disorders**

Delusional or hallucinatory disorders that do not justify a diagnosis of schizophrenia (F20-), persistent delusional disorders (F22-), acute and transient psychotic disorders (F23-), psychotic types of manic episode (F30.2), or severe depressive episode (F32.3).

Chronic hallucinatory psychosis

**F29 Unspecified nonorganic psychosis**

Psychosis NOS

**Excludes:** mental disorder NOS (F99)  
organic or symptomatic psychosis NOS (F09)

## Mood [affective] disorders (F30-F39)

This block contains disorders in which the fundamental disturbance is a change in affect or mood to depression (with or without associated anxiety) or to elation. The mood change is usually accompanied by a change in the overall level of activity; most of the other symptoms are either secondary to, or easily understood in the context of, the change in mood and activity. Most of these disorders tend to be recurrent and the onset of individual episodes can often be related to stressful events or situations.

### **F30 Manic episode**

All the subdivisions of this category should be used only for a single episode. Hypomanic or manic episodes in individuals who have had one or more previous affective episodes (depressive, hypomanic, manic, or mixed) should be coded as bipolar affective disorder (F31-).

**Includes:** bipolar disorder, single manic episode

### **F30.0 Hypomania**

A disorder characterized by a persistent mild elevation of mood, increased energy and activity, and usually marked feelings of well-being and both physical and mental efficiency. Increased sociability, talkativeness, over-familiarity, increased sexual energy, and a decreased need for sleep are often present but not to the extent that they lead to severe disruption of work or result in social rejection. Irritability, conceit, and boorish behaviour may take the place of the more usual euphoric sociability. The disturbances of mood and behaviour are not accompanied by hallucinations or delusions.

### **F30.1 Mania without psychotic symptoms**

Mood is elevated out of keeping with the patient's circumstances and may vary from carefree joviality to almost uncontrollable excitement. Elation is accompanied by increased energy, resulting in overactivity, pressure of speech, and a decreased need for sleep. Attention cannot be sustained, and there is often marked distractibility. Self-esteem is often inflated with grandiose ideas and overconfidence. Loss of normal social inhibitions may result in behaviour that is reckless, foolhardy, or inappropriate to the circumstances, and out of character.

### **F30.2 Mania with psychotic symptoms**

In addition to the clinical picture described in F30.1, delusions (usually grandiose) or hallucinations (usually of voices speaking directly to the patient) are present, or the excitement, excessive motor activity, and flight of ideas are so extreme that the subject is incomprehensible or inaccessible to ordinary communication.

Mania with:

- mood-congruent psychotic symptoms
- mood-incongruent psychotic symptoms

Manic stupor

### **F30.8 Other manic episodes**

### **F30.9 Manic episode, unspecified**

Mania NOS

## **F31 Bipolar affective disorder**

A disorder characterized by two or more episodes in which the patient's mood and activity levels are significantly disturbed, this disturbance consisting on some occasions of an elevation of mood and increased energy and activity (hypomania or mania) and on others of a lowering of mood and decreased energy and activity (depression). Repeated episodes of hypomania or mania only are classified as bipolar.

**Includes:** manic depression  
manic-depressive:

- illness
- psychosis
- reaction

**Excludes:** bipolar disorder, single manic episode (F30-)  
cyclothymia (F34.0)

### **F31.0 Bipolar affective disorder, current episode hypomanic**

The patient is currently hypomanic, and has had at least one other affective episode (hypomanic, manic, depressive, or mixed) in the past.

**F31.1 Bipolar affective disorder, current episode manic without psychotic symptoms**

The patient is currently manic, without psychotic symptoms (as in F30.1), and has had at least one other affective episode (hypomanic, manic, depressive, or mixed) in the past.

**F31.2 Bipolar affective disorder, current episode manic with psychotic symptoms**

The patient is currently manic, with psychotic symptoms (as in F30.2), and has had at least one other affective episode (hypomanic, manic, depressive, or mixed) in the past.

**F31.3 Bipolar affective disorder, current episode mild or moderate depression**

The patient is currently depressed, as in a depressive episode of either mild or moderate severity (F32.0 or F32.1), and has had at least one authenticated hypomanic, manic, or mixed affective episode in the past.

**F31.4 Bipolar affective disorder, current episode severe depression without psychotic symptoms**

The patient is currently depressed, as in severe depressive episode without psychotic symptoms (F32.2), and has had at least one authenticated hypomanic, manic, or mixed affective episode in the past.

**F31.5 Bipolar affective disorder, current episode severe depression with psychotic symptoms**

The patient is currently depressed, as in severe depressive episode with psychotic symptoms (F32.3), and has had at least one authenticated hypomanic, manic, or mixed affective episode in the past.

**F31.6 Bipolar affective disorder, current episode mixed**

The patient has had at least one authenticated hypomanic, manic, depressive, or mixed affective episode in the past, and currently

exhibits either a mixture or a rapid alteration of manic and depressive symptoms.

**Excludes:** single mixed affective episode (F38.0)

**F31.7 Bipolar affective disorder, currently in remission**

The patient has had at least one authenticated hypomanic, manic, or mixed affective episode in the past, and at least one other affective episode (hypomanic, manic, depressive, or mixed) in addition, but is not currently suffering from any significant mood disturbance, and has not done so for several months. Periods of remission during prophylactic treatment should be coded here.

**F31.8 Other bipolar affective disorders**

Bipolar II disorder

Recurrent manic episodes NOS

**F31.9 Bipolar affective disorder, unspecified**

Manic depression NOS

**F32 Depressive episode**

In typical mild, moderate, or severe depressive episodes, the patient suffers from lowering of mood, reduction of energy, and decrease in activity. Capacity for enjoyment, interest, and concentration is reduced, and marked tiredness after even minimum effort is common. Sleep is usually disturbed and appetite diminished. Self-esteem and self-confidence are almost always reduced and, even in the mild form, some ideas of guilt or worthlessness are often present. The lowered mood varies little from day to day, is unresponsive to circumstances and may be accompanied by so-called "somatic" symptoms, such as loss of interest and pleasurable feelings, waking in the morning several hours before the usual time, depression worst in the morning, marked psychomotor retardation, agitation, loss of appetite, weight loss, and loss of libido. Depending upon the number and severity of the symptoms, a depressive episode may be specified as mild, moderate or severe.

**Includes:** single episodes of:

- depressive reaction
- psychogenic depression
- reactive depression

**Excludes:** adjustment disorder (F43.2)  
recurrent depressive disorder (F33-)  
when associated with conduct disorders in F91- (F92.0)

**F32.0 Mild depressive episode**

Two or three of the above symptoms are usually present. The patient is usually distressed by these but will probably be able to continue with most activities.

**F32.1 Moderate depressive episode**

Four or more of the above symptoms are usually present and the patient is likely to have great difficulty in continuing with ordinary activities.

**F32.2 Severe depressive episode without psychotic symptoms**

An episode of depression in which several of the above symptoms are marked and distressing, typically loss of self-esteem and ideas of worthlessness or guilt. Suicidal thoughts and acts are common and a number of "somatic" symptoms are usually present.

|                                                                |  |                                           |
|----------------------------------------------------------------|--|-------------------------------------------|
| Agitated<br>depression<br>Major depression<br>Vital depression |  | single episode without psychotic symptoms |
|----------------------------------------------------------------|--|-------------------------------------------|

**F32.3 Severe depressive episode with psychotic symptoms**

An episode of depression as described in F32.2, but with the presence of hallucinations, delusions, psychomotor retardation, or stupor so severe that ordinary social activities are impossible; there may be danger to life from suicide, dehydration, or starvation. The hallucinations and delusions may or may not be mood-congruent.

Single episodes of:

- major depression with psychotic symptoms
- psychogenic depressive psychosis
- psychotic depression
- reactive depressive psychosis



**F32.8 Other depressive episodes**

Atypical depression

Single episodes of "masked" depression NOS

**F32.9 Depressive episode, unspecified**

Depression NOS

Depressive disorder NOS

**F33 Recurrent depressive disorder**

A disorder characterized by repeated episodes of depression as described for depressive episode (F32-), without any history of independent episodes of mood elevation and increased energy (mania). There may, however, be brief episodes of mild mood elevation and overactivity (hypomania) immediately after a depressive episode, sometimes precipitated by antidepressant treatment. The more severe forms of recurrent depressive disorder (F33.2 and F33.3) have much in common with earlier concepts such as manic-depressive depression, melancholia, vital depression and endogenous depression. The first episode may occur at any age from childhood to old age, the onset may be either acute or insidious, and the duration varies from a few weeks to many months. The risk that a patient with recurrent depressive disorder will have an episode of mania never disappears completely, however many depressive episodes have been experienced. If such an episode does occur, the diagnosis should be changed to bipolar affective disorder (F31-).

**Includes:** recurrent episodes of:

- depressive reaction
- psychogenic depression
- reactive depression

seasonal depressive disorder

**Excludes:** recurrent brief depressive episodes (F38.1)

**F33.0 Recurrent depressive disorder, current episode mild**

A disorder characterized by repeated episodes of depression, the current episode being mild, as in F32.0, and without any history of mania.

**F33.1 Recurrent depressive disorder, current episode moderate**

A disorder characterized by repeated episodes of depression, the current episode being of moderate severity, as in F32.1, and without any history of mania.

**F33.2 Recurrent depressive disorder, current episode severe without psychotic symptoms**

A disorder characterized by repeated episodes of depression, the current episode being severe without psychotic symptoms, as in F32.2, and without any history of mania.

Endogenous depression without psychotic symptoms

Major depression, recurrent without psychotic symptoms

Manic-depressive psychosis, depressed type without psychotic symptoms

Vital depression, recurrent without psychotic symptoms

**F33.3 Recurrent depressive disorder, current episode severe with psychotic symptoms**

A disorder characterized by repeated episodes of depression, the current episode being severe with psychotic symptoms, as in F32.3, and with no previous episodes of mania.

Endogenous depression with psychotic symptoms

Manic-depressive psychosis, depressed type with psychotic symptoms

Recurrent severe episodes of:

- major depression with psychotic symptoms
- psychogenic depressive psychosis
- psychotic depression
- reactive depressive psychosis

**F33.4 Recurrent depressive disorder, currently in remission**

The patient has had two or more depressive episodes as described in F33.0-F33.3, in the past, but has been free from depressive symptoms for several months.

**F33.8 Other recurrent depressive disorders**

**F33.9 Recurrent depressive disorder, unspecified**

Monopolar depression NOS

**F34 Persistent mood [affective] disorders**

Persistent and usually fluctuating disorders of mood in which the majority of the individual episodes are not sufficiently severe to warrant being described as hypomanic or mild depressive episodes. Because they last for many years, and sometimes for the greater part of the patient's adult life, they involve considerable distress and disability. In some instances, recurrent or single manic or depressive episodes may become superimposed on a persistent affective disorder.

**F34.0 Cyclothymia**

A persistent instability of mood involving numerous periods of depression and mild elation, none of which is sufficiently severe or prolonged to justify a diagnosis of bipolar affective disorder (F31-) or recurrent depressive disorder (F33-). This disorder is frequently found in the relatives of patients with bipolar affective disorder. Some patients with cyclothymia eventually develop bipolar affective disorder.

Affective personality disorder

Cycloid personality

Cyclothymic personality

**F34.1 Dysthymia**

A chronic depression of mood, lasting at least several years, which is not sufficiently severe, or in which individual episodes are not sufficiently prolonged, to justify a diagnosis of severe, moderate, or mild recurrent depressive disorder (F33-).

Depressive:

- neurosis
- personality disorder

Neurotic depression

Persistent anxiety depression

**Excludes:** anxiety depression (mild or not persistent) (F41.2)

**F34.8 Other persistent mood [affective] disorders**

**F34.9 Persistent mood [affective] disorder, unspecified**

**F38 Other mood [affective] disorders**

Any other mood disorders that do not justify classification to F30-F34, because they are not of sufficient severity or duration.

**F38.0 Other single mood [affective] disorders**

Mixed affective episode

**F38.1 Other recurrent mood [affective] disorders**

Recurrent brief depressive episodes

**F38.8 Other specified mood [affective] disorders**

**F39 Unspecified mood [affective] disorder**

Affective psychosis NOS

**Neurotic, stress-related and somatoform disorders  
(F40-F48)**

**Excludes:** when associated with conduct disorder in F91- (F92.8)

**F40 Phobic anxiety disorders**

A group of disorders in which anxiety is evoked only, or predominantly, in certain well-defined situations that are not currently dangerous. As a result these situations are characteristically avoided or endured with dread. The patient's concern may be focused on individual symptoms like palpitations or feeling faint and is often associated with secondary fears of dying, losing control, or going mad. Contemplating entry to the phobic situation usually generates anticipatory

anxiety. Phobic anxiety and depression often coexist. Whether two diagnoses, phobic anxiety and depressive episode, are needed, or only one, is determined by the time course of the two conditions and by therapeutic considerations at the time of consultation.

### **F40.0 Agoraphobia**

A fairly well-defined cluster of phobias embracing fears of leaving home, entering shops, crowds and public places, or traveling alone in trains, buses or planes. Panic disorder is a frequent feature of both present and past episodes. Depressive and obsessional symptoms and social phobias are also commonly present as subsidiary features. Avoidance of the phobic situation is often prominent, and some agoraphobics experience little anxiety because they are able to avoid their phobic situations.

Agoraphobia without history of panic disorder

Panic disorder with agoraphobia

### **F40.1 Social phobias**

Fear of scrutiny by other people leading to avoidance of social situations. More pervasive social phobias are usually associated with low self-esteem and fear of criticism. They may present as a complaint of blushing, hand tremor, nausea, or urgency of micturition, the patient sometimes being convinced that one of these secondary manifestations of their anxiety is the primary problem. Symptoms may progress to panic attacks.

Anthropophobia

Social neurosis

### **F40.2 Specific (isolated) phobias**

Phobias restricted to highly specific situations such as proximity to particular animals, heights, thunder, darkness, flying, closed spaces, urinating or defecating in public toilets, eating certain foods, dentistry, or the sight of blood or injury. Though the triggering situation is discrete, contact with it can evoke panic as in agoraphobia or social phobia.

Acrophobia

Animal phobias

Claustrophobia

Simple phobia

**Excludes:** dysmorphophobia (nondelusional) (F45.2)  
nosophobia (F45.2)

## **F40.8 Other phobic anxiety disorders**

### **F40.9 Phobic anxiety disorder, unspecified**

Phobia NOS

Phobic state NOS

## **F41 Other anxiety disorders**

Disorders in which manifestation of anxiety is the major symptom and is not restricted to any particular environmental situation. Depressive and obsessional symptoms, and even some elements of phobic anxiety, may also be present, provided that they are clearly secondary or less severe.

### **F41.0 Panic disorder [episodic paroxysmal anxiety]**

The essential feature is recurrent attacks of severe anxiety (panic), which are not restricted to any particular situation or set of circumstances and are therefore unpredictable. As with other anxiety disorders, the dominant symptoms include sudden onset of palpitations, chest pain, choking sensations, dizziness, and feelings of unreality (depersonalization or derealization). There is often also a secondary fear of dying, losing control, or going mad. Panic disorder should not be given as the main diagnosis if the patient has a depressive disorder at the time the attacks start; in these circumstances the panic attacks are probably secondary to depression.

Panic:

- attack
- state

**Excludes:** panic disorder with agoraphobia (F40.0)

### **F41.1 Generalized anxiety disorder**

Anxiety that is generalized and persistent but not restricted to, or even strongly predominating in, any particular environmental circumstances (i.e. it is "free-floating"). The dominant symptoms are variable but include complaints of persistent nervousness, trembling, muscular tensions, sweating, lightheadedness, palpitations, dizziness, and epigastric discomfort. Fears that the patient or a relative will shortly become ill or have an accident are often expressed.

Anxiety:

- neurosis
- reaction
- state

**Excludes:** neurasthenia (F48.0)

### **F41.2 Mixed anxiety and depressive disorder**

This category should be used when symptoms of anxiety and depression are both present, but neither is clearly predominant, and neither type of symptom is present to the extent that justifies a diagnosis if considered separately. When both anxiety and depressive symptoms are present and severe enough to justify individual diagnoses, both diagnoses should be recorded and this category should not be used.

Anxiety depression (mild or not persistent)

### **F41.3 Other mixed anxiety disorders**

Symptoms of anxiety mixed with features of other disorders in F42-F48. Neither type of symptom is severe enough to justify a diagnosis if considered separately.

### **F41.8 Other specified anxiety disorders**

Anxiety hysteria

### **F41.9 Anxiety disorder, unspecified**

Anxiety NOS

## **F42 Obsessive-compulsive disorder**

The essential feature is recurrent obsessional thoughts or compulsive acts. Obsessional thoughts are ideas, images, or impulses that enter the patient's mind again and again in a stereotyped form. They are almost invariably distressing and the patient often tries, unsuccessfully, to resist them. They are, however, recognized as his or her own thoughts, even though they are involuntary and often repugnant. Compulsive acts or rituals are stereotyped behaviours that are repeated again and again. They are not inherently enjoyable, nor do they result in the completion of inherently useful tasks. Their function is to prevent some objectively unlikely event, often involving harm to or caused by the patient, which he or she fears might otherwise occur. Usually, this behaviour is recognized by the patient as pointless or ineffectual and repeated attempts are made to resist. Anxiety is almost invariably present. If compulsive acts are resisted the anxiety gets worse.

**Includes:** anankastic neurosis  
obsessive-compulsive neurosis

**Excludes:** obsessive-compulsive personality (disorder) (F60.5)

#### **F42.0 Predominantly obsessional thoughts or ruminations**

These may take the form of ideas, mental images, or impulses to act, which are nearly always distressing to the subject. Sometimes the ideas are an indecisive, endless consideration of alternatives, associated with an inability to make trivial but necessary decisions in day-to-day living. The relationship between obsessional ruminations and depression is particularly close and a diagnosis of obsessive-compulsive disorder should be preferred only if ruminations arise or persist in the absence of a depressive episode.

#### **F42.1 Predominantly compulsive acts [obsessional rituals]**

The majority of compulsive acts are concerned with cleaning (particularly handwashing), repeated checking to ensure that a potentially dangerous situation has not been allowed to develop, or orderliness and tidiness. Underlying the overt behaviour is a fear, usually of danger either to or caused by the patient, and the ritual is an ineffectual or symbolic attempt to avert that danger.

#### **F42.2 Mixed obsessional thoughts and acts**

#### **F42.8 Other obsessive-compulsive disorders**



## **F42.9 Obsessive-compulsive disorder, unspecified**

### **F43 Reaction to severe stress, and adjustment disorders**

This category differs from others in that it includes disorders identifiable on the basis of not only symptoms and course but also the existence of one or other of two causative influences: an exceptionally stressful life event producing an acute stress reaction, or a significant life change leading to continued unpleasant circumstances that result in an adjustment disorder. Although less severe psychosocial stress ("life events") may precipitate the onset or contribute to the presentation of a very wide range of disorders classified elsewhere in this chapter, its etiological importance is not always clear and in each case will be found to depend on individual, often idiosyncratic, vulnerability, i.e. the life events are neither necessary nor sufficient to explain the occurrence and form of the disorder. In contrast, the disorders brought together here are thought to arise always as a direct consequence of acute severe stress or continued trauma. The stressful events or the continuing unpleasant circumstances are the primary and overriding causal factor and the disorder would not have occurred without their impact. The disorders in this section can thus be regarded as maladaptive responses to severe or continued stress, in that they interfere with successful coping mechanisms and therefore lead to problems of social functioning.

#### **F43.0 Acute stress reaction**

A transient disorder that develops in an individual without any other apparent mental disorder in response to exceptional physical and mental stress and that usually subsides within hours or days. Individual vulnerability and coping capacity play a role in the occurrence and severity of acute stress reactions. The symptoms show a typically mixed and changing picture and include an initial state of "daze" with some constriction of the field of consciousness and narrowing of attention, inability to comprehend stimuli, and disorientation. This state may be followed either by further withdrawal from the surrounding situation (to the extent of a dissociative stupor-F44.2), or by agitation and over-activity (flight reaction or fugue). Autonomic signs of panic anxiety (tachycardia, sweating, flushing) are commonly present. The symptoms usually appear within minutes of the impact of the stressful stimulus or event, and disappear within two to three days (often within hours). Partial or complete amnesia (F44.0) for the episode may be present. If the symptoms persist, a change in diagnosis should be considered.

Acute:

- crisis reaction
  - reaction to stress
- Combat fatigue  
Crisis state  
Psychic shock

### **F43.1 Post-traumatic stress disorder**

Arises as a delayed or protracted response to a stressful event or situation (of either brief or long duration) of an exceptionally threatening or catastrophic nature, which is likely to cause pervasive distress in almost anyone. Predisposing factors, such as personality traits (e.g. compulsive, asthenic) or previous history of neurotic illness, may lower the threshold for the development of the syndrome or aggravate its course, but they are neither necessary nor sufficient to explain its occurrence. Typical features include episodes of repeated reliving of the trauma in intrusive memories ("flashbacks"), dreams or nightmares, occurring against the persisting background of a sense of "numbness" and emotional blunting, detachment from other people, unresponsiveness to surroundings, anhedonia, and avoidance of activities and situations reminiscent of the trauma. There is usually a state of autonomic hyperarousal with hypervigilance, an enhanced startle reaction, and insomnia. Anxiety and depression are commonly associated with the above symptoms and signs, and suicidal ideation is not infrequent. The onset follows the trauma with a latency period that may range from a few weeks to months. The course is fluctuating but recovery can be expected in the majority of cases. In a small proportion of cases the condition may follow a chronic course over many years, with eventual transition to an enduring personality change (F62.0).

Traumatic neurosis

### **F43.2 Adjustment disorders**

States of subjective distress and emotional disturbance, usually interfering with social functioning and performance, arising in the period of adaptation to a significant life change or a stressful life event. The stressor may have affected the integrity of an individual's social network (bereavement, separation experiences) or the wider system of social supports and values (migration, refugee status), or represented a major developmental transition or crisis (going to school, becoming a parent, failure to attain a

cherished personal goal, retirement). Individual predisposition or vulnerability plays an important role in the risk of occurrence and the shaping of the manifestations of adjustment disorders, but it is nevertheless assumed that the condition would not have arisen without the stressor. The manifestations vary and include depressed mood, anxiety or worry (or mixture of these), a feeling of inability to cope, plan ahead, or continue in the present situation, as well as some degree of disability in the performance of daily routine. Conduct disorders may be an associated feature, particularly in adolescents. The predominant feature may be a brief or prolonged depressive reaction, or a disturbance of other emotions and conduct.

Culture shock

Grief reaction

Hospitalism in children

**Excludes:** separation anxiety disorder of childhood (F93.0)

### **F43.8 Other reactions to severe stress**

### **F43.9 Reaction to severe stress, unspecified**

## **F44 Dissociative [conversion] disorders**

The common themes that are shared by dissociative or conversion disorders are a partial or complete loss of the normal integration between memories of the past, awareness of identity and immediate sensations, and control of bodily movements. All types of dissociative disorders tend to remit after a few weeks or months, particularly if their onset is associated with a traumatic life event. More chronic disorders, particularly paralyses and anaesthesias, may develop if the onset is associated with insoluble problems or interpersonal difficulties. These disorders have previously been classified as various types of "conversion hysteria". They are presumed to be psychogenic in origin, being associated closely in time with traumatic events, insoluble and intolerable problems, or disturbed relationships. The symptoms often represent the patient's concept of how a physical illness would be manifest. Medical examination and investigation do not reveal the presence of any known physical or neurological disorder. In addition, there is evidence that the loss of function is an expression of emotional conflicts or needs. The symptoms may develop in close relationship to psychological stress, and often appear suddenly. Only disorders of physical functions normally under voluntary control and loss of sensations are included

here. Disorders involving pain and other complex physical sensations mediated by the autonomic nervous system are classified under somatization disorder (F45.0). The possibility of the later appearance of serious physical or psychiatric disorders should always be kept in mind.

**Includes:** conversion:  
• hysteria  
• reaction  
hysteria  
hysterical psychosis

**Excludes:** malingering [conscious simulation] (IxxxixZ76.5)

#### **F44.0 Dissociative amnesia**

The main feature is loss of memory, usually of important recent events, that is not due to organic mental disorder, and is too great to be explained by ordinary forgetfulness or fatigue. The amnesia is usually centred on traumatic events, such as accidents or unexpected bereavements, and is usually partial and selective. Complete and generalized amnesia is rare, and is usually part of a fugue (F44.1). If this is the case, the disorder should be classified as such. The diagnosis should not be made in the presence of organic brain disorders, intoxication, or excessive fatigue.

**Excludes:** alcohol- or other psychoactive substance-induced amnesic disorder (F10-F19 with common fourth character .6)  
amnesia:  
• NOS (R41.3)  
• anterograde (R41.1)  
• retrograde (R41.2)  
nonalcoholic organic amnesic syndrome (F04)  
postictal amnesia in epilepsy (G40-)

#### **F44.1 Dissociative fugue**

Dissociative fugue has all the features of dissociative amnesia, plus purposeful travel beyond the usual everyday range. Although there is amnesia for the period of the fugue, the patient's behaviour during this time may appear completely normal to independent observers.

**Excludes:** postictal fugue in epilepsy (G40-)

#### **F44.2 Dissociative stupor**

Dissociative stupor is diagnosed on the basis of a profound diminution or absence of voluntary movement and normal responsiveness to external stimuli such as light, noise, and touch, but examination and investigation reveal no evidence of a physical cause. In addition, there is positive evidence of psychogenic causation in the form of recent stressful events or problems.

- Excludes:** organic catatonic disorder (F06.1)  
stupor:
- NOS (R40.1)
  - catatonic (F20.2)
  - depressive (F31-F33)
  - manic (F30.2)

#### **F44.3 Trance and possession disorders**

Disorders in which there is a temporary loss of the sense of personal identity and full awareness of the surroundings. Include here only trance states that are involuntary or unwanted, occurring outside religious or culturally accepted situations.

- Excludes:** states associated with:
- acute and transient psychotic disorders (F23-)
  - organic personality disorder (F07.0)
  - postconcussional syndrome (F07.2)
  - psychoactive substance intoxication (F10-F19 with common fourth character .0)
  - schizophrenia (F20-)

#### **F44.4 Dissociative motor disorders**

In the commonest varieties there is loss of ability to move the whole or a part of a limb or limbs. There may be close resemblance to almost any variety of ataxia, apraxia, akinesia, aphonia, dysarthria, dyskinesia, seizures, or paralysis.

Psychogenic:

- aphonia
- dysphonia

#### **F44.5 Dissociative convulsions**

Dissociative convulsions may mimic epileptic seizures very closely in terms of movements, but tongue-biting, bruising due to falling, and incontinence of urine are rare, and consciousness is maintained or replaced by a state of stupor or trance.

**F44.6 Dissociative anaesthesia and sensory loss**

Anaesthetic areas of skin often have boundaries that make it clear that they are associated with the patient's ideas about bodily functions, rather than medical knowledge. There may be differential loss between the sensory modalities which cannot be due to a neurological lesion. Sensory loss may be accompanied by complaints of paraesthesia. Loss of vision and hearing are rarely total in dissociative disorders.

Psychogenic deafness

**F44.7 Mixed dissociative [conversion] disorders**

Combination of disorders specified in F44.0-F44.6

**F44.8 Other dissociative [conversion] disorders**

Ganser syndrome

Multiple personality

Psychogenic:

- confusion
- twilight state

**F44.9 Dissociative [conversion] disorder, unspecified**

**F45 Somatoform disorders**

The main feature is repeated presentation of physical symptoms together with persistent requests for medical investigations, in spite of repeated negative findings and reassurances by doctors that the symptoms have no physical basis. If any physical disorders are present, they do not explain the nature and extent of the symptoms or the distress and preoccupation of the patient.

**Excludes:** dissociative disorders (F44-)  
hair-plucking (F98.4)  
lalling (F80.0)

lisp (F80.8)  
nail-biting (F98.8)  
psychological or behavioural factors associated with disorders or diseases classified elsewhere (F54)  
sexual dysfunction, not caused by organic disorder or disease (F52-)  
thumb-sucking (F98.8)  
tic disorders (in childhood and adolescence) (F95-)  
Tourette syndrome (F95.2)  
trichotillomania (F63.3)

## **F45.0 Somatization disorder**

The main features are multiple, recurrent and frequently changing physical symptoms of at least two years' duration. Most patients have a long and complicated history of contact with both primary and specialist medical care services, during which many negative investigations or fruitless exploratory operations may have been carried out. Symptoms may be referred to any part or system of the body. The course of the disorder is chronic and fluctuating, and is often associated with disruption of social, interpersonal, and family behaviour. Short-lived (less than two years) and less striking symptom patterns should be classified under undifferentiated somatoform disorder (F45.1).

Briquet disorder

Multiple psychosomatic disorder

**Excludes:** malingering [conscious simulation] (<sup>xc</sup>Z76.5)

## **F45.1 Undifferentiated somatoform disorder**

When somatoform complaints are multiple, varying and persistent, but the complete and typical clinical picture of somatization disorder is not fulfilled, the diagnosis of undifferentiated somatoform disorder should be considered.

Undifferentiated psychosomatic disorder

## **F45.2 Hypochondriacal disorder**

The essential feature is a persistent preoccupation with the possibility of having one or more serious and progressive physical disorders. Patients manifest persistent somatic complaints or a persistent preoccupation with their physical appearance. Normal or

commonplace sensations and appearances are often interpreted by patients as abnormal and distressing, and attention is usually focused upon only one or two organs or systems of the body. Marked depression and anxiety are often present, and may justify additional diagnoses.

Body dysmorphic disorder  
Dysmorphophobia (nondelusional)  
Hypochondriacal neurosis  
Hypochondriasis  
Nosophobia

**Excludes:** delusional dysmorphophobia (F22.8)  
fixed delusions about bodily functions or shape (F22-)

### **F45.3 Somatoform autonomic dysfunction**

Symptoms are presented by the patient as if they were due to a physical disorder of a system or organ that is largely or completely under autonomic innervation and control, i.e. the cardiovascular, gastrointestinal, respiratory and urogenital systems. The symptoms are usually of two types, neither of which indicates a physical disorder of the organ or system concerned. First, there are complaints based upon objective signs of autonomic arousal, such as palpitations, sweating, flushing, tremor, and expression of fear and distress about the possibility of a physical disorder. Second, there are subjective complaints of a nonspecific or changing nature such as fleeting aches and pains, sensations of burning, heaviness, tightness, and feelings of being bloated or distended, which are referred by the patient to a specific organ or system.

Cardiac neurosis  
Da Costa syndrome  
Gastric neurosis  
Neurocirculatory asthenia  
Psychogenic forms of:

- aerophagy
- cough
- diarrhoea
- dyspepsia
- dysuria
- flatulence
- hiccough



- hyperventilation
- increased frequency of micturition
- irritable bowel syndrome
- pylorospasm

**Excludes:** psychological and behavioural factors associated with disorders or diseases classified elsewhere (F54)

#### **F45.4 Persistent somatoform pain disorder**

The predominant complaint is of persistent, severe, and distressing pain, which cannot be explained fully by a physiological process or a physical disorder, and which occurs in association with emotional conflict or psychosocial problems that are sufficient to allow the conclusion that they are the main causative influences. The result is usually a marked increase in support and attention, either personal or medical. Pain presumed to be of psychogenic origin occurring during the course of depressive disorders or schizophrenia should not be included here.

Psychalgia

Psychogenic:

- backache
- headache

Somatoform pain disorder

**Excludes:** backache NOS (M54.9)  
pain:  
• NOS (R52.9)  
• acute (R52.0)  
• chronic (R52.2)  
• intractable (R52.1)  
tension headache (G44.2)

#### **F45.8 Other somatoform disorders**

Any other disorders of sensation, function and behaviour, not due to physical disorders, which are not mediated through the autonomic nervous system, which are limited to specific systems or parts of the body, and which are closely associated in time with stressful events or problems.

Psychogenic:

- dysmenorrhoea

- dysphagia, including "globus hystericus"
  - pruritus
  - torticollis
- Teeth-grinding

**F45.9 Somatoform disorder, unspecified**  
Psychosomatic disorder NOS

**F48 Other neurotic disorders**

**F48.0 Neurasthenia**

Considerable cultural variations occur in the presentation of this disorder, and two main types occur, with substantial overlap. In one type, the main feature is a complaint of increased fatigue after mental effort, often associated with some decrease in occupational performance or coping efficiency in daily tasks. The mental fatiguability is typically described as an unpleasant intrusion of distracting associations or recollections, difficulty in concentrating, and generally inefficient thinking. In the other type, the emphasis is on feelings of bodily or physical weakness and exhaustion after only minimal effort, accompanied by a feeling of muscular aches and pains and inability to relax. In both types a variety of other unpleasant physical feelings is common, such as dizziness, tension headaches, and feelings of general instability. Worry about decreasing mental and bodily well-being, irritability, anhedonia, and varying minor degrees of both depression and anxiety are all common. Sleep is often disturbed in its initial and middle phases but hypersomnia may also be prominent.

Fatigue syndrome

Use additional code, if desired, to identify previous physical illness.

**Excludes:** asthenia NOS (R53)  
burn-out (<sup>xc</sup>iZ73.0)  
malaise and fatigue (R53)  
postviral fatigue syndrome (G93.3)  
psychasthenia (F48.8)

**F48.1 Depersonalization-derealization syndrome**

A rare disorder in which the patient complains spontaneously that his or her mental activity, body, and surroundings are changed in their quality, so as to be unreal, remote, or automatized. Among the varied phenomena of the syndrome, patients complain most frequently of loss of emotions and feelings of estrangement or detachment from their thinking, their body, or the real world. In spite of the dramatic nature of the experience, the patient is aware of the unreality of the change. The sensorium is normal and the capacity for emotional expression intact.

Depersonalization-derealization symptoms may occur as part of a diagnosable schizophrenic, depressive, phobic, or obsessive-compulsive disorder. In such cases the diagnosis should be that of the main disorder.

**F48.8 Other specified neurotic disorders**

Dhat syndrome

Occupational neurosis, including writer cramp

Psychasthenia

Psychasthenic neurosis

Psychogenic syncope

**F48.9 Neurotic disorder, unspecified**

Neurosis NOS

**Behavioural syndromes associated with physiological disturbances and physical factors (F50-F59)**

**F50 Eating disorders**

**Excludes:** anorexia NOS (R63.0)  
feeding:  
• difficulties and mismanagement (R63.3)  
• disorder of infancy or childhood (F98.2)  
polyphagia (R63.2)

### **F50.0 Anorexia nervosa**

A disorder characterized by deliberate weight loss, induced and sustained by the patient. It occurs most commonly in adolescent girls and young women, but adolescent boys and young men may also be affected, as may children approaching puberty and older women up to the menopause. The disorder is associated with a specific psychopathology whereby a dread of fatness and flabbiness of body contour persists as an intrusive overvalued idea, and the patients impose a low weight threshold on themselves. There is usually undernutrition of varying severity with secondary endocrine and metabolic changes and disturbances of bodily function. The symptoms include restricted dietary choice, excessive exercise, induced vomiting and purgation, and use of appetite suppressants and diuretics.

**Excludes:** loss of appetite (R63.0)  
• psychogenic (F50.8)

### **F50.1 Atypical anorexia nervosa**

Disorders that fulfill some of the features of anorexia nervosa but in which the overall clinical picture does not justify that diagnosis. For instance, one of the key symptoms, such as amenorrhoea or marked dread of being fat, may be absent in the presence of marked weight loss and weight-reducing behaviour. This diagnosis should not be made in the presence of known physical disorders associated with weight loss.

### **F50.2 Bulimia nervosa**

A syndrome characterized by repeated bouts of overeating and an excessive preoccupation with the control of body weight, leading to a pattern of overeating followed by vomiting or use of purgatives. This disorder shares many psychological features with anorexia nervosa, including an over concern with body shape and weight. Repeated vomiting is likely to give rise to disturbances of body electrolytes and physical complications. There is often, but not always, a history of an earlier episode of anorexia nervosa, the interval ranging from a few months to several years.

Bulimia NOS

Hyperorexia nervosa

**F50.3 Atypical bulimia nervosa**

Disorders that fulfill some of the features of bulimia nervosa, but in which the overall clinical picture does not justify that diagnosis. For instance, there may be recurrent bouts of overeating and overuse of purgatives without significant weight change, or the typical over concern about body shape and weight may be absent.

**F50.4 Overeating associated with other psychological disturbances**

Overeating due to stressful events, such as bereavement, accident, childbirth, etc.

Psychogenic overeating

*Excludes:* obesity (E66-)

**F50.5 Vomiting associated with other psychological disturbances**

Repeated vomiting that occurs in dissociative disorders (F44-) and hypochondriacal disorder (F45.2), and that is not solely due to conditions classified outside this chapter. This subcategory may also be used in addition to O21- (excessive vomiting in pregnancy) when emotional factors are predominant in the causation of recurrent nausea and vomiting in pregnancy.

Psychogenic vomiting

*Excludes:* nausea (R11)  
vomiting NOS (R11)

**F50.8 Other eating disorders**

Pica in adults

Psychogenic loss of appetite

*Excludes:* pica of infancy and childhood (F98.3)

**F50.9 Eating disorder, unspecified**

**F51 Nonorganic sleep disorders**

In many cases, a disturbance of sleep is one of the symptoms of another disorder, either mental or physical. Whether a sleep disorder in a given patient is an independent condition or simply one of the features of another disorder classified elsewhere, either in this chapter or in others, should be determined on the basis of its clinical presentation and course as well as on the therapeutic considerations and priorities at the time of the consultation. Generally, if the sleep disorder is one of the major complaints and is perceived as a condition in itself, the present code should be used along with other pertinent diagnoses describing the psychopathology and pathophysiology involved in a given case. This category includes only those sleep disorders in which emotional causes are considered to be a primary factor, and which are not due to identifiable physical disorders classified elsewhere.

**Excludes:** sleep disorders (organic) (G47-)

### **F51.0 Nonorganic insomnia**

A condition of unsatisfactory quantity and/or quality of sleep, which persists for a considerable period of time, including difficulty falling asleep, difficulty staying asleep, or early final waking. Insomnia is a common symptom of many mental and physical disorders, and should be classified here in addition to the basic disorder only if it dominates the clinical picture.

**Excludes:** insomnia (organic) (G47.0)

### **F51.1 Nonorganic hypersomnia**

Hypersomnia is defined as a condition of either excessive daytime sleepiness and sleep attacks (not accounted for by an inadequate amount of sleep) or prolonged transition to the fully aroused state upon awakening. In the absence of an organic factor for the occurrence of hypersomnia, this condition is usually associated with mental disorders.

**Excludes:** hypersomnia (organic) (G47.1)  
narcolepsy (G47.4)

### **F51.2 Nonorganic disorder of the sleep-wake schedule**

A lack of synchrony between the sleep-wake schedule and the desired sleep-wake schedule for the individual's environment, resulting in a complaint of either insomnia or hypersomnia.

Psychogenic inversion of:

- |                                                                                                    |  |        |
|----------------------------------------------------------------------------------------------------|--|--------|
| <ul style="list-style-type: none"><li>• circadian</li><li>• nyctohemeral</li><li>• sleep</li></ul> |  | rhythm |
|----------------------------------------------------------------------------------------------------|--|--------|

**Excludes:** disorders of the sleep-wake schedule (organic) (G47.2)

### **F51.3 Sleepwalking [somnambulism]**

A state of altered consciousness in which phenomena of sleep and wakefulness are combined. During a sleepwalking episode the individual arises from bed, usually during the first third of nocturnal sleep, and walks about, exhibiting low levels of awareness, reactivity, and motor skill. Upon awakening, there is usually no recall of the event.

### **F51.4 Sleep terrors [night terrors]**

Nocturnal episodes of extreme terror and panic associated with intense vocalization, motility, and high levels of autonomic discharge. The individual sits up or gets up, usually during the first third of nocturnal sleep, with a panicky scream. Quite often he or she rushes to the door as if trying to escape, although very seldom leaves the room. Recall of the event, if any, is very limited (usually to one or two fragmentary mental images).

### **F51.5 Nightmares**

Dream experiences loaded with anxiety or fear. There is very detailed recall of the dream content. The dream experience is very vivid and usually includes themes involving threats to survival, security, or self-esteem. Quite often there is a recurrence of the same or similar frightening nightmare themes. During a typical episode there is a degree of autonomic discharge but no appreciable vocalization or body motility. Upon awakening the individual rapidly becomes alert and oriented.

Dream anxiety disorder

### **F51.8 Other nonorganic sleep disorders**

**F51.9 Nonorganic sleep disorder, unspecified**

Emotional sleep disorder NOS

**F52 Sexual dysfunction, not caused by organic disorder or disease**

Sexual dysfunction covers the various ways in which an individual is unable to participate in a sexual relationship as he or she would wish. Sexual response is a psychosomatic process and both psychological and somatic processes are usually involved in the causation of sexual dysfunction.

**Excludes:** Dhat syndrome (F48.8)

**F52.0 Lack or loss of sexual desire**

Loss of sexual desire is the principal problem and is not secondary to other sexual difficulties, such as erectile failure or dyspareunia.

Frigidity

Hypoactive sexual desire disorder

**F52.1 Sexual aversion and lack of sexual enjoyment**

Either the prospect of sexual interaction produces sufficient fear or anxiety that sexual activity is avoided (sexual aversion) or sexual responses occur normally and orgasm is experienced but there is a lack of appropriate pleasure (lack of sexual enjoyment).

Anhedonia (sexual)

**F52.2 Failure of genital response**

The principal problem in men is erectile dysfunction (difficulty in developing or maintaining an erection suitable for satisfactory intercourse). In women, the principal problem is vaginal dryness or failure of lubrication.

Female sexual arousal disorder

Male erectile disorder

Psychogenic impotence

**Excludes:** impotence of organic origin (N48.4)

**F52.3 Orgasmic dysfunction**



Orgasm either does not occur or is markedly delayed.  
Inhibited orgasm (male)(female)  
Psychogenic anorgasmy

**F52.4 Premature ejaculation**

The inability to control ejaculation sufficiently for both partners to enjoy sexual interaction.

**F52.5 Nonorganic vaginismus**

Spasm of the pelvic floor muscles that surround the vagina, causing occlusion of the vaginal opening. Penile entry is either impossible or painful.  
Psychogenic vaginismus

*Excludes:* vaginismus (organic) (N94.2)

**F52.6 Nonorganic dyspareunia**

Dyspareunia (or pain during sexual intercourse) occurs in both women and men. It can often be attributed to local pathology and should then properly be categorized under the pathological condition. This category is to be used only if there is no primary nonorganic sexual dysfunction (e.g. vaginismus or vaginal dryness).  
Psychogenic dyspareunia

*Excludes:* dyspareunia (organic) (N94.1)

**F52.7 Excessive sexual drive**

Nymphomania  
Satyriasis

**F52.8 Other sexual dysfunction, not caused by organic disorder or disease**

**F52.9 Unspecified sexual dysfunction, not caused by organic disorder or disease**

**F53 Mental and behavioural disorders associated with the puerperium, not elsewhere classified**

This category includes only mental disorders associated with the puerperium (commencing within six weeks of delivery) that do not meet the criteria for disorders classified elsewhere in this chapter, either because insufficient information is available, or because it is considered that special additional clinical features are present that make their classification elsewhere inappropriate.

**F53.0 Mild mental and behavioural disorders associated with the puerperium, not elsewhere classified**

Depression:

- postnatal NOS
- postpartum NOS

**F53.1 Severe mental and behavioural disorders associated with the puerperium, not elsewhere classified**

Puerperal psychosis NOS

**F53.8 Other mental and behavioural disorders associated with the puerperium, not elsewhere classified**

**F53.9 Puerperal mental disorder, unspecified**

**F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere**

This category should be used to record the presence of psychological or behavioural influences thought to have played a major part in the etiology of physical disorders which can be classified to other chapters. Any resulting mental disturbances are usually mild, and often prolonged (such as worry, emotional conflict, apprehension) and do not of themselves justify the use of any of the categories in this chapter.

Psychological factors affecting physical conditions

Examples of the use of this category are:

- asthma F54 and J45-
- dermatitis F54 and L23-L25
- gastric ulcer F54 and K25-

- mucous colitis F54 and K58-
- ulcerative colitis F54 and K51-
- urticaria F54 and L50-

Use additional code, if desired, to identify the associated physical disorder.

**Excludes:** tension-type headache (G44.2)

## **F55 Abuse of non-dependence-producing substances**

A wide variety of medicaments and folk remedies may be involved, but the particularly important groups are: (a) psychotropic drugs that do not produce dependence, such as antidepressants, (b) laxatives, and (c) analgesics that may be purchased without medical prescription, such as aspirin and paracetamol.

Persistent use of these substances often involves unnecessary contacts with medical professionals or supporting staff, and is sometimes accompanied by harmful physical effects of the substances. Attempts to dissuade or forbid the use of the substance are often met with resistance; for laxatives and analgesics this may be in spite of warnings about (or even the development of) physical harm such as renal dysfunction or electrolyte disturbances. Although it is usually clear that the patient has a strong motivation to take the substance, dependence or withdrawal symptoms do not develop as in the case of the psychoactive substances specified in F10-F19.

Abuse of:

- antacids
- herbal or folk remedies
- steroids or hormones
- vitamins

Laxative habit

**Excludes:** abuse of psychoactive substances (F10-F19)

## **F59 Unspecified behavioural syndromes associated with physiological disturbances and physical factors**

Psychogenic physiological dysfunction NOS

## Disorders of adult personality and behaviour (F60-F69)

This block includes a variety of conditions and behaviour patterns of clinical significance which tend to be persistent and appear to be the expression of the individual's characteristic lifestyle and mode of relating to himself or herself and others. Some of these conditions and patterns of behaviour emerge early in the course of individual development, as a result of both constitutional factors and social experience, while others are acquired later in life. Specific personality disorders (F60-), mixed and other personality disorders (F61-), and enduring personality changes (F62-) are deeply ingrained and enduring behaviour patterns, manifesting as inflexible responses to a broad range of personal and social situations. They represent extreme or significant deviations from the way in which the average individual in a given culture perceives, thinks, feels and, particularly, relates to others. Such behaviour patterns tend to be stable and to encompass multiple domains of behaviour and psychological functioning. They are frequently, but not always, associated with various degrees of subjective distress and problems of social performance.

### **F60 Specific personality disorders**

These are severe disturbances in the personality and behavioural tendencies of the individual; not directly resulting from disease, damage, or other insult to the brain, or from another psychiatric disorder; usually involving several areas of the personality; nearly always associated with considerable personal distress and social disruption; and usually manifest since childhood or adolescence and continuing throughout adulthood.

#### **F60.0 Paranoid personality disorder**

Personality disorder characterized by excessive sensitivity to setbacks, unforgiveness of insults; suspiciousness and a tendency to distort experience by misconstruing the neutral or friendly actions of others as hostile or contemptuous; recurrent suspicions, without justification, regarding the sexual fidelity of the spouse or sexual partner; and a combative and tenacious sense of personal rights. There may be excessive self-importance, and there is often excessive self-reference.

Personality (disorder):

- expansive paranoid
- fanatic
- querulant
- paranoid
- sensitive paranoid

- Excludes:** paranoia (F22.0)
- querulans (F22.8)
- paranoid:
- psychosis (F22.0)
  - schizophrenia (F20.0)
  - state (F22.0)

### **F60.1 Schizoid personality disorder**

Personality disorder characterized by withdrawal from affectional, social and other contacts with preference for fantasy, solitary activities, and introspection. There is a limited capacity to express feelings and to experience pleasure.

- Excludes:** Asperger syndrome (F84.5)
- delusional disorder (F22.0)
- schizoid disorder of childhood (F84.5)
- schizophrenia (F20-)
- schizotypal disorder (F21)

### **F60.2 Dissocial personality disorder**

Personality disorder characterized by disregard for social obligations, and callous unconcern for the feelings of others. There is gross disparity between behaviour and the prevailing social norms. Behaviour is not readily modifiable by adverse experience, including punishment. There is a low tolerance to frustration and a low threshold for discharge of aggression, including violence; there is a tendency to blame others, or to offer plausible rationalizations for the behaviour bringing the patient into conflict with society.

Personality (disorder):

- amoral
- antisocial
- asocial
- psychopathic
- sociopathic

- Excludes:** conduct disorders (F91-)
- emotionally unstable personality disorder (F60.3)

### **F60.3 Emotionally unstable personality disorder**

Personality disorder characterized by a definite tendency to act impulsively and without consideration of the consequences; the mood is unpredictable and capricious. There is a liability to outbursts of emotion and an incapacity to control the behavioural explosions. There is a tendency to quarrelsome behaviour and to conflicts with others, especially when impulsive acts are thwarted or censored. Two types may be distinguished: the impulsive type, characterized predominantly by emotional instability and lack of impulse control, and the borderline type, characterized in addition by disturbances in self-image, aims, and internal preferences, by chronic feelings of emptiness, by intense and unstable interpersonal relationships, and by a tendency to self-destructive behaviour, including suicide gestures and attempts.

Personality (disorder):

- aggressive
- borderline
- explosive

***Excludes:*** dissocial personality disorder (F60.2)

#### **F60.4 Histrionic personality disorder**

Personality disorder characterized by shallow and labile affectivity, self-dramatization, theatricality, exaggerated expression of emotions, suggestibility, egocentricity, self-indulgence, lack of consideration for others, easily hurt feelings, and continuous seeking for appreciation, excitement and attention.

Personality (disorder):

- hysterical
- psychoinfantile

#### **F60.5 Anankastic personality disorder**

Personality disorder characterized by feelings of doubt, perfectionism, excessive conscientiousness, checking and preoccupation with details, stubbornness, caution, and rigidity. There may be insistent and unwelcome thoughts or impulses that do not attain the severity of an obsessive-compulsive disorder.

Personality (disorder):

- compulsive
- obsessional
- obsessive-compulsive

**Excludes:** obsessive-compulsive disorder (F42-)

**F60.6 Anxious [avoidant] personality disorder**

Personality disorder characterized by feelings of tension and apprehension, insecurity and inferiority. There is a continuous yearning to be liked and accepted, a hypersensitivity to rejection and criticism with restricted personal attachments, and a tendency to avoid certain activities by habitual exaggeration of the potential dangers or risks in everyday situations.

**F60.7 Dependent personality disorder**

Personality disorder characterized by pervasive passive reliance on other people to make one's major and minor life decisions, great fear of abandonment, feelings of helplessness and incompetence, passive compliance with the wishes of elders and others, and a weak response to the demands of daily life. Lack of vigour may show itself in the intellectual or emotional spheres; there is often a tendency to transfer responsibility to others.

Personality (disorder):

- asthenic
- inadequate
- passive
- self-defeating

**F60.8 Other specific personality disorders**

Personality (disorder):

- eccentric
- "haltlose" type
- immature
- narcissistic
- passive-aggressive
- psychoneurotic

**F60.9 Personality disorder, unspecified**

Character neurosis NOS

Pathological personality NOS

## **F61 Mixed and other personality disorders**

This category is intended for personality disorders that are often troublesome but do not demonstrate the specific pattern of symptoms that characterize the disorders described in F60-. As a result they are often more difficult to diagnose than the disorders in F60-.

Examples include:

- mixed personality disorders with features of several of the disorders in F60- but without a predominant set of symptoms that would allow a more specific diagnosis
- troublesome personality changes, not classifiable to F60- or F62-, and regarded as secondary to a main diagnosis of a coexisting affective or anxiety disorder.

**Excludes:** accentuated personality traits (<sup>xcii</sup>Z73.1)

## **F62 Enduring personality changes, not attributable to brain damage and disease**

Disorders of adult personality and behaviour that have developed in persons with no previous personality disorder following exposure to catastrophic or excessive prolonged stress, or following a severe psychiatric illness. These diagnoses should be made only when there is evidence of a definite and enduring change in a person's pattern of perceiving, relating to, or thinking about the environment and himself or herself. The personality change should be significant and be associated with inflexible and maladaptive behaviour not present before the pathogenic experience. The change should not be a direct manifestation of another mental disorder or a residual symptom of any antecedent mental disorder.

**Excludes:** personality and behavioural disorder due to brain disease, damage and dysfunction (F07-)

### **F62.0 Enduring personality change after catastrophic experience**

Enduring personality change, present for at least two years, following exposure to catastrophic stress. The stress must be so extreme that it is not necessary to consider personal vulnerability in order to explain its profound effect on the personality. The disorder is characterized by a hostile or distrustful attitude toward the world, social withdrawal, feelings of emptiness or hopelessness, a chronic feeling of "being on edge" as if constantly threatened, and



estrangement. Post-traumatic stress disorder (F43.1) may precede this type of personality change.

Personality change after:

- concentration camp experiences
- disasters
- prolonged:
  - captivity with an imminent possibility of being killed
  - exposure to life-threatening situations such as being a victim of terrorism
- torture

**Excludes:** post-traumatic stress disorder (F43.1)

### **F62.1 Enduring personality change after psychiatric illness**

Personality change, persisting for at least two years, attributable to the traumatic experience of suffering from a severe psychiatric illness. The change cannot be explained by a previous personality disorder and should be differentiated from residual schizophrenia and other states of incomplete recovery from an antecedent mental disorder. This disorder is characterized by an excessive dependence on and a demanding attitude towards others; conviction of being changed or stigmatized by the illness, leading to an inability to form and maintain close and confiding personal relationships and to social isolation; passivity, reduced interests, and diminished involvement in leisure activities; persistent complaints of being ill, which may be associated with hypochondriacal claims and illness behaviour; dysphoric or labile mood, not due to the presence of a current mental disorder or antecedent mental disorder with residual affective symptoms; and longstanding problems in social and occupational functioning.

### **F62.8 Other enduring personality changes**

Chronic pain personality syndrome

### **F62.9 Enduring personality change, unspecified**

## **F63 Habit and impulse disorders**

This category includes certain disorders of behaviour that are not classifiable under other categories. They are characterized by repeated acts that have no clear rational motivation, cannot be controlled, and generally harm the patient's own interests and those of other people. The patient reports that the behaviour is associated with impulses to action. The cause of these disorders is not understood and they are grouped together because of broad descriptive similarities, not because they are known to share any other important features.

**Excludes:** habitual excessive use of alcohol or psychoactive substances (F10-F19)  
impulse and habit disorders involving sexual behaviour (F65-)

### **F63.0 Pathological gambling**

The disorder consists of frequent, repeated episodes of gambling that dominate the patient's life to the detriment of social, occupational, material, and family values and commitments.

Compulsive gambling

**Excludes:** excessive gambling by manic patients (F30-)  
gambling and betting NOS (<sup>xci</sup>72.6)  
gambling in dissocial personality disorder (F60.2)

### **F63.1 Pathological fire-setting [pyromania]**

Disorder characterized by multiple acts of, or attempts at, setting fire to property or other objects, without apparent motive, and by a persistent preoccupation with subjects related to fire and burning. This behaviour is often associated with feelings of increasing tension before the act, and intense excitement immediately afterwards.

**Excludes:** fire-setting (by)(in):

- adult with dissocial personality disorder (F60.2)
- alcohol or psychoactive substance intoxication (F10-F19, with common fourth character .0)
- as the reason for observation for suspected mental disorder (<sup>xci</sup>703.2)
- conduct disorders (F91-)
- organic mental disorders (F00-F09)
- schizophrenia (F20-)

### **F63.2 Pathological stealing [kleptomania]**

Disorder characterized by repeated failure to resist impulses to steal objects that are not acquired for personal use or monetary gain. The objects may instead be discarded, given away, or hoarded. This behaviour is usually accompanied by an increasing sense of tension before, and a sense of gratification during and immediately after, the act.

**Excludes:** depressive disorder with stealing (F31-F33)  
organic mental disorders (F00-F09)  
shoplifting as the reason for observation for suspected mental disorder (<sup>x</sup>CVZ03.2)

### **F63.3 Trichotillomania**

A disorder characterized by noticeable hair-loss due to a recurrent failure to resist impulses to pull out hairs. The hair-pulling is usually preceded by mounting tension and is followed by a sense of relief or gratification. This diagnosis should not be made if there is a pre-existing inflammation of the skin, or if the hair-pulling is in response to a delusion or a hallucination.

**Excludes:** stereotyped movement disorder with hair-plucking (F98.4)

### **F63.8 Other habit and impulse disorders**

Other kinds of persistently repeated maladaptive behaviour that are not secondary to a recognized psychiatric syndrome, and in which it appears that the patient is repeatedly failing to resist impulses to carry out the behaviour. There is a prodromal period of tension with a feeling of release at the time of the act.

Intermittent explosive disorder

### **F63.9 Habit and impulse disorder, unspecified**

## **F64 Gender identity disorders**

### **F64.0 Transsexualism**

A desire to live and be accepted as a member of the opposite sex, usually accompanied by a sense of discomfort with, or

inappropriateness of, one's anatomic sex, and a wish to have surgery and hormonal treatment to make one's body as congruent as possible with one's preferred sex.

**F64.1 Dual-role transvestism**

The wearing of clothes of the opposite sex for part of the individual's existence in order to enjoy the temporary experience of membership of the opposite sex, but without any desire for a more permanent sex change or associated surgical reassignment, and without sexual excitement accompanying the cross-dressing.

Gender identity disorder of adolescence or adulthood, nontranssexual type

*Excludes:* fetishistic transvestism (F65.1)

**F64.2 Gender identity disorder of childhood**

A disorder, usually first manifest during early childhood (and always well before puberty), characterized by a persistent and intense distress about assigned sex, together with a desire to be (or insistence that one is) of the other sex. There is a persistent preoccupation with the dress and activities of the opposite sex and repudiation of the individual's own sex. The diagnosis requires a profound disturbance of the normal gender identity; mere tomboyishness in girls or girlish behaviour in boys is not sufficient. Gender identity disorders in individuals who have reached or are entering puberty should not be classified here but in F66-.

*Excludes:* egodystonic sexual orientation (F66.1)  
sexual maturation disorder (F66.0)

**F64.8 Other gender identity disorders**

**F64.9 Gender identity disorder, unspecified**

Gender-role disorder NOS

**F65 Disorders of sexual preference**

*Includes:* paraphilias

**F65.0 Fetishism**

Reliance on some non-living object as a stimulus for sexual arousal and sexual gratification. Many fetishes are extensions of the human body, such as articles of clothing or footwear. Other common examples are characterized by some particular texture such as rubber, plastic or leather. Fetish objects vary in their importance to the individual. In some cases they simply serve to enhance sexual excitement achieved in ordinary ways (e.g. having the partner wear a particular garment).

**F65.1 Fetishistic transvestism**

The wearing of clothes of the opposite sex principally to obtain sexual excitement and to create the appearance of a person of the opposite sex. Fetishistic transvestism is distinguished from transsexual transvestism by its clear association with sexual arousal and the strong desire to remove the clothing once orgasm occurs and sexual arousal declines. It can occur as an earlier phase in the development of transsexualism.

Transvestic fetishism

**F65.2 Exhibitionism**

A recurrent or persistent tendency to expose the genitalia to strangers (usually of the opposite sex) or to people in public places, without inviting or intending closer contact. There is usually, but not invariably, sexual excitement at the time of the exposure and the act is commonly followed by masturbation.

**F65.3 Voyeurism**

A recurrent or persistent tendency to look at people engaging in sexual or intimate behaviour such as undressing. This is carried out without the observed people being aware, and usually leads to sexual excitement and masturbation.

**F65.4 Paedophilia**

A sexual preference for children, boys or girls or both, usually of prepubertal or early pubertal age.

**F65.5 Sadomasochism**

A preference for sexual activity which involves the infliction of pain or humiliation, or bondage. If the subject prefers to be the recipient of such stimulation this is called masochism; if the provider, sadism. Often an individual obtains sexual excitement from both sadistic and masochistic activities.

Masochism

Sadism

### **F65.6 Multiple disorders of sexual preference**

Sometimes more than one abnormal sexual preference occurs in one person and there is none of first rank. The most common combination is fetishism, transvestism and sadomasochism.

### **F65.8 Other disorders of sexual preference**

A variety of other patterns of sexual preference and activity, including making obscene telephone calls, rubbing up against people for sexual stimulation in crowded public places, sexual activity with animals, and use of strangulation or anoxia for intensifying sexual excitement.

Frotteurism

Necrophilia

### **F65.9 Disorder of sexual preference, unspecified**

Sexual deviation NOS

## **F66 Psychological and behavioural disorders associated with sexual development and orientation**

**Note:** Sexual orientation by itself is not to be regarded as a disorder.

### **F66.0 Sexual maturation disorder**

The patient suffers from uncertainty about his or her gender identity or sexual orientation, which causes anxiety or depression. Most commonly this occurs in adolescents who are not certain whether they are homosexual, heterosexual or bisexual in orientation, or in individuals who, after a period of apparently stable sexual orientation (often within a longstanding relationship), find that their sexual orientation is changing.

**F66.1 Egodystonic sexual orientation**

The gender identity or sexual preference (heterosexual, homosexual, bisexual, or prepubertal) is not in doubt, but the individual wishes it were different because of associated psychological and behavioural disorders, and may seek treatment in order to change it.

**F66.2 Sexual relationship disorder**

The gender identity or sexual orientation (heterosexual, homosexual, or bisexual) is responsible for difficulties in forming or maintaining a relationship with a sexual partner.

**F66.8 Other psychosexual development disorders**

**F66.9 Psychosexual development disorder, unspecified**

**F68 Other disorders of adult personality and behaviour**

**F68.0 Elaboration of physical symptoms for psychological reasons**

Physical symptoms compatible with and originally due to a confirmed physical disorder, disease or disability become exaggerated or prolonged due to the psychological state of the patient. The patient is commonly distressed by this pain or disability, and is often preoccupied with worries, which may be justified, of the possibility of prolonged or progressive disability or pain.

Compensation neurosis

**F68.1 Intentional production or feigning of symptoms or disabilities, either physical or psychological [factitious disorder]**

The patient feigns symptoms repeatedly for no obvious reason and may even inflict self-harm in order to produce symptoms or signs. The motivation is obscure and presumably internal with the aim of adopting the sick role. The disorder is often combined with marked disorders of personality and relationships.

Hospital hopper syndrome

Münchhausen syndrome  
Peregrinating patient

**Excludes:** factitial dermatitis (L98.1)  
person feigning illness (with obvious motivation)  
(<sup>x</sup>cviz76.5)

## **F68.8 Other specified disorders of adult personality and behaviour**

Character disorder NOS  
Relationship disorder NOS

## **F69 Unspecified disorder of adult personality and behaviour**

### **Mental retardation (F70-F79)**

A condition of arrested or incomplete development of the mind, which is especially characterized by impairment of skills manifested during the developmental period, skills which contribute to the overall level of intelligence, i.e. cognitive, language, motor, and social abilities. Retardation can occur with or without any other mental or physical condition.

Degrees of mental retardation are conventionally estimated by standardized intelligence tests. These can be supplemented by scales assessing social adaptation in a given environment. These measures provide an approximate indication of the degree of mental retardation. The diagnosis will also depend on the overall assessment of intellectual functioning by a skilled diagnostician.

Intellectual abilities and social adaptation may change over time, and, however poor, may improve as a result of training and rehabilitation. Diagnosis should be based on the current levels of functioning.

The following fourth-character subdivisions are for use with categories F70-F79 to identify the extent of impairment of behaviour:

- .0 With the statement of no, or minimal, impairment of behaviour**
- .1 Significant impairment of behaviour requiring attention or treatment**
- .8 Other impairments of behaviour**



**.9 Without mention of impairment of behaviour**

Use additional code, if desired, to identify associated conditions such as autism, other developmental disorders, epilepsy, conduct disorders, or severe physical handicap.

**F70 Mild mental retardation**

Approximate IQ range of 50 to 69 (in adults, mental age from 9 to under 12 years). Likely to result in some learning difficulties in school. Many adults will be able to work and maintain good social relationships and contribute to society.

***Includes:*** feeble-mindedness  
mild mental subnormality

**F71 Moderate mental retardation**

Approximate IQ range of 35 to 49 (in adults, mental age from 6 to under 9 years). Likely to result in marked developmental delays in childhood but most can learn to develop some degree of independence in self-care and acquire adequate communication and academic skills. Adults will need varying degrees of support to live and work in the community.

***Includes:*** moderate mental subnormality

**F72 Severe mental retardation**

Approximate IQ range of 20 to 34 (in adults, mental age from 3 to under 6 years). Likely to result in continuous need of support.

***Includes:*** severe mental subnormality

**F73 Profound mental retardation**

IQ under 20 (in adults, mental age below 3 years). Results in severe limitation in self-care, continence, communication and mobility.

***Includes:*** profound mental subnormality

**F78 Other mental retardation**

**F79 Unspecified mental retardation**

- Includes:** mental:
- deficiency NOS
  - subnormality NOS

**Disorders of psychological development (F80-F89)**

The disorders included in this block have in common: (a) onset invariably during infancy or childhood; (b) impairment or delay in development of functions that are strongly related to biological maturation of the central nervous system; and (c) a steady course without remissions and relapses. In most cases, the functions affected include language, visuo-spatial skills, and motor coordination. Usually, the delay or impairment has been present from as early as it could be detected reliably and will diminish progressively as the child grows older, although milder deficits often remain in adult life.

**F80 Specific developmental disorders of speech and language**

Disorders in which normal patterns of language acquisition are disturbed from the early stages of development. The conditions are not directly attributable to neurological or speech mechanism abnormalities, sensory impairments, mental retardation, or environmental factors. Specific developmental disorders of speech and language are often followed by associated problems, such as difficulties in reading and spelling, abnormalities in interpersonal relationships, and emotional and behavioural disorders.

**F80.0 Specific speech articulation disorder**

A specific developmental disorder in which the child's use of speech sounds is below the appropriate level for its mental age, but in which there is a normal level of language skills.

Developmental:

- phonological disorder
- speech articulation disorder

Dyslalia

Functional speech articulation disorder

Lalling

**Excludes:** speech articulation impairment (due to):

- aphasia NOS (R47.0)
- apraxia (R48.2)
- hearing loss (H90-H91)
- mental retardation (F70-F79)
- with language developmental disorder:
  - expressive (F80.1)
  - receptive (F80.2)

### **F80.1 Expressive language disorder**

A specific developmental disorder in which the child's ability to use expressive spoken language is markedly below the appropriate level for its mental age, but in which language comprehension is within normal limits. There may or may not be abnormalities in articulation.

Developmental dysphasia or aphasia, expressive type

**Excludes:** acquired aphasia with epilepsy [Landau-Kleffner] (F80.3)  
dysphasia and aphasia:

- NOS (R47.0)
- developmental, receptive type (F80.2)

elective mutism (F94.0)  
mental retardation (F70-F79)  
pervasive developmental disorders (F84-)

### **F80.2 Receptive language disorder**

A specific developmental disorder in which the child's understanding of language is below the appropriate level for its mental age. In virtually all cases expressive language will also be markedly affected and abnormalities in word-sound production are common.

Congenital auditory imperception

Developmental:

- dysphasia or aphasia, receptive type
- Wernicke aphasia

Word deafness

**Excludes:** acquired aphasia with epilepsy [Landau-Kleffner] (F80.3)  
autism (F84.0-F84.1)  
dysphasia and aphasia:

- NOS (R47.0)
- developmental, expressive type (F80.1)

elective mutism (F94.0)

language delay due to deafness (H90-H91)  
mental retardation (F70-F79)

**F80.3 Acquired aphasia with epilepsy [Landau-Kleffner]**

A disorder in which the child, having previously made normal progress in language development, loses both receptive and expressive language skills but retains general intelligence; the onset of the disorder is accompanied by paroxysmal abnormalities on the EEG, and in the majority of cases also by epileptic seizures. Usually the onset is between the ages of three and seven years, with skills being lost over days or weeks. The temporal association between the onset of seizures and loss of language is variable, with one preceding the other (either way round) by a few months to two years. An inflammatory encephalitic process has been suggested as a possible cause of this disorder. About two-thirds of patients are left with a more or less severe receptive language deficit.

**Excludes:** aphasia (due to):

- NOS (R47.0)
- autism (F84.0-F84.1)
- disintegrative disorders of childhood (F84.2-F84.3)

**F80.8 Other developmental disorders of speech and language**

Lisping

**F80.9 Developmental disorder of speech and language, unspecified**

Language disorder NOS

**F81 Specific developmental disorders of scholastic skills**

Disorders in which the normal patterns of skill acquisition are disturbed from the early stages of development. This is not simply a consequence of a lack of opportunity to learn, it is not solely a result of mental retardation, and it is not due to any form of acquired brain trauma or disease.

**F81.0 Specific reading disorder**

The main feature is a specific and significant impairment in the development of reading skills that is not solely accounted for by mental age, visual acuity problems, or inadequate schooling. Reading comprehension skill, reading word recognition, oral reading skill, and performance of tasks requiring reading may all be affected. Spelling difficulties are frequently associated with specific reading disorder and often remain into adolescence even after some progress in reading has been made. Specific developmental disorders of reading are commonly preceded by a history of disorders in speech or language development. Associated emotional and behavioural disturbances are common during the school age period.

"Backward reading"

Developmental dyslexia

Specific reading retardation

**Excludes:** alexia NOS (R48.0)  
dyslexia NOS (R48.0)  
reading difficulties secondary to emotional disorders (F93-)

### **F81.1 Specific spelling disorder**

The main feature is a specific and significant impairment in the development of spelling skills in the absence of a history of specific reading disorder, which is not solely accounted for by low mental age, visual acuity problems, or inadequate schooling. The ability to spell orally and to write out words correctly are both affected.

Specific spelling retardation (without reading disorder)

**Excludes:** agraphia NOS (R48.8)  
spelling difficulties:  
• associated with a reading disorder (F81.0)  
• due to inadequate teaching (<sup>xcvii</sup>Z55.8)

### **F81.2 Specific disorder of arithmetical skills**

Involves a specific impairment in arithmetical skills that is not solely explicable on the basis of general mental retardation or of inadequate schooling. The deficit concerns mastery of basic computational skills of addition, subtraction, multiplication, and division rather than of the more abstract mathematical skills involved in algebra, trigonometry, geometry, or calculus.

Developmental:

- acalculia
- arithmetical disorder
- Gerstmann syndrome

**Excludes:** acalculia NOS (R48.8)  
arithmetical difficulties:

- associated with a reading or spelling disorder (F81.3)
- due to inadequate teaching (<sup>xcviii</sup>Z55.8)

### **F81.3 Mixed disorder of scholastic skills**

An ill-defined residual category of disorders in which both arithmetical and reading or spelling skills are significantly impaired, but in which the disorder is not solely explicable in terms of general mental retardation or of inadequate schooling. It should be used for disorders meeting the criteria for both F81.2 and either F81.0 or F81.1.

**Excludes:** specific:

- disorder of arithmetical skills (F81.2)
- reading disorder (F81.0)
- spelling disorder (F81.1)

### **F81.8 Other developmental disorders of scholastic skills**

Developmental expressive writing disorder

### **F81.9 Developmental disorder of scholastic skills, unspecified**

Knowledge acquisition disability NOS

Learning:

- disability NOS
- disorder NOS

## **F82 Specific developmental disorder of motor function**

A disorder in which the main feature is a serious impairment in the development of motor coordination that is not solely explicable in terms of general intellectual retardation or of any specific congenital or acquired neurological disorder. Nevertheless, in most cases a careful clinical examination shows marked

neurodevelopmental immaturities such as choreiform movements of unsupported limbs or mirror movements and other associated motor features, as well as signs of impaired fine and gross motor coordination.

Clumsy child syndrome

Developmental:

- coordination disorder
- dyspraxia

**Excludes:** abnormalities of gait and mobility (R26-)  
lack of coordination (R27-)  
• secondary to mental retardation (F70-F79)

### **F83 Mixed specific developmental disorders**

A residual category for disorders in which there is some admixture of specific developmental disorders of speech and language, of scholastic skills, and of motor function, but in which none predominates sufficiently to constitute the prime diagnosis. This mixed category should be used only when there is a major overlap between each of these specific developmental disorders. The disorders are usually, but not always, associated with some degree of general impairment of cognitive functions. Thus, the category should be used when there are dysfunctions meeting the criteria for two or more of F80-, F81- and F82

### **F84 Pervasive developmental disorders**

A group of disorders characterized by qualitative abnormalities in reciprocal social interactions and in patterns of communication, and by a restricted, stereotyped, repetitive repertoire of interests and activities. These qualitative abnormalities are a pervasive feature of the individual's functioning in all situations.

Use additional code, if desired, to identify any associated medical condition and mental retardation.

#### **F84.0 Childhood autism**

A type of pervasive developmental disorder that is defined by: (a) the presence of abnormal or impaired development that is manifest before the age of three years, and (b) the characteristic type of abnormal functioning in all the three areas of psychopathology: reciprocal social interaction, communication, and restricted, stereotyped, repetitive behaviour. In addition to these specific diagnostic features, a range of other nonspecific problems are

common, such as phobias, sleeping and eating disturbances, temper tantrums, and (self-directed) aggression.

Autistic disorder

Infantile:

- autism
- psychosis

Kanner syndrome

**Excludes:** autistic psychopathy (F84.5)

### **F84.1 Atypical autism**

A type of pervasive developmental disorder that differs from childhood autism either in age of onset or in failing to fulfill all three sets of diagnostic criteria. This subcategory should be used when there is abnormal and impaired development that is present only after age three years, and a lack of sufficient demonstrable abnormalities in one or two of the three areas of psychopathology required for the diagnosis of autism (namely, reciprocal social interactions, communication, and restricted, stereotyped, repetitive behaviour) in spite of characteristic abnormalities in the other area(s). Atypical autism arises most often in profoundly retarded individuals and in individuals with a severe specific developmental disorder of receptive language.

Atypical childhood psychosis

Mental retardation with autistic features

Use additional code (F70-F79), if desired, to identify mental retardation.

### **F84.2 Rett syndrome**

A condition, so far found only in girls, in which apparently normal early development is followed by partial or complete loss of speech and of skills in locomotion and use of hands, together with deceleration in head growth, usually with an onset between seven and 24 months of age. Loss of purposive hand movements, hand-wringing stereotypies, and hyperventilation are characteristic. Social and play development are arrested but social interest tends to be maintained. Trunk ataxia and apraxia start to develop by age four years and choreoathetoid movements frequently follow. Severe mental retardation almost invariably results.



### **F84.3 Other childhood disintegrative disorder**

A type of pervasive developmental disorder that is defined by a period of entirely normal development before the onset of the disorder, followed by a definite loss of previously acquired skills in several areas of development over the course of a few months. Typically, this is accompanied by a general loss of interest in the environment, by stereotyped, repetitive motor mannerisms, and by autistic-like abnormalities in social interaction and communication. In some cases the disorder can be shown to be due to some associated encephalopathy but the diagnosis should be made on the behavioural features.

Dementia infantilis

Disintegrative psychosis

Heller syndrome

Symbiotic psychosis

Use additional code, if desired, to identify any associated neurological condition.

**Excludes:** Rett syndrome (F84.2)

### **F84.4 Overactive disorder associated with mental retardation and stereotyped movements**

An ill-defined disorder of uncertain nosological validity. The category is designed to include a group of children with severe mental retardation (IQ below 34) who show major problems in hyperactivity and in attention, as well as stereotyped behaviours. They tend not to benefit from stimulant drugs (unlike those with an IQ in the normal range) and may exhibit a severe dysphoric reaction (sometimes with psychomotor retardation) when given stimulants. In adolescence, the overactivity tends to be replaced by underactivity (a pattern that is not usual in hyperkinetic children with normal intelligence). This syndrome is also often associated with a variety of developmental delays, either specific or global. The extent to which the behavioural pattern is a function of low IQ or of organic brain damage is not known.

### **F84.5 Asperger syndrome**

A disorder of uncertain nosological validity, characterized by the same type of qualitative abnormalities of reciprocal social interaction that typify autism, together with a restricted, stereotyped, repetitive repertoire of interests and activities. It differs from autism primarily

in the fact that there is no general delay or retardation in language or in cognitive development. This disorder is often associated with marked clumsiness. There is a strong tendency for the abnormalities to persist into adolescence and adult life. Psychotic episodes occasionally occur in early adult life.

Autistic psychopathy

Schizoid disorder of childhood

## **F84.8 Other pervasive developmental disorders**

## **F84.9 Pervasive developmental disorder, unspecified**

### **F88 Other disorders of psychological development**

Developmental agnosia

### **F89 Unspecified disorder of psychological development**

Developmental disorder NOS

**Behavioural and emotional disorders with onset usually occurring in childhood and adolescence (F90-F98)**

### **F90 Hyperkinetic disorders**

A group of disorders characterized by an early onset (usually in the first five years of life), lack of persistence in activities that require cognitive involvement, and a tendency to move from one activity to another without completing any one, together with disorganized, ill-regulated, and excessive activity. Several other abnormalities may be associated. Hyperkinetic children are often reckless and impulsive, prone to accidents, and find themselves in disciplinary trouble because of unthinking breaches of rules rather than deliberate defiance. Their relationships with adults are often socially disinhibited, with a lack of normal caution and reserve. They are unpopular with other children and may become isolated. Impairment of cognitive functions is common, and specific delays in

motor and language development are disproportionately frequent. Secondary complications include dissocial behaviour and low self-esteem.

**Excludes:** anxiety disorders (F41-)  
mood [affective] disorders (F30-F39)  
pervasive developmental disorders (F84-)  
schizophrenia (F20-)

### **F90.0 Disturbance of activity and attention**

Attention deficit:

- disorder with hyperactivity
- hyperactivity disorder
- syndrome with hyperactivity

**Excludes:** hyperkinetic disorder associated with conduct disorder (F90.1)

### **F90.1 Hyperkinetic conduct disorder**

Hyperkinetic disorder associated with conduct disorder

### **F90.8 Other hyperkinetic disorders**

### **F90.9 Hyperkinetic disorder, unspecified**

Hyperkinetic reaction of childhood or adolescence NOS

Hyperkinetic syndrome NOS

## **F91 Conduct disorders**

Disorders characterized by a repetitive and persistent pattern of dissocial, aggressive, or defiant conduct. Such behaviour should amount to major violations of age-appropriate social expectations; it should therefore be more severe than ordinary childish mischief or adolescent rebelliousness and should imply an enduring pattern of behaviour (six months or longer). Features of conduct disorder can also be symptomatic of other psychiatric conditions, in which case the underlying diagnosis should be preferred.

Examples of the behaviours on which the diagnosis is based include excessive levels of fighting or bullying, cruelty to other people or animals, severe destructiveness to property, fire-setting, stealing, repeated lying, truancy from

school and running away from home, unusually frequent and severe temper tantrums, and disobedience. Any one of these behaviours, if marked, is sufficient for the diagnosis, but isolated dissocial acts are not.

**Excludes:** mood [affective] (F30-F39)  
pervasive developmental disorders (F84-)  
schizophrenia (F20-)  
when associated with:  
• emotional disorders (F92-)  
• hyperkinetic disorders (F90.1)

### **F91.0 Conduct disorder confined to the family context**

Conduct disorder involving dissocial or aggressive behaviour (and not merely oppositional, defiant, disruptive behaviour), in which the abnormal behaviour is entirely, or almost entirely, confined to the home and to interactions with members of the nuclear family or immediate household. The disorder requires that the overall criteria for F91- be met; even severely disturbed parent-child relationships are not of themselves sufficient for diagnosis.

### **F91.1 Unsocialized conduct disorder**

Disorder characterized by the combination of persistent dissocial or aggressive behaviour (meeting the overall criteria for F91- and not merely comprising oppositional, defiant, disruptive behaviour) with significant pervasive abnormalities in the individual's relationships with other children.

Conduct disorder, solitary aggressive type  
Unsocialized aggressive disorder

### **F91.2 Socialized conduct disorder**

Disorder involving persistent dissocial or aggressive behaviour (meeting the overall criteria for F91- and not merely comprising oppositional, defiant, disruptive behaviour) occurring in individuals who are generally well integrated into their peer group.

Conduct disorder, group type  
Group delinquency  
Offences in the context of gang membership  
Stealing in company with others  
Truancy from school

**F91.3 Oppositional defiant disorder**

Conduct disorder, usually occurring in younger children, primarily characterized by markedly defiant, disobedient, disruptive behaviour that does not include delinquent acts or the more extreme forms of aggressive or dissocial behaviour. The disorder requires that the overall criteria for F91- be met; even severely mischievous or naughty behaviour is not in itself sufficient for diagnosis. Caution should be employed before using this category, especially with older children, because clinically significant conduct disorder will usually be accompanied by dissocial or aggressive behaviour that goes beyond mere defiance, disobedience, or disruptiveness.

**F91.8 Other conduct disorders**

**F91.9 Conduct disorder, unspecified**

Childhood:

- behavioural disorder NOS
- conduct disorder NOS

**F92 Mixed disorders of conduct and emotions**

A group of disorders characterized by the combination of persistently aggressive, dissocial or defiant behaviour with overt and marked symptoms of depression, anxiety or other emotional upsets. The criteria for both conduct disorders of childhood (F91.-) and emotional disorders of childhood (F93-) or an adult-type neurotic diagnosis (F40-F48) or a mood disorder (F30-F39) must be met.

**F92.0 Depressive conduct disorder**

This category requires the combination of conduct disorder (F91-) with persistent and marked depression of mood (F32-), as demonstrated by symptoms such as excessive misery, loss of interest and pleasure in usual activities, self-blame, and hopelessness; disturbances of sleep or appetite may also be present.

Conduct disorder in F91- associated with depressive disorder in F32-

**F92.8 Other mixed disorders of conduct and emotions**

This category requires the combination of conduct disorder (F91-) with persistent and marked emotional symptoms such as anxiety, obsessions or compulsions, depersonalization or derealization, phobias, or hypochondriasis.

Conduct disorder in F91- associated with:

- emotional disorder in F93-
- neurotic disorder in F40-F48

## **F92.9 Mixed disorder of conduct and emotions, unspecified**

### **F93 Emotional disorders with onset specific to childhood**

Mainly exaggerations of normal developmental trends rather than phenomena that are qualitatively abnormal in themselves. Developmental appropriateness is used as the key diagnostic feature in defining the difference between these emotional disorders, with onset specific to childhood, and the neurotic disorders (F40-F48).

**Excludes:** when associated with conduct disorder (F92-)

#### **F93.0 Separation anxiety disorder of childhood**

Should be diagnosed when fear of separation constitutes the focus of the anxiety and when such anxiety first arose during the early years of childhood. It is differentiated from normal separation anxiety when it is of a degree (severity) that is statistically unusual (including an abnormal persistence beyond the usual age period), and when it is associated with significant problems in social functioning.

**Excludes:** mood [affective] disorders (F30-F39)  
neurotic disorders (F40-F48)  
phobic anxiety disorder of childhood (F93I)  
social anxiety disorder of childhood (F93.2)

#### **F93.1 Phobic anxiety disorder of childhood**

Fears in childhood that show a marked developmental phase specificity and arise (to some extent) in a majority of children, but that are abnormal in degree. Other fears that arise in childhood but that are not a normal part of psychosocial development (for example

agoraphobia) should be coded under the appropriate category in section F40-F48.

**Excludes:** generalized anxiety disorder (F41.1)

**F93.2 Social anxiety disorder of childhood**

In this disorder there is a wariness of strangers and social apprehension or anxiety when encountering new, strange, or socially threatening situations. This category should be used only where such fears arise during the early years, and are both unusual in degree and accompanied by problems in social functioning.

Avoidant disorder of childhood or adolescence

**F93.3 Sibling rivalry disorder**

Some degree of emotional disturbance usually following the birth of an immediately younger sibling is shown by a majority of young children. A sibling rivalry disorder should be diagnosed only if the degree or persistence of the disturbance is both statistically unusual and associated with abnormalities of social interaction.

Sibling jealousy

**F93.8 Other childhood emotional disorders**

Identity disorder

Overanxious disorder

**Excludes:** gender identity disorder of childhood (F64.2)

**F93.9 Childhood emotional disorder, unspecified**

**F94 Disorders of social functioning with onset specific to childhood and adolescence**

A somewhat heterogeneous group of disorders that have in common abnormalities in social functioning which begin during the developmental period, but which (unlike the pervasive developmental disorders) are not primarily characterized by an apparently constitutional social incapacity or deficit that pervades all areas of functioning. In many instances, serious environmental distortions or privations probably play a crucial role in etiology.

### **F94.0 Elective mutism**

Characterized by a marked, emotionally determined selectivity in speaking, such that the child demonstrates a language competence in some situations but fails to speak in other (definable) situations. The disorder is usually associated with marked personality features involving social anxiety, withdrawal, sensitivity, or resistance.

Selective mutism

**Excludes:** pervasive developmental disorders (F84-)  
schizophrenia (F20-)  
specific developmental disorders of speech and language (F80-)  
transient mutism as part of separation anxiety in young children (F93.0)

### **F94.1 Reactive attachment disorder of childhood**

Starts in the first five years of life and is characterized by persistent abnormalities in the child's pattern of social relationships that are associated with emotional disturbance and are reactive to changes in environmental circumstances (e.g. fearfulness and hypervigilance, poor social interaction with peers, aggression towards self and others, misery, and growth failure in some cases). The syndrome probably occurs as a direct result of severe parental neglect, abuse, or serious mishandling.

Use additional code, if desired, to identify any associated failure to thrive or growth retardation.

**Excludes:** Asperger syndrome (F84.5)  
disinhibited attachment disorder of childhood (F94.2)  
maltreatment syndromes (T74-)  
normal variation in pattern of selective attachment  
sexual or physical abuse in childhood, resulting in  
psychosocial problems (<sup>xcix</sup>Z61.4-Z61.6)

### **F94.2 Disinhibited attachment disorder of childhood**

A particular pattern of abnormal social functioning that arises during the first five years of life and that tends to persist despite marked changes in environmental circumstances, e.g. diffuse, nonselectively focused attachment behaviour, attention-seeking and indiscriminately friendly behaviour, poorly modulated peer



interactions; depending on circumstances there may also be associated emotional or behavioural disturbance.

Affectionless psychopathy

Institutional syndrome

**Excludes:** Asperger syndrome (F84.5)  
hospitalism in children (F43.2)  
hyperkinetic disorders (F90-)  
reactive attachment disorder of childhood (F94I)

## **F94.8 Other childhood disorders of social functioning**

## **F94.9 Childhood disorder of social functioning, unspecified**

## **F95 Tic disorders**

Syndromes in which the predominant manifestation is some form of tic. A tic is an involuntary, rapid, recurrent, nonrhythmic motor movement (usually involving circumscribed muscle groups) or vocal production that is of sudden onset and that serves no apparent purpose. Tics tend to be experienced as irresistible but usually they can be suppressed for varying periods of time, are exacerbated by stress, and disappear during sleep. Common simple motor tics include only eye-blinking, neck-jerking, shoulder-shrugging, and facial grimacing. Common simple vocal tics include throat-clearing, barking, sniffing, and hissing. Common complex tics include hitting oneself, jumping, and hopping. Common complex vocal tics include the repetition of particular words, and sometimes the use of socially unacceptable (often obscene) words (coprolalia), and the repetition of one's own sounds or words (palilalia).

### **F95.0 Transient tic disorder**

Meets the general criteria for a tic disorder but the tics do not persist longer than 12 months. The tics usually take the form of eye-blinking, facial grimacing, or head-jerking.

### **F95.1 Chronic motor or vocal tic disorder**

Meets the general criteria for a tic disorder, in which there are motor or vocal tics (but not both), that may be either single or multiple (but usually multiple), and last for more than a year.

**F95.2 Combined vocal and multiple motor tic disorder [de la Tourette]**

A form of tic disorder in which there are, or have been, multiple motor tics and one or more vocal tics, although these need not have occurred concurrently. The disorder usually worsens during adolescence and tends to persist into adult life. The vocal tics are often multiple with explosive repetitive vocalizations, throat-clearing, and grunting, and there may be the use of obscene words or phrases. Sometimes there is associated gestural echopraxia which may also be of an obscene nature (copropraxia).

**F95.8 Other tic disorders**

**F95.9 Tic disorder, unspecified**

Tic NOS

**F98 Other behavioural and emotional disorders with onset usually occurring in childhood and adolescence**

A heterogeneous group of disorders that share the characteristic of an onset in childhood but otherwise differ in many respects. Some of the conditions represent well-defined syndromes but others are no more than symptom complexes that need inclusion because of their frequency and association with psychosocial problems, and because they cannot be incorporated into other syndromes.

**Excludes:** breath-holding spells (R06.8)  
gender identity disorder of childhood (F64.2)  
Kleine-Levin syndrome (G47.8)  
obsessive-compulsive disorder (F42-)  
sleep disorders due to emotional causes (F51-)

**F98.0 Nonorganic enuresis**

A disorder characterized by involuntary voiding of urine, by day and by night, which is abnormal in relation to the individual's mental age, and which is not a consequence of a lack of bladder control due to any neurological disorder, to epileptic attacks, or to any structural abnormality of the urinary tract. The enuresis may have been present from birth or it may have arisen following a period of acquired bladder control. The enuresis may or may not be

associated with a more widespread emotional or behavioural disorder.

Enuresis (primary)(secondary) of nonorganic origin

Functional enuresis

Psychogenic enuresis

Urinary incontinence of nonorganic origin

**Excludes:** enuresis NOS (R32)

### **F98.1 Nonorganic encopresis**

Repeated, voluntary or involuntary passage of faeces, usually of normal or near-normal consistency, in places not appropriate for that purpose in the individual's own sociocultural setting. The condition may represent an abnormal continuation of normal infantile incontinence, it may involve a loss of continence following the acquisition of bowel control, or it may involve the deliberate deposition of faeces in inappropriate places in spite of normal physiological bowel control. The condition may occur as a monosymptomatic disorder, or it may form part of a wider disorder, especially an emotional disorder (F93-) or a conduct disorder (F91-).

Functional encopresis

Incontinence of faeces of nonorganic origin

Psychogenic encopresis

Use additional code, if desired, to identify the cause of any coexisting constipation.

**Excludes:** encopresis NOS (R15)

### **F98.2 Feeding disorder of infancy and childhood**

A feeding disorder of varying manifestations usually specific to infancy and early childhood. It generally involves food refusal and extreme faddiness in the presence of an adequate food supply, a reasonably competent caregiver, and the absence of organic disease. There may or may not be associated rumination (repeated regurgitation without nausea or gastrointestinal illness).

Rumination disorder of infancy

**Excludes:** anorexia nervosa and other eating disorders (F50-)  
feeding:

- difficulties and mismanagement (R63.3)
- problems of newborn (P92-)
- pica of infancy or childhood (F98.3)

### **F98.3 Pica of infancy and childhood**

Persistent eating of non-nutritive substances (such as soil, paint chippings, etc.). It may occur as one of many symptoms that are part of a more widespread psychiatric disorder (such as autism), or as a relatively isolated psychopathological behaviour; only the latter is classified here. The phenomenon is most common in mentally retarded children and, if mental retardation is also present, F70-F79 should be selected as the main diagnosis.

### **F98.4 Stereotyped movement disorders**

Voluntary, repetitive, stereotyped, nonfunctional (and often rhythmic) movements that do not form part of any recognized psychiatric or neurological condition. When such movements occur as symptoms of some other disorder, only the overall disorder should be recorded. The movements that are of a non self-injurious variety include: body-rocking, head-rocking, hair-plucking, hair-twisting, finger-flicking mannerisms, and hand-flapping. Stereotyped self-injurious behaviour includes repetitive head-banging, face-slapping, eye-poking, and biting of hands, lips or other body parts. All the stereotyped movement disorders occur most frequently in association with mental retardation (when this is the case, both should be recorded). If eye-poking occurs in a child with visual impairment, both should be coded: eye-poking under this category and the visual condition under the appropriate somatic disorder code.

Stereotype/habit disorder

**Excludes:** abnormal involuntary movements (R25-)  
movement disorders of organic origin (G20-G25)  
nail-biting (F98.8)  
nose-picking (F98.8)  
stereotypies that are part of a broader psychiatric condition (F00-F95)  
thumb-sucking (F98.8)  
tic disorders (F95-)  
trichotillomania (F63.3)

**F98.5 Stuttering [stammering]**

Speech that is characterized by frequent repetition or prolongation of sounds or syllables or words, or by frequent hesitations or pauses that disrupt the rhythmic flow of speech. It should be classified as a disorder only if its severity is such as to markedly disturb the fluency of speech.

**Excludes:** cluttering (F98.6)  
tic disorders (F95-)

**F98.6 Cluttering**

A rapid rate of speech with breakdown in fluency, but no repetitions or hesitations, of a severity to give rise to diminished speech intelligibility. Speech is erratic and dysrhythmic, with rapid jerky spurts that usually involve faulty phrasing patterns.

**Excludes:** stuttering (F98.5)  
tic disorders (F95-)

**F98.8 Other specified behavioural and emotional disorders with onset usually occurring in childhood and adolescence**

Attention deficit disorder without hyperactivity  
Excessive masturbation  
Nail-biting  
Nose-picking  
Thumb-sucking

**F98.9 Unspecified behavioural and emotional disorders with onset usually occurring in childhood and adolescence**

## Unspecified mental disorder (F99)

### **F99 Mental disorder, not otherwise specified**

Mental illness NOS

***Excludes:*** organic mental disorder NOS (F06.9)

## CHAPTER VI - Diseases of the nervous system (G00-G99)

**Excludes:** certain conditions originating in the perinatal period (P00-P96)  
certain infectious and parasitic diseases (A00-B99)  
complications of pregnancy, childbirth and the puerperium (000-099)  
congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)  
endocrine, nutritional and metabolic diseases (E00-E90)  
injury, poisoning and certain other consequences of external causes (S00-T98)  
neoplasms (C00-D48)  
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

### **This chapter contains the following blocks:**

|         |                                                                       |
|---------|-----------------------------------------------------------------------|
| G00-G09 | Inflammatory diseases of the central nervous system                   |
| G10-G14 | Systemic atrophies primarily affecting the central nervous system     |
| G20-G26 | Extrapyramidal and movement disorders                                 |
| G30-G32 | Other degenerative diseases of the nervous system                     |
| G35-G37 | Demyelinating diseases of the central nervous system                  |
| G40-G47 | Episodic and paroxysmal disorders                                     |
| G50-G59 | Nerve, nerve root and plexus disorders                                |
| G60-G64 | Polyneuropathies and other disorders of the peripheral nervous system |
| G70-G73 | Diseases of myoneural junction and muscle                             |
| G80-G83 | Cerebral palsy and other paralytic syndromes                          |
| G90-G99 | Other disorders of the nervous system                                 |

### **Asterisk categories for this chapter are provided as follows:**

|      |                                                                                                |
|------|------------------------------------------------------------------------------------------------|
| G01* | Meningitis in bacterial diseases classified elsewhere                                          |
| G02* | Meningitis in other infectious and parasitic diseases classified elsewhere                     |
| G05* | Encephalitis, myelitis and encephalomyelitis in diseases classified elsewhere                  |
| G07* | Intracranial and intraspinal abscess and granuloma in diseases classified elsewhere            |
| G13* | Systemic atrophies primarily affecting central nervous system in diseases classified elsewhere |
| G22* | Parkinsonism in diseases classified elsewhere                                                  |

|      |                                                                                 |
|------|---------------------------------------------------------------------------------|
| G26* | Extrapyramidal and movement disorders in diseases classified elsewhere          |
| G32* | Other degenerative disorders of nervous system in diseases classified elsewhere |
| G46* | Vascular syndromes of brain in cerebrovascular diseases                         |
| G53* | Cranial nerve disorders in diseases classified elsewhere                        |
| G55* | Nerve root and plexus compressions in diseases classified elsewhere             |
| G59* | Mononeuropathy in diseases classified elsewhere                                 |
| G63* | Polyneuropathy in diseases classified elsewhere                                 |
| G73* | Disorders of myoneural junction and muscle in diseases classified elsewhere     |
| G94* | Other disorders of brain in diseases classified elsewhere                       |
| G99* | Other disorders of nervous system in diseases classified elsewhere              |

## Inflammatory diseases of the central nervous system (G00-G09)

### G00 Bacterial meningitis, not elsewhere classified

|                  |                                                                   |           |
|------------------|-------------------------------------------------------------------|-----------|
| <b>Includes:</b> | arachnoiditis<br>leptomeningitis<br>meningitis<br>pachymeningitis | bacterial |
|------------------|-------------------------------------------------------------------|-----------|

|                  |                                                                                                                            |
|------------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>Excludes:</b> | bacterial: <ul style="list-style-type: none"><li>• meningoencephalitis (G04.2)</li><li>• meningomyelitis (G04.2)</li></ul> |
|------------------|----------------------------------------------------------------------------------------------------------------------------|

#### G00.0 Haemophilus meningitis

Meningitis due to *Haemophilus influenzae*

#### G00.1 Pneumococcal meningitis

#### G00.2 Streptococcal meningitis

#### G00.3 Staphylococcal meningitis



**G00.8 Other bacterial meningitis**

Meningitis due to:

- *Escherichia coli*
- Friedländer bacillus
- *Klebsiella*

**G00.9 Bacterial meningitis, unspecified**

Meningitis:

- purulent NOS
- pyogenic NOS
- suppurative NOS

**G01 Meningitis in bacterial diseases classified elsewhere**

Meningitis (in):

- anthrax (A22.8†)
- gonococcal (A54.8†)
- leptospirosis (A27†)
- listerial (A32.1†)
- Lyme disease (A69.2†)
- meningococcal (A39.0†)
- neurosyphilis (A52.1†)
- salmonella infection (A02.2†)
- syphilis:
  - congenital (A50.4†)
  - secondary (A51.4†)
- tuberculous (A17.0†)
- typhoid fever (A01.0†)

**Excludes:** meningoencephalitis and meningomyelitis in bacterial diseases classified elsewhere (G05.0\*)

**G02 Meningitis in other infectious and parasitic diseases classified elsewhere**

**Excludes:** meningoencephalitis and meningomyelitis in other infectious and parasitic diseases classified elsewhere (G05.1-G05.2\*)

**G02.0\* Meningitis in viral diseases classified elsewhere**

Meningitis (due to):

- adenoviral (A87.1†)
- enteroviral (A87.0†)
- herpesviral [herpes simplex] (B00.3†)
- infectious mononucleosis (B27†)
- measles (B05.1†)
- mumps (B26.1†)
- rubella (B06.0†)
- varicella [chickenpox] (B01.0†)
- zoster (B02.1†)

**G02.1\* Meningitis in mycoses**

Meningitis (in):

- candidal (B37.5†)
- coccidioidomycosis (B38.4†)
- cryptococcal (B45.1†)

**G02.8\* Meningitis in other specified infectious and parasitic diseases classified elsewhere**

Meningitis due to:

- African trypanosomiasis (B56†)
- Chagas disease (chronic) (B57.4†)

**G03 Meningitis due to other and unspecified causes**

|                  |                                                                   |                                        |
|------------------|-------------------------------------------------------------------|----------------------------------------|
| <b>Includes:</b> | arachnoiditis<br>leptomeningitis<br>meningitis<br>pachymeningitis | due to other and<br>unspecified causes |
|------------------|-------------------------------------------------------------------|----------------------------------------|

**Excludes:** meningoencephalitis (G04-)  
meningomyelitis (G04-)

**G03.0 Nonpyogenic meningitis**

Nonbacterial meningitis

**G03.1 Chronic meningitis**

**G03.2 Benign recurrent meningitis [Mollaret]**

**G03.8 Meningitis due to other specified causes**

**G03.9 Meningitis, unspecified**

Arachnoiditis (spinal) NOS

**G04 Encephalitis, myelitis and encephalomyelitis**

**Includes:** acute ascending myelitis  
meningoencephalitis  
meningomyelitis

**Excludes:** benign myalgic encephalomyelitis (G93.3)  
encephalopathy:  
• NOS (G93.4)  
• alcoholic (G31.2)  
• toxic (G92)  
multiple sclerosis (G35)  
myelitis:  
• acute transverse (G37.3)  
• subacute necrotizing (G37.4)

**G04.0 Acute disseminated encephalitis**

|                   |                  |
|-------------------|------------------|
| Encephalitis      | postimmunization |
| Encephalomyelitis |                  |

Use additional external cause code (Chapter XX), if desired, to identify vaccine.

**G04.1 Tropical spastic paraplegia**

**G04.2 Bacterial meningoencephalitis and meningomyelitis, not elsewhere classified**

**G04.8 Other encephalitis, myelitis and encephalomyelitis**

Postinfectious encephalitis and encephalomyelitis NOS

**G04.9 Encephalitis, myelitis and encephalomyelitis, unspecified**

Ventriculitis (cerebral) NOS

**G05 Encephalitis, myelitis and encephalomyelitis in diseases classified elsewhere**

**Includes:** meningoencephalitis and meningomyelitis in diseases classified elsewhere

**G05.0\* Encephalitis, myelitis and encephalomyelitis in bacterial diseases classified elsewhere**

Encephalitis, myelitis or encephalomyelitis (in):

- listerial (A32.1†)
- meningococcal (A39.8†)
- syphilis:
  - congenital (A50.4†)
  - late (A52.1†)
- tuberculous (A17.8†)

**G05.1\* Encephalitis, myelitis and encephalomyelitis in viral diseases classified elsewhere**

Encephalitis, myelitis or encephalomyelitis (in):

- adenoviral (A85.1†)
- cytomegaloviral (B25.8†)
- enteroviral (A85.0†)
- herpesviral [herpes simplex] (B00.4†)
- influenza:
  - seasonal virus identified (J10.8†)
  - virus not identified (J11.8†)
  - zoonotic or pandemic influenza virus identified (J09†)
- measles (B05.0†)
- mumps (B26.2†)

- postchickenpox (B01.1†)
- rubella (B06.0†)
- zoster (B02.0†)

**G05.2\* Encephalitis, myelitis and encephalomyelitis in other infectious and parasitic diseases classified elsewhere**

Encephalitis, myelitis or encephalomyelitis in:

- African trypanosomiasis (B56†)
  - Chagas disease (chronic) (B57.4†)
  - naegleriasis (B60.2†)
  - toxoplasmosis (B58.2†)
- Eosinophilic meningoencephalitis (B83.2†)

**G05.8\* Encephalitis, myelitis and encephalomyelitis in other diseases classified elsewhere**

Encephalitis in systemic lupus erythematosus (M32.1†)

**G06 Intracranial and intraspinal abscess and granuloma**

Use additional code (B95-B97), if desired, to identify infectious agent.

**G06.0 Intracranial abscess and granuloma**

Abscess (embolic)(of):

- brain [any part]
- cerebellar
- cerebral
- otogenic

Intracranial abscess or granuloma:

- epidural
- extradural
- subdural

**G06.1 Intraspinal abscess and granuloma**

Abscess (embolic) of spinal cord [any part]

Intraspinal abscess or granuloma:

- epidural
- extradural
- subdural

## **G06.2 Extradural and subdural abscess, unspecified**

### **G07 Intracranial and intraspinal abscess and granuloma in diseases classified elsewhere**

Abscess of brain:

- amoebic (A06.6†)
- gonococcal (A54.8†)
- tuberculous (A17.8†)

Schistosomiasis granuloma of brain (B65†)

Tuberculoma of:

- brain (A17.8†)
- meninges (A17.1†)

### **G08 Intracranial and intraspinal phlebitis and thrombophlebitis**

Septic:

- |                                                                                                                                                        |                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• embolism</li><li>• endophlebitis</li><li>• phlebitis</li><li>• thrombophlebitis</li><li>• thrombosis</li></ul> | <p>of intracranial or<br/>intraspinal venous<br/>sinuses and veins</p> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|

**Excludes:** intracranial phlebitis and thrombophlebitis:

- complicating:
    - abortion or ectopic or molar pregnancy (O00-O07, O08.7)
    - pregnancy, childbirth and the puerperium (O22.5, O87.3)
  - of nonpyogenic origin (I67.6)
- nonpyogenic intraspinal phlebitis and thrombophlebitis (G95.1)

### **G09 Sequelae of inflammatory diseases of central nervous system**

**Note:** Category G09 is to be used to indicate conditions whose primary classification is to G00-G08 (i.e. excluding those marked with an asterisk (\*)) as the cause of sequelae, themselves classifiable

elsewhere. The "sequelae" include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition. For use of this category reference should be made to the relevant morbidity coding rules and guidelines in Volume 2 or mortality coding rules and guidelines in Part 2a Instruction Manual (NCHS).

Not to be used for chronic inflammatory disease of the central nervous system.  
Code these to current inflammatory disease of the central nervous system.

## Systemic atrophies primarily affecting the central nervous system (G10-G14)

### **G10 Huntington disease**

Huntington chorea

### **G11 Hereditary ataxia**

**Excludes:** cerebral palsy (G80-)  
hereditary and idiopathic neuropathy (G60-)  
metabolic disorders (E70-E90)

### **G11.0 Congenital nonprogressive ataxia**

#### **G11.1 Early-onset cerebellar ataxia**

**Note:** Onset usually before the age of 20  
Early-onset cerebellar ataxia with:

- essential tremor
- myoclonus [Hunt ataxia]
- retained tendon reflexes

Friedreich ataxia (autosomal recessive)  
X-linked recessive spinocerebellar ataxia

**G11.2 Late-onset cerebellar ataxia**

**Note:** Onset usually after the age of 20

**G11.3 Cerebellar ataxia with defective DNA repair**

Ataxia telangiectasia [Louis-Bar]

**Excludes:** Cockayne syndrome (Q87.1)  
xeroderma pigmentosum (Q82.1)

**G11.4 Hereditary spastic paraplegia**

**G11.8 Other hereditary ataxias**

**G11.9 Hereditary ataxia, unspecified**

Hereditary cerebellar:

- ataxia NOS
- degeneration
- disease
- syndrome

**G12 Spinal muscular atrophy and related syndromes**

**G12.0 Infantile spinal muscular atrophy, type I  
[Werdnig-Hoffman]**

**G12.1 Other inherited spinal muscular atrophy**

Progressive bulbar palsy of childhood [Fazio-Londe]

Spinal muscular atrophy:

- adult form
- childhood form, type II
- distal
- juvenile form, type III [Kugelberg-Welander]
- scapuloperoneal form



**G12.2 Motor neuron disease**

Familial motor neuron disease

Lateral sclerosis:

- amyotrophic
- primary

Progressive:

- bulbar palsy
- spinal muscular atrophy

**G12.20 Advanced motor neuron disease**

Grave motor neuron disease

Severe motor neuron disease

**G12.8 Other spinal muscular atrophies and related syndromes**

**G12.9 Spinal muscular atrophy, unspecified**

**G13 Systemic atrophies primarily affecting central nervous system in diseases classified elsewhere**

**G13.0\* Paraneoplastic neuromyopathy and neuropathy**

Carcinomatous neuromyopathy (C00-C97†)

Sensorial paraneoplastic neuropathy [Denny Brown] (C00-D48†)

**G13.1\* Other systemic atrophy primarily affecting central nervous system in neoplastic disease**

Paraneoplastic limbic encephalopathy (C00-D48†)

**G13.2\* Systemic atrophy primarily affecting central nervous system in myxoedema (E00.1†, E03†)**

**G13.8\* Systemic atrophy primarily affecting central nervous system in other diseases classified elsewhere**

**G14 Postpolio syndrome**

Postpolio myelitic syndrome

**Excludes:** sequelae of poliomyelitis (B91)

**Extrapyramidal and movement disorders (G20-G26)**

**G20 Parkinson disease**

Hemiparkinsonism

Paralysis agitans

Parkinsonism or Parkinson disease:

- NOS
- idiopathic
- primary

**G20.00 Advanced Parkinson disease**

Grave Parkinson disease

Severe Parkinson disease

**G21 Secondary parkinsonism**

**G21.0 Malignant neuroleptic syndrome**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**G21.1 Other drug- secondary parkinsonism**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**G21.2 Secondary parkinsonism due to other external agents**

Use additional external cause code (Chapter XX), if desired, to identify external agent.

**G21.3 Postencephalitic parkinsonism**

**G21.4 Vascular parkinsonism**

**G21.8 Other secondary parkinsonism**

**G21.9 Secondary parkinsonism, unspecified**

**G22 Parkinsonism in diseases classified elsewhere**  
Syphilitic parkinsonism (A52.1†)

**G23 Other degenerative diseases of basal ganglia**  
*Excludes:* multi-system degeneration (G90.3)

**G23.0 Hallervorden-Spatz disease**  
Pigmentary pallidal degeneration

**G23.1 Progressive supranuclear ophthalmoplegia**  
**[Steele-Richardson-Olszewski]**

**G23.2 Striatonigral degeneration**

**G23.8 Other specified degenerative diseases of basal ganglia**  
Calcification of basal ganglia

**G23.9 Degenerative disease of basal ganglia, unspecified**

**G24 Dystonia**  
*Includes:* dyskinesia

**Excludes:** athetoid cerebral palsy (G80.3)

**G24.0 Drug-induced dystonia**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**G24.1 Idiopathic familial dystonia**

Idiopathic dystonia NOS

**G24.2 Idiopathic nonfamilial dystonia**

**G24.3 Spasmodic torticollis**

**Excludes:** torticollis NOS (M43.6)

**G24.4 Idiopathic orofacial dystonia**

Orofacial dyskinesia

**G24.5 Blepharospasm**

**G24.8 Other dystonia**

**G24.9 Dystonia, unspecified**

Dyskinesia NOS

**G25 Other extrapyramidal and movement disorders**

**G25.0 Essential tremor**

Familial tremor

**Excludes:** tremor NOS (R25.1)

**G25.1 Drug-induced tremor**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**G25.2 Other specified forms of tremor**

Intention tremor

**G25.3 Myoclonus**

Drug-induced myoclonus

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**Excludes:** facial myokymia (G51.4)  
myoclonic epilepsy (G40-)

**G25.4 Drug-induced chorea**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**G25.5 Other chorea**

Chorea NOS

**Excludes:** chorea NOS with heart involvement (I02.0)  
Huntington chorea (G10)  
rheumatic chorea (I02-)  
Sydenham chorea (I02-)

**G25.6 Drug-induced tics and other tics of organic origin**

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**Excludes:** de la Tourette syndrome (F95.2)  
tic NOS (F95.9)

**G25.8 Other specified extrapyramidal and movement disorders**

Restless legs syndrome

Stiff-man syndrome

**G25.9 Extrapyramidal and movement disorder, unspecified**

**G26 Extrapyramidal and movement disorders in diseases classified elsewhere**

**Other degenerative diseases of the nervous system  
(G30-G32)**

**G30 Alzheimer disease**

***Includes:*** senile and presenile forms

***Excludes:*** senile:  
• degeneration of brain NEC (G31.1)  
• dementia NOS (F03)  
senility NOS (R54)

**G30.0 Alzheimer disease with early onset**

***Note:*** Onset usually before the age of 65

**G30.1 Alzheimer disease with late onset**

***Note:*** Onset usually after the age of 65

**G30.8 Other Alzheimer disease**

**G30.9 Alzheimer disease, unspecified**

**G31 Other degenerative diseases of nervous system, not elsewhere classified**

**Excludes:** Reye syndrome (G93.7)

**G31.0 Circumscribed brain atrophy**

Frontotemporal dementia (FTD)

Pick disease

Progressive isolated aphasia

**G31.1 Senile degeneration of brain, not elsewhere classified**

**Excludes:** Alzheimer disease (G30-)  
senility NOS (R54)

**G31.2 Degeneration of nervous system due to alcohol**

Alcoholic:

- cerebellar:
  - ataxia
  - degeneration
- cerebral degeneration
- encephalopathy

Dysfunction of autonomic nervous system due to alcohol

**G31.8 Other specified degenerative diseases of nervous system**

Grey-matter degeneration [Alpers]

Lewy body(ies) (dementia) (disease) (F02.8\*)

Subacute necrotizing encephalopathy [Leigh]

**G31.9 Degenerative disease of nervous system, unspecified**

**G32 Other degenerative disorders of nervous system in diseases classified elsewhere**

**G32.0\* Subacute combined degeneration of spinal cord in diseases classified elsewhere**

Subacute combined degeneration of spinal cord in vitamin B<sub>12</sub> deficiency (E53.8†)

**G32.8\* Other specified degenerative disorders of nervous system in diseases classified elsewhere**

**Demyelinating diseases of the central nervous system  
(G35-G37)**

**G35 Multiple sclerosis**

Multiple sclerosis (of):

- NOS
- brain stem
- cord
- disseminated
- generalized

**G36 Other acute disseminated demyelination**

**Excludes:** postinfectious encephalitis and encephalomyelitis NOS (G04.8)

**G36.0 Neuromyelitis optica [Devic]**

Demyelination in optic neuritis

**Excludes:** optic neuritis NOS (H46)

**G36.1 Acute and subacute haemorrhagic leukoencephalitis [Hurst]**



**G36.8 Other specified acute disseminated demyelination**

**G36.9 Acute disseminated demyelination, unspecified**

**G37 Other demyelinating diseases of central nervous system**

**G37.0 Diffuse sclerosis**

Periaxial encephalitis

Schilder disease

*Excludes:* adrenoleukodystrophy [Addison-Schilder] (E71.3)

**G37.1 Central demyelination of corpus callosum**

**G37.2 Central pontine myelinolysis**

**G37.3 Acute transverse myelitis in demyelinating disease of central nervous system**

Acute transverse myelitis NOS

*Excludes:* multiple sclerosis (G35)  
neuromyelitis optica [Devic] (G36.0)

**G37.4 Subacute necrotizing myelitis**

**G37.5 Concentric sclerosis [Baló]**

**G37.8 Other specified demyelinating diseases of central nervous system**

**G37.9 Demyelinating disease of central nervous system, unspecified**

## Episodic and paroxysmal disorders (G40-G47)

### G40 Epilepsy

**Excludes:** Landau-Kleffner syndrome (F80.3)  
seizure (convulsive) NOS (R56.8)  
status epilepticus (G41-)  
Todd paralysis (G83.8)

#### **G40.0 Localization-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset**

Benign childhood epilepsy with centrottemporal EEG spikes  
Childhood epilepsy with occipital EEG paroxysms

#### **G40.1 Localization-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures**

Attacks without alteration of consciousness  
Simple partial seizures developing into secondarily generalized seizures

#### **G40.2 Localization-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures**

Attacks with alteration of consciousness, often with automatisms  
Complex partial seizures developing into secondarily generalized seizures

#### **G40.3 Generalized idiopathic epilepsy and epileptic syndromes**

Benign:

- myoclonic epilepsy in infancy
- neonatal convulsions (familial)

Childhood absence epilepsy [pyknolepsy]

Epilepsy with grand mal seizures on awakening

Juvenile:

- absence epilepsy
- myoclonic epilepsy [impulsive petit mal]

Nonspecific epileptic seizures:

- atonic
- clonic
- myoclonic
- tonic
- tonic-clonic

#### **G40.4 Other generalized epilepsy and epileptic syndromes**

Epilepsy with:

- myoclonic absences
- myoclonic-astatic seizures

Infantile spasms

Lennox-Gastaut syndrome

Salaam attacks

Symptomatic early myoclonic encephalopathy

West syndrome

#### **G40.5 Special epileptic syndromes**

Epilepsia partialis continua [Kozhevnikof]

Epileptic seizures related to:

- alcohol
- drugs
- hormonal changes
- sleep deprivation
- stress

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

#### **G40.6 Grand mal seizures, unspecified (with or without petit mal)**

#### **G40.7 Petit mal, unspecified, without grand mal seizures**

**G40.8 Other epilepsy**

Epilepsies and epileptic syndromes undetermined as to whether they are focal or generalized

**G40.9 Epilepsy, unspecified**

Epileptic:

- convulsions NOS
- fits NOS
- seizures NOS

**G41 Status epilepticus**

**G41.0 Grand mal status epilepticus**

Tonic-clonic status epilepticus

**Excludes:** epilepsia partialis continua [Kozhevnikof] (G40.5)

**G41.1 Petit mal status epilepticus**

Epileptic absence status

**G41.2 Complex partial status epilepticus**

**G41.8 Other status epilepticus**

**G41.9 Status epilepticus, unspecified**

**G43 Migraine**

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**Excludes:** headache NOS (R51)

**G43.0 Migraine without aura [common migraine]**

**G43.1 Migraine with aura [classical migraine]**

Migraine:

- aura without headache
- basilar
- equivalents
- familial hemiplegic
- with:
  - acute-onset aura
  - prolonged aura
  - typical aura

**G43.2 Status migrainosus**

**G43.3 Complicated migraine**

**G43.8 Other migraine**

Ophthalmoplegic migraine

Retinal migraine

**G43.9 Migraine, unspecified**

**G44 Other headache syndromes**

**Excludes:** atypical facial pain (G50.1)  
headache NOS (R51)  
trigeminal neuralgia (G50.0)

**G44.0 Cluster headache syndrome**

Chronic paroxysmal hemicrania

Cluster headache:

- chronic
- episodic

**G44.1 Vascular headache, not elsewhere classified**

Vascular headache NOS

**G44.2 Tension-type headache**

Chronic tension-type headache

Episodic tension headache

Tension headache NOS

**G44.3 Chronic post-traumatic headache**

**G44.4 Drug-induced headache, not elsewhere classified**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**G44.8 Other specified headache syndromes**

**G45 Transient cerebral ischaemic attacks and related syndromes**

*Excludes:* neonatal cerebral ischaemia (P91.0)

**G45.0 Vertebro-basilar artery syndrome**

**G45.1 Carotid artery syndrome (hemispheric)**

**G45.2 Multiple and bilateral precerebral artery syndromes**

**G45.3 Amaurosis fugax**

**G45.4 Transient global amnesia**

*Excludes:* amnesia NOS (R41.3)

**G45.8 Other transient cerebral ischaemic attacks and related syndromes**

**G45.9 Transient cerebral ischaemic attack, unspecified**

Spasm of cerebral artery

Transient cerebral ischaemia NOS

**G46 Vascular syndromes of brain in cerebrovascular diseases (I60-I67†)**

**G46.0\* Middle cerebral artery syndrome (I66.0†)**

**G46.1\* Anterior cerebral artery syndrome (I66.1†)**

**G46.2\* Posterior cerebral artery syndrome (I66.2†)**

**G46.3\* Brain stem stroke syndrome (I60-I67†)**

Syndrome:

- Benedikt
- Claude
- Foville
- Millard-Gubler
- Wallenberg
- Weber

**G46.4\* Cerebellar stroke syndrome (I60-I67†)**

**G46.5\* Pure motor lacunar syndrome (I60-I67†)**

**G46.6\* Pure sensory lacunar syndrome (I60-I67†)**

**G46.7\* Other lacunar syndromes (I60-I67†)**

**G46.8\* Other vascular syndromes of brain in cerebrovascular diseases (I60-I67†)**

**G47 Sleep disorders**

**Excludes:** nightmares (F51.5)  
nonorganic sleep disorders (F51-)  
sleep terrors (F51.4)  
sleepwalking (F51.3)

**G47.0 Disorders of initiating and maintaining sleep [insomnias]**

**G47.1 Disorders of excessive somnolence [hypersomnias]**

**G47.2 Disorders of the sleep-wake schedule**

Delayed sleep phase syndrome  
Irregular sleep-wake pattern

**G47.3 Sleep apnoea**

Sleep apnoea:  
• central  
• obstructive

**Excludes:** pickwickian syndrome (E66.2)  
sleep apnoea of newborn (P28.3)

**G47.4 Narcolepsy and cataplexy**

**G47.8 Other sleep disorders**

Kleine-Levin syndrome



**G47.9 Sleep disorder, unspecified**

**Nerve, nerve root and plexus disorders (G50-G59)**

**Excludes:** current traumatic nerve, nerve root and plexus disorders - see nerve injury by body region  
neuralgia | NOS (M79.2)  
neuritis |  
  
peripheral neuritis in pregnancy (O26.8)  
radiculitis NOS (M54.1)

**G50 Disorders of trigeminal nerve**

**Includes:** disorders of 5th cranial nerve

**G50.0 Trigeminal neuralgia**

Syndrome of paroxysmal facial pain  
Tic douloureux

**G50.1 Atypical facial pain**

**G50.8 Other disorders of trigeminal nerve**

**G50.9 Disorder of trigeminal nerve, unspecified**

**G51 Facial nerve disorders**

**Includes:** disorders of 7th cranial nerve

**G51.0 Bell palsy**

Facial palsy

**G51.1 Geniculate ganglionitis**

*Excludes:* postherpetic geniculate ganglionitis (B02.2)

**G51.2 Melkersson syndrome**

Melkersson-Rosenthal syndrome

**G51.3 Clonic hemifacial spasm**

**G51.4 Facial myokymia**

**G51.8 Other disorders of facial nerve**

**G51.9 Disorder of facial nerve, unspecified**

**G52 Disorders of other cranial nerves**

*Excludes:* disorders of:  
• acoustic [8th] nerve (H93.3)  
• optic [2nd] nerve (H46, H47.0)  
paralytic strabismus due to nerve palsy (H49.0-H49.2)

**G52.0 Disorders of olfactory nerve**

Disorder of 1st cranial nerve

**G52.1 Disorders of glossopharyngeal nerve**

Disorder of 9th cranial nerve

Glossopharyngeal neuralgia

**G52.2 Disorders of vagus nerve**

Disorder of pneumogastric [10th] nerve

**G52.3 Disorders of hypoglossal nerve**

Disorder of 12th cranial nerve

**G52.7 Disorders of multiple cranial nerves**

Polyneuritis cranialis

**G52.8 Disorders of other specified cranial nerves**

**G52.9 Cranial nerve disorder, unspecified**

**G53 Cranial nerve disorders in diseases classified elsewhere**

**G53.0\* Postzoster neuralgia (B02.2<sup>+</sup>)**

Postherpetic:

- geniculate ganglionitis
- trigeminal neuralgia

**G53.1\* Multiple cranial nerve palsies in infectious and parasitic diseases classified elsewhere (A00-B99<sup>+</sup>)**

**G53.2\* Multiple cranial nerve palsies in sarcoidosis (D86.8<sup>+</sup>)**

**G53.3\* Multiple cranial nerve palsies in neoplastic disease (C00-D48<sup>+</sup>)**

**G53.8\* Other cranial nerve disorders in other diseases classified elsewhere**

**G54 Nerve root and plexus disorders**

**Excludes:** current traumatic nerve root and plexus disorders - see nerve injury by body region  
intervertebral disc disorders (M50-M51)  
neuralgia or neuritis NOS (M79.2)  
neuritis or radiculitis:  
• brachial NOS | (M54.1)

- lumbar NOS
  - lumbosacral NOS
  - thoracic NOS
- radiculitis NOS  
radiculopathy NOS  
spondylosis (M47-)

**G54.0 Brachial plexus disorders**

Thoracic outlet syndrome

**G54.1 Lumbosacral plexus disorders**

**G54.2 Cervical root disorders, not elsewhere classified**

**G54.3 Thoracic root disorders, not elsewhere classified**

**G54.4 Lumbosacral root disorders, not elsewhere classified**

**G54.5 Neuralgic amyotrophy**

Parsonage-Aldren-Turner syndrome

Shoulder-girdle neuritis

**G54.6 Phantom limb syndrome with pain**

**G54.7 Phantom limb syndrome without pain**

Phantom limb syndrome NOS

**G54.8 Other nerve root and plexus disorders**

**G54.9 Nerve root and plexus disorder, unspecified**

**G55 Nerve root and plexus compressions in diseases classified elsewhere**

**G55.0\* Nerve root and plexus compressions in neoplastic disease (C00-D48†)**

**G55.1\* Nerve root and plexus compressions in intervertebral disc disorders (M50-M51†)**

**G55.2\* Nerve root and plexus compressions in spondylosis (M47†)**

**G55.3\* Nerve root and plexus compressions in other dorsopathies (M45-M46†, M48†, M53-M54†)**

**G55.8\* Nerve root and plexus compressions in other diseases classified elsewhere**

**G56 Mononeuropathies of upper limb**

***Excludes:*** current traumatic nerve disorder - see nerve injury by body region

**G56.0 Carpal tunnel syndrome**

**G56.1 Other lesions of median nerve**

**G56.2 Lesion of ulnar nerve**  
Tardy ulnar nerve palsy

**G56.3 Lesion of radial nerve**

**G56.4 Causalgia**

**G56.8 Other mononeuropathies of upper limb**

Interdigital neuroma of upper limb

**G56.9 Mononeuropathy of upper limb, unspecified**

**G57 Mononeuropathies of lower limb**

**Excludes:** current traumatic nerve disorder - see nerve injury by body region

**G57.0 Lesion of sciatic nerve**

**Excludes:** sciatica:  
• NOS (M54.3)  
• attributed to intervertebral disc disorder (M51.1)

**G57.1 Meralgia paraesthetica**

Lateral cutaneous nerve of thigh syndrome

**G57.2 Lesion of femoral nerve**

**G57.3 Lesion of lateral popliteal nerve**

Peroneal nerve palsy

**G57.4 Lesion of medial popliteal nerve**

**G57.5 Tarsal tunnel syndrome**

**G57.6 Lesion of plantar nerve**

Morton metatarsalgia

**G57.8 Other mononeuropathies of lower limb**

Interdigital neuroma of lower limb

**G57.9 Mononeuropathy of lower limb, unspecified**

**G58 Other mononeuropathies**

**G58.0 Intercostal neuropathy**

**G58.7 Mononeuritis multiplex**

**G58.8 Other specified mononeuropathies**

**G58.9 Mononeuropathy, unspecified**

**G59 Mononeuropathy in diseases classified elsewhere**

**G59.0\* Diabetic mononeuropathy (E10-E14† with common fourth character .4)**

**G59.8\* Other mononeuropathies in diseases classified elsewhere**

**Polyneuropathies and other disorders of the peripheral nervous system (G60-G64)**

**Excludes:** neuralgia NOS (M79.2)  
neuritis NOS (M79.2)  
peripheral neuritis in pregnancy (O26.8)  
radiculitis NOS (M54.1)

**G60 Hereditary and idiopathic neuropathy**

**G60.0 Hereditary motor and sensory neuropathy**

Disease:

- Charcot-Marie-Tooth
- Déjerine-Sottas

Hereditary motor and sensory neuropathy, types I-IV

Hypertrophic neuropathy of infancy

Peroneal muscular atrophy (axonal type)(hypertrophic type)

Roussy-Lévy syndrome

**G60.1 Refsum disease**

**G60.2 Neuropathy in association with hereditary ataxia**

**G60.3 Idiopathic progressive neuropathy**

**G60.8 Other hereditary and idiopathic neuropathies**

Morvan disease

Nelaton syndrome

Sensory neuropathy:

- dominantly inherited
- recessively inherited

**G60.9 Hereditary and idiopathic neuropathy, unspecified**

**G61 Inflammatory polyneuropathy**

**G61.0 Guillain-Barré syndrome**

Acute (post-)infective polyneuritis

Miller Fisher Syndrome



**G61.1 Serum neuropathy**

Use additional external cause code (Chapter XX), if desired, to identify cause.

**G61.8 Other inflammatory polyneuropathies**

**G61.9 Inflammatory polyneuropathy, unspecified**

**G62 Other polyneuropathies**

**G62.0 Drug-induced polyneuropathy**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**G62.1 Alcoholic polyneuropathy**

**G62.2 Polyneuropathy due to other toxic agents**

Use additional external cause code (Chapter XX), if desired, to identify toxic agent.

**G62.8 Other specified polyneuropathies**

Radiation-induced polyneuropathy

Use additional external cause code (Chapter XX), if desired, to identify cause.

**G62.9 Polyneuropathy, unspecified**

Neuropathy NOS

**G63 Polyneuropathy in diseases classified elsewhere**

**G63.0\* Polyneuropathy in infectious and parasitic diseases classified elsewhere**

Polyneuropathy (in):

- diphtheria (A36.8†)
- infectious mononucleosis (B27†)
- leprosy (A30†)
- Lyme disease (A69.2†)
- mumps (B26.8†)
- postherpetic (B02.2†)
- syphilis, late (A52.1†)
  - congenital (A50.4†)
- tuberculous (A17.8†)

**G63.1\* Polyneuropathy in neoplastic disease (C00-D48†)**

**G63.2\* Diabetic polyneuropathy (E10-E14† with common fourth character .4)**

**G63.3\* Polyneuropathy in other endocrine and metabolic diseases (E00-E07†, E15-E16†, E20-E34†, E70-E89†)**

**G63.4\* Polyneuropathy in nutritional deficiency (E40-E64†)**

**G63.5\* Polyneuropathy in systemic connective tissue disorders (M30-M35†)**

**G63.6\* Polyneuropathy in other musculoskeletal disorders (M00-M25†, M40-M96†)**

**G63.8\* Polyneuropathy in other diseases classified elsewhere**

Uraemic neuropathy (N18.5†)

**G64 Other disorders of peripheral nervous system**

Disorder of peripheral nervous system NOS

**Diseases of myoneural junction and muscle (G70-G73)**

**G70 Myasthenia gravis and other myoneural disorders**

**Excludes:** botulism (A05.1)  
transient neonatal myasthenia gravis (P94.0)

**G70.0 Myasthenia gravis**

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**G70.1 Toxic myoneural disorders**

Use additional external cause code (Chapter XX), if desired, to identify toxic agent.

**G70.2 Congenital and developmental myasthenia**

**G70.8 Other specified myoneural disorders**

**G70.9 Myoneural disorder, unspecified**

**G71 Primary disorders of muscles**

**Excludes:** arthrogryposis multiplex congenita (Q74.3)  
metabolic disorders (E70-E90)  
myositis (M60-)

**G71.0 Muscular dystrophy**

Muscular dystrophy:

- autosomal recessive, childhood type, resembling Duchenne or Becker
- benign [Becker]
- benign scapuloperoneal with early contractures [Emery-Dreifuss]
- distal
- facioscapulohumeral
- limb-girdle
- ocular
- oculopharyngeal
- scapuloperoneal
- severe [Duchenne]

**Excludes:** congenital muscular dystrophy:

- NOS (G71.2)
- with specific morphological abnormalities of the muscle fibre (G71.2)

### **G71.1 Myotonic disorders**

Dystrophia myotonica [Steinert]

Myotonia:

- chondrodystrophic
- drug-induced
- symptomatic

Myotonia congenita:

- NOS
- dominant [Thomsen]
- recessive [Becker]

Neuromyotonia [Isaacs]

Paramyotonia congenita

Pseudomyotonia

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

### **G71.2 Congenital myopathies**

Congenital muscular dystrophy:

- NOS
- with specific morphological abnormalities of the muscle fibre

Disease:

- central core
  - minicore
  - multicore
- Fibre-type disproportion
- Myopathy:
- myotubular (centronuclear)
  - nemaline

**G71.3 Mitochondrial myopathy, not elsewhere classified**

**G71.8 Other primary disorders of muscles**

**G71.9 Primary disorder of muscle, unspecified**

Hereditary myopathy NOS

**G72 Other myopathies**

**Excludes:** arthrogryposis multiplex congenita (Q74.3)  
dermatopolymyositis (M33-)  
ischaemic infarction of muscle (M62.2)  
myositis (M60-)  
polymyositis (M33.2)

**G72.0 Drug-induced myopathy**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**G72.1 Alcoholic myopathy**

**G72.2 Myopathy due to other toxic agents**

Use additional external cause code (Chapter XX), if desired, to identify toxic agent.

**G72.3 Periodic paralysis**

Periodic paralysis (familial):

- hyperkalaemic
- hypokalaemic
- myotonic
- normokalaemic

**G72.4 Inflammatory myopathy, not elsewhere classified**

**G72.8 Other specified myopathies**

**G72.9 Myopathy, unspecified**

**G73 Disorders of myoneural junction and muscle in diseases classified elsewhere**

**G73.0\* Myasthenic syndromes in endocrine diseases**

Myasthenic syndromes in:

- diabetic amyotrophy (E10-E14† with common fourth character .4)
- thyrotoxicosis [hyperthyroidism] (E05†)

**G73.1\* Eaton-Lambert syndrome (C80†)**

**G73.2\* Other myasthenic syndromes in neoplastic disease (C00-D48†)**

**G73.3\* Myasthenic syndromes in other diseases classified elsewhere**

**G73.4\* Myopathy in infectious and parasitic diseases classified elsewhere**

**G73.5\* Myopathy in endocrine diseases**

Myopathy in:

- hyperparathyroidism (E21.0-E21.3†)
  - hypoparathyroidism (E20†)
- Thyrotoxic myopathy (E05†)

**G73.6\* Myopathy in metabolic diseases**

Myopathy in:

- glycogen storage disease (E74.0†)
- lipid storage disorders (E75†)

**G73.7\* Myopathy in other diseases classified elsewhere**

Myopathy in:

- rheumatoid arthritis (M05-M06†)
- scleroderma (M34.8†)
- sicca syndrome [Sjögren] (M35.0†)
- systemic lupus erythematosus (M32.1†)

**Cerebral palsy and other paralytic syndromes (G80-G83)**

**G80 Cerebral palsy**

**Excludes:** hereditary spastic paraplegia (G11.4)

**G80.0 Spastic quadriplegic cerebral palsy**

Spastic tetraplegic cerebral palsy

**G80.1 Spastic diplegic cerebral palsy**

Congenital spastic paralysis (cerebral)

Spastic cerebral palsy NOS

**G80.2 Spastic hemiplegic cerebral palsy**

**G80.3 Dyskinetic cerebral palsy**

Athetoid cerebral palsy

Dystonic cerebral palsy

**G80.4 Ataxic cerebral palsy**

**G80.8 Other cerebral palsy**

Mixed cerebral palsy syndromes

**G80.9 Cerebral palsy, unspecified**

Cerebral palsy NOS

**G81 Hemiplegia**

**Note:** For primary coding, this category is to be used only when hemiplegia (complete) (incomplete) is reported without further specification, or is stated to be old or longstanding but of unspecified cause. The category is also for use in multiple coding to identify these types of hemiplegia resulting from any cause.

**Excludes:** congenital cerebral palsy (G80-)

**G81.0 Flaccid hemiplegia**

**G81.1 Spastic hemiplegia**

**G81.9 Hemiplegia, unspecified**

**G82 Paraplegia and tetraplegia**

**Note:** For primary coding, this category is to be used only when the listed conditions are reported without further specification, or are stated to be old or longstanding but of unspecified cause. The category is also for use in multiple coding to identify these conditions resulting from any cause.



**Excludes:** congenital cerebral palsy (G80-)

**G82.0 Flaccid paraplegia**

**G82.1 Spastic paraplegia**

**G82.2 Paraplegia, unspecified**  
Paralysis of both lower limbs NOS  
Paraplegia (lower) NOS

**G82.3 Flaccid tetraplegia**

**G82.4 Spastic tetraplegia**

**G82.5 Tetraplegia, unspecified**  
Quadriplegia NOS

**G83 Other paralytic syndromes**

**Note:** For primary coding, this category is to be used only when the listed conditions are reported without further specification, or are stated to be old or longstanding but of unspecified cause. The category is also for use in multiple coding to identify these conditions resulting from any cause.

**Includes:** paralysis (complete)(incomplete), except as in G80-G82

**G83.0 Diplegia of upper limbs**  
Diplegia (upper)  
Paralysis of both upper limbs

**G83.1 Monoplegia of lower limb**  
Paralysis of lower limb

**G83.2 Monoplegia of upper limb**

Paralysis of upper limb

**G83.3 Monoplegia, unspecified**

**G83.4 Cauda equina syndrome**

Neurogenic bladder due to cauda equina syndrome

*Excludes:* cord bladder NOS (G95.8)

**G83.8 Other specified paralytic syndromes**

Todd paralysis (postepileptic)

**G83.9 Paralytic syndrome, unspecified**

Other disorders of the nervous system (G90-G99)

**G90 Disorders of autonomic nervous system**

*Excludes:* dysfunction of autonomic nervous system due to alcohol (G31.2)

**G90.0 Idiopathic peripheral autonomic neuropathy**

Carotid sinus syncope

**G90.1 Familial dysautonomia [Riley-Day]**

**G90.2 Horner syndrome**

Bernard(-Horner) syndrome

**G90.3 Multi-system degeneration**

Neurogenic orthostatic hypotension [Shy-Drager]

**Excludes:** orthostatic hypotension NOS (I95.1)

**G90.4 Autonomic dysreflexia**

**G90.8 Other disorders of autonomic nervous system**

**G90.9 Disorder of autonomic nervous system, unspecified**

**G91 Hydrocephalus**

**Includes:** acquired hydrocephalus

**Excludes:** hydrocephalus:  
• congenital (Q03-)  
• due to congenital toxoplasmosis (P37.1)

**G91.0 Communicating hydrocephalus**

**G91.1 Obstructive hydrocephalus**

**G91.2 Normal-pressure hydrocephalus**

**G91.3 Post-traumatic hydrocephalus, unspecified**

**G91.8 Other hydrocephalus**

**G91.9 Hydrocephalus, unspecified**

**G92 Toxic encephalopathy**

Use additional external cause code (Chapter XX), if desired, to identify toxic agent.

## G93 Other disorders of brain

### G93.0 Cerebral cysts

Arachnoid cyst

Porencephalic cyst, acquired

**Excludes:** acquired periventricular cysts of newborn (P91.1)  
congenital cerebral cysts (Q04.6)

### G93.1 Anoxic brain damage, not elsewhere classified

**Excludes:** complicating:

- abortion or ectopic or molar pregnancy (O00-O07, O08.8)
- pregnancy, labour or delivery (O29.2, O74.3, O89.2)
- surgical and medical care (T80-T88)
- neonatal anoxia (P21.9)

### G93.2 Benign intracranial hypertension

**Excludes:** hypertensive encephalopathy (I67.4)

### G93.3 Postviral fatigue syndrome

Benign myalgic encephalomyelitis

### G93.4 Encephalopathy, unspecified

**Excludes:** encephalopathy:

- alcoholic (G31.2)
- toxic (G92)

### G93.5 Compression of brain

|             |  |                 |
|-------------|--|-----------------|
| Compression |  | of brain (stem) |
| Herniation  |  |                 |

**Excludes:** traumatic compression of brain (diffuse) (S06.2)

- focal (S06.3)

### G93.6 Cerebral oedema

- Excludes:** cerebral oedema:
- due to birth injury (P11.0)
  - traumatic (S06.1)

**G93.7 Reye syndrome**

Use additional external cause code (Chapter XX), if desired, to identify cause.

**G93.8 Other specified disorders of brain**

Postradiation encephalopathy

Use additional external cause code (Chapter XX), if desired, to identify cause.

**G93.9 Disorder of brain, unspecified**

**G94 Other disorders of brain in diseases classified elsewhere**

**G94.0\* Hydrocephalus in infectious and parasitic diseases classified elsewhere (A00-B99†)**

**G94.1\* Hydrocephalus in neoplastic disease (C00-D48†)**

**G94.2\* Hydrocephalus in other diseases classified elsewhere**

**G94.8\* Other specified disorders of brain in diseases classified elsewhere**

**G95 Other diseases of spinal cord**

**Excludes:** myelitis (G04-)

**G95.0 Syringomyelia and syringobulbia**

**G95.1 Vascular myelopathies**

Acute infarction of spinal cord (embolic)(nonembolic)  
Arterial thrombosis of spinal cord  
Haematomyelia  
Nonpyogenic intraspinal phlebitis and thrombophlebitis  
Oedema of spinal cord  
Subacute necrotic myelopathy

**Excludes:** intraspinal phlebitis and thrombophlebitis, except non-pyogenic (G08)

**G95.2 Cord compression, unspecified**

**G95.8 Other specified diseases of spinal cord**

Cord bladder NOS  
Myelopathy:  
• drug-induced  
• radiation-induced

Use additional external cause code (Chapter XX), if desired, to identify external agent.

**Excludes:** neurogenic bladder:  
• NOS (N31.9)  
• due to cauda equina syndrome (G83.4)  
neuromuscular dysfunction of bladder without mention of spinal cord lesion (N31-)

**G95.9 Disease of spinal cord, unspecified**

Myelopathy NOS

**G96 Other disorders of central nervous system**

**G96.0 Cerebrospinal fluid leak**

**Excludes:** from spinal puncture (G97.0)

**G96.1 Disorders of meninges, not elsewhere classified**

Meningeal adhesions (cerebral)(spinal)

**G96.8 Other specified disorders of central nervous system**

**G96.9 Disorder of central nervous system, unspecified**

**G97 Postprocedural disorders of nervous system, not elsewhere classified**

**G97.0 Cerebrospinal fluid leak from spinal puncture**

**G97.1 Other reaction to spinal and lumbar puncture**

**G97.2 Intracranial hypotension following ventricular shunting**

**G97.8 Other postprocedural disorders of nervous system**

**G97.9 Postprocedural disorder of nervous system, unspecified**

**G98 Other disorders of nervous system, not elsewhere classified**

Nervous system disorder NOS

**G99 Other disorders of nervous system in diseases classified elsewhere**

**G99.0\* Autonomic neuropathy in endocrine and metabolic diseases**

Amyloid autonomic neuropathy (E85†)

Diabetic autonomic neuropathy (E10-E14† with common fourth character .4)

**G99.1\* Other disorders of autonomic nervous system in other diseases classified elsewhere**

**G99.2\* Myelopathy in diseases classified elsewhere**

Anterior spinal and vertebral artery compression syndromes (M47.0†)

Myelopathy in:

- intervertebral disc disorders (M50.0†, M51.0†)
- neoplastic disease (C00-D48†)
- spondylosis (M47†)

**G99.8\* Other specified disorders of nervous system in diseases classified elsewhere**

Uraemic paralysis (N18.5†)



## CHAPTER VII - Diseases of the eye and adnexa (H00-H59)

**Excludes:** certain conditions originating in the perinatal period (P00-P96)  
certain infectious and parasitic diseases (A00-B99)  
complications of pregnancy, childbirth and the puerperium (O00-O99)  
congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)  
endocrine, nutritional and metabolic diseases (E00-E90)  
injury, poisoning and certain other consequences of external causes (S00-T98)  
neoplasms (C00-D48)  
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

### **This chapter contains the following blocks:**

|         |                                                                               |
|---------|-------------------------------------------------------------------------------|
| H00-H06 | Disorders of eyelid, lacrimal system and orbit                                |
| H10-H13 | Disorders of conjunctiva                                                      |
| H15-H22 | Disorders of sclera, cornea, iris and ciliary body                            |
| H25-H28 | Disorders of lens                                                             |
| H30-H36 | Disorders of choroid and retina                                               |
| H40-H42 | Glaucoma                                                                      |
| H43-H45 | Disorders of vitreous body and globe                                          |
| H46-H48 | Disorders of optic nerve and visual pathways                                  |
| H49-H52 | Disorders of ocular muscles, binocular movement, accommodation and refraction |
| H53-H54 | Visual disturbances and blindness                                             |
| H55-H59 | Other disorders of eye and adnexa                                             |

### **Asterisk categories for this chapter are provided as follows:**

|      |                                                                         |
|------|-------------------------------------------------------------------------|
| H03* | Disorders of eyelid in diseases classified elsewhere                    |
| H06* | Disorders of lacrimal system and orbit in diseases classified elsewhere |
| H13* | Disorders of conjunctiva in diseases classified elsewhere               |
| H19* | Disorders of sclera and cornea in diseases classified elsewhere         |
| H22* | Disorders of iris and ciliary body in diseases classified elsewhere     |
| H28* | Cataract and other disorders of lens in diseases classified elsewhere   |
| H32* | Chorioretinal disorders in diseases classified elsewhere                |
| H36* | Retinal disorders in diseases classified elsewhere                      |

|      |                                                                               |
|------|-------------------------------------------------------------------------------|
| H42* | Glaucoma in diseases classified elsewhere                                     |
| H45* | Disorders of vitreous body and globe in diseases classified elsewhere         |
| H48* | Disorders of optic nerve and visual pathways in diseases classified elsewhere |
| H58* | Other disorders of eye and adnexa in diseases classified elsewhere            |

## Disorders of eyelid, lacrimal system and orbit (H00-H06)

### H00 Hordeolum and chalazion

#### **H00.0 Hordeolum and other deep inflammation of eyelid**

|                             |           |
|-----------------------------|-----------|
| Abscess<br>Furuncle<br>Stye | of eyelid |
|-----------------------------|-----------|

#### **H00.1 Chalazion**

### H01 Other inflammation of eyelid

#### **H01.0 Blepharitis**

**Excludes:** blepharoconjunctivitis (H10.5)

#### **H01.1 Noninfectious dermatoses of eyelid**

|                                                                                                                                                        |           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Dermatitis: <ul style="list-style-type: none"><li>• allergic</li><li>• contact</li><li>• eczematous</li></ul> Discoid lupus erythematosus<br>Xeroderma | of eyelid |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|

**H01.8 Other specified inflammation of eyelid**

**H01.9 Inflammation of eyelid, unspecified**

**H02 Other disorders of eyelid**

**Excludes:** congenital malformations of eyelid (Q10.0-Q10.3)

**H02.0 Entropion and trichiasis of eyelid**

**H02.1 Ectropion of eyelid**

**H02.2 Lagophthalmos**

**H02.3 Blepharochalasis**

**H02.4 Ptosis of eyelid**

**H02.5 Other disorders affecting eyelid function**

Ankyloblepharon

Blepharophimosis

Lid retraction

**Excludes:** blepharospasm (G24.5)  
tic (disorder):

- NOS (F95.9)
- organic origin (G25.6)
- psychogenic (F95-)

**H02.6 Xanthelasma of eyelid**

**H02.7 Other degenerative disorders of eyelid and periocular area**

|                                   |           |
|-----------------------------------|-----------|
| Chloasma<br>Madarosis<br>Vitiligo | of eyelid |
|-----------------------------------|-----------|

## **H02.8 Other specified disorders of eyelid**

Hypertrichosis of eyelid

Retained foreign body in eyelid

## **H02.9 Disorder of eyelid, unspecified**

## **H03 Disorders of eyelid in diseases classified elsewhere**

### **H03.0\* Parasitic infestation of eyelid in diseases classified elsewhere**

Dermatitis of eyelid due to *Demodex* species (B88.0†)

Parasitic infestation of eyelid in:

- leishmaniasis (B55†)
- loiasis (B74.3†)
- onchocerciasis (B73†)
- phthiriasis (B85.3†)

### **H03.1\* Involvement of eyelid in other infectious diseases classified elsewhere**

Involvement of eyelid in:

- herpesviral [herpes simplex] infection (B00.5†)
- leprosy (A30†)
- molluscum contagiosum (B08.1†)
- tuberculosis (A18.4†)
- yaws (A66†)
- zoster (B02.3†)

### **H03.8\* Involvement of eyelid in other diseases classified elsewhere**

Involvement of eyelid in impetigo (L01.0†)

## H04 Disorders of lacrimal system

**Excludes:** congenital malformations of lacrimal system (Q10.4-Q10.6)

### H04.0 Dacryoadenitis

Chronic enlargement of lacrimal gland

### H04.1 Other disorders of lacrimal gland

Dacryops

Dry eye syndrome

Lacrimal:

- cyst
- gland atrophy

### H04.2 Epiphora

### H04.3 Acute and unspecified inflammation of lacrimal passages

Dacryocystitis

(phlegmonous)

Dacryopericystitis

Lacrimal canaliculitis

acute, subacute or unspecified

**Excludes:** neonatal dacryocystitis (P39.1)

### H04.4 Chronic inflammation of lacrimal passages

Dacryocystitis

Lacrimal:

- canaliculitis
  - mucocele
- chronic

### H04.5 Stenosis and insufficiency of lacrimal passages

Dacryolith  
Eversion of lacrimal punctum  
Stenosis of lacrimal:  
• canaliculi  
• duct  
• sac

**H04.6 Other changes in lacrimal passages**

Lacrimal fistula

**H04.8 Other disorders of lacrimal system**

**H04.9 Disorder of lacrimal system, unspecified**

**H05 Disorders of orbit**

**Excludes:** congenital malformation of orbit (Q10.7)

**H05.0 Acute inflammation of orbit**

|               |          |
|---------------|----------|
| Abscess       |          |
| Cellulitis    |          |
| Osteomyelitis | of orbit |
| Periostitis   |          |
| Tenonitis     |          |

**H05.1 Chronic inflammatory disorders of orbit**

Granuloma of orbit

**H05.2 Exophthalmic conditions**

|                                     |          |
|-------------------------------------|----------|
| Displacement of globe (lateral) NOS |          |
| Haemorrhage                         | of orbit |
| Oedema                              |          |

**H05.3 Deformity of orbit**

|           |          |
|-----------|----------|
| Atrophy   | of orbit |
| Exostosis |          |

**H05.4 Enophthalmos**

**H05.5 Retained (old) foreign body following penetrating wound of orbit**

Retrobulbar foreign body

**H05.8 Other disorders of orbit**

Cyst of orbit

**H05.9 Disorder of orbit, unspecified**

**H06 Disorders of lacrimal system and orbit in diseases classified elsewhere**

**H06.0\* Disorders of lacrimal system in diseases classified elsewhere**

**H06.1\* Parasitic infestation of orbit in diseases classified elsewhere**

*Echinococcus* infection of orbit (B67†)

Myiasis of orbit (B87.2†)

**H06.2\* Dysthyroid exophthalmos (E05†)**

**H06.3\* Other disorders of orbit in diseases classified elsewhere**

## Disorders of conjunctiva (H10-H13)

### H10 Conjunctivitis

**Excludes:** keratoconjunctivitis (H16.2)

#### H10.0 Mucopurulent conjunctivitis

#### H10.1 Acute atopic conjunctivitis

#### H10.2 Other acute conjunctivitis

#### H10.3 Acute conjunctivitis, unspecified

**Excludes:** ophthalmia neonatorum NOS (P39.1)

#### H10.4 Chronic conjunctivitis

#### H10.5 Blepharoconjunctivitis

#### H10.8 Other conjunctivitis

#### H10.9 Conjunctivitis, unspecified

### H11 Other disorders of conjunctiva

**Excludes:** keratoconjunctivitis (H16.2)

#### H11.0 Pterygium

**Excludes:** pseudopterygium (H11.8)

#### H11.1 Conjunctival degenerations and deposits



Conjunctival:

- argyrosis [argyria]
- concretions
- pigmentation
- xerosis NOS

**H11.2 Conjunctival scars**

Symblepharon

**H11.3 Conjunctival haemorrhage**

Subconjunctival haemorrhage

**H11.4 Other conjunctival vascular disorders and cysts**

Conjunctival:

- aneurysm
- hyperaemia
- oedema

**H11.8 Other specified disorders of conjunctiva**

Pseudopterygium

**H11.9 Disorder of conjunctiva, unspecified**

**H13 Disorders of conjunctiva in diseases classified elsewhere**

**H13.0\* Filarial infection of conjunctiva (B74†)**

**H13.1\* Conjunctivitis in infectious and parasitic diseases classified elsewhere**

Conjunctivitis (due to):

- *Acanthamoeba* (B60.1†)
- adenoviral follicular (acute) (B30.1†)
- chlamydial (A74.0†)

- diphtheritic (A36.8†)
- gonococcal (A54.3†)
- haemorrhagic (acute)(epidemic) (B30.3†)
- herpesviral [herpes simplex] (B00.5†)
- meningococcal (A39.8†)
- Newcastle (B30.8†)
- zoster (B02.3†)

**H13.2\* Conjunctivitis in other diseases classified elsewhere**

**H13.3\* Ocular pemphigoid (L12†)**

**H13.8\* Other disorders of conjunctiva in diseases classified elsewhere**

**Disorders of sclera, cornea, iris and ciliary body (H15-H22)**

**H15 Disorders of sclera**

**H15.0 Scleritis**

**H15.1 Episcleritis**

**H15.8 Other disorders of sclera**

Equatorial staphyloma

Scleral ectasia

***Excludes:*** degenerative myopia (H44.2)

## **H15.9 Disorder of sclera, unspecified**

## **H16 Keratitis**

### **H16.0 Corneal ulcer**

Ulcer:

- corneal:
- NOS
- central
- marginal
- perforated
- ring
- with hypopyon
- Mooren

### **H16.1 Other superficial keratitis without conjunctivitis**

Keratitis:

- areolar
- filamentary
- nummular
- stellate
- striate
- superficial punctate

Photokeratitis

Snow blindness

### **H16.2 Keratoconjunctivitis**

Keratoconjunctivitis:

- NOS
- exposure
- neurotrophic
- phlyctenular

Ophthalmia nodosa

Superficial keratitis with conjunctivitis

**H16.3 Interstitial and deep keratitis**

**H16.4 Corneal neovascularization**

Ghost vessels (corneal)

Pannus (corneal)

**H16.8 Other keratitis**

**H16.9 Keratitis, unspecified**

**H17 Corneal scars and opacities**

**H17.0 Adherent leukoma**

**H17.1 Other central corneal opacity**

**H17.8 Other corneal scars and opacities**

**H17.9 Corneal scar and opacity, unspecified**

**H18 Other disorders of cornea**

**H18.0 Corneal pigmentations and deposits**

Haematocornea

Kayser-Fleischer ring

Krukenberg spindle

Staehli line

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**H18.1 Bullous keratopathy**

***Excludes:*** keratopathy (bullous aphakic) following cataract surgery (H59.0)

**H18.2 Other corneal oedema**

**H18.3 Changes in corneal membranes**

|         |  |                      |
|---------|--|----------------------|
| Fold    |  | in Descemet membrane |
| Rupture |  |                      |

**H18.4 Corneal degeneration**

Arcus senilis

Band keratopathy

***Excludes:*** Mooren ulcer (H16.0)

**H18.5 Hereditary corneal dystrophies**

Dystrophy:

- corneal:
  - epithelial
  - granular
  - lattice
  - macular
- Fuchs

**H18.6 Keratoconus**

**H18.7 Other corneal deformities**

Corneal:

- ectasia
- staphyloma

Descemetocoele

***Excludes:*** congenital malformations of cornea (Q13.3-Q13.4)

**H18.8 Other specified disorders of cornea**

|                   |           |
|-------------------|-----------|
| Anaesthesia       | of cornea |
| Hypaesthesia      |           |
| Recurrent erosion |           |

**H18.9 Disorder of cornea, unspecified**

**H19 Disorders of sclera and cornea in diseases classified elsewhere**

**H19.0\* Scleritis and episcleritis in diseases classified elsewhere**

Syphilitic episcleritis (A52.7†)  
Tuberculous episcleritis (A18.5†)  
Zoster scleritis (B02.3†)

**H19.1\* Herpesviral keratitis and keratoconjunctivitis (B00.5†)**

Dendritic and disciform keratitis

**H19.2\* Keratitis and keratoconjunctivitis in other infectious and parasitic diseases classified elsewhere**

Epidemic keratoconjunctivitis (B30.0†)  
Keratitis and keratoconjunctivitis (interstitial) in:

- acanthamoebiasis (B60.1†)
- measles (B05.8†)
- syphilis (A50.3†)
- tuberculosis (A18.5†)
- zoster (B02.3†)

**H19.3\* Keratitis and keratoconjunctivitis in other diseases classified elsewhere**

Keratoconjunctivitis sicca (M35.0†)

**H19.8\* Other disorders of sclera and cornea in diseases classified elsewhere**

Keratoconus in Down syndrome (Q90†)

**H20 Iridocyclitis**

**H20.0 Acute and subacute iridocyclitis**

|                  |                              |
|------------------|------------------------------|
| Anterior uveitis | acute, recurrent or subacute |
| Cyclitis         |                              |
| Iritis           |                              |

**H20.1 Chronic iridocyclitis**

**H20.2 Lens-induced iridocyclitis**

**H20.8 Other iridocyclitis**

**H20.9 Iridocyclitis, unspecified**

**H21 Other disorders of iris and ciliary body**

**Excludes:** sympathetic uveitis (H44.1)

**H21.0 Hyphaema**

**Excludes:** traumatic hyphaema (S05.1)

**H21.1 Other vascular disorders of iris and ciliary body**

Neovascularization of iris or ciliary body  
Rubeosis of iris

**H21.2 Degeneration of iris and ciliary body**

Degeneration of:

- iris (pigmentary)
  - pupillary margin
- Iridoschisis  
Iris atrophy (essential)(progressive)  
Miotic pupillary cyst  
Translucency of iris

### **H21.3 Cyst of iris, ciliary body and anterior chamber**

Cyst of iris, ciliary body or anterior chamber:

- NOS
- exudative
- implantation
- parasitic

**Excludes:** miotic pupillary cyst (H21.2)

### **H21.4 Pupillary membranes**

Iris bombé

Pupillary:

- occlusion
- seclusion

### **H21.5 Other adhesions and disruptions of iris and ciliary body**

Goniosynechiae

Iridodialysis

Recession, chamber angle

Synechiae (iris):

- NOS
- anterior
- posterior

**Excludes:** corectopia (Q13.2)

### **H21.8 Other specified disorders of iris and ciliary body**



**H21.9 Disorder of iris and ciliary body, unspecified**

**H22 Disorders of iris and ciliary body in diseases classified elsewhere**

**H22.0\* Iridocyclitis in infectious and parasitic diseases classified elsewhere**

Iridocyclitis in:

- gonococcal infection (A54.3†)
- herpesviral [herpes simplex] infection (B00.5†)
- syphilis (secondary) (A51.4†)
- tuberculosis (A18.5†)
- zoster (B02.3†)

**H22.1\* Iridocyclitis in other diseases classified elsewhere**

Iridocyclitis in:

- ankylosing spondylitis (M45†)
- sarcoidosis (D86.8†)

**H22.8\* Other disorders of iris and ciliary body in diseases classified elsewhere**

**Disorders of lens (H25-H28)**

**H25 Senile cataract**

**Excludes:** capsular glaucoma with pseudoexfoliation of lens (H40.1)

**H25.0 Senile incipient cataract**

Senile cataract:

- coronary

- cortical
  - punctate
- Subcapsular polar senile cataract (anterior)(posterior)  
Water clefts

**H25.1 Senile nuclear cataract**

Cataracta brunescens  
Nuclear sclerosis cataract

**H25.2 Senile cataract, morgagnian type**

Senile hypermature cataract

**H25.8 Other senile cataract**

Combined forms of senile cataract

**H25.9 Senile cataract, unspecified**

**H26 Other cataract**

**Excludes:** congenital cataract (Q12.0)

**H26.0 Infantile, juvenile and presenile cataract**

**H26.1 Traumatic cataract**

Use additional external cause code (Chapter XX), if desired, to identify cause.

**H26.2 Complicated cataract**

Cataract in chronic iridocyclitis  
Cataract secondary to ocular disorders  
Glaucomatous flecks (subcapsular)

**H26.3 Drug-induced cataract**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**H26.4 After-cataract**

Secondary cataract  
Soemmerring ring

**H26.8 Other specified cataract**

**H26.9 Cataract, unspecified**

**H27 Other disorders of lens**

**Excludes:** congenital lens malformations (Q12-)  
mechanical complications of intraocular lens (T85.2)  
pseudophakia (cZ96.1)

**H27.0 Aphakia**

**H27.1 Dislocation of lens**

**H27.8 Other specified disorders of lens**

**H27.9 Disorder of lens, unspecified**

**H28 Cataract and other disorders of lens in diseases classified elsewhere**

**H28.0\* Diabetic cataract (E10-E14† with common fourth character .3)**

**H28.1\* Cataract in other endocrine, nutritional and metabolic diseases**

Cataract in hypoparathyroidism (E20†)

Malnutrition-dehydration cataract (E40-E46†)

**H28.2\* Cataract in other diseases classified elsewhere**

Myotonic cataract (G71.1†)

**H28.8\* Other disorders of lens in diseases classified elsewhere**

Disorders of choroid and retina (H30-H36)

**H30 Chorioretinal inflammation**

**H30.0 Focal chorioretinal inflammation**

Focal:

- chorioretinitis
- choroiditis
- retinitis
- retinochoroiditis

**H30.1 Disseminated chorioretinal inflammation**

Disseminated:

- chorioretinitis
- choroiditis
- retinitis
- retinochoroiditis

**Excludes:** exudative retinopathy (H35.0)

**H30.2 Posterior cyclitis**

Pars planitis

**H30.8 Other chorioretinal inflammations**

Harada disease

**H30.9 Chorioretinal inflammation, unspecified**

Chorioretinitis

Choroiditis

Retinitis

Retinochoroiditis

NOS

**H31 Other disorders of choroid**

**H31.0 Chorioretinal scars**

Macula scars of posterior pole (postinflammatory)(post-traumatic)

Solar retinopathy

**H31.1 Choroidal degeneration**

Atrophy

Sclerosis

of choroid

**Excludes:** angioid streaks (H35.3)

**H31.2 Hereditary choroidal dystrophy**

Choroideremia

Dystrophy, choroidal (central areolar)(generalized)(peripapillary)

Gyrate atrophy, choroid

**Excludes:** ornithinaemia (E72.4)

**H31.3 Choroidal haemorrhage and rupture**

Choroidal haemorrhage:

- NOS

- expulsive

### **H31.4 Choroidal detachment**

### **H31.8 Other specified disorders of choroid**

### **H31.9 Disorder of choroid, unspecified**

## **H32 Chorioretinal disorders in diseases classified elsewhere**

### **H32.0\* Chorioretinal inflammation in infectious and parasitic diseases classified elsewhere**

Chorioretinitis:

- syphilitic, late (A52.7†)
- toxoplasma (B58.0†)
- tuberculous (A18.5†)

### **H32.8\* Other chorioretinal disorders in diseases classified elsewhere**

Albuminurica retinitis (N18.5†)

Renal retinitis (N18.5†)

## **H33 Retinal detachments and breaks**

**Excludes:** detachment of retinal pigment epithelium (H35.7)

### **H33.0 Retinal detachment with retinal break**

Rhegmatogenous retinal detachment

### **H33.1 Retinoschisis and retinal cysts**

Cyst of ora serrata

Parasitic cyst of retina NOS

Pseudocyst of retina

**Excludes:** congenital retinoschisis (Q14.1)  
microcystoid degeneration of retina (H35.4)

### **H33.2 Serous retinal detachment**

Retinal detachment:

- NOS
- without retinal break

**Excludes:** central serous chorioretinopathy (H35.7)

### **H33.3 Retinal breaks without detachment**

|                   |                               |
|-------------------|-------------------------------|
| Horseshoe tear    | of retina, without detachment |
| Round hole        |                               |
| Operculum         |                               |
| Retinal break NOS |                               |

**Excludes:** chorioretinal scars after surgery for detachment (H59.8)  
peripheral retinal degeneration without break (H35.4)

### **H33.4 Traction detachment of retina**

Proliferative vitreo-retinopathy with retinal detachment

### **H33.5 Other retinal detachments**

## **H34 Retinal vascular occlusions**

**Excludes:** amaurosis fugax (G45.3)

### **H34.0 Transient retinal artery occlusion**

### **H34.1 Central retinal artery occlusion**

### **H34.2 Other retinal artery occlusions**

Hollenhorst plaque  
Retinal:

- artery occlusion:
  - branch
  - partial
- microembolism

### **H34.8 Other retinal vascular occlusions**

Retinal vein occlusion:

- central
- incipient
- partial
- tributary

### **H34.9 Retinal vascular occlusion, unspecified**

## **H35 Other retinal disorders**

### **H35.0 Background retinopathy and retinal vascular changes**

Changes in retinal vascular appearance

Retinal:

- micro-aneurysms
- neovascularization
- perivasculitis
- varices
- vascular sheathing
- vasculitis

Retinopathy:

- NOS
- background NOS
- Coats
- exudative
- hypertensive

### **H35.1 Retinopathy of prematurity**

Retrolental fibroplasia



### H35.2 Other proliferative retinopathy

Proliferative vitreo-retinopathy

**Excludes:** proliferative vitreo-retinopathy with retinal detachment (H33.4)

### H35.3 Degeneration of macula and posterior pole

|                       |           |
|-----------------------|-----------|
| Angioid streaks       | of macula |
| Cyst                  |           |
| Drusen (degenerative) |           |
| Hole                  |           |
| Puckering             |           |

Kuhnt-Junius degeneration

Senile macular degeneration (atrophic)(exudative)

Toxic maculopathy

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

### H35.4 Peripheral retinal degeneration

Degeneration, retina:

- NOS
- lattice
- microcystoid
- palisade
- paving stone
- reticular

**Excludes:** with retinal break (H33.3)

### H35.5 Hereditary retinal dystrophy

Dystrophy:

- retinal (albipunctate)(pigmentary)(vitelliform)
- tapetoretinal
- vitreoretinal

Retinitis pigmentosa

Stargardt disease

**H35.6 Retinal haemorrhage**

**H35.7 Separation of retinal layers**

Central serous chorioretinopathy

Detachment of retinal pigment epithelium

**H35.8 Other specified retinal disorders**

**H35.9 Retinal disorder, unspecified**

**H36 Retinal disorders in diseases classified elsewhere**

**H36.0\* Diabetic retinopathy (E10-E14† with common fourth character .3)**

**H36.8\* Other retinal disorders in diseases classified elsewhere**

Atherosclerotic retinopathy (I70.8†)

Proliferative sickle-cell retinopathy (D57†)

Retinal dystrophy in lipid storage disorders (E75†)

**Glaucoma (H40-H42)**

**H40 Glaucoma**

**Excludes:** absolute glaucoma (H44.5)  
congenital glaucoma (Q15.0)  
traumatic glaucoma due to birth injury (P15.3)

**H40.0 Glaucoma suspect**

Ocular hypertension

**H40.1 Primary open-angle glaucoma**

Glaucoma (primary)(residual stage):

- capsular with pseudoexfoliation of lens
- chronic simple
- low-tension
- pigmentary

**H40.2 Primary angle-closure glaucoma**

Angle-closure glaucoma (primary)(residual stage):

- acute
- chronic
- intermittent

**H40.3 Glaucoma secondary to eye trauma**

Use additional code, if desired, to identify cause.

**H40.4 Glaucoma secondary to eye inflammation**

Use additional code, if desired, to identify cause.

**H40.5 Glaucoma secondary to other eye disorders**

Use additional code, if desired, to identify cause.

**H40.6 Glaucoma secondary to drugs**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**H40.8 Other glaucoma**

**H40.9 Glaucoma, unspecified**

## H42 Glaucoma in diseases classified elsewhere

### H42.0\* Glaucoma in endocrine, nutritional and metabolic diseases

Glaucoma in:

- amyloidosis (E85†)
- Lowe syndrome (E72.0†)

### H42.8\* Glaucoma in other diseases classified elsewhere

Glaucoma in onchocerciasis (B73†)

## Disorders of vitreous body and globe (H43-H45)

## H43 Disorders of vitreous body

### H43.0 Vitreous prolapse

*Excludes:* vitreous syndrome following cataract surgery (H59.0)

### H43.1 Vitreous haemorrhage

### H43.2 Crystalline deposits in vitreous body

### H43.3 Other vitreous opacities

Vitreous membranes and strands

### H43.8 Other disorders of vitreous body

Vitreous:

- degeneration
- detachment

**Excludes:** proliferative vitreo-retinopathy with retinal detachment (H33.4)

### **H43.9 Disorder of vitreous body, unspecified**

## **H44 Disorders of globe**

**Includes:** disorders affecting multiple structures of eye

### **H44.0 Purulent endophthalmitis**

Panophthalmitis

Vitreous abscess

### **H44.1 Other endophthalmitis**

Parasitic endophthalmitis NOS

Sympathetic uveitis

### **H44.2 Degenerative myopia**

### **H44.3 Other degenerative disorders of globe**

Chalcosis

Siderosis of eye

### **H44.4 Hypotony of eye**

### **H44.5 Degenerated conditions of globe**

Absolute glaucoma

Atrophy of globe

Phthisis bulbi

### **H44.6 Retained (old) intraocular foreign body, magnetic**

Retained (old) magnetic foreign body (in):

- anterior chamber

- ciliary body
- iris
- lens
- posterior wall of globe
- vitreous body

**H44.7 Retained (old) intraocular foreign body, nonmagnetic**

Retained (nonmagnetic)(old) foreign body (in):

- anterior chamber
- ciliary body
- iris
- lens
- posterior wall of globe
- vitreous body

**H44.8 Other disorders of globe**

Haemophthalmos

Luxation of globe

**H44.9 Disorder of globe, unspecified**

**H45 Disorders of vitreous body and globe in diseases classified elsewhere**

**H45.0\* Vitreous haemorrhage in diseases classified elsewhere**

**H45.1\* Endophthalmitis in diseases classified elsewhere**

Endophthalmitis in:

- cysticercosis (B69.1†)
- onchocerciasis (B73†)
- toxocariasis (B83.0†)

**H45.8\* Other disorders of vitreous body and globe in diseases classified elsewhere**

**Disorders of optic nerve and visual pathways (H46-H48)**

**H46 Optic neuritis**

Optic

- neuropathy, except ischaemic
- papillitis

Retrobulbar neuritis NOS

**Excludes:** ischaemic optic neuropathy (H47.0)  
neuromyelitis optica [Devic] (G36.0)

**H47 Other disorders of optic [2nd] nerve and visual pathways**

**H47.0 Disorders of optic nerve, not elsewhere classified**

Compression of optic nerve

Haemorrhage in optic nerve sheath

Ischaemic optic neuropathy

**H47.1 Papilloedema, unspecified**

**H47.2 Optic atrophy**

Temporal pallor of optic disc

**H47.3 Other disorders of optic disc**

Drusen of optic disc

Pseudopapilloedema

**H47.4 Disorders of optic chiasm**

**H47.5 Disorders of other visual pathways**

Disorders of optic tracts, geniculate nuclei and optic radiations

**H47.6 Disorders of visual cortex**

**H47.7 Disorder of visual pathways, unspecified**

**H48 Disorders of optic [2nd] nerve and visual pathways in diseases classified elsewhere**

**H48.0\* Optic atrophy in diseases classified elsewhere**

Optic atrophy in late syphilis (A52.1†)

**H48.1\* Retrobulbar neuritis in diseases classified elsewhere**

Retrobulbar neuritis in:

- late syphilis (A52.1†)
- meningococcal infection (A39.8†)
- multiple sclerosis (G35†)

**H48.8\* Other disorders of optic nerve and visual pathways in diseases classified elsewhere**

**Disorders of ocular muscles, binocular movement, accommodation and refraction (H49-H52)**

**Excludes:** nystagmus and other irregular eye movements (H55)

**H49 Paralytic strabismus**

**Excludes:** ophthalmoplegia:

- internal (H52.5)
- internuclear (H51.2)



- progressive supranuclear (G23.1)

**H49.0 Third [oculomotor] nerve palsy**

**H49.1 Fourth [trochlear] nerve palsy**

**H49.2 Sixth [abducent] nerve palsy**

**H49.3 Total (external) ophthalmoplegia**

**H49.4 Progressive external ophthalmoplegia**

**H49.8 Other paralytic strabismus**

External ophthalmoplegia NOS

Kearns-Sayre syndrome

**H49.9 Paralytic strabismus, unspecified**

**H50 Other strabismus**

**H50.0 Convergent concomitant strabismus**

Esotropia (alternating)(monocular), except intermittent

**H50.1 Divergent concomitant strabismus**

Exotropia (alternating)(monocular), except intermittent

**H50.2 Vertical strabismus**

Hypertropia

Hypotropia

**H50.3 Intermittent heterotropia**

Intermittent:

- |                |                          |
|----------------|--------------------------|
| •<br>esotropia | (alternating)(monocular) |
| •<br>exotropia |                          |

**H50.4 Other and unspecified heterotropia**

Concomitant strabismus NOS

Cyclotropia

Microtropia

Monofixation syndrome

**H50.5 Heterophoria**

Alternating hyperphoria

Esophoria

Exophoria

**H50.6 Mechanical strabismus**

Brown sheath syndrome

Strabismus due to adhesions

Traumatic limitation of duction of eye muscle

**H50.8 Other specified strabismus**

Duane syndrome

**H50.9 Strabismus, unspecified**

**H51 Other disorders of binocular movement**

**H51.0 Palsy of conjugate gaze**

**H51.1 Convergence insufficiency and excess**

**H51.2 Internuclear ophthalmoplegia**

**H51.8 Other specified disorders of binocular movement**

**H51.9 Disorder of binocular movement, unspecified**

**H52 Disorders of refraction and accommodation**

**H52.0 Hypermetropia**

**H52.1 Myopia**

*Excludes:* degenerative myopia (H44.2)

**H52.2 Astigmatism**

**H52.3 Anisometropia and aniseikonia**

**H52.4 Presbyopia**

**H52.5 Disorders of accommodation**

Internal ophthalmoplegia (complete)(total)

Paresis

Spasm

of accommodation

**H52.6 Other disorders of refraction**

**H52.7 Disorder of refraction, unspecified**

## Visual disturbances and blindness (H53-H54)

### H53 Visual disturbances

#### **H53.0 Amblyopia ex anopsia**

Amblyopia:

- anisometropic
- deprivation
- strabismic

#### **H53.1 Subjective visual disturbances**

Asthenopia

Day blindness

Hemeralopia

Metamorphopsia

Photophobia

Scintillating scotoma

Sudden visual loss

Visual halos

**Excludes:** visual hallucinations (R44.1)

#### **H53.2 Diplopia**

Double vision

#### **H53.3 Other disorders of binocular vision**

Abnormal retinal correspondence

Fusion with defective stereopsis

Simultaneous visual perception without fusion

Suppression of binocular vision

#### **H53.4 Visual field defects**

Enlarged blind spot

Generalized contraction of visual field  
Hemianop(s)ia (heteronymous)(homonymous)  
Quadrant anop(s)ia  
Scotoma:

- arcuate
- Bjerrum
- central
- ring

### **H53.5 Colour vision deficiencies**

Achromatopsia  
Acquired colour vision deficiency  
Colour blindness  
Deuteranomaly  
Deuteranopia  
Protanomaly  
Protanopia  
Tritanomaly  
Tritanopia

**Excludes:** day blindness (H53.1)

### **H53.6 Night blindness**

**Excludes:** due to vitamin A deficiency (E50.5)

### **H53.8 Other visual disturbances**

### **H53.9 Visual disturbance, unspecified**

## **H54 Visual impairment including blindness (binocular or monocular)**

**Note:** For definition of visual impairment categories see table below.

**Excludes:** amaurosis fugax (G45.3)

### **H54.0 Blindness, binocular**

Visual impairment categories 3, 4, 5

**H54.1 Severe visual impairment, binocular**

Visual impairment category 2

**H54.2 Moderate visual impairment, binocular**

Visual impairment category 1

**H54.3 Mild or no visual impairment, binocular**

Visual impairment category 0

**H54.4 Blindness, monocular**

Visual impairment categories 3, 4, 5 in one eye and categories 0, 1, 2 or 9 in the other eye

**H54.5 Severe visual impairment, monocular**

Visual impairment category 2 in one eye and categories 0, 1 or 9 in other eye

**H54.6 Moderate visual impairment, monocular**

Visual impairment category 1 in one eye and categories 0 or 9 in other eye

**H54.9 Unspecified visual impairment (binocular)**

Visual impairment category 9

**Note:**

The table below gives a classification of severity of visual impairment recommended by the Resolution of the International Council of Ophthalmology (2002) and the Recommendations of the WHO Consultation on "Development of Standards for Characterization of Vision Loss and Visual Functioning" (Sept. 2003).

For characterizing visual impairment for codes H54.0 to H54.3, visual acuity should be measured with both eyes

open with presenting correction if any. For characterizing visual impairment for codes H54.4 to H54.6, visual acuity should be measured monocularly with presenting correction if any.

If the extent of the visual field is taken into account, patients with a visual field of the better eye no greater than 10° in radius around central fixation should be placed under category 3. For monocular blindness (H54.4), this degree of field loss would apply to the affected eye.

| Category                           | Presenting distance visual acuity       |                                         |
|------------------------------------|-----------------------------------------|-----------------------------------------|
|                                    | Worse than:                             | Equal to or better than:                |
| Mild or no visual impairment<br>0  |                                         | 6/18<br>3/10 (0.3)<br>20/70             |
| Moderate visual impairment<br>1    | 6/18<br>3/10 (0.3)<br>20/70             | 6/60<br>1/10 (0.1)<br>20/200            |
| Severed visual impairment<br>2     | 6/60<br>1/10 (0.1)<br>20/200            | 3/60<br>1/20 (0.05)<br>20/400           |
| Blindness<br>3                     | 3/60<br>1/20 (0.05)<br>20/400           | 1/60*<br>1/50 (0.02)<br>5/300 (20/1200) |
| Blindness<br>4                     | 1/60*<br>1/50 (0.02)<br>5/300 (20/1200) | Light perception                        |
| Blindness<br>5                     | No light perception                     |                                         |
| 9                                  | Undetermined or unspecified             |                                         |
| *Or counts fingers (CF) at 1 metre |                                         |                                         |

**Note:**

The term visual impairment in category H54 comprises category 0 for mild or no visual impairment, category 1 for moderate visual impairment, category 2 for severe visual impairment, categories 3, 4, and 5 for blindness and category 9 for unqualified visual impairment. The term "low vision" included in the previous revision has

been replaced by categories 1 and 2 to avoid confusion with those requiring low vision care.

## **Other disorders of eye and adnexa (H55-H59)**

### **H55 Nystagmus and other irregular eye movements**

Nystagmus:

- NOS
- congenital
- deprivation
- dissociated
- latent

### **H57 Other disorders of eye and adnexa**

#### **H57.0 Anomalies of pupillary function**

#### **H57.1 Ocular pain**

#### **H57.8 Other specified disorders of eye and adnexa**

#### **H57.9 Disorder of eye and adnexa, unspecified**

### **H58 Other disorders of eye and adnexa in diseases classified elsewhere**

#### **H58.0\* Anomalies of pupillary function in diseases classified elsewhere**

Argyll Robertson phenomenon or pupil, syphilitic (A52.1†)



**H58.1\* Visual disturbances in diseases classified elsewhere**

**H58.8\* Other specified disorders of eye and adnexa in diseases classified elsewhere**

Syphilitic oculopathy NEC:

- congenital:
  - early (A50.0†)
  - late (A50.3†)
- early (secondary) (A51.4†)
- late (A52.7†)

**H59 Postprocedural disorders of eye and adnexa, not elsewhere classified**

**Excludes:** mechanical complication of:

- intraocular lens (T85.2)
- other ocular prosthetic devices, implants and grafts (T85.3)

pseudophakia (<sup>ci</sup>Z96.1)

**H59.0 Keratopathy (bullous aphakic) following cataract surgery**

Vitreous (touch) syndrome  
Vitreous corneal syndrome

**H59.8 Other postprocedural disorders of eye and adnexa**

Chorioretinal scars after surgery for detachment

**H59.9 Postprocedural disorder of eye and adnexa, unspecified**

## CHAPTER VIII - Diseases of the ear and mastoid process (H60-H95)

**Excludes:** certain conditions originating in the perinatal period (P00-P96)  
certain infectious and parasitic diseases (A00-B99)  
complications of pregnancy, childbirth and the puerperium (O00-O99)  
congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)  
endocrine, nutritional and metabolic diseases (E00-E90)  
injury, poisoning and certain other consequences of external causes (S00-T98)  
neoplasms (C00-D48)  
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

**This chapter contains the following blocks:**

|         |                                    |
|---------|------------------------------------|
| H60-H62 | Diseases of external ear           |
| H65-H75 | Diseases of middle ear and mastoid |
| H80-H83 | Diseases of inner ear              |
| H90-H95 | Other disorders of ear             |

**Asterisk categories for this chapter are provided as follows:**

|      |                                                                            |
|------|----------------------------------------------------------------------------|
| H62* | Disorders of external ear in diseases classified elsewhere                 |
| H67* | Otitis media in diseases classified elsewhere                              |
| H75* | Other disorders of middle ear and mastoid in diseases classified elsewhere |
| H82* | Vertiginous syndromes in diseases classified elsewhere                     |
| H94* | Other disorders of ear in diseases classified elsewhere                    |

### Diseases of external ear (H60-H62)

#### H60 Otitis externa

**H60.0 Abscess of external ear**

|           |                                       |
|-----------|---------------------------------------|
| Boil      | of auricle or external auditory canal |
| Carbuncle |                                       |
| Furuncle  |                                       |

**H60.1 Cellulitis of external ear**

Cellulitis of:

- auricle
- external auditory canal

**H60.2 Malignant otitis externa**

**H60.3 Other infective otitis externa**

Otitis externa:

- diffuse
- haemorrhagic

Swimmer ear

**H60.4 Cholesteatoma of external ear**

Keratinosis obturans of external ear (canal)

**H60.5 Acute otitis externa, noninfective**

Acute otitis externa:

- NOS
- actinic
- chemical
- contact
- eczematoid
- reactive

**H60.8 Other otitis externa**

Chronic otitis externa NOS

**H60.9 Otitis externa, unspecified**

**H61 Other disorders of external ear**

**H61.0 Perichondritis of external ear**

Chondrodermatitis nodularis chronica helcis

Perichondritis of:

- auricle
- pinna

**H61.1 Noninfective disorders of pinna**

Acquired deformity of:

- auricle
- pinna

*Excludes:* cauliflower ear (M95.1)

**H61.2 Impacted cerumen**

Wax in ear

**H61.3 Acquired stenosis of external ear canal**

Collapse of external ear canal

**H61.8 Other specified disorders of external ear**

Exostosis of external canal

**H61.9 Disorder of external ear, unspecified**

**H62 Disorders of external ear in diseases classified elsewhere**

**H62.0\* Otitis externa in bacterial diseases classified elsewhere**

Otitis externa in erysipelas (A46†)

**H62.1\* Otitis externa in viral diseases classified elsewhere**

Otitis externa in:

- herpesviral [herpes simplex] infection (B00.1†)
- zoster (B02.8†)

**H62.2\* Otitis externa in mycoses**

Otitis externa in:

- aspergillosis (B44.8†)
  - candidiasis (B37.2†)
- Otomycosis NOS (B36.9†)

**H62.3\* Otitis externa in other infectious and parasitic diseases classified elsewhere**

**H62.4\* Otitis externa in other diseases classified elsewhere**

Otitis externa in impetigo (L01†)

**H62.8\* Other disorders of external ear in diseases classified elsewhere**

**Diseases of middle ear and mastoid (H65-H75)**

**H65 Nonsuppurative otitis media**

Use additional code to identify presence of perforated tympanic membrane (H72-).

**Includes:** with myringitis

**H65.0 Acute serous otitis media**

Acute and subacute secretory otitis media

**H65.1 Other acute nonsuppurative otitis media**

Otitis media, acute and subacute:

- allergic (mucoid)(sanguinous)(serous)
- mucoid
- nonsuppurative NOS
- sanguinous
- seromucinous

**Excludes:** otitic barotrauma (T70.0)  
otitis media (acute) NOS (H66.9)

**H65.2 Chronic serous otitis media**

Chronic tubotympanal catarrh

**H65.3 Chronic mucoid otitis media**

Glue ear

Otitis media, chronic:

- mucinous
- secretory
- transudative

**Excludes:** adhesive middle ear disease (H74.1)

**H65.4 Other chronic nonsuppurative otitis media**

Otitis media, chronic:

- allergic
- exudative
- nonsuppurative NOS
- seromucinous
- with effusion (nonpurulent)

**H65.9 Nonsuppurative otitis media, unspecified**

Otitis media:

- allergic

- catarrhal
- exudative
- mucoid
- secretory
- seromucinous
- serous
- transudative
- with effusion (nonpurulent)

**H66 Suppurative and unspecified otitis media**

Use additional code to identify presence of perforated tympanic membrane (H72-).

**Includes:** with myringitis

**H66.0 Acute suppurative otitis media**

**H66.1 Chronic tubotympanic suppurative otitis media**

Benign chronic suppurative otitis media

Chronic tubotympanic disease

**H66.2 Chronic atticoantral suppurative otitis media**

Chronic atticoantral disease

**H66.3 Other chronic suppurative otitis media**

Chronic suppurative otitis media NOS

**H66.4 Suppurative otitis media, unspecified**

Purulent otitis media NOS

**H66.9 Otitis media, unspecified**

Otitis media:

- NOS
- acute NOS
- chronic NOS

**H67 Otitis media in diseases classified elsewhere**

**H67.0\* Otitis media in bacterial diseases classified elsewhere**

Otitis media in:

- scarlet fever (A38†)
- tuberculosis (A18.6†)

**H67.1\* Otitis media in viral diseases classified elsewhere**

Otitis media in:

- influenza:
  - seasonal virus identified (J10.8†)
  - influenza, virus not identified (J11.8†)
  - influenza, zoonotic or pandemic influenza virus identified (J09†)
- measles (B05.3†)

**H67.8\* Otitis media in other diseases classified elsewhere**

**H68 Eustachian salpingitis and obstruction**

**H68.0 Eustachian salpingitis**

**H68.1 Obstruction of Eustachian tube**

|             |                    |
|-------------|--------------------|
| Compression | of Eustachian tube |
| Stenosis    |                    |
| Stricture   |                    |

**H69 Other disorders of Eustachian tube**

**H69.0 Patulous Eustachian tube**



**H69.8 Other specified disorders of Eustachian tube**

**H69.9 Eustachian tube disorder, unspecified**

**H70 Mastoiditis and related conditions**

**H70.0 Acute mastoiditis**

|         |            |
|---------|------------|
| Abscess | of mastoid |
| Empyema |            |

**H70.1 Chronic mastoiditis**

|         |            |
|---------|------------|
| Caries  | of mastoid |
| Fistula |            |

**H70.2 Petrositis**

Inflammation of petrous bone (acute)(chronic)

**H70.8 Other mastoiditis and related conditions**

**H70.9 Mastoiditis, unspecified**

**H71 Cholesteatoma of middle ear**

Cholesteatoma tympani

**Excludes:** cholesteatoma of external ear (H60.4)  
recurrent cholesteatoma of postmastoidectomy cavity (H95.0)

**H72 Perforation of tympanic membrane**

**Includes:** perforation of ear drum:

- persistent post-traumatic
- postinflammatory

**Excludes:** traumatic rupture of ear drum (S09.2)

**H72.0 Central perforation of tympanic membrane**

**H72.1 Attic perforation of tympanic membrane**  
Perforation of pars flaccida

**H72.2 Other marginal perforations of tympanic membrane**

**H72.8 Other perforations of tympanic membrane**  
Perforation(s):  

- multiple
- total

 | of tympanic membrane

**H72.9 Perforation of tympanic membrane, unspecified**

**H73 Other disorders of tympanic membrane**

**H73.0 Acute myringitis**  
Acute tympanitis  
Bullous myringitis

**Excludes:** with otitis media (H65-H66)

**H73.1 Chronic myringitis**  
Chronic tympanitis

**Excludes:** with otitis media (H65-H66)

**H73.8 Other specified disorders of tympanic membrane**

**H73.9 Disorder of tympanic membrane, unspecified**

**H74 Other disorders of middle ear and mastoid**

**H74.0 Tympanosclerosis**

**H74.1 Adhesive middle ear disease**

Adhesive otitis

*Excludes:* glue ear (H65.3)

**H74.2 Discontinuity and dislocation of ear ossicles**

**H74.3 Other acquired abnormalities of ear ossicles**

Perforation(s):

|              |                 |
|--------------|-----------------|
| Ankylosis    | of ear ossicles |
| Partial loss |                 |

**H74.4 Polyp of middle ear**

**H74.8 Other specified disorders of middle ear and mastoid**

**H74.9 Disorder of middle ear and mastoid, unspecified**

**H75 Other disorders of middle ear and mastoid in diseases classified elsewhere**

**H75.0\* Mastoiditis in infectious and parasitic diseases classified elsewhere**

Tuberculous mastoiditis (A18.0†)

**H75.8\* Other specified disorders of middle ear and mastoid  
in diseases classified elsewhere**

**Diseases of inner ear (H80-H83)**

**H80 Otosclerosis**

*Includes:* otospongiosis

**H80.0 Otosclerosis involving oval window, nonobliterative**

**H80.1 Otosclerosis involving oval window, obliterative**

**H80.2 Cochlear otosclerosis**

Otosclerosis involving:

- otic capsule
- round window

**H80.8 Other otosclerosis**

**H80.9 Otosclerosis, unspecified**

**H81 Disorders of vestibular function**

*Excludes:* vertigo:

- NOS (R42)
- epidemic (A88.1)

**H81.0 Ménière disease**

Labyrinthine hydrops

Ménière syndrome or vertigo

**H81.1 Benign paroxysmal vertigo**

**H81.2 Vestibular neuronitis**

**H81.3 Other peripheral vertigo**

Lermoyez syndrome

Vertigo:

- aural
- otogenic
- peripheral NOS

**H81.4 Vertigo of central origin**

Central positional nystagmus

**H81.8 Other disorders of vestibular function**

**H81.9 Disorder of vestibular function, unspecified**

Vertiginous syndrome NOS

**H82 Vertiginous syndromes in diseases classified elsewhere**

**H83 Other diseases of inner ear**

**H83.0 Labyrinthitis**

**H83.1 Labyrinthine fistula**

**H83.2 Labyrinthine dysfunction**

|                  |              |
|------------------|--------------|
| Hypersensitivity | of labyrinth |
| Hypofunction     |              |
| Loss of function |              |

**H83.3 Noise effects on inner ear**

Acoustic trauma

Noise-induced hearing loss

**H83.8 Other specified diseases of inner ear**

**H83.9 Disease of inner ear, unspecified**

Other disorders of ear (H90-H95)

**H90 Conductive and sensorineural hearing loss**

***Includes:*** congenital deafness

***Excludes:*** deaf mutism NEC (H91.3)  
deafness NOS (H91.9)  
hearing loss:  
• NOS (H91.9)  
• noise-induced (H83.3)  
• ototoxic (H91.0)  
• sudden (idiopathic) (H91.2)

**H90.0 Conductive hearing loss, bilateral**

**H90.1 Conductive hearing loss, unilateral with unrestricted hearing on the contralateral side**

**H90.2 Conductive hearing loss, unspecified**

Conductive deafness NOS

**H90.3 Sensorineural hearing loss, bilateral**

**H90.4 Sensorineural hearing loss, unilateral with  
unrestricted hearing on the contralateral side**

**H90.5 Sensorineural hearing loss, unspecified**

Congenital deafness NOS

Hearing loss:

- |                                                                                                                   |     |
|-------------------------------------------------------------------------------------------------------------------|-----|
| <ul style="list-style-type: none"><li>• central</li><li>• neural</li><li>• perceptive</li><li>• sensory</li></ul> | NOS |
|-------------------------------------------------------------------------------------------------------------------|-----|

Sensorineural deafness NOS

**H90.6 Mixed conductive and sensorineural hearing loss,  
bilateral**

**H90.7 Mixed conductive and sensorineural hearing loss,  
unilateral with unrestricted hearing on the  
contralateral side**

**H90.8 Mixed conductive and sensorineural hearing loss,  
unspecified**

**H91 Other hearing loss**

**Excludes:** abnormal auditory perception (H93.2)  
hearing loss as classified in H90-  
impacted cerumen (H61.2)  
noise-induced hearing loss (H83.3)  
psychogenic deafness (F44.6)  
transient ischaemic deafness (H93.0)

**H91.0 Ototoxic hearing loss**

Use additional external cause code (Chapter XX), if desired, to identify toxic agent.

**H91.1 Presbycusis**

Presbycusia

**H91.2 Sudden idiopathic hearing loss**

Sudden hearing loss NOS

**H91.3 Deaf mutism, not elsewhere classified**

**H91.8 Other specified hearing loss**

**H91.9 Hearing loss, unspecified**

Deafness:

- NOS
- high frequency
- low frequency

**H92 Otolgia and effusion of ear**

**H92.0 Otolgia**

**H92.1 Otorrhoea**

**Excludes:** leakage of cerebrospinal fluid through ear (G96.0)

**H92.2 Otorrhagia**

**Excludes:** traumatic otorrhagia - code by type of injury

**H93 Other disorders of ear, not elsewhere classified**



**H93.0 Degenerative and vascular disorders of ear**

Transient ischaemic deafness

*Excludes:* presbycusis (H91.1)

**H93.1 Tinnitus**

**H93.2 Other abnormal auditory perceptions**

Auditory recruitment

Diplacusis

Hyperacusis

Temporary auditory threshold shift

*Excludes:* auditory hallucinations (R44.0)

**H93.3 Disorders of acoustic nerve**

Disorder of 8th cranial nerve

**H93.8 Other specified disorders of ear**

**H93.9 Disorder of ear, unspecified**

**H94 Other disorders of ear in diseases classified elsewhere**

**H94.0\* Acoustic neuritis in infectious and parasitic diseases classified elsewhere**

Acoustic neuritis in syphilis (A52.1†)

**H94.8\* Other specified disorders of ear in diseases classified elsewhere**

**H95 Postprocedural disorders of ear and mastoid process, not elsewhere classified**

**H95.0 Recurrent cholesteatoma of postmastoidectomy cavity**

**H95.1 Other disorders following mastoidectomy**

|                      |                             |
|----------------------|-----------------------------|
| Chronic inflammation | of postmastoidectomy cavity |
| Granulation          |                             |
| Mucosal cyst         |                             |

**H95.8 Other postprocedural disorders of ear and mastoid process**

**H95.9 Postprocedural disorder of ear and mastoid process, unspecified**

## CHAPTER IX - Diseases of the circulatory system (I00-I99)

**Excludes:** certain conditions originating in the perinatal period (P00-P96)  
certain infectious and parasitic diseases (A00-B99)  
complications of pregnancy, childbirth and the puerperium (O00-O99)  
congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)  
endocrine, nutritional and metabolic diseases (E00-E90)  
injury, poisoning and certain other consequences of external causes (S00-T98)  
neoplasms (C00-D48)  
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)  
systemic connective tissue disorders (M30-M36)  
transient cerebral ischaemic attacks and related syndromes (G45-)

### **This chapter contains the following blocks:**

|         |                                                                                |
|---------|--------------------------------------------------------------------------------|
| I00-I02 | Acute rheumatic fever                                                          |
| I05-I09 | Chronic rheumatic heart diseases                                               |
| I10-I15 | Hypertensive diseases                                                          |
| I20-I25 | Ischaemic heart diseases                                                       |
| I26-I28 | Pulmonary heart disease and diseases of pulmonary circulation                  |
| I30-I52 | Other forms of heart disease                                                   |
| I60-I69 | Cerebrovascular diseases                                                       |
| I70-I79 | Diseases of arteries, arterioles and capillaries                               |
| I80-I89 | Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified |
| I95-I99 | Other and unspecified disorders of the circulatory system                      |

### **Asterisk categories for this chapter are provided as follows:**

|      |                                                                         |
|------|-------------------------------------------------------------------------|
| I32* | Pericarditis in diseases classified elsewhere                           |
| I39* | Endocarditis and heart valve disorders in diseases classified elsewhere |
| I41* | Myocarditis in diseases classified elsewhere                            |
| I43* | Cardiomyopathy in diseases classified elsewhere                         |
| I52* | Other heart disorders in diseases classified elsewhere                  |
| I68* | Cerebrovascular disorders in diseases classified elsewhere              |

- I79\* Disorders of arteries, arterioles and capillaries in diseases classified elsewhere
- I98\* Other disorders of circulatory system in diseases classified elsewhere

## Acute rheumatic fever (I00-I02)

### **I00 Rheumatic fever without mention of heart involvement**

Arthritis, rheumatic, acute or subacute

### **I01 Rheumatic fever with heart involvement**

**Excludes:** chronic diseases of rheumatic origin (I05-I09) unless rheumatic fever is also present or there is evidence of recrudescence or activity of the rheumatic process. In cases where there is doubt as to rheumatic activity at the time of death refer to the mortality coding rules and guidelines in Part 2a Instruction Manual (NCHS).

#### **I01.0 Acute rheumatic pericarditis**

Any condition in I00 with pericarditis

Rheumatic pericarditis (acute)

**Excludes:** when not specified as rheumatic (I30-)

#### **I01.1 Acute rheumatic endocarditis**

Any condition in I00 with endocarditis or valvulitis

Acute rheumatic valvulitis

#### **I01.2 Acute rheumatic myocarditis**

Any condition in I00 with myocarditis

#### **I01.8 Other acute rheumatic heart disease**

Any condition in I00 with other or multiple types of heart involvement  
Acute rheumatic pancarditis

**I01.9 Acute rheumatic heart disease, unspecified**

Any condition in I00 with unspecified type of heart involvement

Rheumatic:

- carditis, acute
- heart disease, active or acute

**I02 Rheumatic chorea**

**Includes:** Sydenham chorea

**Excludes:** chorea:

- NOS (G25.5)
- Huntington (G10)

**I02.0 Rheumatic chorea with heart involvement**

Chorea NOS with heart involvement

Rheumatic chorea with heart involvement of any type classifiable under I01-

**I02.9 Rheumatic chorea without heart involvement**

Rheumatic chorea NOS

**Chronic rheumatic heart diseases (I05-I09)**

**I05 Rheumatic mitral valve diseases**

**Includes:** conditions classifiable to I05.0 and I05.2-I05.9, whether specified as rheumatic or not

**Excludes:** when specified as nonrheumatic (I34-.)

**I05.0 Mitral stenosis**

Mitral (valve) obstruction (rheumatic)

**I05.1 Rheumatic mitral insufficiency**

Rheumatic mitral:

- incompetence
- regurgitation

**I05.2 Mitral stenosis with insufficiency**

Mitral stenosis with incompetence or regurgitation

**I05.8 Other mitral valve diseases**

Mitral (valve) failure

**I05.9 Mitral valve disease, unspecified**

Mitral (valve) disorder (chronic) NOS

**I06 Rheumatic aortic valve diseases**

**Excludes:** when not specified as rheumatic (I35-)

**I06.0 Rheumatic aortic stenosis**

Rheumatic aortic (valve) obstruction

**I06.1 Rheumatic aortic insufficiency**

Rheumatic aortic:

- incompetence
- regurgitation

**I06.2 Rheumatic aortic stenosis with insufficiency**

Rheumatic aortic stenosis with incompetence or regurgitation

**I06.8 Other rheumatic aortic valve diseases**

**I06.9 Rheumatic aortic valve disease, unspecified**

Rheumatic aortic (valve) disease NOS

**I07 Rheumatic tricuspid valve diseases**

**Includes:** whether specified as rheumatic or of unspecified origin

**Excludes:** when specified as nonrheumatic (I36-)

**I07.0 Tricuspid stenosis**

Tricuspid (valve) stenosis (rheumatic)

**I07.1 Tricuspid insufficiency**

Tricuspid (valve) insufficiency (rheumatic)

**I07.2 Tricuspid stenosis with insufficiency**

**I07.8 Other tricuspid valve diseases**

**I07.9 Tricuspid valve disease, unspecified**

Tricuspid valve disorder NOS

**I08 Multiple valve diseases**

**Includes:** whether specified as rheumatic or of unspecified origin

**Excludes:** endocarditis, valve unspecified (I38)  
multiple valve diseases of specified origin other than rheumatic  
heart disease (use appropriate codes in I34-I38, Q22-Q23 and  
Q24.8)  
rheumatic diseases of endocardium, valve unspecified (I09.1)

**I08.0 Disorders of both mitral and aortic valves**

Involvement of both mitral and aortic valves whether specified as  
rheumatic or of unspecified origin

**I08.1 Disorders of both mitral and tricuspid valves**

**I08.2 Disorders of both aortic and tricuspid valves**

**I08.3 Combined disorders of mitral, aortic and tricuspid valves**

**I08.8 Other multiple valve diseases**

**I08.9 Multiple valve disease, unspecified**

**I09 Other rheumatic heart diseases**

**I09.0 Rheumatic myocarditis**

**Excludes:** myocarditis not specified as rheumatic (I51.4)

**I09.1 Rheumatic diseases of endocardium, valve unspecified**

Rheumatic:

- endocarditis (chronic)
- valvulitis (chronic)

**Excludes:** endocarditis, valve unspecified (I38)

**I09.2 Chronic rheumatic pericarditis**

Adherent pericardium, rheumatic

Chronic rheumatic:

- mediastinopericarditis
- myopericarditis

**Excludes:** when not specified as rheumatic (I31-)

**I09.8 Other specified rheumatic heart diseases**



Rheumatic disease of pulmonary valve

**I09.9 Rheumatic heart disease, unspecified**

Rheumatic:

- carditis
- heart failure

**Excludes:** rheumatoid carditis (M05.3)

## Hypertensive diseases (I10-I15)

**Excludes:** complicating pregnancy, childbirth and the puerperium (O10-O11, O13-O16)  
involving coronary vessels (I20-I25)  
neonatal hypertension (P29.2)  
pulmonary hypertension :

- primary (I27.0)
- secondary (I27.2)

**I10 Essential (primary) hypertension**

High blood pressure

Hypertension (arterial)(benign)(essential)(malignant)(primary)(systemic)

**Excludes:** involving vessels of:

- brain (I60-I69)
- eye (H35.0)

**I11 Hypertensive heart disease**

**Includes:** any condition in I50-, I51.4-I51.9 due to hypertension

**I11.0 Hypertensive heart disease with (congestive) heart failure**

Hypertensive heart failure

**I11.9 Hypertensive heart disease without (congestive) heart failure**

Hypertensive heart disease NOS

**I12 Hypertensive renal disease**

**Includes:** any condition in N00-N07, N18-, N19 or N26 due to hypertension

**Note:** The *Includes* statement above is for morbidity coding only.

arteriosclerosis of kidney

arteriosclerotic nephritis (chronic)(interstitial)

hypertensive nephropathy

nephrosclerosis

**Excludes:** secondary hypertension (I15-)

**I12.0 Hypertensive renal disease with renal failure**

Hypertensive renal failure

**I12.9 Hypertensive renal disease without renal failure**

Hypertensive renal disease NOS

**I13 Hypertensive heart and renal disease**

**Includes:** any condition in I11- with any condition in I12-disease:

- cardiorenal
- cardiovascular renal

**I13.0 Hypertensive heart and renal disease with (congestive) heart failure**

**I13.1 Hypertensive heart and renal disease with renal failure**

**I13.2 Hypertensive heart and renal disease with both (congestive) heart failure and renal failure**

**I13.9 Hypertensive heart and renal disease, unspecified**

**I15 Secondary hypertension**

**Excludes:** involving vessels of:

- brain (I60-I69)
- eye (H35.0)

**I15.0 Renovascular hypertension**

**I15.1 Hypertension secondary to other renal disorders**

**I15.2 Hypertension secondary to endocrine disorders**

**I15.8 Other secondary hypertension**

**I15.9 Secondary hypertension, unspecified**

**Ischaemic heart diseases (I20-I25)**

**Note:** For morbidity, duration as used in categories I21, I22, I24 and I25 refers to the interval elapsing between onset of the ischaemic episode and admission to care. For mortality, duration refers to the interval elapsing between onset and death.

**Includes:** with mention of hypertension (I10-I15)

Use additional code, if desired, to identify presence of hypertension.

**I20 Angina pectoris**

**I20.0 Unstable angina**

Angina:

- crescendo
  - de novo effort
  - worsening effort
- Intermediate coronary syndrome  
Preinfarction syndrome

**I20.1 Angina pectoris with documented spasm**

Angina:

- angiospastic
- Prinzmetal
- spasm-induced
- variant

**I20.8 Other forms of angina pectoris**

Angina of effort

Stable angina

Stenocardia

**I20.9 Angina pectoris, unspecified**

Angina:

- NOS
- cardiac

Anginal syndrome

Ischaemic chest pain

**I21 Acute myocardial infarction**

**Includes:** myocardial infarction specified as acute or with a stated duration of 4 weeks (28 days) or less from onset

**Excludes:** certain current complications following acute myocardial infarction (I23-)

myocardial infarction:

- old (I25.2)
- specified as chronic or with a stated duration of more than 4 weeks (more than 28 days) from onset (I25.8)
- subsequent (I22-)

postmyocardial infarction syndrome (I24.1)

**I21.0 Acute transmural myocardial infarction of anterior wall**

Transmural infarction (acute)(of):

- anterior (wall) NOS
- anteroapical
- anterolateral
- anteroseptal

**I21.1 Acute transmural myocardial infarction of inferior wall**

Transmural infarction (acute)(of):

- diaphragmatic wall
- inferior (wall) NOS
- inferolateral
- inferoposterior

**I21.2 Acute transmural myocardial infarction of other sites**

Transmural infarction (acute)(of):

- apical-lateral
- basal-lateral
- high lateral
- lateral (wall) NOS
- posterior (true)
- posterobasal
- posterolateral
- posteroseptal
- septal NOS

**I21.3 Acute transmural myocardial infarction of unspecified site**

Transmural myocardial infarction NOS

**I21.4 Acute subendocardial myocardial infarction**

Myocardial infarction with non-ST elevation  
Nontransmural myocardial infarction NOS

**I21.9 Acute myocardial infarction, unspecified**

Myocardial infarction (acute) NOS

**I21.90** Embolism cardiac, heart, myocardium, or a  
synonymous site

Embolism of any site classified to I21.9

**I22 Subsequent myocardial infarction**

**Includes:** myocardial infarction:  
extension  
recurrent  
reinfarction

**Note:** For morbidity coding, this category should be assigned for  
infarction of any myocardial site, occurring within 4 weeks (28  
days) from onset of a previous infarction.

**Excludes:** specified as chronic or with a stated duration of more than 4 weeks  
(more than 28 days) from onset (I25.8)

**I22.0 Subsequent myocardial infarction of anterior wall**

Subsequent infarction (acute)(of):

- anterior (wall) NOS
- anteroapical
- anterolateral
- anteroseptal

**I22.1 Subsequent myocardial infarction of inferior wall**

Subsequent infarction (acute)(of):

- diaphragmatic wall
- inferior (wall) NOS
- inferolateral
- inferoposterior

**I22.8 Subsequent myocardial infarction of other sites**

Subsequent myocardial infarction (acute)(of):

- apical-lateral
- basal-lateral
- high lateral
- lateral (wall) NOS
- posterior (true)
- posterobasal
- posterolateral
- posteroseptal
- septal NOS

**I22.9 Subsequent myocardial infarction of unspecified site**

**I23 Certain current complications following acute myocardial infarction**

**Excludes:** the listed conditions, when:

- concurrent with acute myocardial infarction (I21-I22)
- not specified as current complications following acute myocardial infarction (I31-, I51-)

**I23.0 Haemopericardium as current complication following acute myocardial infarction**

**I23.1 Atrial septal defect as current complication following acute myocardial infarction**

**I23.2 Ventricular septal defect as current complication following acute myocardial infarction**

**I23.3 Rupture of cardiac wall without haemopericardium as current complication following acute myocardial infarction**

**Excludes:** with haemopericardium (I23.0)

**I23.4 Rupture of chordae tendineae as current complication following acute myocardial infarction**

**I23.5 Rupture of papillary muscle as current complication following acute myocardial infarction**

**I23.6 Thrombosis of atrium, auricular appendage, and ventricle as current complications following acute myocardial infarction**

**I23.8 Other current complications following acute myocardial infarction**

**I24 Other acute ischaemic heart diseases**

**Excludes:** angina pectoris (I20-)  
transient myocardial ischaemia of newborn (P29.4)

**I24.0 Coronary thrombosis not resulting in myocardial infarction**

Coronary (artery)(vein):

- |                                                                                                          |                                        |
|----------------------------------------------------------------------------------------------------------|----------------------------------------|
| <ul style="list-style-type: none"><li>• embolism</li><li>• occlusion</li><li>• thromboembolism</li></ul> | not resulting in myocardial infarction |
|----------------------------------------------------------------------------------------------------------|----------------------------------------|

**Excludes:** specified as chronic or with a stated duration of more than 4 weeks (more than 28 days) from onset (I25.8)

**I24.1 Dressler syndrome**

Postmyocardial infarction syndrome

**I24.8 Other forms of acute ischaemic heart disease**

Coronary:

- failure
- insufficiency



**I24.9 Acute ischaemic heart disease, unspecified**

**Excludes:** ischaemic heart disease (chronic) NOS (I25.9)

**I25 Chronic ischaemic heart disease**

**Excludes:** cardiovascular disease NOS (I51.6)

**I25.0 Atherosclerotic cardiovascular disease, so described**

**I25.1 Atherosclerotic heart disease**

Coronary (artery):

- atheroma
- atherosclerosis
- disease
- sclerosis

**I25.2 Old myocardial infarction**

Healed myocardial infarction

Past myocardial infarction diagnosed by ECG or other special investigation, but currently presenting no symptoms

**I25.3 Aneurysm of heart**

Aneurysm:

- mural
- ventricular

**I25.4 Coronary artery aneurysm**

Coronary arteriovenous fistula, acquired

**Excludes:** congenital coronary (artery) aneurysm (Q24.5)

**I25.5 Ischaemic cardiomyopathy**

**I25.6 Silent myocardial ischaemia**

**I25.8 Other forms of chronic ischaemic heart disease**

Any condition in I21-I22 and I24- specified as chronic or with a stated duration of more than 4 weeks (more than 28 days) from onset

**I25.9 Chronic ischaemic heart disease, unspecified**

Ischaemic heart disease (chronic) NOS

**Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)**

**I26 Pulmonary embolism**

**Includes:** pulmonary (artery)(vein):

- infarction
- thromboembolism
- thrombosis

**Excludes:** complicating:

- abortion or ectopic or molar pregnancy (O00-O07, O08.2)
- pregnancy, childbirth and the puerperium (O88-)

**I26.0 Pulmonary embolism with mention of acute cor pulmonale**

Acute cor pulmonale NOS

**I26.9 Pulmonary embolism without mention of acute cor pulmonale**

Pulmonary embolism NOS

**I27 Other pulmonary heart diseases**

**I27.0 Primary pulmonary hypertension**

**I27.1 Kyphoscoliotic heart disease**

**I27.2 Other secondary pulmonary hypertension**

Pulmonary (artery) hypertension

Use additional code, if desired, to identify the underlying disease.

**I27.8 Other specified pulmonary heart diseases**

**Excludes:** Eisenmenger defect (Q21.8)

**I27.9 Pulmonary heart disease, unspecified**

Chronic cardiopulmonary disease

Cor pulmonale (chronic) NOS

**I28 Other diseases of pulmonary vessels**

**I28.0 Arteriovenous fistula of pulmonary vessels**

**I28.1 Aneurysm of pulmonary artery**

**I28.8 Other specified diseases of pulmonary vessels**

|           |                     |
|-----------|---------------------|
| Rupture   | of pulmonary vessel |
| Stenosis  |                     |
| Stricture |                     |

**I28.9 Disease of pulmonary vessels, unspecified**

## Other forms of heart disease (I30-I52)

### I30 Acute pericarditis

**Includes:** acute pericardial effusion

**Excludes:** rheumatic pericarditis (acute) (I01.0)

#### I30.0 Acute nonspecific idiopathic pericarditis

#### I30.1 Infective pericarditis

Pericarditis:

- pneumococcal
- purulent
- staphylococcal
- streptococcal
- viral

Pyopericarditis

Use additional code (B95-B97), if desired, to identify infectious agent.

#### I30.8 Other forms of acute pericarditis

#### I30.9 Acute pericarditis, unspecified

### I31 Other diseases of pericardium

**Excludes:** current complications following acute myocardial infarction (I23-)  
postcardiotomy syndrome (I97.0)  
trauma (S26-)  
when specified as rheumatic (I09.2)

#### I31.0 Chronic adhesive pericarditis

Accretio cordis

Adherent pericardium

Adhesive mediastinopericarditis

**I31.1 Chronic constrictive pericarditis**

Concretio cordis

Pericardial calcification

**I31.2 Haemopericardium, not elsewhere classified**

**I31.3 Pericardial effusion (noninflammatory)**

Chylopericardium

**I31.8 Other specified diseases of pericardium**

Epicardial plaques

Focal pericardial adhesions

**I31.9 Disease of pericardium, unspecified**

Cardiac tamponade

Pericarditis (chronic) NOS

**I32 Pericarditis in diseases classified elsewhere**

**I32.0\* Pericarditis in bacterial diseases classified elsewhere**

Pericarditis:

- gonococcal (A54.8†)
- meningococcal (A39.5†)
- syphilitic (A52.0†)
- tuberculous (A18.8†)

**I32.1\* Pericarditis in other infectious and parasitic diseases classified elsewhere**

**I32.8\* Pericarditis in other diseases classified elsewhere**

Pericarditis (in):

- rheumatoid (M05.3†)
- systemic lupus erythematosus (M32.1†)

- uraemic (N18.5†)

### I33 Acute and subacute endocarditis

**Excludes:** acute rheumatic endocarditis (I01.1)  
endocarditis NOS (I38)

#### I33.0 Acute and subacute infective endocarditis

Endocarditis (acute)(subacute):

- bacterial
- infective NOS
- lenta
- malignant
- septic
- ulcerative

Use additional code (B95-B97), if desired, to identify infectious agent.

#### I33.9 Acute endocarditis, unspecified

|                  |                   |
|------------------|-------------------|
| Endocarditis     | acute or subacute |
| Myoendocarditis  |                   |
| Periendocarditis |                   |

### I34 Nonrheumatic mitral valve disorders

**Excludes:** mitral (valve):

- disease (I05.9)
- failure (I05.8)
- stenosis (I05.0)

when of unspecified cause but with mention of:

- diseases of aortic valve (I08.0)
- mitral stenosis or obstruction (I05.0)

when specified as congenital (Q23.2-Q23.3)  
when specified as rheumatic (I05-)

#### I34.0 Mitral (valve) insufficiency

Mitral (valve):

- incompetence | NOS or of specified cause, except rheumatic

- regurgitation |

**I34.1 Mitral (valve) prolapse**

Floppy mitral valve syndrome

**Excludes:** Marfan syndrome (Q87.4)

**I34.2 Nonrheumatic mitral (valve) stenosis**

**I34.8 Other nonrheumatic mitral valve disorders**

**I34.9 Nonrheumatic mitral valve disorder, unspecified**

**I35 Nonrheumatic aortic valve disorders**

**Excludes:** hypertrophic subaortic stenosis (I42.1)  
when of unspecified cause but with mention of diseases of mitral valve (I08.0)  
when specified as congenital (Q23.0-Q23.1)  
when specified as rheumatic (I06-)

**I35.0 Aortic (valve) stenosis**

**I35.1 Aortic (valve) insufficiency**

Aortic (valve):

- incompetence
  - regurgitation
- | NOS or of specified cause, except rheumatic

**I35.2 Aortic (valve) stenosis with insufficiency**

**I35.8 Other aortic valve disorders**

**I35.9 Aortic valve disorder, unspecified**

**I36 Nonrheumatic tricuspid valve disorders**

**Excludes:** when of unspecified cause (I07-)  
when specified as congenital (Q22.4, Q22.8-Q22.9)  
when specified as rheumatic (I07-)

**I36.0 Nonrheumatic tricuspid (valve) stenosis**

**I36.1 Nonrheumatic tricuspid (valve) insufficiency**

Tricuspid (valve):  
incompetence | NOS or of specified cause, except  
regurgitation | rheumatic

**I36.2 Nonrheumatic tricuspid (valve) stenosis with insufficiency**

**I36.8 Other nonrheumatic tricuspid valve disorders**

**I36.9 Nonrheumatic tricuspid valve disorder, unspecified**

**I37 Pulmonary valve disorders**

**Excludes:** when specified as congenital (Q22.1-Q22.3)  
when specified as rheumatic (I09.8)

**I37.0 Pulmonary valve stenosis**

**I37.1 Pulmonary valve insufficiency**

Pulmonary valve:  
incompetence | NOS or of specified cause, except  
regurgitation | rheumatic



## **I37.2 Pulmonary valve stenosis with insufficiency**

## **I37.8 Other pulmonary valve disorders**

## **I37.9 Pulmonary valve disorder, unspecified**

### **I38 Endocarditis, valve unspecified**

Endocarditis (chronic) NOS

Valvular:

|                                                                                                                                        |                            |                                                                 |
|----------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• incompetence</li> <li>• insufficiency</li> <li>• regurgitation</li> <li>• stenosis</li> </ul> |                            |                                                                 |
| Valvulitis (chronic)                                                                                                                   | of<br>unspecified<br>valve | NOS or of specified cause,<br>except rheumatic or<br>congenital |

**Excludes:** congenital insufficiency of cardiac valve NOS (Q24.8)  
congenital stenosis of cardiac valve NOS (Q24.8)  
endocardial fibroelastosis (I42.4)  
when specified as rheumatic (I09.1)

### **I39 Endocarditis and heart valve disorders in diseases classified elsewhere**

**Includes:** endocardial involvement in:

- candidal infection (B37.6<sup>+</sup>)
- gonococcal infection (A54.8<sup>+</sup>)
- Libman-Sacks disease (M32.1<sup>+</sup>)
- meningococcal infection (A39.5<sup>+</sup>)
- rheumatoid arthritis (M05.3<sup>+</sup>)
- syphilis (A52.0<sup>+</sup>)
- tuberculosis (A18.8<sup>+</sup>)
- typhoid fever (A01.0<sup>+</sup>)

### **I39.0\* Mitral valve disorders in diseases classified elsewhere**

**I39.1\* Aortic valve disorders in diseases classified elsewhere**

**I39.2\* Tricuspid valve disorders in diseases classified elsewhere**

**I39.3\* Pulmonary valve disorders in diseases classified elsewhere**

**I39.4\* Multiple valve disorders in diseases classified elsewhere**

**I39.8\* Endocarditis, valve unspecified, in diseases classified elsewhere**

**I40 Acute myocarditis**

**I40.0 Infective myocarditis**

Septic myocarditis

Use additional code (B95-B97), if desired, to identify infectious agent.

**I40.1 Isolated myocarditis**

**I40.8 Other acute myocarditis**

**I40.9 Acute myocarditis, unspecified**

**I41 Myocarditis in diseases classified elsewhere**

**I41.0\* Myocarditis in bacterial diseases classified elsewhere**

Myocarditis:

- diphtheritic (A36.8†)
- gonococcal (A54.8†)
- meningococcal (A39.5†)
- syphilitic (A52.0†)
- tuberculous (A18.8†)

**I41.1\* Myocarditis in viral diseases classified elsewhere**

Influenzal myocarditis (acute):

- seasonal virus identified (J10.8†)
- virus not identified (J11.8†)
- zoonotic or pandemic influenza virus identified (J09†)

Mumps myocarditis (B26.8†)

**I41.2\* Myocarditis in other infectious and parasitic diseases classified elsewhere**

Myocarditis in:

- Chagas disease (chronic) (B57.2†)
- acute (B57.0†)
- toxoplasmosis (B58.8†)

**I41.8\* Myocarditis in other diseases classified elsewhere**

Rheumatoid myocarditis (M05.3†)

Sarcoid myocarditis (D86.8†)

**I42 Cardiomyopathy**

**Excludes:** cardiomyopathy complicating:

- pregnancy (O99.4)
- puerperium (O90.3)

ischaemic cardiomyopathy (I25.5)

**I42.0 Dilated cardiomyopathy**

Congestive cardiomyopathy

**I42.00** Familial dilated cardiomyopathy

Idiopathic dilated cardiomyopathy  
Primary dilated cardiomyopathy

**I42.1 Obstructive hypertrophic cardiomyopathy**

Hypertrophic subaortic stenosis

**I42.10** Familial obstructive hypertrophic cardiomyopathy

Idiopathic obstructive hypertrophic cardiomyopathy

Primary obstructive hypertrophic cardiomyopathy

**I42.2 Other hypertrophic cardiomyopathy**

Nonobstructive hypertrophic cardiomyopathy

**I42.20** Familial other hypertrophic cardiomyopathy

Idiopathic other hypertrophic cardiomyopathy

Primary other hypertrophic cardiomyopathy

**I42.3 Endomyocardial (eosinophilic) disease**

Endomyocardial (tropical) fibrosis

Löffler endocarditis

**I42.4 Endocardial fibroelastosis**

Congenital cardiomyopathy

**I42.5 Other restrictive cardiomyopathy**

Constrictive cardiomyopathy NOS

**I42.50** Familial other restrictive cardiomyopathy

Idiopathic other restrictive cardiomyopathy

Primary other restrictive cardiomyopathy

**I42.6 Alcoholic cardiomyopathy**

**I42.7 Cardiomyopathy due to drugs and other external agents**

Use additional external cause code (Chapter XX), if desired, to identify cause.

**I42.8 Other cardiomyopathies**

**I42.80** Familial other cardiomyopathies

Idiopathic other cardiomyopathies

Primary other cardiomyopathies

**I42.9 Cardiomyopathy, unspecified**

Cardiomyopathy (primary)(secondary) NOS

**I42.90** Familial cardiomyopathy

Idiopathic cardiomyopathy

Primary cardiomyopathy

**I43 Cardiomyopathy in diseases classified elsewhere**

**I43.0\* Cardiomyopathy in infectious and parasitic diseases classified elsewhere**

Cardiomyopathy in diphtheria (A36.8†)

**I43.1\* Cardiomyopathy in metabolic diseases**

Cardiac amyloidosis (E85†)

**I43.2\* Cardiomyopathy in nutritional diseases**

Nutritional cardiomyopathy NOS (E63.9†)

**I43.8\* Cardiomyopathy in other diseases classified elsewhere**

Gouty tophi of heart (M10.0†)

Thyrotoxic heart disease (E05.9†)

**I44 Atrioventricular and left bundle-branch block**

**I44.0 Atrioventricular block, first degree**

**I44.1 Atrioventricular block, second degree**

Atrioventricular block, type I and II

Möbitz block, type I and II

Second-degree block, type I and II

Wenckebach block

**I44.2 Atrioventricular block, complete**

Complete heart block NOS

Third-degree block

**I44.3 Other and unspecified atrioventricular block**

Atrioventricular block NOS

**I44.4 Left anterior fascicular block**

**I44.5 Left posterior fascicular block**

**I44.6 Other and unspecified fascicular block**

Left bundle-branch hemiblock NOS

**I44.7 Left bundle-branch block, unspecified**

**I45 Other conduction disorders**

**I45.0 Right fascicular block**

**I45.1 Other and unspecified right bundle-branch block**

Right bundle-branch block NOS

**I45.2 Bifascicular block**

**I45.3 Trifascicular block**

**I45.4 Nonspecific intraventricular block**

Bundle-branch block NOS

**I45.5 Other specified heart block**

Sinoatrial block

Sinoauricular block

*Excludes:* heart block NOS (I45.9)

**I45.6 Pre-excitation syndrome**

Anomalous atrioventricular excitation

Atrioventricular conduction:

- accelerated
- accessory
- pre-excitation

Lown-Ganong-Levine syndrome

Wolff-Parkinson-White syndrome

**I45.8 Other specified conduction disorders**

Atrioventricular [AV] dissociation

Interference dissociation

*Excludes:* prolongation of QT interval (R94.3)

**I45.9 Conduction disorder, unspecified**

Heart block NOS

Stokes-Adams syndrome

**I46 Cardiac arrest**

- Excludes:** cardiogenic shock (R57.0)  
complicating:
- abortion or ectopic or molar pregnancy (O00-O07, O08.8)
  - obstetric surgery and procedures (O75.4)

**I46.0 Cardiac arrest with successful resuscitation**

**I46.1 Sudden cardiac death, so described**

- Excludes:** sudden death:
- NOS (R96-)
  - with:
    - conduction disorder (I44-I45)
    - myocardial infarction (I21-I22)

**I46.9 Cardiac arrest, unspecified**

**I47 Paroxysmal tachycardia**

- Excludes:** complicating:
- abortion or ectopic or molar pregnancy (O00-O07, O08.8)
  - obstetric surgery and procedures (O75.4)
- tachycardia:
- NOS (R00.0)
  - sinoauricular NOS (R00.0)
  - sinus [sinusal] NOS (R00.0)

**I47.0 Re-entry ventricular arrhythmia**

**I47.1 Supraventricular tachycardia**

Tachycardia (paroxysmal):

- atrial
- atrioventricular [AV]
  - NOS
  - re-entrant (nodal) [AVNRT] [AVRT]
- junctional
- nodal



**I47.2 Ventricular tachycardia**

**I47.9 Paroxysmal tachycardia, unspecified**  
Bouveret(-Hoffmann) syndrome

**I48 Atrial fibrillation and flutter**

**I49 Other cardiac arrhythmias**

**Excludes:** bradycardia:  
• NOS (R00.1)  
• sinoatrial (R00.1)  
• sinus (R00.1)  
• vagal (R00.1)  
complicating:  
• abortion or ectopic or molar pregnancy (O00-O07, O08.8)  
• obstetric surgery and procedures (O75.4)  
neonatal cardiac dysrhythmia (P29.1)

**I49.0 Ventricular fibrillation and flutter**

**I49.1 Atrial premature depolarization**  
Atrial premature beats

**I49.2 Junctional premature depolarization**

**I49.3 Ventricular premature depolarization**

**I49.4 Other and unspecified premature depolarization**  
Ectopic beats  
Extrasystoles  
Extrasystolic arrhythmias  
Premature:  
• beats NOS

- contractions

**I49.5 Sick sinus syndrome**

Tachycardia-bradycardia syndrome

**I49.8 Other specified cardiac arrhythmias**

**Brugada syndrome**

**Long QT syndrome**

Rhythm disorder:

- coronary sinus
- ectopic
- nodal

**I49.9 Cardiac arrhythmia, unspecified**

Arrhythmia (cardiac) NOS

**I50 Heart failure**

**Excludes:** complicating:

- abortion or ectopic or molar pregnancy (O00-O07, O08.8)
- obstetric surgery and procedures (O75.4)

due to hypertension (I11.0)

- with renal disease (I13-)

following cardiac surgery or due to presence of cardiac prosthesis (I97.1)  
neonatal cardiac failure (P29.0)

**I50.0 Congestive heart failure**

Congestive heart disease

Right ventricular failure (secondary to left heart failure)

**I50.00 Advanced congestive heart failure**

Grave congestive heart failure

Severe congestive heart failure

**I50.1 Left ventricular failure**

|                    |                                                       |
|--------------------|-------------------------------------------------------|
| Cardiac asthma     | with mention of heart disease NOS<br>or heart failure |
| Left heart failure |                                                       |
| Oedema of lung     |                                                       |
| Pulmonary oedema   |                                                       |

**I50.9 Heart failure, unspecified**

Cardiac, heart or myocardial failure NOS

**I51 Complications and ill-defined descriptions of heart disease**

***Includes:*** 5<sup>TH</sup> DIGIT TO IDENTIFY ANY TERM CLASSIFIABLE TO I51 WHEN QUALIFIED AS ARTERIOSCLEROTIC

***Excludes:*** any condition in I51.4-I51.9 due to hypertension (I11-)  
• with renal disease (I13-)  
complications following acute myocardial infarction (I23-)  
when specified as rheumatic (I00-I09)

**I51.0 Cardiac septal defect, acquired**

Acquired septal defect (old):

- atrial
- auricular
- ventricular

**I51.1 Rupture of chordae tendineae, not elsewhere classified**

**I51.2 Rupture of papillary muscle, not elsewhere classified**

**I51.3 Intracardiac thrombosis, not elsewhere classified**

Thrombosis (old):

- apical
- atrial
- auricular
- ventricular

**I51.4 Myocarditis, unspecified**

Myocardial fibrosis

Myocarditis:

- NOS
- chronic (interstitial)

**I51.40 Arteriosclerotic myocarditis**

**I51.5 Myocardial degeneration**

Degeneration of heart or myocardium:

- fatty
- senile

Myocardial disease

**I51.50 Arteriosclerotic myocardial degeneration**

**I51.6 Cardiovascular disease, unspecified**

Cardiovascular accident NOS

**Excludes:** atherosclerotic cardiovascular disease, so described (I25.0)

**I51.7 Cardiomegaly**

Cardiac:

- dilatation
- hypertrophy

Ventricular dilatation

**I51.8 Other ill-defined heart diseases**

Carditis (acute)(chronic)

Pancarditis (acute)(chronic)

**I51.9 Heart disease, unspecified**

**I52 Other heart disorders in diseases classified elsewhere**

**Excludes:** cardiovascular disorders NOS in diseases classified elsewhere (I98\*)

**I52.0\* Other heart disorders in bacterial diseases classified elsewhere**

Meningococcal carditis NEC (A39.5†)

**I52.1\* Other heart disorders in other infectious and parasitic diseases classified elsewhere**

Pulmonary heart disease in schistosomiasis (B65†)

**I52.8\* Other heart disorders in other diseases classified elsewhere**

Rheumatoid carditis (M05.3†)

## Cerebrovascular diseases (I60-I69)

**Includes:** with mention of hypertension (conditions in I10 and I15-)

Use additional code, if desired, to identify presence of hypertension.

**Excludes:** transient cerebral ischaemic attacks and related syndromes (G45-)  
traumatic intracranial haemorrhage (S06-)  
vascular dementia (F01-)

**I60 Subarachnoid haemorrhage**

**Includes:** 5<sup>TH</sup> DIGIT TO IDENTIFY RUPTURED ANEURYSMS OF THE SPECIFIED SITES

**Includes:** ruptured cerebral aneurysm

**Excludes:** sequelae of subarachnoid haemorrhage (I69.0)

**I60.0 Subarachnoid haemorrhage from carotid siphon and bifurcation**

**I60.00** Ruptured carotid aneurysm (into brain)

**I60.1 Subarachnoid haemorrhage from middle cerebral artery**

**I60.2 Subarachnoid haemorrhage from anterior communicating artery**

**I60.3 Subarachnoid haemorrhage from posterior communicating artery**

**I60.4 Subarachnoid haemorrhage from basilar artery**

**I60.5 Subarachnoid haemorrhage from vertebral artery**

**I60.6 Subarachnoid haemorrhage from other intracranial arteries**

Multiple involvement of intracranial arteries

**I60.60** Ruptured aneurysm (congenital) circle of Willis

**I60.7 Subarachnoid haemorrhage from intracranial artery, unspecified**

Ruptured (congenital) berry aneurysm NOS

Subarachnoid haemorrhage from:

- |                 |        |
|-----------------|--------|
| • cerebral      | artery |
| • communicating | NOS    |

**I60.70** Ruptured berry aneurysm (congenital) brain  
Ruptured miliary aneurysm

**I60.8 Other subarachnoid haemorrhage**

Meningeal haemorrhage

Rupture of cerebral arteriovenous malformation

**I60.80 Ruptured aneurysm brain meninges**

Ruptured arteriovenous aneurysm (congenital) brain

Ruptured (congenital) arteriovenous aneurysm cavernous sinus

**I60.9 Subarachnoid haemorrhage, unspecified**

**I60.90 Ruptured arteriosclerotic cerebral aneurysm**

Ruptured (congenital) cerebral aneurysm NOS

Ruptured mycotic aneurysm brain

**I61 Intracerebral haemorrhage**

**Includes:** 5<sup>TH</sup> DIGIT TO IDENTIFY INTRACEREBRAL HAEMORRHAGES  
SPECIFIED AS BILATERAL OR MULTIPLE [OR SIMILAR TERM]

**Excludes:** sequelae of bilateral or multiple [or similar term] intracerebral  
haemorrhages (I69.10)  
sequelae of intracerebral haemorrhage (I69.1)

**I61.0 Intracerebral haemorrhage in hemisphere, subcortical**

Deep intracerebral haemorrhage

**I61.00 Bilateral or multiple [or similar term] intracerebral haemorrhages in hemisphere, subcortical**

Bilateral or multiple [or similar term] deep intracerebral haemorrhages

**I61.1 Intracerebral haemorrhage in hemisphere, cortical**

Cerebral lobe haemorrhage

Superficial intracerebral haemorrhage

**I61.10 Bilateral or multiple [or similar term] intracerebral haemorrhages in hemisphere, cortical**

Bilateral or multiple [or similar term] cerebral lobe haemorrhages

Bilateral or multiple [or similar term] superficial intracerebral haemorrhages

**I61.2 Intracerebral haemorrhage in hemisphere, unspecified**

**I61.20** Bilateral or multiple [or similar term] intracerebral haemorrhages in hemisphere, unspecified

**I61.3 Intracerebral haemorrhage in brain stem**

**I61.30** Bilateral or multiple [or similar term] intracerebral haemorrhages in brain stem

**I61.4 Intracerebral haemorrhage in cerebellum**

**I61.40** Bilateral or multiple [or similar term] intracerebral haemorrhages in cerebellum

**I61.5 Intracerebral haemorrhage, intraventricular**

**I61.50** Bilateral or multiple [or similar term] intracerebral haemorrhages, intraventricular

**I61.6 Intracerebral haemorrhage, bilateral or multiple [or similar term] localized**

**I61.8 Other intracerebral haemorrhage**

**I61.80** Bilateral or multiple [or similar term] other intracerebral haemorrhages

**I61.9 Intracerebral haemorrhage, unspecified**



**I61.90** Bilateral or multiple [or similar term] intracerebral haemorrhages, unspecified

**I62 Other nontraumatic intracranial haemorrhage**

**Excludes:** sequelae of intracranial haemorrhage (I69.2)

**I62.0 Subdural haemorrhage (acute)(nontraumatic)**

**I62.1 Nontraumatic extradural haemorrhage**

Nontraumatic epidural haemorrhage

**I62.9 Intracranial haemorrhage (nontraumatic), unspecified**

**I63 Cerebral infarction**

**Includes:** 5<sup>TH</sup> DIGIT TO IDENTIFY CEREBRAL INFARCTIONS SPECIFIED AS BILATERAL OR MULTIPLE [OR SIMILAR TERM]

**Includes:** occlusion and stenosis of cerebral and precerebral arteries, (including truncus brachiocephalicus), resulting in cerebral infarction

**Excludes:** sequelae of bilateral or multiple [or similar term] cerebral infarctions (I69.30)  
sequelae of cerebral infarction (I69.3)

**I63.0 Cerebral infarction due to thrombosis of precerebral arteries**

**I63.00** Bilateral or multiple [or similar term] cerebral infarctions due to thrombi of precerebral arteries

**I63.1 Cerebral infarction due to embolism of precerebral arteries**

**I63.10** Bilateral or multiple [or similar term] cerebral infarctions due to emboli of precerebral arteries

**I63.2 Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries**

**I63.20** Bilateral or multiple [or similar term] cerebral infarctions due to unspecified occlusions or stenosis of precerebral arteries

**I63.3 Cerebral infarction due to thrombosis of cerebral arteries**

**I63.30** Bilateral or multiple [or similar term] cerebral infarctions due to thrombi of cerebral arteries

**I63.4 Cerebral infarction due to embolism of cerebral arteries**

**I63.40** Bilateral or multiple [or similar term] cerebral infarctions due to emboli of cerebral arteries

**I63.5 Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries**

**I63.50** Bilateral or multiple [or similar term] cerebral infarctions due to unspecified occlusions or stenosis of cerebral arteries

**I63.6 Cerebral infarction due to cerebral venous thrombosis, nonpyogenic**

**I63.60** Bilateral or multiple [or similar term] cerebral infarctions due to cerebral venous thrombi, nonpyogenic

**I63.8 Other cerebral infarction**

**I63.80** Bilateral or multiple [or similar term] other cerebral infarctions

**I63.9 Cerebral infarction, unspecified**

**I63.90** Bilateral or multiple [or similar term] cerebral infarctions, unspecified

**I64 Stroke, not specified as haemorrhage or infarction**

Cerebrovascular accident NOS

**Includes:** 5<sup>TH</sup> DIGIT TO IDENTIFY BILATERAL OR MULTIPLE [OR SIMILAR TERM] STROKES

**Excludes:** sequelae of bilateral or multiple [or similar term] strokes (I69.40)  
sequelae of stroke (I69.4)

**I64.00** Bilateral or multiple [or similar term] strokes, not specified as haemorrhage or infarction  
Bilateral or multiple [or similar term] cerebrovascular accidents NOS

**I65 Occlusion and stenosis of precerebral arteries, not resulting in cerebral infarction**

|                                                                                          |                                                                                 |
|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>Includes:</b> embolism<br>narrowing<br>obstruction (complete) (partial)<br>thrombosis | of basilar, carotid or vertebral arteries, not resulting in cerebral infarction |
|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|

**Excludes:** when causing cerebral infarction (I63-)

**I65.0 Occlusion and stenosis of vertebral artery**

**I65.1 Occlusion and stenosis of basilar artery**

**I65.2 Occlusion and stenosis of carotid artery**

**I65.3 Occlusion and stenosis of multiple and bilateral precerebral arteries**

**I65.8 Occlusion and stenosis of other precerebral artery**

**I65.9 Occlusion and stenosis of unspecified precerebral artery**

Precerebral artery NOS

**I66 Occlusion and stenosis of cerebral arteries, not resulting in cerebral infarction**

|                                                                                                 |                                                                                                                    |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b><i>Includes:</i></b> embolism<br>narrowing<br>obstruction (complete) (partial)<br>thrombosis | of middle, anterior and posterior cerebral arteries, and cerebellar arteries, not resulting in cerebral infarction |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|

***Excludes:*** when causing cerebral infarction (I63-)

**I66.0 Occlusion and stenosis of middle cerebral artery**

**I66.1 Occlusion and stenosis of anterior cerebral artery**

**I66.2 Occlusion and stenosis of posterior cerebral artery**

**I66.3 Occlusion and stenosis of cerebellar arteries**

**I66.4 Occlusion and stenosis of multiple and bilateral cerebral arteries**

**I66.8 Occlusion and stenosis of other cerebral artery**  
Occlusion and stenosis of perforating arteries

**I66.9 Occlusion and stenosis of unspecified cerebral artery**

**I67 Other cerebrovascular diseases**

**Excludes:** sequelae of the listed conditions (I69.8)

**I67.0 Dissection of cerebral arteries, nonruptured**

**Excludes:** ruptured cerebral arteries (I60.7)

**I67.1 Cerebral aneurysm, nonruptured**

Cerebral:

- aneurysm NOS
- arteriovenous fistula, acquired

**Excludes:** congenital cerebral aneurysm, nonruptured (Q28-)  
ruptured cerebral aneurysm (I60-)

**I67.2 Cerebral atherosclerosis**

Atheroma of cerebral arteries

**I67.3 Progressive vascular leukoencephalopathy**

Binswanger disease

**Excludes:** subcortical vascular dementia (F01.2)

**I67.4 Hypertensive encephalopathy**

**I67.5 Moyamoya disease**

**I67.6 Nonpyogenic thrombosis of intracranial venous system**

Nonpyogenic thrombosis of:

- cerebral vein
- intracranial venous sinus

**Excludes:** when causing infarction (I63.6)

**I67.7 Cerebral arteritis, not elsewhere classified**

**I67.8 Other specified cerebrovascular diseases**

Acute cerebrovascular insufficiency NOS

Cerebral ischaemia (chronic)

**I67.9 Cerebrovascular disease, unspecified**

**I68 Cerebrovascular disorders in diseases classified elsewhere**

**I68.0\* Cerebral amyloid angiopathy (E85†)**

**I68.1\* Cerebral arteritis in infectious and parasitic diseases classified elsewhere**

Cerebral arteritis:

- listerial (A32.8†)
- syphilitic (A52.0†)
- tuberculous (A18.8†)

**I68.2\* Cerebral arteritis in other diseases classified elsewhere**

Cerebral arteritis in systemic lupus erythematosus (M32.1†)

**I68.8\* Other cerebrovascular disorders in diseases classified elsewhere**

Uraemic apoplexia in chronic kidney disease (N18.5†)

**I69 Sequelae of cerebrovascular disease**

**Note:** Category I69 is to be used to indicate previous episodes of conditions in I60-I67.1 and I67.4-I67.9 as the cause of sequelae, themselves classified elsewhere. The "sequelae" include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition.

Not to be used for chronic cerebrovascular disease. Code these to I60-I67.

**I69.0 Sequelae of subarachnoid haemorrhage**

**I69.1 Sequelae of intracerebral haemorrhage**

**I69.10** Sequelae of bilateral or multiple [or similar term] intracerebral haemorrhages

**I69.2 Sequelae of other nontraumatic intracranial haemorrhage**

**I69.3 Sequelae of cerebral infarction**

**I69.30** Sequelae of bilateral or multiple [or similar term] cerebral infarctions

**I69.4 Sequelae of stroke, not specified as haemorrhage or infarction**

**I69.40** Sequelae of bilateral or multiple [or similar term] strokes not specified as haemorrhage or infarction

**I69.8 Sequelae of other and unspecified cerebrovascular diseases**

## Diseases of arteries, arterioles and capillaries (I70-I79)

### I70 Atherosclerosis

**Includes:** arteriolosclerosis  
arteriosclerosis  
arteriosclerotic vascular disease  
atheroma  
degeneration:  
• arterial  
• arteriovascular  
• vascular  
endarteritis deformans or obliterans  
senile:  
• arteritis  
• endarteritis

**Excludes:** cerebral (I67.2)  
coronary (I25.1)  
mesenteric (K55.1)  
pulmonary (I27.0)

#### I70.0 Atherosclerosis of aorta

#### I70.1 Atherosclerosis of renal artery

Goldblatt kidney

**Excludes:** atherosclerosis of renal arterioles (I12-)

#### I70.2 Atherosclerosis of arteries of extremities

Atherosclerotic gangrene

Mönckeberg (medial) sclerosis

#### I70.8 Atherosclerosis of other arteries

#### I70.9 Generalized and unspecified atherosclerosis



**I71 Aortic aneurysm and dissection**

**I71.0 Dissection of aorta [any part]**

Dissecting aneurysm of aorta (ruptured) [any part]

**I71.1 Thoracic aortic aneurysm, ruptured**

**I71.2 Thoracic aortic aneurysm, without mention of rupture**

**I71.3 Abdominal aortic aneurysm, ruptured**

**I71.4 Abdominal aortic aneurysm, without mention of rupture**

**I71.5 Thoracoabdominal aortic aneurysm, ruptured**

**I71.6 Thoracoabdominal aortic aneurysm, without mention of rupture**

**I71.8 Aortic aneurysm of unspecified site, ruptured**

Rupture of aorta NOS

**I71.9 Aortic aneurysm of unspecified site, without mention of rupture**

|                  |          |
|------------------|----------|
| Aneurysm         | of aorta |
| Dilatation       |          |
| Hyaline necrosis |          |

**I72 Other aneurysm and dissection**

**Includes:** aneurysm (cirroid)(false)(ruptured)

**Excludes:** aneurysm (of):

- aorta (I71-)
- arteriovenous NOS (Q27.3)
  - acquired (I77.0)
- cerebral (nonruptured) (I67.1)
  - ruptured (I60-)
- coronary (I25.4)
- heart (I25.3)
- pulmonary artery (I28.1)
- retinal (H35.0)
- varicose (I77.0)

dissection of precerebral artery, congenital (nonruptured) (Q28.1)

**I72.0 Aneurysm and dissection of carotid artery**

**I72.1 Aneurysm and dissection of artery of upper extremity**

**I72.2 Aneurysm and dissection of renal artery**

**I72.3 Aneurysm and dissection of iliac artery**

**I72.4 Aneurysm and dissection of artery of lower extremity**

**I72.5 Aneurysm and dissection of other precerebral arteries**

**Excludes:** aneurysm and dissection of carotid artery (I72.0)

**I72.8 Aneurysm and dissection of other specified arteries**

**I72.9 Aneurysm and dissection of unspecified site**

**I73 Other peripheral vascular diseases**

**Excludes:** chilblains (T69.1)

frostbite (T33-T35)  
immersion hand or foot (T69.0)  
spasm of cerebral artery (G45.9)

**I73.0 Raynaud syndrome**

Raynaud:

- disease
- gangrene
- phenomenon (secondary)

**I73.1 Thromboangiitis obliterans [Buerger]**

**I73.8 Other specified peripheral vascular diseases**

Acrocyanosis

Acroparaesthesia:

- simple [Schultze type]
- vasomotor [Nothnagel type]

Erythrocyanosis

Erythromelalgia

**I73.9 Peripheral vascular disease, unspecified**

Intermittent claudication

Spasm of artery

**I74 Arterial embolism and thrombosis**

**Includes:** infarction:  
• embolic  
• thrombotic  
occlusion:  
• embolic  
• thrombotic

**Excludes:** embolism and thrombosis:  
• basilar (I63.0-I63.2, I65.1)  
• carotid (I63.0-I63.2, I65.2)  
• cerebral (I63.3-I63.5, I66.9)

- complicating:
  - abortion or ectopic or molar pregnancy (O00-O07, O08.2)
  - pregnancy, childbirth and the puerperium (O88-)
- coronary (I21-I25)
- mesenteric (K55.0)
- precerebral (I63.0-I63.2, I65.9)
- pulmonary (I26-)
- renal (N28.0)
- retinal (H34-)
- vertebral (I63.0-I63.2, I65.0)

**I74.0 Embolism and thrombosis of abdominal aorta**

Aortic bifurcation syndrome

Leriche syndrome

**I74.1 Embolism and thrombosis of other and unspecified parts of aorta**

**I74.2 Embolism and thrombosis of arteries of upper extremities**

**I74.3 Embolism and thrombosis of arteries of lower extremities**

**I74.4 Embolism and thrombosis of arteries of extremities, unspecified**

Peripheral arterial embolism

**I74.5 Embolism and thrombosis of iliac artery**

**I74.8 Embolism and thrombosis of other arteries**

**I74.9 Embolism and thrombosis of unspecified artery**

**I77 Other disorders of arteries and arterioles**

**Excludes:** collagen (vascular) diseases (M30-M36)  
hypersensitivity angiitis (M31.0)  
pulmonary artery (I28-)

**I77.0 Arteriovenous fistula, acquired**

Aneurysmal varix

Arteriovenous aneurysm, acquired

**Excludes:** arteriovenous aneurysm NOS (Q27.3)  
cerebral (I67.1)  
coronary (I25.4)  
traumatic - see injury of blood vessel by body region

**I77.1 Stricture of artery**

**I77.2 Rupture of artery**

Fistula of artery

**Excludes:** traumatic rupture of artery - see injury of blood vessel by body region

**I77.3 Arterial fibromuscular dysplasia**

**I77.4 Coeliac artery compression syndrome**

**I77.5 Necrosis of artery**

**I77.6 Arteritis, unspecified**

Aortitis NOS

Endarteritis NOS

**Excludes:** arteritis or endarteritis:  
• aortic arch [Takayasu] (M31.4)  
• cerebral NEC (I67.7)  
• coronary (I25.8)  
• deformans (I70-)

- giant cell (M31.5-M31.6)
- obliterans (I70-)
- senile (I70-)

**I77.8 Other specified disorders of arteries and arterioles**

|         |           |
|---------|-----------|
| Erosion | of artery |
| Ulcer   |           |

**I77.9 Disorder of arteries and arterioles, unspecified**

**I78 Diseases of capillaries**

**I78.0 Hereditary haemorrhagic telangiectasia**

Rendu-Osler-Weber disease

**I78.1 Naevus, non-neoplastic**

Naevus:

- araneus
- spider
- stellar

***Excludes:***

naevus:

- NOS (D22-)
- blue (D22-)
- flammeus (Q82.5)
- hairy (D22-)
- melanocytic (D22-)
- pigmented (D22-)
- portwine (Q82.5)
- sanguineous (Q82.5)
- strawberry (Q82.5)
- vascular NOS (Q82.5)
- verrucous (Q82.5)

**I78.8 Other diseases of capillaries**

**I78.9 Disease of capillaries, unspecified**

**I79 Disorders of arteries, arterioles and capillaries in diseases classified elsewhere**

**I79.0\* Aneurysm of aorta in diseases classified elsewhere**

Syphilitic aneurysm of aorta (A52.0†)

**I79.1\* Aortitis in diseases classified elsewhere**

Syphilitic aortitis (A52.0†)

**I79.2\* Peripheral angiopathy in diseases classified elsewhere**

Diabetic peripheral angiopathy (E10-E14† with common fourth character .5)

**I79.8\* Other disorders of arteries, arterioles and capillaries in diseases classified elsewhere**

Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified (I80-I89)

**I80 Phlebitis and thrombophlebitis**

**Includes:** endophlebitis  
inflammation, vein  
periphlebitis  
suppurative phlebitis

**Excludes:** phlebitis and thrombophlebitis (of):  
• complicating:  
• abortion or ectopic or molar pregnancy (O00-O07, O08.7)

- pregnancy, childbirth and the puerperium (O22-, O87-)
  - intracranial and intraspinal, septic or NOS (G08)
  - intracranial, nonpyogenic (I67.6)
  - intraspinal, nonpyogenic (G95.1)
  - portal (vein) (K75.1)
- postphlebitic syndrome (I87.0)  
thrombophlebitis migrans (I82.1)

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**I80.0 Phlebitis and thrombophlebitis of superficial vessels of lower extremities**

**I80.1 Phlebitis and thrombophlebitis of femoral vein**

**I80.2 Phlebitis and thrombophlebitis of other deep vessels of lower extremities**

Deep vein thrombosis NOS

**I80.3 Phlebitis and thrombophlebitis of lower extremities, unspecified**

Embolism or thrombosis of lower extremity NOS

**I80.8 Phlebitis and thrombophlebitis of other sites**

**I80.9 Phlebitis and thrombophlebitis of unspecified site**

**I81 Portal vein thrombosis**

Portal (vein) obstruction

**Excludes:** phlebitis of portal vein (K75.1)

**I82 Other venous embolism and thrombosis**



- Excludes:** venous embolism and thrombosis (of):
- cerebral (I63.6, I67.6)
  - complicating:
    - abortion or ectopic or molar pregnancy (O00-O07, O08.7)
    - pregnancy, childbirth and the puerperium (O22-, O87-)
  - coronary (I21-I25)
  - intracranial and intraspinal, septic or NOS (G08)
  - intracranial, nonpyogenic (I67.6)
  - intraspinal, nonpyogenic (G95.1)
  - lower extremities (I80-)
  - mesenteric (K55.0)
  - portal (I81)
  - pulmonary (I26-)

## **I82.0 Budd-Chiari syndrome**

## **I82.1 Thrombophlebitis migrans**

## **I82.2 Embolism and thrombosis of vena cava**

## **I82.3 Embolism and thrombosis of renal vein**

## **I82.8 Embolism and thrombosis of other specified veins**

## **I82.9 Embolism and thrombosis of unspecified vein**

Embolism of vein NOS

Thrombosis (vein) NOS

## **I83 Varicose veins of lower extremities**

- Excludes:** complicating:
- pregnancy (O22.0)
  - puerperium (O87.8)

## **I83.0 Varicose veins of lower extremities with ulcer**

Any condition in I83.9 with ulcer or specified as ulcerated

Varicose ulcer (lower extremity, any part)

**I83.1 Varicose veins of lower extremities with inflammation**

Any condition in I83.9 with inflammation or specified as inflamed  
Stasis dermatitis NOS

**I83.2 Varicose veins of lower extremities with both ulcer and inflammation**

Any condition in I83.9 with both ulcer and inflammation

**I83.9 Varicose veins of lower extremities without ulcer or inflammation**

|                |                                                            |
|----------------|------------------------------------------------------------|
| Phlebectasia   | of lower extremity [any<br>part] or of unspecified<br>site |
| Varicose veins |                                                            |
| Varix          |                                                            |

**I84 Haemorrhoids**

**Includes:** piles  
varicose veins of anus and rectum

**Excludes:** complicating:  
• childbirth and the puerperium (O87.2)  
• pregnancy (O22.4)

**I84.0 Internal thrombosed haemorrhoids**

**I84.1 Internal haemorrhoids with other complications**

Internal haemorrhoids:

- bleeding
- prolapsed
- strangulated
- ulcerated

**I84.2 Internal haemorrhoids without complication**

Internal haemorrhoids NOS

**I84.3 External thrombosed haemorrhoids**

Perianal haematoma (nontraumatic)

Perianal thrombosis

**I84.4 External haemorrhoids with other complications**

External haemorrhoids:

- bleeding
- prolapsed
- strangulated
- ulcerated

**I84.5 External haemorrhoids without complication**

External haemorrhoids NOS

**I84.6 Residual haemorrhoidal skin tags**

Skin tags of anus or rectum

**I84.7 Unspecified thrombosed haemorrhoids**

Thrombosed haemorrhoids, unspecified whether internal or external

**I84.8 Unspecified haemorrhoids with other complications**

Haemorrhoids, unspecified whether internal or external:

- bleeding
- prolapsed
- strangulated
- ulcerated

**I84.9 Unspecified haemorrhoids without complication**

Haemorrhoids NOS

**I85 Oesophageal varices**

**I85.0 Oesophageal varices with bleeding**

**I85.9 Oesophageal varices without bleeding**

Oesophageal varices NOS

**I86 Varicose veins of other sites**

**Excludes:** retinal varices (H35.0)  
varicose veins of unspecified site (I83.9)

**I86.0 Sublingual varices**

**I86.1 Scrotal varices**

Varicocele

**I86.2 Pelvic varices**

**I86.3 Vulval varices**

**Excludes:** complicating:  
• childbirth and the puerperium (O87.8)  
• pregnancy (O22.1)

**I86.4 Gastric varices**

**I86.8 Varicose veins of other specified sites**

Varicose ulcer of nasal septum

**I87 Other disorders of veins**

**I87.0 Postthrombotic syndrome**

Postphlebitic syndrome

**I87.1 Compression of vein**

Stricture of vein

Vena cava syndrome (inferior)(superior)

**Excludes:** pulmonary (I28.8)

**I87.2 Venous insufficiency (chronic)(peripheral)**

**I87.8 Other specified disorders of veins**

**I87.9 Disorder of vein, unspecified**

**I88 Nonspecific lymphadenitis**

**Excludes:** acute lymphadenitis, except mesenteric (L04-)  
enlarged lymph nodes NOS (R59-)  
human immunodeficiency virus [HIV] disease resulting in  
generalized lymphadenopathy (B23.1)

**I88.0 Nonspecific mesenteric lymphadenitis**

Mesenteric lymphadenitis (acute)(chronic)

**I88.1 Chronic lymphadenitis, except mesenteric**

|               |                         |
|---------------|-------------------------|
| Adenitis      | chronic, any lymph node |
| Lymphadenitis | except mesenteric       |

**I88.8 Other nonspecific lymphadenitis**

**I88.9 Nonspecific lymphadenitis, unspecified**

Lymphadenitis NOS

**I89 Other noninfective disorders of lymphatic vessels and lymph nodes**

**Excludes:** chylocele:  
• filarial (B74-)  
• tunica vaginalis (nonfilarial) NOS (N50.8)  
enlarged lymph nodes NOS (R59-)  
hereditary lymphoedema (Q82.0)  
postmastectomy lymphoedema (I97.2)

**I89.0 Lymphoedema, not elsewhere classified**  
Lymphangiectasis

**I89.1 Lymphangitis**  
Lymphangitis:  
• NOS  
• chronic  
• subacute

**Excludes:** acute lymphangitis (L03-)

**I89.8 Other specified noninfective disorders of lymphatic vessels and lymph nodes**  
Chylocele (nonfilarial)  
Lipomelanotic reticulosis

**I89.9 Noninfective disorder of lymphatic vessels and lymph nodes, unspecified**  
Disease of lymphatic vessels NOS

## Other and unspecified disorders of the circulatory system (I95-I99)

### I95 Hypotension

**Excludes:** cardiovascular collapse (R57.9)  
maternal hypotension syndrome (O26.5)  
nonspecific low blood pressure reading NOS (R03.1)

#### I95.0 Idiopathic hypotension

#### I95.1 Orthostatic hypotension

Hypotension, postural

**Excludes:** neurogenic orthostatic hypotension [Shy-Drager] (G90.3)

#### I95.2 Hypotension due to drugs

Use additional external cause code (Chapter XX), if desired, to identify drug.

#### I95.8 Other hypotension

Chronic hypotension

#### I95.9 Hypotension, unspecified

### I97 Postprocedural disorders of circulatory system, not elsewhere classified

**Excludes:** postoperative shock (T81.1)

#### I97.0 Postcardiotomy syndrome

**I97.1 Other functional disturbances following cardiac surgery**

Cardiac  
insufficiency  
Heart failure

following cardiac surgery or due to  
presence of cardiac prosthesis

**I97.2 Postmastectomy lymphoedema syndrome**

Elephantiasis  
Obliteration of  
lymphatic vessels

due to mastectomy

**I97.8 Other postprocedural disorders of circulatory system, not elsewhere classified**

**I97.9 Postprocedural disorder of circulatory system, unspecified**

**I98 Other disorders of circulatory system in diseases classified elsewhere**

**Excludes:** disorders classified to other asterisk categories within this chapter

**I98.0\* Cardiovascular syphilis**

Cardiovascular syphilis:

- NOS (A52.0†)
- congenital, late (A50.5†)

**I98.1\* Cardiovascular disorders in other infectious and parasitic diseases classified elsewhere**

Cardiovascular:

- involvement NEC, in Chagas disease (chronic) (B57.2†)
- lesions of pinta [carate] (A67.2†)



**I98.2\* Oesophageal varices without bleeding in diseases classified elsewhere**

Oesophageal varices in:

- liver disorders (K70-K71†, K74†)
- schistosomiasis (B65†)

**I98.3\* Oesophageal varices with bleeding in diseases classified elsewhere**

Oesophageal varices in:

- liver disorders (K70-K71†, K74- †)
- schistosomiasis (B65- †)

**I98.8\* Other specified disorders of circulatory system in diseases classified elsewhere**

**I99 Other and unspecified disorders of circulatory system**

## CHAPTER X - Diseases of the respiratory system (J00-J99)

**Note:** When a respiratory condition is described as occurring in more than one site and is not specifically indexed, it should be classified to the lower anatomic site (e.g., tracheobronchitis to bronchitis in J40).

**Excludes:** certain conditions originating in the perinatal period (P00-P96)  
certain infectious and parasitic diseases (A00-B99)  
complications of pregnancy, childbirth and the puerperium (O00-O99)  
congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)  
endocrine, nutritional and metabolic diseases (E00-E90)  
injury, poisoning and certain other consequences of external causes (S00-T98)  
neoplasms (C00-D48)  
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

### **This chapter contains the following blocks:**

|         |                                                                   |
|---------|-------------------------------------------------------------------|
| J00-J06 | Acute upper respiratory infections                                |
| J09-J18 | Influenza and pneumonia                                           |
| J20-J22 | Other acute lower respiratory infections                          |
| J30-J39 | Other diseases of upper respiratory tract                         |
| J40-J47 | Chronic lower respiratory diseases                                |
| J60-J70 | Lung diseases due to external agents                              |
| J80-J84 | Other respiratory diseases principally affecting the interstitium |
| J85-J86 | Suppurative and necrotic conditions of lower respiratory tract    |
| J90-J94 | Other diseases of pleura                                          |
| J95-J99 | Other diseases of the respiratory system                          |

### **Asterisk categories for this chapter are provided as follows:**

|      |                                                        |
|------|--------------------------------------------------------|
| J17* | Pneumonia in diseases classified elsewhere             |
| J91* | Pleural effusion in conditions classified elsewhere    |
| J99* | Respiratory disorders in diseases classified elsewhere |

## Acute upper respiratory infections (J00-J06)

**Excludes:** chronic obstructive pulmonary disease with acute exacerbation NOS (J44.1)

### J00 Acute nasopharyngitis [common cold]

Coryza (acute)

Nasal catarrh, acute

Nasopharyngitis:

- NOS
- acute
- infective NOS

Rhinitis:

- acute
- infective

**Excludes:** nasopharyngitis, chronic (J31.1)

pharyngitis:

- NOS (J02.9)
- acute (J02-)
- chronic (J31.2)

rhinitis:

- NOS (J31.0)
- allergic (J30.1-J30.4)
- chronic (J31.0)
- vasomotor (J30.0)

sore throat:

- NOS (J02.9)
- acute (J02-)
- chronic (J31.2)

### J01 Acute sinusitis

|                                                                                 |                                     |
|---------------------------------------------------------------------------------|-------------------------------------|
| <b>Includes:</b> abscess<br>empyema<br>infection<br>inflammation<br>suppuration | acute, of sinus (accessory) (nasal) |
|---------------------------------------------------------------------------------|-------------------------------------|

Use additional code (B95-B97), if desired, to identify infectious agent.

**Excludes:** sinusitis, chronic or NOS (J32-)

**J01.0 Acute maxillary sinusitis**

Acute antritis

**J01.1 Acute frontal sinusitis**

**J01.2 Acute ethmoidal sinusitis**

**J01.3 Acute sphenoidal sinusitis**

**J01.4 Acute pansinusitis**

**J01.8 Other acute sinusitis**

Acute sinusitis involving more than one sinus but not pansinusitis

**J01.9 Acute sinusitis, unspecified**

**J02 Acute pharyngitis**

**Includes:** acute sore throat

**Excludes:** abscess:  
• peritonsillar (J36)  
• pharyngeal (J39.1)  
• retropharyngeal (J39.0)  
acute laryngopharyngitis (J06.0)  
chronic pharyngitis (J31.2)

**J02.0 Streptococcal pharyngitis**

Streptococcal sore throat

**Excludes:** scarlet fever (A38)

**J02.8 Acute pharyngitis due to other specified organisms**

Use additional code (B95-B97), if desired, to identify infectious agent.

- Excludes:** pharyngitis (due to):
- enteroviral vesicular (B08.5)
  - herpesviral [herpes simplex] (B00.2)
  - infectious mononucleosis (B27-)
  - influenza virus:
    - identified (J09, J10.1)
    - not identified (J11.1)

**J02.9 Acute pharyngitis, unspecified**

Pharyngitis (acute):

- NOS
- gangrenous
- infective NOS
- suppurative
- ulcerative

Sore throat (acute) NOS

**J03 Acute tonsillitis**

- Excludes:** peritonsillar abscess (J36)
- sore throat:
- NOS (J02.9)
  - acute (J02-)
  - streptococcal (J02.0)

**J03.0 Streptococcal tonsillitis**

**J03.8 Acute tonsillitis due to other specified organisms**

Use additional code (B95-B97), if desired, to identify infectious agent.

- Excludes:** herpesviral [herpes simplex] pharyngotonsillitis (B00.2)

**J03.9 Acute tonsillitis, unspecified**

Tonsillitis (acute):

- NOS

- follicular
- gangrenous
- infective
- ulcerative

**J04 Acute laryngitis and tracheitis**

Use additional code (B95-B97), if desired, to identify infectious agent.

**Excludes:** acute obstructive laryngitis [croup] and epiglottitis (J05-) laryngismus (stridulus) (J38.5)

**J04.0 Acute laryngitis**

Laryngitis (acute):

- NOS
- oedematous
- subglottic
- suppurative
- ulcerative

**Excludes:** chronic laryngitis (J37.0)  
influenzal laryngitis, influenza virus:

- identified (J09, J10.1)
- not identified (J11.1)

**J04.1 Acute tracheitis**

Tracheitis (acute):

- NOS
- catarrhal

**Excludes:** chronic tracheitis (J42)

**J04.2 Acute laryngotracheitis**

Laryngotracheitis NOS

Tracheitis (acute) with laryngitis (acute)

**Excludes:** chronic laryngotracheitis (J37.1)

**J05 Acute obstructive laryngitis [croup] and epiglottitis**

Use additional code (B95-B97), if desired, to identify infectious agent.

**J05.0 Acute obstructive laryngitis [croup]**

Obstructive laryngitis NOS

**J05.1 Acute epiglottitis**

Epiglottitis NOS

**J06 Acute upper respiratory infections of multiple and unspecified sites**

**Excludes:** acute respiratory infection NOS (J22)  
influenza virus:  
• identified (J09, J10.1)  
• not identified (J11.1)

**J06.0 Acute laryngopharyngitis**

**J06.8 Other acute upper respiratory infections of multiple sites**

**J06.9 Acute upper respiratory infection, unspecified**

Upper respiratory:  
• disease, acute  
• infection NOS

**Influenza and pneumonia (J09-J18)**

**J09 Influenza due to identified zoonotic or pandemic influenza virus**

Influenza caused by influenza virus strains of special epidemiological importance with an animal-human or inter-human transmission .

**Note:** For use of this category, reference should be made to the guidelines of the Global Influenza Programme (GIP, <http://www.who.int/influenza/>) of WHO

Use additional code, if desired, to identify pneumonia or other manifestations.

**Excludes:** Haemophilus influenzae [H.influenzae]:

- infection NOS (A49.2)
- meningitis (G00.0)
- pneumonia (J14)

influenza due to identified seasonal influenza virus (J10.-)

### **J10 Influenza due to identified seasonal influenza virus**

**Includes:** influenza due to identified influenza B or C virus  
5<sup>TH</sup> DIGIT TO IDENTIFY INFLUENZA WITHOUT SPECIFIED MANIFESTATION

**Excludes:** *Haemophilus influenzae* [*H. influenzae*]:

- infection NOS (A49.2)
- meningitis (G00.0)
- pneumonia (J14)

influenza due to identified zoonotic or pandemic influenza virus (J09)

#### **J10.0 Influenza with pneumonia, seasonal influenza virus identified**

Influenzal (broncho) pneumonia, other influenza virus identified

#### **J10.1 Influenza with other respiratory manifestations, seasonal influenza virus identified**

Influenza

Influenzal:

- acute upper respiratory infection
- laryngitis
- pharyngitis
- pleural effusion

seasonal influenza virus identified



**J10.10** Influenza, flu, grippe (viral), seasonal influenza virus identified

**J10.8 Influenza with other manifestations, seasonal influenza virus identified**

Encephalopathy due to influenza

Influenzal:

- gastroenteritis
- myocarditis (acute)

seasonal influenza virus identified

**J11 Influenza, virus not identified**

**Includes:** influenza | specific virus not stated to have been identified  
viral influenza

**Excludes:** *Haemophilus influenzae* [*H. influenzae*]:

- infection NOS (A49.2)
- meningitis (G00.0)
- pneumonia (J14)

**J11.0 Influenza with pneumonia, virus not identified**

Influenzal (broncho) pneumonia, unspecified or specific virus not identified

**J11.1 Influenza with other respiratory manifestations, virus not identified**

Influenza NOS

Influenzal:

- acute upper respiratory infection
- laryngitis
- pharyngitis
- pleural effusion

unspecified or specific virus not identified

**J11.10** Influenza, flu, grippe (viral), virus not identified

**J11.8 Influenza with other manifestations, virus not identified**

Encephalopathy due to influenza

Influenzal:

- gastroenteritis
- myocarditis (acute)

unspecified or specific virus not identified

**J12 Viral pneumonia, not elsewhere classified**

***Includes:*** bronchopneumonia due to viruses other than influenza viruses

***Excludes:*** congenital rubella pneumonitis (P35.0)  
pneumonia:

- aspiration (due to):
  - NOS (J69.0)
  - anaesthesia during:
    - labour and delivery (O74.0)
    - pregnancy (O29.0)
    - puerperium (O89.0)
  - neonatal (P24.9)
  - solids and liquids (J69-)
- congenital (P23.0)
- in influenza (J09, J10.0, J11.0)
- interstitial NOS (J84.90)
- lipid (J69.1)

**J12.0 Adenoviral pneumonia**

**J12.1 Respiratory syncytial virus pneumonia**

**J12.2 Parainfluenza virus pneumonia**

**J12.3 Human metapneumovirus pneumonia**

**J12.8 Other viral pneumonia**

**J12.9 Viral pneumonia, unspecified**

**J13 Pneumonia due to Bronchopneumonia due to *S. pneumoniae***

**Excludes:** congenital pneumonia due to *S. pneumoniae* (P23.6)  
pneumonia due to other streptococci (J15.3-J15.4)

**J14 Pneumonia due to Bronchopneumonia due to *H. influenzae***

**Excludes:** congenital pneumonia due to *H. influenzae* (P23.6)

**J15 Bacterial pneumonia, not elsewhere classified**

**Includes:** bronchopneumonia due to bacteria other than *S. pneumoniae* and  
*H. influenzae*

**Excludes:** chlamydial pneumonia (J16.0)  
congenital pneumonia (P23-)  
Legionnaires disease (A48.1)

**J15.0 Pneumonia due to *Klebsiella pneumoniae***

**J15.1 Pneumonia due to *Pseudomonas***

**J15.2 Pneumonia due to staphylococcus**

**J15.3 Pneumonia due to streptococcus, group B**

**J15.4 Pneumonia due to other streptococci**

**Excludes:** pneumonia due to:  
• streptococcus, group B (J15.3)  
• *Streptococcus pneumoniae* (J13)

**J15.5 Pneumonia due to *Escherichia coli***

**J15.6 Pneumonia due to other aerobic Gram-negative bacteria**

Pneumonia due to *Serratia marcescens*

**J15.7 Pneumonia due to *Mycoplasma pneumoniae***

**J15.8 Other bacterial pneumonia**

**J15.9 Bacterial pneumonia, unspecified**

**J16 Pneumonia due to other infectious organisms, not elsewhere classified**

**Excludes:** ornithosis (A70)  
pneumocystosis (B59)  
pneumonia:  
• NOS (J18.9)  
• congenital (P23-)

**J16.0 Chlamydial pneumonia**

**J16.8 Pneumonia due to other specified infectious organisms**

**J17 Pneumonia in diseases classified elsewhere**

**J17.0\* Pneumonia in bacterial diseases classified elsewhere**

Pneumonia (due to)(in):  
• actinomycosis (A42.0†)  
• anthrax (A22.1†)  
• gonorrhoea (A54.8†)  
• nocardiosis (A43.0†)  
• salmonella infection (A02.2†)  
• tularaemia (A21.2†)

- typhoid fever (A01.0†)
- whooping cough (A37†)

**J17.1\* Pneumonia in viral diseases classified elsewhere**

Pneumonia in:

- cytomegalovirus disease (B25.0†)
- measles (B05.2†)
- rubella (B06.8†)
- varicella (B01.2†)

**J17.2\* Pneumonia in mycoses**

Pneumonia in:

- aspergillosis (B44.0-B44.1†)
- candidiasis (B37.1†)
- coccidioidomycosis (B38.0-B38.2†)
- histoplasmosis (B39†)

**J17.3\* Pneumonia in parasitic diseases**

Pneumonia in:

- ascariasis (B77.8†)
- schistosomiasis (B65†)
- toxoplasmosis (B58.3†)

**J17.8\* Pneumonia in other diseases classified elsewhere**

Pneumonia (in):

- ornithosis (A70†)
- Q fever (A78†)
- rheumatic fever (I00†)
- spirochaetal, not elsewhere classified (A69.8†)

**J18 Pneumonia, organism unspecified**

- Excludes:** abscess of lung with pneumonia (J85.1)  
drug-induced interstitial lung disorders (J70.2-J70.4)  
pneumonia:  
• aspiration (due to):

- NOS (J69.0)
- anaesthesia during:
  - labour and delivery (O74.0)
  - pregnancy (O29.0)
  - puerperium (O89.0)
- neonatal (P24.9)
- solids and liquids (J69-)
- congenital (P23.9)
- interstitial NOS (J84.9)
- lipid (J69.1)
- usual interstitial (J84.1)
- pneumonitis, due to external agents (J67-J70)

**J18.0 Bronchopneumonia, unspecified**

**Excludes:** bronchiolitis (J21-)

**J18.1 Lobar pneumonia, unspecified**

**J18.2 Hypostatic pneumonia, unspecified**

**J18.8 Other pneumonia, organism unspecified**

**J18.9 Pneumonia, unspecified**

**Other acute lower respiratory infections (J20-J22)**

**Excludes:** chronic obstructive pulmonary disease with acute:

- exacerbation NOS (J44.1)
- lower respiratory infection (J44.0)

**J20 Acute bronchitis**

**Includes:** bronchitis:

- NOS, in those under 15 years of age

- acute and subacute (with):
    - bronchospasm
    - fibrinous
    - membranous
    - purulent
    - septic
    - tracheitis
- tracheobronchitis, acute

- Excludes:** bronchitis:
- NOS, in those 15 years of age and above (J40)
  - allergic NOS (J45.0)
  - chronic:
    - NOS (J42)
    - mucopurulent (J41.1)
    - obstructive (J44-)
    - simple (J41.0)
- tracheobronchitis:
- NOS (J40)
  - chronic (J42)
    - obstructive (J44-)

**J20.0 Acute bronchitis due to *Mycoplasma pneumoniae***

**J20.1 Acute bronchitis due to *Haemophilus influenzae***

**J20.2 Acute bronchitis due to streptococcus**

**J20.3 Acute bronchitis due to coxsackievirus**

**J20.4 Acute bronchitis due to parainfluenza virus**

**J20.5 Acute bronchitis due to respiratory syncytial virus**

**J20.6 Acute bronchitis due to rhinovirus**

**J20.7 Acute bronchitis due to echovirus**

**J20.8 Acute bronchitis due to other specified organisms**

**J20.9 Acute bronchitis, unspecified**

**J21 Acute bronchiolitis**

*Includes:* with bronchospasm

**J21.0 Acute bronchiolitis due to respiratory syncytial virus**

**J21.1 Acute bronchiolitis due to human metapneumovirus**

**J21.8 Acute bronchiolitis due to other specified organisms**

**J21.9 Acute bronchiolitis, unspecified**

Bronchiolitis (acute)

**J22 Unspecified acute lower respiratory infection**

Acute (lower) respiratory (tract) infection NOS

*Excludes:* upper respiratory infection (acute) (J06.9)

## Other diseases of upper respiratory tract (J30-J39)

**J30 Vasomotor and allergic rhinitis**

*Includes:* spasmodic rhinorrhoea



**Excludes:** allergic rhinitis with asthma (J45.0)  
rhinitis NOS (J31.0)

**J30.0 Vasomotor rhinitis**

**J30.1 Allergic rhinitis due to pollen**

Allergy NOS due to pollen

Hay fever

Pollinosis

**J30.2 Other seasonal allergic rhinitis**

**J30.3 Other allergic rhinitis**

Perennial allergic rhinitis

**J30.4 Allergic rhinitis, unspecified**

**J31 Chronic rhinitis, nasopharyngitis and pharyngitis**

**J31.0 Chronic rhinitis**

Ozena

Rhinitis (chronic):

- NOS
- atrophic
- granulomatous
- hypertrophic
- obstructive
- purulent
- ulcerative

**Excludes:** rhinitis:  
• allergic (J30.1-J30.4)  
• vasomotor (J30.0)

**J31.1 Chronic nasopharyngitis**

**Excludes:** nasopharyngitis, acute or NOS (J00)

**J31.2 Chronic pharyngitis**

Chronic sore throat

Pharyngitis (chronic):

- atrophic
- granular
- hypertrophic

**Excludes:** pharyngitis, acute or NOS (J02.9)

**J32 Chronic sinusitis**

**Includes:** abscess

empyema

infection

suppuration

(chronic) of sinus (accessory)(nasal)

Use additional code (B95-B97), if desired, to identify infectious agent.

**Excludes:** acute sinusitis (J01-)

**J32.0 Chronic maxillary sinusitis**

Antritis (chronic)

Maxillary sinusitis NOS

**J32.1 Chronic frontal sinusitis**

Frontal sinusitis NOS

**J32.2 Chronic ethmoidal sinusitis**

Ethmoidal sinusitis NOS

**J32.3 Chronic sphenoidal sinusitis**

Sphenoidal sinusitis NOS

**J32.4 Chronic pansinusitis**

Pansinusitis NOS

**J32.8 Other chronic sinusitis**

Sinusitis (chronic) involving more than one sinus but not pansinusitis

**J32.9 Chronic sinusitis, unspecified**

Sinusitis (chronic) NOS

**J33 Nasal polyp**

**Excludes:** adenomatous polyps (D14.0)

**J33.0 Polyp of nasal cavity**

Polyp:

- choanal
- nasopharyngeal

**J33.1 Polypoid sinus degeneration**

Woakes syndrome or ethmoiditis

**J33.8 Other polyp of sinus**

Polyp of sinus:

- accessory
- ethmoidal
- maxillary
- sphenoidal

**J33.9 Nasal polyp, unspecified**

**J34 Other disorders of nose and nasal sinuses**

**Excludes:** varicose ulcer of nasal septum (I86.8)

**J34.0 Abscess, furuncle and carbuncle of nose**

|            |                  |
|------------|------------------|
| Cellulitis | of nose (septum) |
| Necrosis   |                  |
| Ulceration |                  |

**J34.1 Cyst and mucocele of nose and nasal sinus**

**J34.2 Deviated nasal septum**

Deflection or deviation of septum (nasal)(acquired)

**J34.3 Hypertrophy of nasal turbinates**

**J34.8 Other specified disorders of nose and nasal sinuses**

Perforation of nasal septum NOS

Rhinolith

**J35 Chronic diseases of tonsils and adenoids**

**J35.0 Chronic tonsillitis**

**Excludes:** tonsillitis:

- NOS (J03.9)
- acute (J03-)

**J35.1 Hypertrophy of tonsils**

Enlargement of tonsils

**J35.2 Hypertrophy of adenoids**

Enlargement of adenoids

**J35.3 Hypertrophy of tonsils with hypertrophy of adenoids**

**J35.8 Other chronic diseases of tonsils and adenoids**

Adenoid vegetations  
Amygdalolith  
Cicatrix of tonsil (and adenoid)  
Tonsillar tag  
Ulcer of tonsil

**J35.9 Chronic disease of tonsils and adenoids, unspecified**

Disease (chronic) of tonsils and adenoids NOS

**J36 Peritonsillar abscess**

Abscess of tonsil  
Peritonsillar cellulitis  
Quinsy  
Use additional code (B95-B97), if desired, to identify infectious agent.

**Excludes:** retropharyngeal abscess (J39.0)  
tonsillitis:  
• NOS (J03.9)  
• acute (J03-)  
• chronic (J35.0)

**J37 Chronic laryngitis and laryngotracheitis**

Use additional code (B95-B97), if desired, to identify infectious agent.

**J37.0 Chronic laryngitis**

Laryngitis:  
• catarrhal  
• hypertrophic  
• sicca

**Excludes:** laryngitis:  
• NOS (J04.0)  
• acute (J04.0)  
• obstructive (acute) (J05.0)

**J37.1 Chronic laryngotracheitis**

Laryngitis, chronic, with tracheitis (chronic)

Tracheitis, chronic, with laryngitis

**Excludes:** laryngotracheitis:

- NOS (J04.2)
- acute (J04.2)

tracheitis:

- NOS (J04.1)
- acute (J04.1)
- chronic (J42)

**J38 Diseases of vocal cords and larynx, not elsewhere classified**

**Excludes:** laryngitis:

- obstructive (acute) (J05.0)
- ulcerative (J04.0)

postprocedural subglottic stenosis (J95.5)

stridor:

- congenital laryngeal NOS (P28.8)
- NOS (R06.1)

**J38.0 Paralysis of vocal cords and larynx**

Laryngoplegia

Paralysis of glottis

**J38.1 Polyp of vocal cord and larynx**

**Excludes:** adenomatous polyps (D14.1)

**J38.2 Nodules of vocal cords**

Chorditis (fibrinous)(nodosa)(tuberosa)

Singer nodes

Teacher nodes

**J38.3 Other diseases of vocal cords**

Abscess

Cellulitis

Granuloma

of vocal cord(s)

Leukokeratosis  
Leukoplakia

**J38.4 Oedema of larynx**

Oedema (of):

- glottis
- subglottic
- supraglottic

**Excludes:** laryngitis:

- acute obstructive [croup] (J05.0)
- oedematous (J04.0)

**J38.5 Laryngeal spasm**

Laryngismus (stridulus)

**J38.6 Stenosis of larynx**

**J38.7 Other diseases of larynx**

|                |           |
|----------------|-----------|
| Abscess        | of larynx |
| Cellulitis     |           |
| Disease NOS    |           |
| Necrosis       |           |
| Pachyderma     |           |
| Perichondritis |           |
| Ulcer          |           |

**J39 Other diseases of upper respiratory tract**

**Excludes:** acute respiratory infection NOS (J22)

- upper (J06.9)

upper respiratory inflammation due to chemicals, gases, fumes or vapours (J68.2)

**J39.0 Retropharyngeal and parapharyngeal abscess**

Peripharyngeal abscess

**Excludes:** peritonsillar abscess (J36)

**J39.1 Other abscess of pharynx**

Cellulitis of pharynx

Nasopharyngeal abscess

**J39.2 Other diseases of pharynx**

Cyst

Oedema

of pharynx or nasopharynx

**Excludes:** pharyngitis:  
• chronic (J31.2)  
• ulcerative (J02.9)

**J39.3 Upper respiratory tract hypersensitivity reaction, site unspecified**

**J39.8 Other specified diseases of upper respiratory tract**

**J39.9 Disease of upper respiratory tract, unspecified**

**Chronic lower respiratory diseases (J40-J47)**

**Excludes:** cystic fibrosis (E84-)

**J40 Bronchitis, not specified as acute or chronic**

**Note:** Bronchitis not specified as acute or chronic in those under 15 years of age can be assumed to be of acute nature and should be classified to J20-.

Bronchitis:

- NOS
- catarrhal



- with tracheitis NOS
- Tracheobronchitis NOS

**Excludes:** bronchitis:

- allergic NOS (J45.0)
- asthmatic NOS (J45.9)
- chemical (acute) (J68.0)

**J41 Simple and mucopurulent chronic bronchitis**

**Excludes:** chronic bronchitis:

- NOS (J42)
- obstructive (J44-)

**J41.0 Simple chronic bronchitis**

**J41.1 Mucopurulent chronic bronchitis**

**J41.8 Mixed simple and mucopurulent chronic bronchitis**

**J42 Unspecified chronic bronchitis**

Chronic:

- bronchitis NOS
- tracheitis
- tracheobronchitis

**Excludes:** chronic:

- asthmatic bronchitis (J44-)
- bronchitis:
  - simple and mucopurulent (J41-)
  - with airways obstruction (J44-)
- emphysematous bronchitis (J44-)
- obstructive pulmonary disease NOS (J44.9)

**J43 Emphysema**

**Excludes:** emphysema:

- compensatory (J98.3)
- due to inhalation of chemicals, gases, fumes or vapours (J68.4)
- interstitial (J98.2)
  - neonatal (P25.0)
- mediastinal (J98.2)
- surgical (subcutaneous) (T81.8)
- traumatic subcutaneous (T79.7)
- with chronic (obstructive) bronchitis (J44-)
- emphysematous (obstructive) bronchitis (J44-)

**J43.0 MacLeod syndrome**

Unilateral:

- emphysema
- transparency of lung

**J43.1 Panlobular emphysema**

Panacinar emphysema

**J43.2 Centrilobular emphysema**

**J43.8 Other emphysema**

**J43.9 Emphysema, unspecified**

Emphysema (lung)(pulmonary):

- NOS
- bullous
- vesicular

Emphysematous bleb

**J44 Other chronic obstructive pulmonary disease**

*Includes:*

- chronic:
  - bronchitis:
    - asthmatic (obstructive)
    - emphysematous
  - with:
    - airways obstruction

- emphysema
- obstructive:
  - asthma
  - bronchitis
  - tracheobronchitis

**Excludes:** asthma (J45-)  
asthmatic bronchitis NOS (J45.9)  
bronchiectasis (J47)  
chronic:

- bronchitis:
  - NOS (J42)
  - simple and mucopurulent (J41-)
- tracheitis (J42)
- tracheobronchitis (J42)

emphysema (J43-)  
lung diseases due to external agents (J60-J70)

**J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection**

**Excludes:** with influenza (J09-J11)

**J44.1 Chronic obstructive pulmonary disease with acute exacerbation, unspecified**

**J44.8 Other specified chronic obstructive pulmonary disease**

Chronic bronchitis:

- asthmatic (obstructive) NOS
- emphysematous NOS
- obstructive NOS

**Excludes:** with acute lower respiratory infection (J44.0)  
with acute exacerbation (J44.1)

**J44.9 Chronic obstructive pulmonary disease, unspecified**

Chronic obstructive:

- airway disease NOS
- lung disease NOS

**J45 Asthma**

**Excludes:** acute severe asthma (J46)  
chronic asthmatic (obstructive) bronchitis (J44-)  
chronic obstructive asthma (J44-)  
eosinophilic asthma (J82)  
lung diseases due to external agents (J60-J70)  
status asthmaticus (J46)

**J45.0 Predominantly allergic asthma**

Allergic:

- bronchitis NOS
- rhinitis with asthma

Atopic asthma

Extrinsic allergic asthma

Hay fever with asthma

**J45.1 Nonallergic asthma**

Idiosyncratic asthma

Intrinsic nonallergic asthma

**J45.8 Mixed asthma**

Combination of conditions listed in J45.0 and J45.1

**J45.9 Asthma, unspecified**

Asthmatic bronchitis NOS

Late-onset asthma

**J46 Status asthmaticus**

Acute severe asthma

**J47 Bronchiectasis**

Bronchiolectasis

**Excludes:** congenital bronchiectasis (Q33.4)  
tuberculous bronchiectasis (current disease) (A15-A16)

## Lung diseases due to external agents (J60-J70)

**Excludes:** asthma classified to J45-

### **J60 Coalworker pneumoconiosis**

Anthracosilicosis

Anthracosis

Coalworker lung

**Excludes:** with tuberculosis in A15-A16 (J65)

### **J61 Pneumoconiosis due to asbestos and other mineral fibres**

Asbestosis

**Excludes:** pleural plaque with asbestosis (J92.0)  
with tuberculosis in A15-A16 (J65)

### **J62 Pneumoconiosis due to dust containing silica**

**Includes:** silicotic fibrosis (massive) of lung

**Excludes:** pneumoconiosis with tuberculosis in A15-A16 (J65)

#### **J62.0 Pneumoconiosis due to talc dust**

#### **J62.8 Pneumoconiosis due to other dust containing silica**

Silicosis NOS

### **J63 Pneumoconiosis due to other inorganic dusts**

**Excludes:** with tuberculosis in A15-A16 (J65)

#### **J63.0 Aluminosis (of lung)**

**J63.1 Bauxite fibrosis (of lung)**

**J63.2 Berylliosis**

**J63.3 Graphite fibrosis (of lung)**

**J63.4 Siderosis**

**J63.5 Stannosis**

**J63.8 Pneumoconiosis due to other specified inorganic dusts**

**J64 Unspecified pneumoconiosis**

*Excludes:* with tuberculosis in A15-A16 (J65)

**J65 Pneumoconiosis associated with tuberculosis**

Any condition in J60-J64 with tuberculosis, any type in A15-A16

**J66 Airway disease due to specific organic dust**

*Excludes:* bagassosis (J67.1)  
farmer lung (J67.0)  
hypersensitivity pneumonitis due to organic dust (J67-)  
reactive airways dysfunction syndrome (J68.3)

**J66.0 Byssinosis**

Airway disease due to cotton dust

**J66.1 Flax-dresser disease**

**J66.2 Cannabinosis**

**J66.8 Airway disease due to other specific organic dusts**

**J67 Hypersensitivity pneumonitis due to organic dust**

**Includes:** allergic alveolitis and pneumonitis due to inhaled organic dust and particles of fungal, actinomycetic or other origin

**Excludes:** pneumonitis due to inhalation of chemicals, gases, fumes or vapours (J68.0)

**J67.0 Farmer lung**

Harvester lung

Haymaker lung

Mouldy hay disease

**J67.1 Bagassosis**

Bagasse:

- disease
- pneumonitis

**J67.2 Bird fancier lung**

Budgerigar fancier disease or lung

Pigeon fancier disease or lung

**J67.3 Suberosis**

Corkhandler disease or lung

Corkworker disease or lung

**J67.4 Maltworker lung**

Alveolitis due to *Aspergillus clavatus*

**J67.5 Mushroom-worker lung**

**J67.6 Maple-bark-stripper lung**

Alveolitis due to *Cryptostroma corticale*  
Cryptostromosis

**J67.7 Air-conditioner and humidifier lung**

Allergic alveolitis due to fungi, thermophilic actinomycetes and other organisms growing in ventilation [air-conditioning] systems

**J67.8 Hypersensitivity pneumonitis due to other organic dusts**

Cheese-washer lung  
Coffee-worker lung  
Fishmeal-worker lung  
Furrier lung  
Sequoiosis

**J67.9 Hypersensitivity pneumonitis due to unspecified organic dust**

Allergic alveolitis (extrinsic) NOS  
Hypersensitivity pneumonitis NOS

**J68 Respiratory conditions due to inhalation of chemicals, gases, fumes and vapours**

Use additional external cause code (Chapter XX), if desired, to identify cause.

**J68.0 Bronchitis and pneumonitis due to chemicals, gases, fumes and vapours**

Chemical bronchitis (acute)

**J68.1 Pulmonary oedema due to chemicals, gases, fumes and vapours**

Chemical pulmonary oedema (acute)



**J68.2 Upper respiratory inflammation due to chemicals, gases, fumes and vapours, not elsewhere classified**

**J68.3 Other acute and subacute respiratory conditions due to chemicals, gases, fumes and vapours**

Reactive airways dysfunction syndrome

**J68.4 Chronic respiratory conditions due to chemicals, gases, fumes and vapours**

Emphysema (diffuse)(chronic)

Obliterative bronchiolitis

(chronic)(subacute)

Pulmonary fibrosis (chronic)

due to inhalation of  
chemicals, gases fumes  
and vapours

**J68.8 Other respiratory conditions due to chemicals, gases, fumes and vapours**

**J68.9 Unspecified respiratory condition due to chemicals, gases, fumes and vapours**

**J69 Pneumonitis due to solids and liquids**

Use additional external cause code (Chapter XX), if desired, to identify cause.

**Excludes:** neonatal aspiration syndromes (P24-)

**J69.0 Pneumonitis due to food and vomit**

Aspiration pneumonia (due to):

- NOS
- food (regurgitated)
- gastric secretions
- milk
- vomit

**Excludes:** Mendelson syndrome (J95.4)

**J69.1 Pneumonitis due to oils and essences**

Lipid pneumonia

**J69.8 Pneumonitis due to other solids and liquids**

Pneumonitis due to aspiration of blood

**J70 Respiratory conditions due to other external agents**

Use additional external cause code (Chapter XX), if desired, to identify cause.

**J70.0 Acute pulmonary manifestations due to radiation**

Radiation pneumonitis

**J70.1 Chronic and other pulmonary manifestations due to radiation**

Fibrosis of lung following radiation

**J70.2 Acute drug-induced interstitial lung disorders**

**J70.3 Chronic drug-induced interstitial lung disorders**

**J70.4 Drug-induced interstitial lung disorders, unspecified**

**J70.8 Respiratory conditions due to other specified external agents**

**J70.9 Respiratory conditions due to unspecified external agent**

## Other respiratory diseases principally affecting the interstitium (J80-J84)

### **J80 Adult respiratory distress syndrome**

Adult hyaline membrane disease

### **J81 Pulmonary oedema**

Acute oedema of lung

Pulmonary congestion (passive)

**Excludes:** hypostatic pneumonia (J18.2)  
pulmonary oedema:

- chemical (acute) (J68.1)
- due to external agents (J60-J70)
- with mention of heart disease NOS or heart failure (I50.1)

### **J82 Pulmonary eosinophilia, not elsewhere classified**

Eosinophilic asthma

Löffler pneumonia

Tropical (pulmonary) eosinophilia NOS

**Excludes:** due to:

- aspergillosis (B44-)
- drugs (J70.2-J70.4)
- specified parasitic infection (B50-B83)
- systemic connective tissue disorders (M30-M36)

### **J84 Other interstitial pulmonary diseases**

**Excludes:** drug-induced interstitial lung disorders (J70.2-J70.4)  
interstitial emphysema (J98.2)  
lung diseases due to external agents (J60-J70)  
lymphoid interstitial pneumonitis resulting from human immunodeficiency virus [HIV] disease (B22.1)

**J84.0 Alveolar and parietoalveolar conditions**

Alveolar proteinosis

Pulmonary alveolar microlithiasis

**J84.1 Other interstitial pulmonary diseases with fibrosis**

Diffuse pulmonary fibrosis

Fibrosing alveolitis (cryptogenic)

Hamman-Rich syndrome

Idiopathic pulmonary fibrosis

Usual interstitial pneumonia

- Excludes:** pulmonary fibrosis (chronic):
- due to inhalation of chemicals, gases, fumes or vapours (J68.4)
  - following radiation (J70.1)

**J84.8 Other specified interstitial pulmonary diseases**

**J84.9 Interstitial pulmonary disease, unspecified**

**J84.90** Interstitial pneumonia, not elsewhere classified

Suppurative and necrotic conditions of lower respiratory tract (J85-J86)

**J85 Abscess of lung and mediastinum**

**J85.0 Gangrene and necrosis of lung**

**J85.1 Abscess of lung with pneumonia**

**Excludes:** with pneumonia due to specified organism (J09-J16)

**J85.2 Abscess of lung without pneumonia**

Abscess of lung NOS

**J85.3 Abscess of mediastinum**

**J86 Pyothorax**

**Includes:** abscess of:  
• pleura  
• thorax  
empyema  
pyopneumothorax

Use additional code (B95-B97), if desired, to identify infectious agent.

**Excludes:** due to tuberculosis (A15-A16)

**J86.0 Pyothorax with fistula**

**J86.9 Pyothorax without fistula**

**Other diseases of pleura (J90-J94)**

**J90 Pleural effusion, not elsewhere classified**

Pleurisy with effusion

**Excludes:** chylous (pleural) effusion (J94.0)  
pleurisy NOS (R09.1)  
tuberculous (A15-A16)

**J91 Pleural effusion in conditions classified elsewhere**

**J92 Pleural plaque**

**Includes:** pleural thickening

**J92.0 Pleural plaque with presence of asbestos**

**J92.9 Pleural plaque without asbestos**

Pleural plaque NOS

**J93 Pneumothorax**

**Excludes:** pneumothorax:  
• congenital or perinatal (P25.1)  
• traumatic (S27.0)  
• tuberculous (current disease) (A15-A16)  
pyopneumothorax (J86-)

**J93.0 Spontaneous tension pneumothorax**

**J93.1 Other spontaneous pneumothorax**

**J93.8 Other pneumothorax**

**J93.9 Pneumothorax, unspecified**

**J94 Other pleural conditions**

**Excludes:** pleurisy: NOS (R09.1)  
traumatic:  
• haemopneumothorax (S27.2)  
• haemothorax (S27.1)  
tuberculous pleural conditions (current disease) (A15-A16)

**J94.0 Chylous effusion**

Chyliform effusion

**J94.1 Fibrothorax**

**J94.2 Haemothorax**  
Haemopneumothorax

**J94.8 Other specified pleural conditions**  
Hydrothorax

**J94.9 Pleural condition, unspecified**

Other diseases of the respiratory system (J95-J99)

**J95 Postprocedural respiratory disorders, not elsewhere classified**

**Excludes:** emphysema (subcutaneous) resulting from a procedure (T81.8)  
pulmonary manifestations due to radiation (J70.0-J70.1)

**J95.0 Tracheostomy malfunction**  
Haemorrhage from tracheostomy stoma  
Obstruction of tracheostomy airway  
Sepsis of tracheostomy stoma  
Tracheo-oesophageal fistula following tracheostomy

**J95.1 Acute pulmonary insufficiency following thoracic surgery**

**J95.2 Acute pulmonary insufficiency following nonthoracic surgery**

**J95.3 Chronic pulmonary insufficiency following surgery**

**J95.4 Mendelson syndrome**

**Chemical pneumonitis due to aspiration during anesthesia**

- Excludes:** complicating:
- labour and delivery (O74.0)
  - pregnancy (O29.0)
  - puerperium (O89.0)

**J95.5 Postprocedural subglottic stenosis**

**J95.8 Other postprocedural respiratory disorders**

**J95.9 Postprocedural respiratory disorder, unspecified**

**J96 Respiratory failure, not elsewhere classified**

- Excludes:** cardiorespiratory failure (R09.2)  
postprocedural respiratory failure (J95-)  
respiratory:
- arrest (R09.2)
  - distress:
    - syndrome of adult (J80)
    - in newborn (P22-)

**J96.0 Acute respiratory failure**

**J96.1 Chronic respiratory failure**

**J96.9 Respiratory failure, unspecified**

**J98 Other respiratory disorders**

**Includes:** 5<sup>TH</sup> DIGIT TO IDENTIFY LUNG DISEASE NOS

- Excludes:** apnoea:
- NOS (R06.8)
  - newborn (P28.4)



- sleep (G47.3)
- newborn (P28.3)

## **J98.0 Diseases of bronchus, not elsewhere classified**

Broncholithiasis

|               |             |
|---------------|-------------|
| Calcification | of bronchus |
| Stenosis      |             |
| Ulcer         |             |
|               |             |

Tracheobronchial:

- collapse
- dyskinesia

## **J98.1 Pulmonary collapse**

Atelectasis

Collapse of lung

- Excludes:** atelectasis (of):
- newborn (P28.0-P28.1)
  - tuberculous (current disease) (A15-A16)

## **J98.2 Interstitial emphysema**

Mediastinal emphysema

- Excludes:** emphysema:
- NOS (J43.9)
  - in fetus and newborn (P25.0)
  - surgical (subcutaneous) (T81.8)
  - traumatic subcutaneous (T79.7)

## **J98.3 Compensatory emphysema**

## **J98.4 Other disorders of lung**

Calcification of lung

Cystic lung disease (acquired)

Lung disease NOS

Pulmolithiasis

**J98.40** Lung disease NOS

**J98.5 Diseases of mediastinum, not elsewhere classified**

|            |                |
|------------|----------------|
| Fibrosis   | of mediastinum |
| Hernia     |                |
| Retraction |                |

Mediastinitis

**Excludes:** abscess of mediastinum (J85.3)

**J98.6 Disorders of diaphragm**

Diaphragmatitis  
Paralysis of diaphragm  
Relaxation of diaphragm

**Excludes:** congenital malformation of diaphragm NEC (Q79.1)  
diaphragmatic hernia (K44-)  
• congenital (Q79.0)

**J98.8 Other specified respiratory disorders**

**J98.9 Respiratory disorder, unspecified**

Respiratory disease (chronic) NOS

**J99 Respiratory disorders in diseases classified elsewhere**

**J99.0\* Rheumatoid lung disease (M05.1†)**

**J99.1\* Respiratory disorders in other diffuse connective tissue disorders**

Respiratory disorders in:

- dermatomyositis (M33.0-M33.1†)
- polymyositis (M33.2†)
- sicca syndrome [Sjögren] (M35.0†)

- systemic:
  - lupus erythematosus (M32.1†)
  - sclerosis (M34.8†)
- Wegener granulomatosis (M31.3†)

**J99.8\* Respiratory disorders in other diseases classified elsewhere**

Respiratory disorders in:

- amoebiasis (A06.5†)
- ankylosing spondylitis (M45†)
- cryoglobulinaemia (D89.1†)
- sporotrichosis (B42.0†)
- syphilis (A52.7†)

## CHAPTER XI - Diseases of the digestive system (K00-K93)

**Excludes:** certain conditions originating in the perinatal period (P00-P96)  
certain infectious and parasitic diseases (A00-B99)  
complications of pregnancy, childbirth and the puerperium (O00-O99)  
congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)  
endocrine, nutritional and metabolic diseases (E00-E90)  
injury, poisoning and certain other consequences of external causes (S00-T98)  
neoplasms (C00-D48)  
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

### **This chapter contains the following blocks:**

|         |                                                      |
|---------|------------------------------------------------------|
| K00-K14 | Diseases of oral cavity, salivary glands and jaws    |
| K20-K31 | Diseases of oesophagus, stomach and duodenum         |
| K35-K38 | Diseases of appendix                                 |
| K40-K46 | Hernia                                               |
| K50-K52 | Noninfective enteritis and colitis                   |
| K55-K63 | Other diseases of intestines                         |
| K65-K67 | Diseases of peritoneum                               |
| K70-K77 | Diseases of liver                                    |
| K80-K87 | Disorders of gallbladder, biliary tract and pancreas |
| K90-K93 | Other diseases of the digestive system               |

### **Asterisk categories for this chapter are provided as follows:**

|      |                                                                                       |
|------|---------------------------------------------------------------------------------------|
| K23* | Disorders of oesophagus in diseases classified elsewhere                              |
| K67* | Disorders of peritoneum in infectious diseases classified elsewhere                   |
| K77* | Liver disorders in diseases classified elsewhere                                      |
| K87* | Disorders of gallbladder, biliary tract and pancreas in diseases classified elsewhere |
| K93* | Disorders of other digestive organs in diseases classified elsewhere                  |

## Diseases of oral cavity, salivary glands and jaws (K00-K14)

### K00 Disorders of tooth development and eruption

**Excludes:** embedded and impacted teeth (K01-)

#### K00.0 Anodontia

Hypodontia

Oligodontia

#### K00.1 Supernumerary teeth

Distomolar

Fourth molar

Mesiodens

Paramolar

Supplementary teeth

#### K00.2 Abnormalities of size and form of teeth

Concrescence

Fusion

Germination

of teeth

Dens:

- evaginatus
- in dente
- invaginatus

Enamel pearls

Macrodontia

Microdontia

Peg-shaped [conical] teeth

Taurodontism

Tuberculum paramolare

**Excludes:** tuberculum Carabelli, which is regarded as a normal variation and should not be coded

**K00.3 Mottled teeth**

Dental fluorosis  
Mottling of enamel  
Nonfluoride enamel opacities

**Excludes:** deposits [accretions] on teeth (K03.6)

**K00.4 Disturbances in tooth formation**

Aplasia and hypoplasia of cementum  
Dilaceration of tooth  
Enamel hypoplasia (neonatal)(postnatal)(prenatal)  
Regional odontodysplasia  
Turner tooth

**Excludes:** Hutchinson teeth and mulberry molars in congenital syphilis (A50.5)  
mottled teeth (K00.3)

**K00.5 Hereditary disturbances in tooth structure, not elsewhere classified**

|                |            |
|----------------|------------|
| Amelogenesis   | imperfecta |
| Dentinogenesis |            |
| Odontogenesis  |            |

Dentinal dysplasia  
Shell teeth

**K00.6 Disturbances in tooth eruption**

|                |       |
|----------------|-------|
| Dentia praecox |       |
| Natal          | tooth |
| Neonatal       |       |

Premature:

- eruption of tooth
  - shedding of primary [deciduous] tooth
- Retained [persistent] primary tooth

**K00.7 Teething syndrome**

**K00.8 Other disorders of tooth development**

Colour changes during tooth formation

Intrinsic staining of teeth NOS

**K00.9 Disorder of tooth development, unspecified**

Disorder of odontogenesis NOS

**K01 Embedded and impacted teeth**

**Excludes:** embedded and impacted teeth with abnormal position of such teeth  
or adjacent teeth (K07.3)

**K01.0 Embedded teeth**

An embedded tooth is a tooth that has failed to erupt without  
obstruction by another tooth.

**K01.1 Impacted teeth**

An impacted tooth is a tooth that has failed to erupt because of  
obstruction by another tooth.

**K02 Dental caries**

**K02.0 Caries limited to enamel**

White spot lesions [initial caries]

**K02.1 Caries of dentine**

**K02.2 Caries of cementum**

**K02.3 Arrested dental caries**

**K02.4 Odontoclasia**

Infantile melanodontia  
Melanodontoclasia

**K02.8 Other dental caries**

**K02.9 Dental caries, unspecified**

**K03 Other diseases of hard tissues of teeth**

**Excludes:** bruxism (F45.8)  
dental caries (K02-)  
teeth-grinding NOS (F45.8)

**K03.0 Excessive attrition of teeth**

Wear:

- |                                                                                 |          |
|---------------------------------------------------------------------------------|----------|
| <ul style="list-style-type: none"><li>• approximal</li><li>• occlusal</li></ul> | of teeth |
|---------------------------------------------------------------------------------|----------|

**K03.1 Abrasion of teeth**

Abrasion:

- |                                                                                                                                               |          |
|-----------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <ul style="list-style-type: none"><li>• dentifrice</li><li>• habitual</li><li>• occupational</li><li>• ritual</li><li>• traditional</li></ul> | of teeth |
| Wedge defect NOS                                                                                                                              |          |

**K03.2 Erosion of teeth**

Erosion of teeth:

- NOS
- due to:
  - diet
  - drugs and medicaments
  - persistent vomiting



- idiopathic
- occupational

**K03.3 Pathological resorption of teeth**

Internal granuloma of pulp  
Resorption of teeth (external)

**K03.4 Hypercementosis**

Cementation hyperplasia

**K03.5 Ankylosis of teeth**

**K03.6 Deposits [accretions] on teeth**

Dental calculus:

- subgingival
- supragingival

Deposits [accretions] on teeth:

- betel
- black
- green
- materia alba
- orange
- tobacco

Staining of teeth:

- NOS
- extrinsic NOS

**K03.7 Posteruptive colour changes of dental hard tissues**

**Excludes:** deposits [accretions] on teeth (K03.6)

**K03.8 Other specified diseases of hard tissues of teeth**

Irradiated enamel

Sensitive dentine

Use additional external cause code (Chapter XX), if desired, to identify radiation, if radiation-induced.

**K03.9 Disease of hard tissues of teeth, unspecified**

**K04 Diseases of pulp and periapical tissues**

**K04.0 Pulpitis**

Pulpitis:

- acute
- chronic (hyperplastic)(ulcerative)
- irreversible
- NOS
- reversible

**K04.1 Necrosis of pulp**

Pulpal gangrene

**K04.2 Pulp degeneration**

Denticles

Pulpal:

- calcifications
- stones

**K04.3 Abnormal hard tissue formation in pulp**

Secondary or irregular dentine

**K04.4 Acute apical periodontitis of pulpal origin**

Acute apical periodontitis NOS

**K04.5 Chronic apical periodontitis**

Apical or periapical granuloma

Apical periodontitis NOS

**K04.6 Periapical abscess with sinus**

Dental | abscess with sinus

Dentoalveolar |

**K04.7 Periapical abscess without sinus**

|               |             |
|---------------|-------------|
| Dental        | abscess NOS |
| Dentoalveolar |             |
| Periapical    |             |

**K04.8 Radicular cyst**

Cyst:

- apical (periodontal)
- periapical
- residual radicular

**Excludes:** lateral periodontal cyst (K09.0)

**K04.9 Other and unspecified diseases of pulp and periapical tissues**

**K05 Gingivitis and periodontal diseases**

**K05.0 Acute gingivitis**

**Excludes:** acute necrotizing ulcerative gingivitis (A69.1)  
herpesviral [herpes simplex] gingivostomatitis (B00.2)

**K05.1 Chronic gingivitis**

Gingivitis (chronic):

- NOS
- desquamative
- hyperplastic
- simple marginal
- ulcerative

**K05.2 Acute periodontitis**

Acute pericoronitis  
Parodontal abscess  
Periodontal abscess

**Excludes:** acute apical periodontitis (K04.4)  
periapical abscess (K04.7)  
• with sinus (K04.6)

**K05.3 Chronic periodontitis**

Chronic pericoronitis  
Periodontitis:  
• NOS  
• complex  
• simplex

**K05.4 Periodontosis**

Juvenile periodontosis

**K05.5 Other periodontal diseases**

**K05.6 Periodontal disease, unspecified**

**K06 Other disorders of gingiva and edentulous alveolar ridge**

**Excludes:** atrophy of edentulous alveolar ridge (K08.2)  
gingivitis:  
• NOS (K05.1)  
• acute (K05.0)  
• chronic (K05.1)

**K06.0 Gingival recession**

Gingival recession  
(generalized)(localized)(postinfective)(post-operative)

**K06.1 Gingival enlargement**

Gingival fibromatosis

**K06.2 Gingival and edentulous alveolar ridge lesions associated with trauma**

Irritative hyperplasia of edentulous ridge [denture hyperplasia]

Use additional external cause code (Chapter XX), if desired, to identify cause.

**K06.8 Other specified disorders of gingiva and edentulous alveolar ridge**

Fibrous epulis

Flabby ridge

Giant cell epulis

Peripheral giant cell granuloma

Pyogenic granuloma of gingiva

**K06.9 Disorder of gingiva and edentulous alveolar ridge, unspecified**

**K07 Dentofacial anomalies [including malocclusion]**

**Excludes:** hemifacial atrophy or hypertrophy (Q67.4)  
unilateral condylar hyperplasia or hypoplasia (K10.8)

**K07.0 Major anomalies of jaw size**

Hyperplasia, hypoplasia:

- mandibular

- maxillary

Macrognathism (mandibular)(maxillary)

Micrognathism (mandibular)(maxillary)

**Excludes:** acromegaly (E22.0)  
Robin syndrome (Q87.0)

**K07.1 Anomalies of jaw-cranial base relationship**

Asymmetry of jaw

Prognathism (mandibular)(maxillary)

Retrognathism (mandibular)(maxillary)

### **K07.2 Anomalies of dental arch relationship**

Crossbite (anterior)(posterior)

Disto-occlusion

Mesio-occlusion

Midline deviation of dental arch

Openbite (anterior)(posterior)

Overbite (excessive):

- deep
- horizontal
- vertical

Overjet

Posterior lingual occlusion of mandibular teeth

### **K07.3 Anomalies of tooth position**

Crowding

Diastema

Displacement

Rotation

Spacing,

abnormal

Transposition

of tooth or  
teeth

Impacted or embedded teeth with abnormal position of such teeth or adjacent teeth

**Excludes:** embedded and impacted teeth without abnormal position (K01-)

### **K07.4 Malocclusion, unspecified**

### **K07.5 Dentofacial functional abnormalities**

Abnormal jaw closure

Malocclusion due to:

- abnormal swallowing
- mouth breathing
- tongue, lip or finger habits

**Excludes:** bruxism (F45.8)

teeth-grinding NOS (F45.8)

**K07.6 Temporomandibular joint disorders**

Costen complex or syndrome

Derangement of temporomandibular joint

Snapping jaw

Temporomandibular joint-pain-dysfunction syndrome

**Excludes:** current temporomandibular joint:

- dislocation (S03.0)
- strain (S03.4)

**K07.8 Other dentofacial anomalies**

**K07.9 Dentofacial anomaly, unspecified**

**K08 Other disorders of teeth and supporting structures**

**K08.0 Exfoliation of teeth due to systemic causes**

**K08.1 Loss of teeth due to accident, extraction or local periodontal disease**

**K08.2 Atrophy of edentulous alveolar ridge**

**K08.3 Retained dental root**

**K08.8 Other specified disorders of teeth and supporting structures**

Alveolar (process) cleft

Enlargement of alveolar ridge NOS

Irregular alveolar process

Toothache NOS

**K08.9 Disorder of teeth and supporting structures, unspecified**

**K09 Cysts of oral region, not elsewhere classified**

**Includes:** lesions showing histological features both of aneurysmal cyst and of another fibro-osseous lesion

**Excludes:** radicular cyst (K04.8)

**K09.0 Developmental odontogenic cysts**

Cyst:

- dentigerous
- eruption
- follicular
- gingival
- lateral periodontal
- primordial

Keratocyst

**K09.1 Developmental (nonodontogenic) cysts of oral region**

Cyst (of):

- nasolabial [nasoalveolar]
- nasopalatine duct [incisive canal]

**K09.2 Other cysts of jaw**

Cyst of jaw:

- NOS
- aneurysmal
- haemorrhagic
- traumatic

**Excludes:** latent bone cyst of jaw (K10.0)  
Stafne cyst (K10.0)

**K09.8 Other cysts of oral region, not elsewhere classified**



|                       |          |
|-----------------------|----------|
| Dermoid cyst          | of mouth |
| Epidermoid cyst       |          |
| Lymphoepithelial cyst |          |
| Epstein pearl         |          |
| Nasolabial cyst       |          |

### **K09.9 Cyst of oral region, unspecified**

## **K10 Other diseases of jaws**

### **K10.0 Developmental disorders of jaws**

Latent bone cyst of jaw

Stafne cyst

Torus:

- mandibularis
- palatinus

### **K10.1 Giant cell granuloma, central**

Giant cell granuloma NOS

**Excludes:** peripheral giant cell granuloma (K06.8)

### **K10.2 Inflammatory conditions of jaws**

Osteitis

Osteomyelitis (neonatal)

Osteoradionecrosis

Periostitis

Sequestrum of jaw bone

| of jaw (acute) (chronic) (suppurative)

Use additional external cause code (Chapter XX), if desired, to identify radiation, if radiation-induced.

### **K10.3 Alveolitis of jaws**

Alveolar osteitis

Dry socket

**K10.8 Other specified diseases of jaws**

Cherubism

Exostosis

Fibrous dysplasia | of jaw

Unilateral condylar:

- hyperplasia
- hypoplasia

**K10.9 Disease of jaws, unspecified**

**K11 Diseases of salivary glands**

**K11.0 Atrophy of salivary gland**

**K11.1 Hypertrophy of salivary gland**

**K11.2 Sialoadenitis**

*Excludes:* epidemic parotitis (B26-)  
uveoparotid fever [Heerfordt] (D86.8)

**K11.3 Abscess of salivary gland**

**K11.4 Fistula of salivary gland**

*Excludes:* congenital fistula of salivary gland (Q38.4)

**K11.5 Sialolithiasis**

Calculus

Stone

| of salivary gland or duct

**K11.6 Mucocele of salivary gland**

**Mucous:**

- extravasation cyst
  - retention cyst
- | of salivary gland

Ranula

### **K11.7 Disturbances of salivary secretion**

Hypoptyalism

Ptyalism

Xerostomia

**Excludes:** dry mouth NOS (R68.2)

### **K11.8 Other diseases of salivary glands**

Benign lymphoepithelial lesion of salivary gland

Mikulicz disease

Necrotizing sialometaplasia

Sialectasia

Stenosis

Stricture

| of salivary duct

**Excludes:** sicca syndrome [Sjögren] (M35.0)

### **K11.9 Disease of salivary gland, unspecified**

Sialoadenopathy NOS

## **K12 Stomatitis and related lesions**

**Excludes:** cancrum oris (A69.0)  
cheilitis (K13.0)  
gangrenous stomatitis (A69.0)  
herpesviral [herpes simplex] gingivostomatitis (B00.2)  
noma (A69.0)

### **K12.0 Recurrent oral aphthae**

Aphthous stomatitis (major)(minor)

Bednar aphthae

Periadenitis mucosa necrotica recurrens

Recurrent aphthous ulcer  
Stomatitis herpetiformis

**K12.1 Other forms of stomatitis**

Stomatitis:

- NOS
- denture
- ulcerative
- vesicular

**K12.2 Cellulitis and abscess of mouth**

Cellulitis of mouth (floor)  
Submandibular abscess

**Excludes:** abscess (of):

- periapical (K04.6-K04.7)
- periodontal (K05.2)
- peritonsillar (J36)
- salivary gland (K11.3)
- tongue (K14.0)

**K12.3 Oral mucositis (ulcerative)**

Mucositis (oral) (oropharyngeal):

- NOS
- drug-induced
- radiation induced
- viral

Use additional external cause code (Chapter XX), if desired, to identify external agent.

**Excludes:** mucositis (ulcerative ) of:

- gastrointestinal tract (except oral cavity and oropharynx) (K92.8)

**K13 Other diseases of lip and oral mucosa**

**Includes:** epithelial disturbances of tongue

**Excludes:** certain disorders of gingiva and edentulous alveolar ridge (K05-K06)  
cysts of oral region (K09-)  
diseases of tongue (K14-)  
stomatitis and related lesions (K12-)

### K13.0 Diseases of lips

Cheilitis:

- NOS
- angular
- exfoliative
- glandular

Cheilodysnia

Cheilosis

Perleche NEC

**Excludes:** ariboflavinosis (E53.0)  
cheilitis due to radiation-related disorders (L55-L59)  
perleche due to:  
• candidiasis (B37.8)  
• riboflavin deficiency (E53.0)

### K13.1 Cheek and lip biting

### K13.2 Leukoplakia and other disturbances of oral epithelium, including tongue

|               |                                      |
|---------------|--------------------------------------|
| Erythroplakia | of oral epithelium, including tongue |
| Leukoedema    |                                      |

Leukokeratosis nicotina palati

Smoker palate

**Excludes:** hairy leukoplakia (K13.3)

### K13.3 Hairy leukoplakia

**K13.4 Granuloma and granuloma-like lesions of oral mucosa**

|                                                                      |                |
|----------------------------------------------------------------------|----------------|
| Eosinophilic granuloma<br>Granuloma pyogenicum<br>Verrucous xanthoma | of oral mucosa |
|----------------------------------------------------------------------|----------------|

**K13.5 Oral submucous fibrosis**

Submucous fibrosis of tongue

**K13.6 Irritative hyperplasia of oral mucosa**

**Excludes:** irritative hyperplasia of edentulous ridge [denture (K06.2)]

**K13.7 Other and unspecified lesions of oral mucosa**

Focal oral mucinosis

**K14 Diseases of tongue**

|                                                                                               |                   |
|-----------------------------------------------------------------------------------------------|-------------------|
| <i>Excludes:</i> erythroplakia<br>focalepithelial<br>hyperplasia<br>leukoedema<br>leukoplakia | of tongue (K13.2) |
|-----------------------------------------------------------------------------------------------|-------------------|

hairy leukoplakia (K13.3)

macroglossia (congenital) (Q38.2)

submucous fibrosis of tongue (K13.5)

**K14.0 Glossitis**

|                                   |           |
|-----------------------------------|-----------|
| Abscess<br>Ulceration (traumatic) | of tongue |
|-----------------------------------|-----------|

**Excludes:** atrophic glossitis (K14.4)

**K14.1 Geographic tongue**

Benign migratory glossitis

Glossitis areata exfoliativa

**K14.2 Median rhomboid glossitis**

**K14.3 Hypertrophy of tongue papillae**

Black hairy tongue

Coated tongue

Hypertrophy of foliate papillae

Lingua villosa nigra

**K14.4 Atrophy of tongue papillae**

Atrophic glossitis

**K14.5 Plicated tongue**

Fissured

Furrowed

Scrotal

tongue

**Excludes:** fissured tongue, congenital (Q38.3)

**K14.6 Glossodynia**

Glossopyrosis

Painful tongue

**K14.8 Other diseases of tongue**

Atrophy

Crenated

Enlargement

Hypertrophy

(of) tongue

**K14.9 Disease of tongue, unspecified**

Glossopathy NOS

## Diseases of oesophagus, stomach and duodenum (K20-K31)

**Excludes:** hiatus hernia (K44-)

### K20 Oesophagitis

Abscess of oesophagus

Oesophagitis:

- NOS
- chemical
- peptic

Use additional external cause code (Chapter XX), if desired, to identify cause.

**Excludes:** erosion of oesophagus (K22.1)  
reflux oesophagitis (K21.0)  
with gastro-oesophageal reflux disease (K21.0)

### K21 Gastro-oesophageal reflux disease

#### K21.0 Gastro-oesophageal reflux disease with oesophagitis

Reflux oesophagitis

#### K21.9 Gastro-oesophageal reflux disease without oesophagitis

Oesophageal reflux NOS

### K22 Other diseases of oesophagus

**Excludes:** oesophageal varices (I85-)

#### K22.0 Achalasia of cardia

Achalasia NOS

Cardiospasm



**Excludes:** congenital cardiospasm (Q39.5)

**K22.1 Ulcer of oesophagus**

Erosion of oesophagus

Ulcer of oesophagus:

- NOS
- due to ingestion of:
  - chemicals
  - drugs and medicaments
- fungal
- peptic

Ulcerative oesophagitis

Use additional external cause code (Chapter XX), if desired, to identify cause.

**K22.2 Oesophageal obstruction  
Oesophageal web (acquired)**

|              |               |
|--------------|---------------|
| Compression  | of oesophagus |
| Constriction |               |
| Stenosis     |               |
| Stricture    |               |

**Excludes:** congenital oesophageal:

- stenosis or stricture (Q39.3)
- web (Q39.4)

**K22.3 Perforation of oesophagus**

Rupture of oesophagus

**Excludes:** traumatic perforation of (thoracic) oesophagus (S27.8)

**K22.4 Dyskinesia of oesophagus**

Corkscrew oesophagus

Diffuse oesophageal spasm

Spasm of oesophagus

**Excludes:** cardiospasm (K22.0)

**K22.5 Diverticulum of oesophagus, acquired**

Oesophageal pouch, acquired

*Excludes:* diverticulum of oesophagus (congenital) (Q39.6)

**K22.6 Gastro-oesophageal laceration-haemorrhage syndrome**

Mallory-Weiss syndrome

**K22.7 Barrett esophagus**

Barrett:

- disease
- syndrome

*Excludes:* Barrett ulcer (K22.1)

**K22.8 Other specified diseases of oesophagus**

Haemorrhage of oesophagus NOS

**K22.9 Disease of oesophagus, unspecified**

**K23 Disorders of oesophagus in diseases classified elsewhere**

**K23.0\* Tuberculous oesophagitis (A18.8†)**

**K23.1\* Megaoesophagus in Chagas disease (B57.3†)**

**K23.8\* Disorders of oesophagus in other diseases classified elsewhere**

The following fourth-character subdivisions are for use with categories K25-K28:

- .0 Acute with haemorrhage**
- .1 Acute with perforation**

- .2 Acute with both haemorrhage and perforation**
- .3 Acute without haemorrhage or perforation**
- .4 Chronic or unspecified with haemorrhage**
- .5 Chronic or unspecified with perforation**
- .6 Chronic or unspecified with both haemorrhage and perforation**
- .7 Chronic without haemorrhage or perforation**
- .9 Unspecified as acute or chronic, without haemorrhage or perforation**

## **K25 Gastric ulcer**

[See subdivisions preceeding category K25]

***Includes:*** erosion (acute) of stomach  
ulcer (peptic):

- pylorus
- stomach

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

***Excludes:*** acute haemorrhagic erosive gastritis (K29.0)  
peptic ulcer NOS (K27-)

## **K26 Duodenal ulcer**

[See subdivisions preceeding category K25]

***Includes:*** erosion (acute) of duodenum  
ulcer (peptic):

- duodenal
- postpyloric

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

***Excludes:*** peptic ulcer NOS (K27-)

## **K27 Peptic ulcer, site unspecified**

[See subdivisions preceeding category K25]

***Includes:*** gastroduodenal ulcer NOS  
peptic ulcer NOS

***Excludes:*** peptic ulcer of newborn (P78.8)

**K28 Gastrojejunal ulcer**

[See subdivisions preceeding category K25]

***Includes:*** ulcer (peptic) or erosion:  
• anastomotic  
• gastrocolic  
• gastrointestinal  
• gastrojejunal  
• jejunal  
• marginal  
• stomal

***Excludes:*** primary ulcer of small intestine (K63.3)

**K29 Gastritis and duodenitis**

***Excludes:*** eosinophilic gastritis or gastroenteritis (K52.8)  
Zollinger-Ellison syndrome (E16.4)

**K29.0 Acute haemorrhagic gastritis**

Acute (erosive) gastritis with haemorrhage

***Excludes:*** erosion (acute) of stomach (K25-)

**K29.1 Other acute gastritis**

**K29.2 Alcoholic gastritis**

**K29.3 Chronic superficial gastritis**

**K29.4 Chronic atrophic gastritis**

Gastric atrophy

**K29.5 Chronic gastritis, unspecified**

Chronic gastritis:

- antral
- fundal

**K29.6 Other gastritis**

Giant hypertrophic gastritis

Granulomatous gastritis

Ménétrier disease

**K29.7 Gastritis, unspecified**

**K29.8 Duodenitis**

**K29.9 Gastroduodenitis, unspecified**

**K30 Dyspepsia**

Indigestion

**Excludes:** dyspepsia:

- nervous (F45.3)
- neurotic (F45.3)
- psychogenic (F45.3)

heartburn (R12)

**K31 Other diseases of stomach and duodenum**

**Includes:** 5<sup>TH</sup> DIGIT TO IDENTIFY STOMACH DISEASE AND/OR LESION NOS

**Includes:** functional disorders of stomach

**Excludes:** diverticulum of duodenum (K57.0-K57.1)

gastrointestinal haemorrhage (K92.0-K92.2)

**K31.0 Acute dilatation of stomach**

Acute distension of stomach

**K31.1 Adult hypertrophic pyloric stenosis**

Pyloric stenosis NOS

*Excludes:* congenital or infantile pyloric stenosis (Q40.0)

**K31.2 Hourglass stricture and stenosis of stomach**

*Excludes:* congenital hourglass stomach (Q40.2)  
hourglass contraction of stomach (K31.8)

**K31.3 Pylorospasm, not elsewhere classified**

*Excludes:* pylorospasm:  
• congenital or infantile (Q40.0)  
• neurotic (F45.3)  
• psychogenic (F45.3)

**K31.4 Gastric diverticulum**

*Excludes:* congenital diverticulum of stomach (Q40.2)

**K31.5 Obstruction of duodenum**

|              |  |             |
|--------------|--|-------------|
| Constriction |  | of duodenum |
| Stenosis     |  |             |
| Stricture    |  |             |

Duodenal ileus (chronic)

*Excludes:* congenital stenosis of duodenum (Q41.0)

**K31.6 Fistula of stomach and duodenum**

Gastrocolic fistula  
Gastrojejunalocolic fistula

**K31.7 Polyp of stomach and duodenum**

*Excludes:* adenomatous polyp of stomach (D13.1)

**K31.8 Other specified diseases of stomach and duodenum**

Achlorhydria

Gastroptosis

Hourglass contraction of stomach

**K31.9 Disease of stomach and duodenum, unspecified**

**K31.90** Disease, stomach NOS

Lesion, stomach NOS

Diseases of appendix (K35-K38)

**K35 Acute appendicitis**

**K35.2 Acute appendicitis with generalized peritonitis**

Appendicitis (acute) with generalized (diffuse) peritonitis following  
rupture or  
perforation

**K35.3 Acute appendicitis with localized peritonitis**

Acute appendicitis with localized peritonitis with or without rupture or  
perforation

Acute appendicitis with peritoneal abscess

**K35.8 Acute appendicitis, other and unspecified**

Acute appendicitis without mention of localized or generalized  
peritonitis

**K36 Other appendicitis**

Appendicitis:

- chronic
- recurrent

**K37 Unspecified appendicitis**

**K38 Other diseases of appendix**

**K38.0 Hyperplasia of appendix**

**K38.1 Appendicular concretions**

|            |             |
|------------|-------------|
| Faecalith  | of appendix |
| Stercolith |             |

**K38.2 Diverticulum of appendix**

**K38.3 Fistula of appendix**

**K38.8 Other specified diseases of appendix**

Intussusception of appendix

**K38.9 Disease of appendix, unspecified**

**Hernia (K40-K46)**

**Note:** Hernia with both gangrene and obstruction is classified to hernia with gangrene.

**Includes:** hernia:



- acquired
- congenital [except diaphragmatic or hiatus]
- recurrent

**K40 Inguinal hernia**

***Includes:*** bubonocele  
inguinal hernia:

- NOS
- direct
- double
- indirect
- oblique

scrotal hernia

**K40.0 Bilateral inguinal hernia, with obstruction, without gangrene**

**K40.1 Bilateral inguinal hernia, with gangrene**

**K40.2 Bilateral inguinal hernia, without obstruction or gangrene**

Bilateral inguinal hernia NOS

**K40.3 Unilateral or unspecified inguinal hernia, with obstruction, without gangrene**

Inguinal hernia (unilateral):

- |                                                                                                                                           |                  |
|-------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <ul style="list-style-type: none"><li>• causing obstruction</li><li>• incarcerated</li><li>• irreducible</li><li>• strangulated</li></ul> | without gangrene |
|-------------------------------------------------------------------------------------------------------------------------------------------|------------------|

**K40.4 Unilateral or unspecified inguinal hernia, with gangrene**

Inguinal hernia NOS with gangrene

**K40.9 Unilateral or unspecified inguinal hernia, without obstruction or gangrene**

Inguinal hernia (unilateral) NOS

**K41 Femoral hernia**

**K41.0 Bilateral femoral hernia, with obstruction, without gangrene**

**K41.1 Bilateral femoral hernia, with gangrene**

**K41.2 Bilateral femoral hernia, without obstruction or gangrene**

Bilateral femoral hernia NOS

**K41.3 Unilateral or unspecified femoral hernia, with obstruction, without gangrene**

Femoral hernia (unilateral):

- |                                                                                                                                           |                  |
|-------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <ul style="list-style-type: none"><li>• causing obstruction</li><li>• incarcerated</li><li>• irreducible</li><li>• strangulated</li></ul> | without gangrene |
|-------------------------------------------------------------------------------------------------------------------------------------------|------------------|

**K41.4 Unilateral or unspecified femoral hernia, with gangrene**

**K41.9 Unilateral or unspecified femoral hernia, without obstruction or gangrene**

Femoral hernia (unilateral) NOS

**K42 Umbilical hernia**

***Includes:*** paraumbilical hernia

**Excludes:** omphalocele (Q79.2)

**K42.0 Umbilical hernia with obstruction, without gangrene**

Umbilical hernia:

- causing obstruction
- incarcerated
- irreducible
- strangulated

without gangrene

**K42.1 Umbilical hernia with gangrene**

Gangrenous umbilical hernia

**K42.9 Umbilical hernia without obstruction or gangrene**

Umbilical hernia NOS

**K43 Ventral hernia**

**K43.0 Ventral hernia with obstruction, without gangrene**

Ventral hernia:

- causing obstruction
- incarcerated
- irreducible
- strangulated

without gangrene

**K43.1 Ventral hernia with gangrene**

Gangrenous ventral hernia

**K43.9 Ventral hernia without obstruction or gangrene**

Ventral hernia NOS

**K44 Diaphragmatic hernia**

**Includes:** hiatus hernia (oesophageal)(sliding)  
paraoesophageal hernia

**Excludes:** congenital hernia:  
• diaphragmatic (Q79.0)  
• hiatus (Q40.1)

**K44.0 Diaphragmatic hernia with obstruction, without gangrene**

Diaphragmatic hernia:

- |                                                                                                                                           |                  |
|-------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <ul style="list-style-type: none"><li>• causing obstruction</li><li>• incarcerated</li><li>• irreducible</li><li>• strangulated</li></ul> | without gangrene |
|-------------------------------------------------------------------------------------------------------------------------------------------|------------------|

**K44.1 Diaphragmatic hernia with gangrene**

Gangrenous diaphragmatic hernia

**K44.9 Diaphragmatic hernia without obstruction or gangrene**

Diaphragmatic hernia NOS

**K45 Other abdominal hernia**

**Includes:** hernia:  
• abdominal, specified site NEC  
• lumbar  
• obturator  
• pudendal  
• retroperitoneal  
• sciatic

**K45.0 Other specified abdominal hernia with obstruction, without gangrene**

Any condition listed under K45:

- |                                                                                                                                           |  |                  |
|-------------------------------------------------------------------------------------------------------------------------------------------|--|------------------|
| <ul style="list-style-type: none"><li>• causing obstruction</li><li>• incarcerated</li><li>• irreducible</li><li>• strangulated</li></ul> |  | without gangrene |
|-------------------------------------------------------------------------------------------------------------------------------------------|--|------------------|

**K45.1 Other specified abdominal hernia with gangrene**

Any condition listed under K45 specified as gangrenous

**K45.8 Other specified abdominal hernia without obstruction or gangrene**

**K46 Unspecified abdominal hernia**

**Includes:** enterocoele  
epiplocele  
hernia:  
• NOS  
• interstitial  
• intestinal  
• intra-abdominal

**Excludes:** vaginal enterocoele (N81.5)

**K46.0 Unspecified abdominal hernia with obstruction, without gangrene**

Any condition listed under K46:

- |                                                                                                                                           |  |                  |
|-------------------------------------------------------------------------------------------------------------------------------------------|--|------------------|
| <ul style="list-style-type: none"><li>• causing obstruction</li><li>• incarcerated</li><li>• irreducible</li><li>• strangulated</li></ul> |  | without gangrene |
|-------------------------------------------------------------------------------------------------------------------------------------------|--|------------------|

**K46.1 Unspecified abdominal hernia with gangrene**

Any condition listed under K46 specified as gangrenous

**K46.9 Unspecified abdominal hernia without obstruction or gangrene**

Abdominal hernia NOS

**Noninfective enteritis and colitis (K50-K52)**

**Includes:** noninfective inflammatory bowel disease

**Excludes:** irritable bowel syndrome (K58-)  
megacolon (K59.3)

**K50 Crohn disease [regional enteritis]**

**Includes:** granulomatous enteritis

**Excludes:** ulcerative colitis (K51-)

**K50.0 Crohn disease of small intestine**

Crohn disease [regional enteritis] of:

- duodenum
- ileum
- jejunum

Ileitis:

- regional
- terminal

**Excludes:** with Crohn disease of large intestine (K50.8)

**K50.1 Crohn disease of large intestine**

Colitis:

- granulomatous
- regional

Crohn disease [regional enteritis] of:

- colon
- large bowel

- rectum

**Excludes:** with Crohn disease of small intestine (K50.8)

**K50.8 Other Crohn disease**

Crohn disease of both small and large intestine

**K50.9 Crohn disease, unspecified**

Crohn disease NOS

Regional enteritis NOS

**K51 Ulcerative colitis**

**K51.0 Ulcerative (chronic) pancolitis**

**Includes:** backwash ileitis

**K51.2 Ulcerative (chronic) proctitis**

**K51.3 Ulcerative (chronic) rectosigmoiditis**

**K51.4 Inflammatory polyps**

**K51.5 Left sided colitis**

**Includes:** left hemicolitis

**K51.8 Other ulcerative colitis**

**K51.9 Ulcerative colitis, unspecified**

**K52 Other noninfective gastroenteritis and colitis**

**K52.0 Gastroenteritis and colitis due to radiation**

**K52.1 Toxic gastroenteritis and colitis**

Use additional external cause code (Chapter XX), if desired, to identify toxic agent.

**K52.2 Allergic and dietetic gastroenteritis and colitis**

Food hypersensitivity gastroenteritis or colitis

**K52.3 Indeterminate colitis**

**K52.8 Other specified noninfective gastroenteritis and colitis**

Collagenous colitis

Eosinophilic gastritis or gastroenteritis

Lymphocytic colitis

Microscopic colitis (collagenous colitis or lymphocytic colitis)

**K52.9 Noninfective gastroenteritis and colitis, unspecified**

Diarrhoea

Enteritis

Ileitis

Jejunitis

Sigmoiditis

specified as noninfectious

**Excludes:** colitis, diarrhoea, enteritis, gastroenteritis:

- infectious (A09.0)
  - unspecified origin (A09.9)
- functional diarrhoea (K59.1)  
neonatal diarrhoea (noninfective) (P78.3)  
psychogenic diarrhoea (F45.3)



## Other diseases of intestines (K55-K63)

### K55 Vascular disorders of intestine

**Includes:** 5<sup>TH</sup> DIGIT TO IDENTIFY TERMS QUALIFIED AS EMBOLIC

**Excludes:** necrotizing enterocolitis of fetus or newborn (P77)

#### K55.0 Acute vascular disorders of intestine

Acute:

- fulminant ischaemic colitis
- intestinal infarction
- small intestine ischaemia

Mesenteric (artery) (vein):

- embolism
- infarction
- thrombosis

Subacute ischaemic colitis

#### K55.00 Acute embolic vascular disorders of intestine

**Includes:** Any term indexed to K55.0 when qualified as embolic

#### K55.1 Chronic vascular disorders of intestine

Chronic ischaemic:

- colitis
- enteritis
- enterocolitis

Ischaemic stricture of intestine

Mesenteric:

- atherosclerosis
- vascular insufficiency

#### K55.2 Angiodysplasia of colon

## **K55.8 Other vascular disorders of intestine**

### **K55.9 Vascular disorder of intestine, unspecified**

Ischaemic:

- |                                                                                                       |     |
|-------------------------------------------------------------------------------------------------------|-----|
| <ul style="list-style-type: none"><li>• colitis</li><li>• enteritis</li><li>• enterocolitis</li></ul> | NOS |
|-------------------------------------------------------------------------------------------------------|-----|

## **K56 Paralytic ileus and intestinal obstruction without hernia**

**Excludes:** congenital stricture or stenosis of intestine (Q41-Q42)  
ischaemic stricture of intestine (K55.1)  
meconium ileus (E84.1)  
obstruction of duodenum (K31.5)  
postoperative intestinal obstruction (K91.3)  
stenosis of anus or rectum (K62.4)  
with hernia (K40-K46)

### **K56.0 Paralytic ileus**

Paralysis of:

- bowel
- colon
- intestine

**Excludes:** gallstone ileus (K56.3)  
ileus NOS (K56.7)  
obstructive ileus NOS (K56.6)

### **K56.1 Intussusception**

Intussusception or invagination of:

- bowel
- colon
- intestine
- rectum

**Excludes:** intussusception of appendix (K38.8)

**K56.2 Volvulus**

|                                   |                       |
|-----------------------------------|-----------------------|
| Strangulation<br>Torsion<br>Twist | of colon or intestine |
|-----------------------------------|-----------------------|

**K56.3 Gallstone ileus**

Obstruction of intestine by gallstone

**K56.4 Other impaction of intestine**

Enterolith  
Impaction (of):

- colon
- faecal

**K56.5 Intestinal adhesions [bands] with obstruction**

Peritoneal adhesions [bands] with intestinal obstruction

**K56.6 Other and unspecified intestinal obstruction**

|                                                                               |                       |
|-------------------------------------------------------------------------------|-----------------------|
| Enterostenosis<br>Obstructive ileus NOS<br>Occlusion<br>Stenosis<br>Stricture | of colon or intestine |
|-------------------------------------------------------------------------------|-----------------------|

**Excludes:** other and unspecified neonatal intestinal obstructions  
classifiable to P76.8, P76.9

**K56.7 Ileus, unspecified**

**K57 Diverticular disease of intestine**

|                                                                   |                             |
|-------------------------------------------------------------------|-----------------------------|
| <b>Includes:</b> diverticulitis<br>diverticulosis<br>diverticulum | of (small)(large) intestine |
|-------------------------------------------------------------------|-----------------------------|

**Excludes:** congenital diverticulum of intestine (Q43.8)  
diverticulum of appendix (K38.2)  
Meckel diverticulum (Q43.0)

**K57.0 Diverticular disease of small intestine with perforation and abscess**

Diverticular disease of small intestine with peritonitis

**Excludes:** diverticular disease of both small and large intestine with perforation and abscess (K57.4)

**K57.1 Diverticular disease of small intestine without perforation or abscess**

Diverticular disease of small intestine NOS

**Excludes:** diverticular disease of both small and large intestine without perforation or abscess (K57.5)

**K57.2 Diverticular disease of large intestine with perforation and abscess**

Diverticular disease of colon with peritonitis

**Excludes:** diverticular disease of both small and large intestine with perforation and abscess (K57.4)

**K57.3 Diverticular disease of large intestine without perforation or abscess**

Diverticular disease of colon NOS

**Excludes:** diverticular disease of both small and large intestine without perforation or abscess (K57.5)

**K57.4 Diverticular disease of both small and large intestine with perforation and abscess**

Diverticular disease of both small and large intestine with peritonitis

**K57.5 Diverticular disease of both small and large intestine without perforation or abscess**

Diverticular disease of both small and large intestine NOS

**K57.8 Diverticular disease of intestine, part unspecified, with perforation and abscess**

Diverticular disease of intestine NOS with peritonitis

**K57.9 Diverticular disease of intestine, part unspecified, without perforation or abscess**

Diverticular disease of intestine NOS

**K58 Irritable bowel syndrome**

*Includes:* irritable colon

**K58.0 Irritable bowel syndrome with diarrhoea**

**K58.9 Irritable bowel syndrome without diarrhoea**

Irritable bowel syndrome NOS

**K59 Other functional intestinal disorders**

*Excludes:* changes in bowel habits  
functional disorders of stomach (K31-)  
intestinal malabsorption (K90-)  
psychogenic intestinal disorders (F45.3)

**K59.0 Constipation**

**K59.1 Functional diarrhoea**

**K59.2 Neurogenic bowel, not elsewhere classified**

**K59.3 Megacolon, not elsewhere classified**

Dilatation of colon

Toxic megacolon

Use additional external cause code (Chapter XX), if desired, to identify toxic agent.

**Excludes:** megacolon (in):

- Chagas disease (B57.3)
- congenital (aganglionic) (Q43.1)
- Hirschsprung disease (Q43.1)

**K59.4 Anal spasm**

Proctalgia fugax

**K59.8 Other specified functional intestinal disorders**

Atony of colon

**K59.9 Functional intestinal disorder, unspecified**

**K60 Fissure and fistula of anal and rectal regions**

**Excludes:** with abscess or cellulitis (K61-)

**K60.0 Acute anal fissure**

**K60.1 Chronic anal fissure**

**K60.2 Anal fissure, unspecified**

**K60.3 Anal fistula**

**K60.4 Rectal fistula**

Fistula of rectum to skin

- Excludes:** fistula:
- rectovaginal (N82.3)
  - vesicorectal (N32.1)

## **K60.5 Anorectal fistula**

### **K61 Abscess of anal and rectal regions**

**Includes:**

|                       |  |                                                    |
|-----------------------|--|----------------------------------------------------|
| abscess<br>cellulitis |  | of anal and rectal regions with or without fistula |
|-----------------------|--|----------------------------------------------------|

#### **K61.0 Anal abscess**

Perianal abscess

**Excludes:** intrasphincteric abscess (K61.4)

#### **K61.1 Rectal abscess**

Perirectal abscess

**Excludes:** ischiorectal abscess (K61.3)

#### **K61.2 Anorectal abscess**

#### **K61.3 Ischiorectal abscess**

Abscess of ischiorectal fossa

#### **K61.4 Intrasphincteric abscess**

### **K62 Other diseases of anus and rectum**

**Includes:** anal canal

**Excludes:** colostomy and enterostomy malfunction (K91.4)  
faecal incontinence (R15)

haemorrhoids (I84-)  
ulcerative proctitis (K51.2)

**K62.0 Anal polyp**

**K62.1 Rectal polyp**

*Excludes:* adenomatous polyp (D12.8)

**K62.2 Anal prolapse**

Prolapse of anal canal

**K62.3 Rectal prolapse**

Prolapse of rectal mucosa

**K62.4 Stenosis of anus and rectum**

Stricture of anus (sphincter)

**K62.5 Haemorrhage of anus and rectum**

*Excludes:* neonatal rectal haemorrhage (P54.2)

**K62.6 Ulcer of anus and rectum**

Ulcer:

- solitary
- stercoral

*Excludes:* fissure and fistula of anus and rectum (K60-)  
in ulcerative colitis (K51-)

**K62.7 Radiation proctitis**

**K62.8 Other specified diseases of anus and rectum**

Proctitis NOS



**K62.9 Disease of anus and rectum, unspecified**

**K63 Other diseases of intestine**

**Includes:** 5<sup>th</sup> DIGIT TO IDENTIFY PERFORATION, RUPTURE, AND/OR PENETRATION OF INTESTINE, UNSPECIFIED PART

**K63.0 Abscess of intestine**

**Excludes:** abscess of:

- anal and rectal regions (K61-)
- appendix ( K35.3)
- with diverticular disease (K57-)

**K63.1 Perforation of intestine (nontraumatic)**

**Excludes:** perforation (nontraumatic) of:

- appendix ( K35.2, K35.3)
- duodenum (K26-)
- with diverticular disease (K57-)

**K63.10** Intestinal perforation, rupture and/or penetration, unspecified part

**K63.2 Fistula of intestine**

**Excludes:** fistula (of):

- anal and rectal regions (K60-)
- appendix (K38.3)
- duodenum (K31.6)
- intestinal-genital, female (N82.2-N82.4)
- vesicointestinal (N32.1)

**K63.3 Ulcer of intestine**

Primary ulcer of small intestine

**Excludes:** ulcer (of):

- anus or rectum (K62.6)
- duodenal (K26-)
- gastrointestinal (K28-)
- gastrojejunal (K28-)
- jejunal (K28-)

- peptic, site unspecified (K27-)
- ulcerative colitis (K51-)

#### **K63.4 Enteroptosis**

#### **K63.5 Polyp of colon**

- Excludes:** adenomatous polyp of colon (D12.6)  
polyposis of colon (D12.6)

#### **K63.8 Other specified diseases of intestine**

#### **K63.9 Disease of intestine, unspecified**

### **Diseases of peritoneum (K65-K67)**

#### **K65 Peritonitis**

- Excludes:** peritonitis:
- aseptic (T81.6)
  - benign paroxysmal (E85.0)
  - chemical (T81.6)
  - due to talc or other foreign substance (T81.6)
  - neonatal (P78.0-P78.1)
  - pelvic, female (N73.3-N73.5)
  - periodic familial (E85.0)
  - puerperal (O85)
  - with or following:
    - abortion or ectopic or molar pregnancy (O00-O07, O08.0)
    - appendicitis (K35-)
    - diverticular disease of intestine (K57-)

#### **K65.0 Acute peritonitis**

Abscess (of):

- abdominopelvic

- mesenteric
- omentum
- peritoneum
- retrocaecal
- retroperitoneal
- subdiaphragmatic
- subhepatic
- subphrenic

Peritonitis (acute):

- generalized
- pelvic, male
- subphrenic
- suppurative

Use additional code (B95-B97), if desired, to identify infectious agent.

### **K65.8 Other peritonitis**

Chronic proliferative peritonitis

Mesenteric:

- fat necrosis
- saponification

Peritonitis due to:

- bile
- urine

### **K65.9 Peritonitis, unspecified**

## **K66 Other disorders of peritoneum**

**Excludes:** ascites (R18)

### **K66.0 Peritoneal adhesions**

Adhesions (of):

- abdominal (wall)
- diaphragm
- intestine
- male pelvis

- mesenteric
- omentum
- stomach

Adhesive bands

**Excludes:** adhesions [bands] (of):

- female pelvis (N73.6)
- with intestinal obstruction (K56.5)

**K66.1 Haemoperitoneum**

**Excludes:** traumatic haemoperitoneum (S36.8)

**K66.8 Other specified disorders of peritoneum**

**K66.9 Disorder of peritoneum, unspecified**

**K67 Disorders of peritoneum in infectious diseases classified elsewhere**

**K67.0\* Chlamydial peritonitis (A74.8†)**

**K67.1\* Gonococcal peritonitis (A54.8†)**

**K67.2\* Syphilitic peritonitis (A52.7†)**

**K67.3\* Tuberculous peritonitis (A18.3†)**

**K67.8\* Other disorders of peritoneum in infectious diseases classified elsewhere**

## Diseases of liver (K70-K77)

**Excludes:** haemochromatosis (E83.1)  
jaundice NOS (R17)  
Reye syndrome (G93.7)  
viral hepatitis (B15-B19)  
Wilson disease (E83.0)

### K70 Alcoholic liver disease

#### K70.0 Alcoholic fatty liver

#### K70.1 Alcoholic hepatitis

#### K70.2 Alcoholic fibrosis and sclerosis of liver

#### K70.3 Alcoholic cirrhosis of liver

Alcoholic cirrhosis NOS  
Laennec cirrhosis

#### K70.4 Alcoholic hepatic failure

Alcoholic hepatic failure:

- NOS
- acute
- chronic
- subacute
- with or without hepatic coma

#### K70.9 Alcoholic liver disease, unspecified

### K71 Toxic liver disease

**Includes:** drug-induced:  
• idiosyncratic (unpredictable) liver disease

- toxic (predictable) liver disease  
Use additional external cause code (Chapter XX), if desired, to identify toxic agent.

**Excludes:** alcoholic liver disease (K70-)  
Budd-Chiari syndrome (I82.0)

**K71.0 Toxic liver disease with cholestasis**

Cholestasis with hepatocyte injury  
"Pure" cholestasis

**K71.1 Toxic liver disease with hepatic necrosis**

Hepatic failure (acute)(chronic) due to drugs

**K71.2 Toxic liver disease with acute hepatitis**

**K71.3 Toxic liver disease with chronic persistent hepatitis**

**K71.4 Toxic liver disease with chronic lobular hepatitis**

**K71.5 Toxic liver disease with chronic active hepatitis**

Toxic liver disease with lupoid hepatitis

**K71.6 Toxic liver disease with hepatitis, not elsewhere classified**

**K71.7 Toxic liver disease with fibrosis and cirrhosis of liver**

**K71.8 Toxic liver disease with other disorders of liver**

Toxic liver disease with:

- focal nodular hyperplasia
- hepatic granulomas
- peliosis hepatis

- veno-occlusive disease of liver

### **K71.9 Toxic liver disease, unspecified**

## **K72 Hepatic failure, not elsewhere classified**

**Includes:** 5<sup>TH</sup> DIGIT TO IDENTIFY HEPATIC FAILURE

**Includes:** hepatic:  
• coma NOS  
• encephalopathy NOS  
hepatitis:  
• fulminant  
• malignant

|  |  |                           |
|--|--|---------------------------|
|  |  | NEC, with hepatic failure |
|--|--|---------------------------|

liver (cell) necrosis with hepatic failure  
yellow liver atrophy or dystrophy

**Excludes:** alcoholic hepatic failure (K70.4)  
hepatic failure complicating:  
• abortion or ectopic or molar pregnancy (O00-O07, O08.8)  
• pregnancy, childbirth and the puerperium (O26.6)  
icterus of fetus and newborn (P55-P59)  
viral hepatitis (B15-B19)  
with toxic liver disease (K71.1)

### **K72.0 Acute and subacute hepatic failure**

**K72.00** Acute hepatic failure

### **K72.1 Chronic hepatic failure**

**K72.10** Chronic hepatic failure

### **K72.9 Hepatic failure, unspecified**

**K72.90** Hepatic failure

**K73 Chronic hepatitis, not elsewhere classified**

- Excludes:** hepatitis (chronic):
- alcoholic (K70.1)
  - drug-induced (K71-)
  - granulomatous NEC (K75.3)
  - reactive, nonspecific (K75.2)
  - viral (B15-B19)

**K73.0 Chronic persistent hepatitis, not elsewhere classified**

**K73.1 Chronic lobular hepatitis, not elsewhere classified**

**K73.2 Chronic active hepatitis, not elsewhere classified**

**K73.8 Other chronic hepatitis, not elsewhere classified**

**K73.9 Chronic hepatitis, unspecified**

**K74 Fibrosis and cirrhosis of liver**

- Excludes:** alcoholic fibrosis of liver (K70.2)  
cardiac sclerosis of liver (K76.1)  
cirrhosis (of liver):
- alcoholic (K70.3)
  - congenital (P78.8)
- Laennec cirrhosis (K70.3)  
with toxic liver disease (K71.7)

**K74.0 Hepatic fibrosis**

**K74.1 Hepatic sclerosis**

**K74.2 Hepatic fibrosis with hepatic sclerosis**



**K74.3 Primary biliary cirrhosis**

Chronic nonsuppurative destructive cholangitis

**K74.4 Secondary biliary cirrhosis**

**K74.5 Biliary cirrhosis, unspecified**

**K74.6 Other and unspecified cirrhosis of liver**

Cirrhosis (of liver):

- NOS
- cryptogenic
- macronodular
- micronodular
- mixed type
- portal
- postnecrotic

**K75 Other inflammatory liver diseases**

**Excludes:** chronic hepatitis NEC (K73-)  
hepatitis:

- acute or subacute (K72.0)
- viral (B15-B19)

toxic liver disease (K71-)

**K75.0 Abscess of liver**

Hepatic abscess:

- NOS
- cholangitic
- haematogenic
- lymphogenic
- pylephlebitic

**Excludes:** amoebic liver abscess (A06.4)  
cholangitis without liver abscess (K83.0)  
pylephlebitis without liver abscess (K75.1)

**K75.1 Phlebitis of portal vein**

Pylephlebitis

**Excludes:** pylephlebitic liver abscess (K75.0)

**K75.2 Nonspecific reactive hepatitis**

**K75.3 Granulomatous hepatitis, not elsewhere classified**

**K75.4 Autoimmune hepatitis**

Lupoid hepatitis NEC

**K75.8 Other specified inflammatory liver diseases**

**K75.9 Inflammatory liver disease, unspecified**

Hepatitis NOS

**K76 Other diseases of liver**

**Excludes:** alcoholic liver disease (K70-)  
amyloid degeneration of liver (E85-)  
cystic disease of liver (congenital) (Q44.6)  
hepatic vein thrombosis (I82.0)  
hepatomegaly NOS (R16.0)  
portal vein thrombosis (I81)  
toxic liver disease (K71-)  
K76.0 Fatty (change of) liver, not elsewhere classified

**K76.1 Chronic passive congestion of liver**

Cardiac:

- |                                                                                             |          |
|---------------------------------------------------------------------------------------------|----------|
| <ul style="list-style-type: none"><li>• cirrhosis (so called)</li><li>• sclerosis</li></ul> | of liver |
|---------------------------------------------------------------------------------------------|----------|

**K76.2 Central haemorrhagic necrosis of liver**

**Excludes:** liver necrosis with hepatic failure (K72-)

**K76.3 Infarction of liver**

**K76.4 Peliosis hepatis**

Hepatic angiomatosis

**K76.5 Hepatic veno-occlusive disease**

*Excludes:* Budd-Chiari syndrome (I82.0)

**K76.6 Portal hypertension**

**K76.7 Hepatorenal syndrome**

*Excludes:* following labour and delivery (O90.4)

**K76.8 Other specified diseases of liver**

Focal nodular hyperplasia of liver

Hepatoptosis

Simple cyst of liver

**K76.9 Liver disease, unspecified**

**K77 Liver disorders in diseases classified elsewhere**

**K77.0\* Liver disorders in infectious and parasitic diseases classified elsewhere**

Hepatitis:

- cytomegaloviral (B25.1†)
- herpesviral [herpes simplex] (B00.8†)
- toxoplasma (B58.1†)

Hepatosplenic schistosomiasis (B65†)

Portal hypertension in schistosomiasis (B65†)

Syphilitic liver disease (A52.7†)

**K77.8\* Liver disorders in other diseases classified elsewhere**

Hepatic granulomas in:

- berylliosis (J63.2†)
- sarcoidosis (D86.8†)

**Disorders of gallbladder, biliary tract and pancreas  
(K80-K87)**

**K80 Cholelithiasis**

**K80.0 Calculus of gallbladder with acute cholecystitis**

Any condition listed in K80.2 with acute cholecystitis

**K80.1 Calculus of gallbladder with other cholecystitis**

Any condition listed in K80.2 with cholecystitis (chronic)

Cholecystitis with cholelithiasis NOS

**K80.2 Calculus of gallbladder without cholecystitis**

Cholelithiasis

Colic (recurrent) of  
gallbladder

Gallstone (impacted) of:

- cystic duct
- gallbladder

unspecified or without  
cholecystitis

**K80.3 Calculus of bile duct with cholangitis**

Any condition listed in K80.5 with cholangitis

**K80.4 Calculus of bile duct with cholecystitis**

Any condition listed in K80.5 with cholecystitis (with cholangitis)

**K80.5 Calculus of bile duct without cholangitis or cholecystitis**

Choledocholithiasis

Gallstone (impacted) of:

- bile duct NOS
- common duct
- hepatic duct

Hepatic:

- cholelithiasis
- colic (recurrent)

unspecified or without  
cholangitis or cholecystitis

**K80.8 Other cholelithiasis**

**K81 Cholecystitis**

**Excludes:** with cholelithiasis (K80-)

**K81.0 Acute cholecystitis**

Abscess of gallbladder

Angiocholecystitis

Cholecystitis:

- emphysematous (acute)
- gangrenous
- suppurative

Empyema of gallbladder

Gangrene of gallbladder

without calculus

**K81.1 Chronic cholecystitis**

**K81.8 Other cholecystitis**

**K81.9 Cholecystitis, unspecified**

**K82 Other diseases of gallbladder**

**Excludes:** nonvisualization of gallbladder (R93.2)

postcholecystectomy syndrome (K91.5)

**K82.0 Obstruction of gallbladder**

|           |  |                                                |
|-----------|--|------------------------------------------------|
| Occlusion |  | of cystic duct or gallbladder without calculus |
| Stenosis  |  |                                                |
| Stricture |  |                                                |

*Excludes:* with cholelithiasis (K80-)

**K82.1 Hydrops of gallbladder**

Mucocele of gallbladder

**K82.2 Perforation of gallbladder**

Rupture of cystic duct or gallbladder

**K82.3 Fistula of gallbladder**

|                    |  |         |
|--------------------|--|---------|
| Cholecystocolic    |  | fistula |
| Cholecystoduodenal |  |         |

**K82.4 Cholesterolosis of gallbladder**

Strawberry gallbladder

**K82.8 Other specified diseases of gallbladder**

|                |  |                               |
|----------------|--|-------------------------------|
| Adhesions      |  | of cystic duct or gallbladder |
| Atrophy        |  |                               |
| Cyst           |  |                               |
| Dyskinesia     |  |                               |
| Hypertrophy    |  |                               |
| Nonfunctioning |  |                               |
| Ulcer          |  |                               |

**K82.9 Disease of gallbladder, unspecified**

**K83 Other diseases of biliary tract**

**Excludes:** the listed conditions involving the:

- cystic duct (K81-K82)
- gallbladder (K81-K82)

postcholecystectomy syndrome (K91.5)

**K83.0 Cholangitis**

Cholangitis:

- NOS
- ascending
- primary
- recurrent
- sclerosing
- secondary
- stenosing
- suppurative

**Excludes:** cholangitic liver abscess (K75.0)  
cholangitis with choledocholithiasis (K80.3-K80.4)  
chronic nonsuppurative destructive cholangitis (K74.3)

**K83.1 Obstruction of bile duct**

Occlusion

Stenosis

Stricture

of bile duct without calculus

**Excludes:** with cholelithiasis (K80-)

**K83.2 Perforation of bile duct**

Rupture of bile duct

**K83.3 Fistula of bile duct**

Choledochoduodenal fistula

**K83.4 Spasm of sphincter of Oddi**

**K83.5 Biliary cyst**

**K83.8 Other specified diseases of biliary tract**

|             |              |
|-------------|--------------|
| Adhesions   | of bile duct |
| Atrophy     |              |
| Hypertrophy |              |
| Ulcer       |              |

**K83.9 Disease of biliary tract, unspecified**

**K85 Acute pancreatitis**

Abscess of pancreas

Necrosis of pancreas:

- acute
- infective

Pancreatitis:

- NOS
- acute (recurrent)
- haemorrhagic
- subacute
- suppurative

**K85.0 Idiopathic acute pancreatitis**

**K85.1 Biliary acute pancreatitis**

Gallstone pancreatitis

**K85.2 Alcohol-induced acute pancreatitis**

**K85.3 Drug-induced acute pancreatitis**

Use additional external cause code (Chapter XX), if desired, to identify drug.



**K85.8 Other acute pancreatitis**

**K85.9 Acute pancreatitis, unspecified**

**K86 Other diseases of pancreas**

**Excludes:** fibrocystic disease of pancreas (E84-)  
islet cell tumour (of pancreas) (D13.7)  
pancreatic steatorrhoea (K90.3)

**K86.0 Alcohol-induced chronic pancreatitis**

**K86.1 Other chronic pancreatitis**

Chronic pancreatitis:

- NOS
- infectious
- recurrent
- relapsing

**K86.2 Cyst of pancreas**

**K86.3 Pseudocyst of pancreas**

**K86.8 Other specified diseases of pancreas**

|           |  |             |
|-----------|--|-------------|
| Atrophy   |  | of pancreas |
| Calculus  |  |             |
| Cirrhosis |  |             |
| Fibrosis  |  |             |

Pancreatic:

- infantilism
- necrosis:
  - NOS
  - aseptic
  - fat

**K86.9 Disease of pancreas, unspecified**

**K87 Disorders of gallbladder, biliary tract and pancreas in diseases classified elsewhere**

**K87.0\* Disorders of gallbladder and biliary tract in diseases classified elsewhere**

**K87.1\* Disorders of pancreas in diseases classified elsewhere**

Cytomegaloviral pancreatitis (B25.2†)

Mumps pancreatitis (B26.3†)

**Other diseases of the digestive system (K90-K93)**

**K90 Intestinal malabsorption**

**Excludes:** following gastrointestinal surgery (K91.2)

**K90.0 Coeliac disease**

Gluten-sensitive enteropathy

Idiopathic steatorrhoea

Nontropical sprue

**K90.1 Tropical sprue**

Sprue NOS

Tropical steatorrhoea

**K90.2 Blind loop syndrome, not elsewhere classified**

Blind loop syndrome NOS

- Excludes:** blind loop syndrome:
- congenital (Q43.8)
  - postsurgical (K91.2)

**K90.3 Pancreatic steatorrhoea**

**K90.4 Malabsorption due to intolerance, not elsewhere classified**

Malabsorption due to intolerance to:

- carbohydrate
- fat
- protein
- starch

- Excludes:** gluten-sensitive enteropathy (K90.0)  
lactose intolerance (E73-)

**K90.8 Other intestinal malabsorption**

Whipple disease† (M14.8\*)

**K90.9 Intestinal malabsorption, unspecified**

**K91 Postprocedural disorders of digestive system, not elsewhere classified**

- Excludes:** gastrojejunal ulcer (K28-)  
radiation:
- colitis (K52.0)
  - gastroenteritis (K52.0)
  - proctitis (K62.7)

**K91.0 Vomiting following gastrointestinal surgery**

**K91.1 Postgastric surgery syndromes**

Syndrome:

- dumping

- postgastrectomy
- postvagotomy

**K91.2 Postsurgical malabsorption, not elsewhere classified**

Postsurgical blind loop syndrome

- Excludes:** malabsorption:
- osteomalacia in adults (M83.2)
  - osteoporosis, postsurgical (M81.3)

**K91.3 Postoperative intestinal obstruction**

**K91.4 Colostomy and enterostomy malfunction**

**K91.5 Postcholecystectomy syndrome**

**K91.8 Other postprocedural disorders of digestive system, not elsewhere classified**

**K91.9 Postprocedural disorder of digestive system, unspecified**

**K92 Other diseases of digestive system**

**Excludes:** neonatal gastrointestinal haemorrhage (P54.0-P54.3)

**K92.0 Haematemesis**

**K92.1 Melaena**

**Excludes:** Occult blood in faeces (R19.5)

**K92.2 Gastrointestinal haemorrhage, unspecified**

Haemorrhage:

- gastric NOS
- intestinal NOS

**Excludes:** acute haemorrhagic gastritis (K29.0)  
haemorrhage of anus and rectum (K62.5)  
with peptic ulcer (K25-K28)

**K92.8 Other specified diseases of digestive system**

**K92.9 Disease of digestive system, unspecified**

**K93 Disorders of other digestive organs in diseases classified elsewhere**

**K93.0\* Tuberculous disorders of intestines, peritoneum and mesenteric glands (A18.3†)**

**Excludes:** tuberculous peritonitis (K67.3\*)

**K93.1\* Megacolon in Chagas disease (B57.3†)**

**K93.8\* Disorders of other specified digestive organs in diseases classified elsewhere**

## CHAPTER XII - Diseases of the skin and subcutaneous tissue (L00-L99)

**Excludes:** certain conditions originating in the perinatal period (P00-P96)  
certain infectious and parasitic diseases (A00-B99)  
complications of pregnancy, childbirth and the puerperium (O00-O99)  
congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)  
endocrine, nutritional and metabolic diseases (E00-E90)  
injury, poisoning and certain other consequences of external causes (S00-T98)  
lipomelanotic reticulosis (I89.8)  
neoplasms (C00-D48)  
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)  
systemic connective tissue disorders (M30-M36)

### **This chapter contains the following blocks:**

|         |                                                                 |
|---------|-----------------------------------------------------------------|
| L00-L08 | Infections of the skin and subcutaneous tissue                  |
| L10-L14 | Bullous disorders                                               |
| L20-L30 | Dermatitis and eczema                                           |
| L40-L45 | Papulosquamous disorders                                        |
| L50-L54 | Urticaria and erythema                                          |
| L55-L59 | Radiation-related disorders of the skin and subcutaneous tissue |
| L60-L75 | Disorders of skin appendages                                    |
| L80-L99 | Other disorders of the skin and subcutaneous tissue             |

### **Asterisk categories for this chapter are provided as follows:**

|      |                                                                                      |
|------|--------------------------------------------------------------------------------------|
| L14* | Bullous disorders in diseases classified elsewhere                                   |
| L45* | Papulosquamous disorders in diseases classified elsewhere                            |
| L54* | Erythema in diseases classified elsewhere                                            |
| L62* | Nail disorders in diseases classified elsewhere                                      |
| L86* | Keratoderma in diseases classified elsewhere                                         |
| L99* | Other disorders of the skin and subcutaneous tissue in diseases classified elsewhere |

## Infections of the skin and subcutaneous tissue (L00-L08)

Use additional code (B95-B97), if desired, to identify infectious agent.

**Excludes:** hordeolum (H00.0)  
infective dermatitis (L30.3)  
local infections of skin classified in Chapter I, such as:

- erysipelas (A46)
- erysipeloid (A26-)
- herpesviral [herpes simplex] infection (B00-)
  - anogenital (A60-)
- molluscum contagiosum (B08.1)
- mycoses (B35-B49)
- pediculosis, acariasis and other infestations (B85-B89)
- viral warts (B07)

panniculitis (of):

- NOS (M79.3)
- lupus (L93.2)
- neck and back (M54.0)
- relapsing [Weber-Christian] (M35.6)

perlèche (due to):

- NOS (K13.0)
- candidiasis (B37-)
- riboflavin deficiency (E53.0)

pyogenic granuloma (L98.0)  
zoster (B02-)

### L00 Staphylococcal scalded skin syndrome

Pemphigus neonatorum

Ritter disease

**Excludes:** toxic epidermal necrolysis [Lyell] (L51.2)

### L01 Impetigo

**Excludes:** impetigo herpetiformis (L40.1)  
pemphigus neonatorum (L00)

#### L01.0 Impetigo [any organism] [any site]

Bockhart impetigo

## **L01.1 Impetiginization of other dermatoses**

### **L02 Cutaneous abscess, furuncle and carbuncle**

**Includes:** boil  
furunculosis

**Excludes:** anal and rectal regions (K61-)  
genital organs (external):  
• female (N76.4)  
• male (N48.2, N49-)

### **L02.0 Cutaneous abscess, furuncle and carbuncle of face**

**Excludes:** ear, external (H60.0)  
eyelid (H00.0)  
head [any part, except face] (L02.8)  
lacrimal:  
• gland (H04.0)  
• passages (H04.3)  
mouth (K12.2)  
nose (J34.0)  
orbit (H05.0)  
submandibular (K12.2)

### **L02.1 Cutaneous abscess, furuncle and carbuncle of neck**

### **L02.2 Cutaneous abscess, furuncle and carbuncle of trunk**

Abdominal wall  
Back [any part, except buttock]  
Chest wall  
Groin  
Perineum  
Umbilicus

**Excludes:** breast (N61)  
hip (L02.4)  
omphalitis of newborn (P38)



**L02.3 Cutaneous abscess, furuncle and carbuncle of buttock**

Gluteal region

**Excludes:** pilonidal cyst with abscess (L05.0)

**L02.4 Cutaneous abscess, furuncle and carbuncle of limb**

Axilla

Hip

Shoulder

**L02.8 Cutaneous abscess, furuncle and carbuncle of other sites**

Head [any part, except face]

Scalp

**L02.9 Cutaneous abscess, furuncle and carbuncle, unspecified**

Furunculosis NOS

**L03 Cellulitis**

**Includes:** acute lymphangitis

**Excludes:** cellulitis of:

- anal and rectal regions (K61-)
- external auditory canal (H60.1)
- external genital organs:
  - female (N76.4)
  - male (N48.2, N49-)
- eyelid (H00.0)
- lacrimal apparatus (H04.3)
- mouth (K12.2)
- nose (J34.0)

eosinophilic cellulitis [Wells] (L98.3)  
febrile neutrophilic dermatosis [Sweet] (L98.2)  
lymphangitis (chronic)(subacute) (I89.1)

**L03.0 Cellulitis of finger and toe**

Infection of nail  
Onychia  
Paronychia  
Perionychia

**L03.1 Cellulitis of other parts of limb**

Axilla  
Hip  
Shoulder

**L03.2 Cellulitis of face**

**L03.3 Cellulitis of trunk**

Abdominal wall  
Back [any part]  
Chest wall  
Groin  
Perineum  
Umbilicus

**Excludes:** omphalitis of newborn (P38)

**L03.8 Cellulitis of other sites**

Head [any part, except face]  
Scalp

**L03.9 Cellulitis, unspecified**

**L04 Acute lymphadenitis**

**Includes:** abscess (acute)  
lymphadenitis, acute

any lymph node, except mesenteric

**Excludes:** enlarged lymph nodes (R59-)

human immunodeficiency virus [HIV] disease resulting in  
generalized lymphadenopathy (B23.1)

lymphadenitis:

- NOS (I88.9)
- chronic or subacute, except mesenteric (I88.1)
- mesenteric, nonspecific (I88.0)

**L04.0 Acute lymphadenitis of face, head and neck**

**L04.1 Acute lymphadenitis of trunk**

**L04.2 Acute lymphadenitis of upper limb**

Axilla

Shoulder

**L04.3 Acute lymphadenitis of lower limb**

Hip

**L04.8 Acute lymphadenitis of other sites**

**L04.9 Acute lymphadenitis, unspecified**

**L05 Pilonidal cyst**

***Includes:***

fistula  
sinus

coccygeal or pilonidal

**L05.0 Pilonidal cyst with abscess**

**L05.9 Pilonidal cyst without abscess**

Pilonidal cyst NOS

**L08 Other local infections of skin and subcutaneous tissue**

**L08.0 Pyoderma**

Dermatitis:

- purulent
- septic
- suppurative

***Excludes:*** pyoderma gangrenosum (L88)

**L08.1 Erythrasma**

**L08.8 Other specified local infections of skin and subcutaneous tissue**

**L08.9 Local infection of skin and subcutaneous tissue, unspecified**

**Bullous disorders (L10-L14)**

***Excludes:*** benign familial pemphigus [Hailey-Hailey] (Q82.8)  
staphylococcal scalded skin syndrome (L00)  
toxic epidermal necrolysis [Lyell] (L51.2)

**L10 Pemphigus**

***Excludes:*** pemphigus neonatorum (L00)

**L10.0 Pemphigus vulgaris**

**L10.1 Pemphigus vegetans**

**L10.2 Pemphigus foliaceus**

**L10.3 Brazilian pemphigus [fogo selvagem]**

**L10.4 Pemphigus erythematosus**

Senear-Usher syndrome

**L10.5 Drug-induced pemphigus**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**L10.8 Other pemphigus**

**L10.9 Pemphigus, unspecified**

**L11 Other acantholytic disorders**

**L11.0 Acquired keratosis follicularis**

**Excludes:** keratosis follicularis (congenital) [Darier-White] (Q82.8)

**L11.1 Transient acantholytic dermatosis [Grover]**

**L11.8 Other specified acantholytic disorders**

**L11.9 Acantholytic disorder, unspecified**

**L12 Pemphigoid**

**Excludes:** herpes gestationis (O26.4)  
impetigo herpetiformis (L40.1)

**L12.0 Bullous pemphigoid**

**L12.1 Cicatricial pemphigoid**

Benign mucous membrane pemphigoid

**L12.2 Chronic bullous disease of childhood**

Juvenile dermatitis herpetiformis

**L12.3 Acquired epidermolysis bullosa**

*Excludes:* epidermolysis bullosa (congenital) (Q81-)

**L12.8 Other pemphigoid**

**L12.9 Pemphigoid, unspecified**

**L13 Other bullous disorders**

**L13.0 Dermatitis herpetiformis**

Duhring disease

**L13.1 Subcorneal pustular dermatitis**

Sneddon-Wilkinson disease

**L13.8 Other specified bullous disorders**

**L13.9 Bullous disorder, unspecified**

**L14 Bullous disorders in diseases classified elsewhere**

## Dermatitis and eczema (L20-L30)

**Note:** In this block the terms dermatitis and eczema are used synonymously and interchangeably.

**Excludes:** chronic (childhood) granulomatous disease (D71)  
dermatitis:  
• dry skin (L85.3)  
• factitial (L98.1)  
• gangrenosa (L88)  
• herpetiformis (L13.0)  
• perioral (L71.0)  
• stasis (I83.1-I83.2)  
radiation-related disorders of the skin and subcutaneous tissue (L55-L59)

### L20 Atopic dermatitis

**Excludes:** circumscribed neurodermatitis (L28.0)

#### L20.0 Besnier prurigo

#### L20.8 Other atopic dermatitis

Eczema:

- flexural NEC
- infantile (acute)(chronic)
- intrinsic (allergic)

Neurodermatitis:

- atopic
- diffuse

#### L20.9 Atopic dermatitis, unspecified

### L21 Seborrhoeic dermatitis

**Excludes:** infective dermatitis (L30.3)

#### L21.0 Seborrhoea capitis

Cradle cap

**L21.1 Seborrhoeic infantile dermatitis**

**L21.8 Other seborrhoeic dermatitis**

**L21.9 Seborrhoeic dermatitis, unspecified**

**L22 Diaper [napkin] dermatitis**

Diaper or napkin:

- erythema
- rash

Psoriasiform napkin rash

**L23 Allergic contact dermatitis**

**Includes:** allergic contact eczema

**Excludes:** allergy NOS (T78.4)  
dermatitis (of):

- NOS (L30.9)
- contact NOS (L25.9)
- diaper [napkin] (L22)
- due to substances taken internally (L27-)
- eyelid (H01.1)
- irritant contact (L24-)
- perioral (L71.0)

eczema of external ear (H60.5)  
radiation-related disorders of the skin and subcutaneous tissue (L55-L59)

**L23.0 Allergic contact dermatitis due to metals**

Chromium

Nickel

**L23.1 Allergic contact dermatitis due to adhesives**



**L23.2 Allergic contact dermatitis due to cosmetics**

**L23.3 Allergic contact dermatitis due to drugs in contact with skin**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**Excludes:** allergic reaction NOS due to drugs (T88.7)  
dermatitis due to ingested drugs and medicaments (L27.0-L27.1)

**L23.4 Allergic contact dermatitis due to dyes**

**L23.5 Allergic contact dermatitis due to other chemical products**

Cement  
Insecticide  
Plastic  
Rubber

**L23.6 Allergic contact dermatitis due to food in contact with skin**

**Excludes:** dermatitis due to ingested food (L27.2)

**L23.7 Allergic contact dermatitis due to plants, except food**

**L23.8 Allergic contact dermatitis due to other agents**

**L23.9 Allergic contact dermatitis, unspecified cause**

Allergic contact eczema NOS

**L24 Irritant contact dermatitis**

**Includes:** irritant contact eczema

**Excludes:** allergy NOS (T78.4)  
dermatitis (of):

- NOS (L30.9)
- allergic contact (L23-)
- contact NOS (L25.9)
- diaper [napkin] (L22)
- due to substances taken internally (L27-)
- eyelid (H01.1)
- perioral (L71.0)

eczema of external ear (H60.5)  
radiation-related disorders of the skin and subcutaneous tissue (L55-L59)

## **L24.0 Irritant contact dermatitis due to detergents**

## **L24.1 Irritant contact dermatitis due to oils and greases**

## **L24.2 Irritant contact dermatitis due to solvents**

Solvents:

- chlorocompound
- cyclohexane
- ester
- glycol
- hydrocarbon
- ketone

## **L24.3 Irritant contact dermatitis due to cosmetics**

## **L24.4 Irritant contact dermatitis due to drugs in contact with skin**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**Excludes:** allergic reaction NOS due to drugs (T88.7)  
dermatitis due to ingested drugs and medicaments (L27.0-L27.1)

**L24.5 Irritant contact dermatitis due to other chemical products**

Cement

Insecticide

**L24.6 Irritant contact dermatitis due to food in contact with skin**

**Excludes:** dermatitis due to ingested food (L27.2)

**L24.7 Irritant contact dermatitis due to plants, except food**

**L24.8 Irritant contact dermatitis due to other agents**

Dyes

**L24.9 Irritant contact dermatitis, unspecified cause**

Irritant contact eczema NOS

**L25 Unspecified contact dermatitis**

**Includes:** unspecified contact eczema

**Excludes:** allergy NOS (T78.4)  
dermatitis (of):

- NOS (L30.9)
- allergic contact (L23-)
- due to substances taken internally (L27-)
- eyelid (H01.1)
- irritant contact (L24-)
- perioral (L71.0)

eczema of external ear (H60.5)  
radiation-related disorders of the skin and subcutaneous tissue (L55-L59)

**L25.0 Unspecified contact dermatitis due to cosmetics**

**L25.1 Unspecified contact dermatitis due to drugs in contact with skin**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**Excludes:** allergic reaction NOS due to drugs (T88.7)  
dermatitis due to ingested drugs and medicaments (L27.0-L27.1)

**L25.2 Unspecified contact dermatitis due to dyes**

**L25.3 Unspecified contact dermatitis due to other chemical products**

Cement  
Insecticide

**L25.4 Unspecified contact dermatitis due to food in contact with skin**

**Excludes:** dermatitis due to ingested food (L27.2)

**L25.5 Unspecified contact dermatitis due to plants, except food**

**L25.8 Unspecified contact dermatitis due to other agents**

**L25.9 Unspecified contact dermatitis, unspecified cause**

Contact:

- dermatitis (occupational) NOS
- eczema (occupational) NOS

**L26 Exfoliative dermatitis**

Hebra pityriasis

**Excludes:** Ritter disease (L00)

**L27 Dermatitis due to substances taken internally**

**Excludes:** adverse:  
• effect NOS of drugs (T88.7)  
• food reaction, except dermatitis (T78.0-T78.1)  
allergy NOS (T78.4)  
contact dermatitis (L23-L25)  
drug:  
• photoallergic response (L56.1)  
• phototoxic response (L56.0)  
urticaria (L50-)

**L27.0 Generalized skin eruption due to drugs and medicaments**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**L27.1 Localized skin eruption due to drugs and medicaments**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**L27.2 Dermatitis due to ingested food**

**Excludes:** dermatitis due to food in contact with skin (L23.6, L24.6, L25.4)

**L27.8 Dermatitis due to other substances taken internally**

**L27.9 Dermatitis due to unspecified substance taken internally**

**L28 Lichen simplex chronicus and prurigo**

**L28.0 Lichen simplex chronicus**

Circumscribed neurodermatitis  
Lichen NOS

**L28.1 Prurigo nodularis**

**L28.2 Other prurigo**

Prurigo:

- NOS
- Hebra
- mitis

Urticaria papulosa

**L29 Pruritus**

**Excludes:** neurotic excoriation (L98.1)  
psychogenic pruritus (F45.8)

**L29.0 Pruritus ani**

**L29.1 Pruritus scroti**

**L29.2 Pruritus vulvae**

**L29.3 Anogenital pruritus, unspecified**

**L29.8 Other pruritus**

**L29.9 Pruritus, unspecified**

Itch NOS

**L30 Other dermatitis**

**Excludes:** dermatitis:  
• contact (L23-L25)  
• dry skin (L85.3)  
small plaque parapsoriasis (L41.3)  
stasis dermatitis (I83.1-I83.2)

**L30.0 Nummular dermatitis**

**L30.1 Dyshidrosis [pompholyx]**

**L30.2 Cutaneous autosensitization**

Candidid [levurid]

Dermatophytid

Eczematid

**L30.3 Infective dermatitis**

Infectious eczematoid dermatitis

**L30.4 Erythema intertrigo**

**L30.5 Pityriasis alba**

**L30.8 Other specified dermatitis**

**L30.9 Dermatitis, unspecified**

Eczema NOS

**Papulosquamous disorders (L40-L45)**

**L40 Psoriasis**

**L40.0 Psoriasis vulgaris**

Nummular psoriasis

Plaque psoriasis

**L40.1 Generalized pustular psoriasis**

Impetigo herpetiformis

Von Zumbusch disease

**L40.2 Acrodermatitis continua**

**L40.3 Pustulosis palmaris et plantaris**

**L40.4 Guttate psoriasis**

**L40.5† Arthropathic psoriasis (M07.0-M07.3\*, M09.0\*)**

**L40.8 Other psoriasis**

Flexural psoriasis

**L40.9 Psoriasis, unspecified**

**L41 Parapsoriasis**

**Excludes:** poikiloderma vasculare atrophicans (L94.5)

**L41.0 Pityriasis lichenoides et varioliformis acuta**

Mucha-Habermann disease

**L41.1 Pityriasis lichenoides chronica**

**L41.2 Lymphomatoid papulosis**

**L41.3 Small plaque parapsoriasis**

**L41.4 Large plaque parapsoriasis**



**L41.5 Retiform parapsoriasis**

**L41.8 Other parapsoriasis**

**L41.9 Parapsoriasis, unspecified**

**L42 Pityriasis rosea**

**L43 Lichen planus**

*Excludes:* lichen planopilaris (L66.1)

**L43.0 Hypertrophic lichen planus**

**L43.1 Bullous lichen planus**

**L43.2 Lichenoid drug reaction**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**L43.3 Subacute (active) lichen planus**

Lichen planus tropicus

**L43.8 Other lichen planus**

**L43.9 Lichen planus, unspecified**

**L44 Other papulosquamous disorders**

**L44.0 Pityriasis rubra pilaris**

**L44.1 Lichen nitidus**

**L44.2 Lichen striatus**

**L44.3 Lichen ruber moniliformis**

**L44.4 Infantile papular acrodermatitis [Giannotti-Crosti]**

**L44.8 Other specified papulosquamous disorders**

**L44.9 Papulosquamous disorder, unspecified**

**L45 Papulosquamous disorders in diseases classified elsewhere**

## Urticaria and erythema (L50-L54)

**Excludes:** Lyme disease (A69.2)  
rosacea (L71-)

**L50 Urticaria**

**Excludes:** allergic contact dermatitis (L23-)  
angioneurotic oedema (T78.3)  
hereditary angio-oedema (D84.1)  
Quincke oedema (T78.3)  
urticaria:  
• giant (T78.3)  
• neonatorum (P83.8)  
• papulosa (L28.2)  
• pigmentosa (Q82.2)  
• serum (T80.6)  
• solar (L56.3)

**L50.0 Allergic urticaria**

**L50.1 Idiopathic urticaria**

**L50.2 Urticaria due to cold and heat**

**L50.3 Dermatographic urticaria**

**L50.4 Vibratory urticaria**

**L50.5 Cholinergic urticaria**

**L50.6 Contact urticaria**

**L50.8 Other urticaria**

Urticaria:

- chronic
- recurrent periodic

**L50.9 Urticaria, unspecified**

**L51 Erythema multiforme**

**L51.0 Nonbullous erythema multiforme**

**L51.1 Bullous erythema multiforme**

Stevens-Johnson syndrome

**L51.2 Toxic epidermal necrolysis [Lyell]**

**L51.8 Other erythema multiforme**

**L51.9 Erythema multiforme, unspecified**

**L52 Erythema nodosum**

**L53 Other erythematous conditions**

**Excludes:** erythema:

- ab igne (L59.0)
- due to external agents in contact with skin (L23-L25)
- intertrigo (L30.4)

**L53.0 Toxic erythema**

Use additional external cause code (Chapter XX), if desired, to identify external agent.

**Excludes:** neonatal erythema toxicum (P83.1)

**L53.1 Erythema annulare centrifugum**

**L53.2 Erythema marginatum**

**L53.3 Other chronic figurate erythema**

**L53.8 Other specified erythematous conditions**

**L53.9 Erythematous condition, unspecified**

Erythema NOS

Erythroderma NOS

**L54 Erythema in diseases classified elsewhere**

**L54.0\* Erythema marginatum in acute rheumatic fever (I00+)**

**L54.8\* Erythema in other diseases classified elsewhere**

**Radiation-related disorders of the skin and subcutaneous tissue (L55-L59)**

**L55 Sunburn**

**L55.0 Sunburn of first degree**

**L55.1 Sunburn of second degree**

**L55.2 Sunburn of third degree**

**L55.8 Other sunburn**

**L55.9 Sunburn, unspecified**

**L56 Other acute skin changes due to ultraviolet radiation**

**L56.0 Drug phototoxic response**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**L56.1 Drug photoallergic response**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**L56.2 Photocontact dermatitis [berloque dermatitis]**

**L56.3 Solar urticaria**

**L56.4 Polymorphous light eruption**

**L56.8 Other specified acute skin changes due to ultraviolet radiation**

**L56.9 Acute skin change due to ultraviolet radiation, unspecified**

**L57 Skin changes due to chronic exposure to nonionizing radiation**

**L57.0 Actinic keratosis**

Keratosis:

- NOS
- senile
- solar

**L57.1 Actinic reticuloid**

**L57.2 Cutis rhomboidalis nuchae**

**L57.3 Poikiloderma of Civatte**

**L57.4 Cutis laxa senilis**

Elastosis senilis

**L57.5 Actinic granuloma**

**L57.8 Other skin changes due to chronic exposure to nonionizing radiation**

Farmer skin

Sailor skin

Solar dermatitis

**L57.9 Skin changes due to chronic exposure to nonionizing radiation, unspecified**

**L58 Radiodermatitis**

**L58.0 Acute radiodermatitis**

**L58.1 Chronic radiodermatitis**

**L58.9 Radiodermatitis, unspecified**

**L59 Other disorders of skin and subcutaneous tissue related to radiation**

**L59.0 Erythema ab igne [dermatitis ab igne]**

**L59.8 Other specified disorders of skin and subcutaneous tissue related to radiation**

**L59.9 Disorder of skin and subcutaneous tissue related to radiation, unspecified**

## Disorders of skin appendages (L60-L75)

**Excludes:** congenital malformations of integument (Q84-)

### L60 Nail disorders

**Excludes:** clubbing of nails (R68.3)  
onychchia and paronychia (L03.0)

#### L60.0 Ingrowing nail

#### L60.1 Onycholysis

#### L60.2 Onychogryphosis

#### L60.3 Nail dystrophy

#### L60.4 Beau lines

#### L60.5 Yellow nail syndrome

#### L60.8 Other nail disorders

#### L60.9 Nail disorder, unspecified

### L62 Nail disorders in diseases classified elsewhere

#### L62.0\* Clubbed nail pachydermoperiostosis (M89.4†)

#### L62.8\* Nail disorders in other diseases classified elsewhere



**L63 Alopecia areata**

**L63.0 Alopecia (capitis) totalis**

**L63.1 Alopecia universalis**

**L63.2 Ophiasis**

**L63.8 Other alopecia areata**

**L63.9 Alopecia areata, unspecified**

**L64 Androgenic alopecia**

*Includes:* male-pattern baldness

**L64.0 Drug-induced androgenic alopecia**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**L64.8 Other androgenic alopecia**

**L64.9 Androgenic alopecia, unspecified**

**L65 Other nonscarring hair loss**

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

*Excludes:* trichotillomania (F63.3)

**L65.0 Telogen effluvium**

**L65.1 Anagen effluvium**

**L65.2 Alopecia mucinosa**

**L65.8 Other specified nonscarring hair loss**

**L65.9 Nonscarring hair loss, unspecified**  
Alopecia NOS

**L66 Cicatricial alopecia [scarring hair loss]**

**L66.0 Pseudopelade**

**L66.1 Lichen planopilaris**  
Follicular lichen planus

**L66.2 Folliculitis decalvans**

**L66.3 Perifolliculitis capitis abscedens**

**L66.4 Folliculitis ulerythematososa reticulata**

**L66.8 Other cicatricial alopecia**

**L66.9 Cicatricial alopecia, unspecified**

**L67 Hair colour and hair shaft abnormalities**

**Excludes:** monilethrix (Q84.1)  
pili annulati (Q84.1)  
telogen effluvium (L65.0)

**L67.0 Trichorrhexis nodosa**

**L67.1 Variations in hair colour**

Canities

Greyness, hair (premature)

Heterochromia of hair

Poliosis:

- NOS
- circumscripta, acquired

**L67.8 Other hair colour and hair shaft abnormalities**

Fragilitas crinium

**L67.9 Hair colour and hair shaft abnormality, unspecified**

**L68 Hypertrichosis**

**Includes:** excess hair

**Excludes:** congenital hypertrichosis (Q84.2)  
persistent lanugo (Q84.2)

**L68.0 Hirsutism**

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**L68.1 Acquired hypertrichosis lanuginosa**

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**L68.2 Localized hypertrichosis**

**L68.3 Polytrichia**

**L68.8 Other hypertrichosis**

**L68.9 Hypertrichosis, unspecified**

**L70 Acne**

**Excludes:** acne keloid (L73.0)

**L70.0 Acne vulgaris**

**L70.1 Acne conglobata**

**L70.2 Acne varioliformis**

Acne necrotica miliaris

**L70.3 Acne tropica**

**L70.4 Infantile acne**

**L70.5 Acné excoriée**

Acné excoriée des jeunes filles

**L70.8 Other acne**

**L70.9 Acne, unspecified**

**L71 Rosacea**

**L71.0 Perioral dermatitis**

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**L71.1 Rhinophyma**

**L71.8 Other rosacea**

**L71.9 Rosacea, unspecified**

**L72 Follicular cysts of skin and subcutaneous tissue**

**L72.0 Epidermal cyst**

**L72.1 Trichilemmal cyst**

Pilar cyst

Sebaceous cyst

**L72.2 Steatocystoma multiplex**

**L72.8 Other follicular cysts of skin and subcutaneous tissue**

**L72.9 Follicular cyst of skin and subcutaneous tissue,  
unspecified**

**L73 Other follicular disorders**

**L73.0 Acne keloid**

**L73.1 Pseudofolliculitis barbae**

**L73.2 Hidradenitis suppurativa**

**L73.8 Other specified follicular disorders**

Sycosis barbae

**L73.9 Follicular disorder, unspecified**

**L74 Eccrine sweat disorders**

*Excludes:* hyperhidrosis (R61-)

**L74.0 Miliaria rubra**

**L74.1 Miliaria crystallina**

**L74.2 Miliaria profunda**

Miliaria tropicalis

**L74.3 Miliaria, unspecified**

**L74.4 Anhidrosis**

Hypohidrosis

**L74.8 Other eccrine sweat disorders**

**L74.9 Eccrine sweat disorder, unspecified**

Sweat gland disorder NOS

**L75 Apocrine sweat disorders**

*Excludes:* dyshidrosis [pompholyx] (L30.1)  
hidradenitis suppurativa (L73.2)

**L75.0 Bromhidrosis**

**L75.1 Chromhidrosis**

**L75.2 Apocrine miliaria**

Fox-Fordyce disease

**L75.8 Other apocrine sweat disorders**

**L75.9 Apocrine sweat disorder, unspecified**

Other disorders of the skin and subcutaneous tissue  
(L80-L99)

**L80 Vitiligo**

**L81 Other disorders of pigmentation**

**Excludes:** birthmark NOS (Q82.5)  
naevus - see Alphabetical Index  
Peutz-Jeghers syndrome (Q85.8)

**L81.0 Postinflammatory hyperpigmentation**

**L81.1 Chloasma**

**L81.2 Freckles**

**L81.3 Café au lait spots**

**L81.4 Other melanin hyperpigmentation**

Lentigo

**L81.5 Leukoderma, not elsewhere classified**

**L81.6 Other disorders of diminished melanin formation**

**L81.7 Pigmented purpuric dermatosis**

Angioma serpiginosum

**L81.8 Other specified disorders of pigmentation**

Iron pigmentation

Tattoo pigmentation

**L81.9 Disorder of pigmentation, unspecified**

**L82 Seborrhoeic keratosis**

Dermatosis papulosa nigra

Leser-Trélat disease

**L83 Acanthosis nigricans**

Confluent and reticulated papillomatosis

**L84 Corns and callosities**

Callus

Clavus

**L85 Other epidermal thickening**

**Excludes:** hypertrophic disorders of skin (L91-)

**L85.0 Acquired ichthyosis**



**Excludes:** congenital ichthyosis (Q80-)

**L85.1 Acquired keratosis [keratoderma] palmaris et plantaris**

**Excludes:** inherited keratosis palmaris et plantaris (Q82.8)

**L85.2 Keratosis punctata (palmaris et plantaris)**

**L85.3 Xerosis cutis**

Dry skin dermatitis

**L85.8 Other specified epidermal thickening**

Cutaneous horn

**L85.9 Epidermal thickening, unspecified**

**L86 Keratoderma in diseases classified elsewhere**

Follicular keratosis

Xeroderma

due to a vitamin A deficiency (E50.8†)

**L87 Transepidermal elimination disorders**

**Excludes:** granuloma annulare (perforating) (L92.0)

**L87.0 Keratosis follicularis et parafollicularis in cutem penetrans [Kyrle]**

Hyperkeratosis follicularis penetrans

**L87.1 Reactive perforating collagenosis**

**L87.2 Elastosis perforans serpiginosa**

**L87.8 Other transepidermal elimination disorders**

**L87.9 Transepidermal elimination disorder, unspecified**

**L88 Pyoderma gangrenosum**

Dermatitis gangrenosa

Phagedenic pyoderma

**L89 Decubitus ulcer and pressure area**

Bedsore

Plaster ulcer

**Note:** For multiple sites of differing stages assign only one code indicating the highest stage.

**Excludes:** decubitus (trophic) ulcer of cervix (uteri) (N86)

**L89.0 Stage I decubitus ulcer and pressure area**

Decubitus [pressure] ulcer limited to erythema only

**Note:** The ulcer appears as a defined area of persistent redness (erythema) in lightly pigmented skin, whereas in darker skin tones, the ulcer may appear with persistent red, blue or purple hues, without skin loss.

**L89.1 Stage II decubitus ulcer**

Decubitus [pressure] ulcer with:

- abrasion
- blister
- partial thickness skin loss involving epidermis and/or dermis
- skin loss NOS

**L89.2 Stage III decubitus ulcer**

Decubitus [pressure] ulcer with full thickness skin loss involving  
damage or  
necrosis of subcutaneous tissue extending to underlying fascia

**L89.3 Stage IV decubitus ulcer**

Decubitus [pressure] ulcer with necrosis of muscle, bone or supporting  
structures  
(ie tendon or joint capsule)

**L89.9 Decubitus ulcer and pressure area, unspecified**

Decubitus [pressure] ulcer without mention of stage

**L90 Atrophic disorders of skin**

**L90.0 Lichen sclerosus et atrophicus**

*Excludes:* lichen sclerosus of external genital organs:  
• female (N90.4)  
• male (N48.0)

**L90.1 Anetoderma of Schweninger-Buzzi**

**L90.2 Anetoderma of Jadassohn-Pellizzari**

**L90.3 Atrophoderma of Pasini and Pierini**

**L90.4 Acrodermatitis chronica atrophicans**

**L90.5 Scar conditions and fibrosis of skin**

Adherent scar (skin)  
Cicatrix  
Disfigurement due to scar  
Scar NOS

**Excludes:** hypertrophic scar (L91.0)  
keloid scar (L91.0)

**L90.6 Striae atrophicae**

**L90.8 Other atrophic disorders of skin**

**L90.9 Atrophic disorder of skin, unspecified**

**L91 Hypertrophic disorders of skin**

**L91.0 Hypertrophic scar**

Keloid scar

Keloid

**Excludes:** acne keloid (L73.0)  
scar NOS (L90.5)

**L91.8 Other hypertrophic disorders of skin**

**L91.9 Hypertrophic disorder of skin, unspecified**

**L92 Granulomatous disorders of skin and subcutaneous tissue**

**Excludes:** actinic granuloma (L57.5)

**L92.0 Granuloma annulare**

Perforating granuloma annulare

**L92.1 Necrobiosis lipoidica, not elsewhere classified**

**Excludes:** that associated with diabetes mellitus (E10-E14)

**L92.2 Granuloma faciale [eosinophilic granuloma of skin]**

**L92.3 Foreign body granuloma of skin and subcutaneous tissue**

**L92.8 Other granulomatous disorders of skin and subcutaneous tissue**

**L92.9 Granulomatous disorder of skin and subcutaneous tissue, unspecified**

**L93 Lupus erythematosus**

**Excludes:** lupus:  
• exedens (A18.4)  
• vulgaris (A18.4)  
scleroderma (M34-)  
systemic lupus erythematosus (M32-)

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**L93.0 Discoid lupus erythematosus**  
Lupus erythematosus NOS

**L93.1 Subacute cutaneous lupus erythematosus**

**L93.2 Other local lupus erythematosus**  
Lupus:  
• erythematosus profundus  
• panniculitis

**L94 Other localized connective tissue disorders**

**Excludes:** systemic connective tissue disorders (M30-M36)

**L94.0 Localized scleroderma [morphea]**

Circumscribed scleroderma

**L94.1 Linear scleroderma**

En coup de sabre lesion

**L94.2 Calcinosis cutis**

**L94.3 Sclerodactyly**

**L94.4 Gottron papules**

**L94.5 Poikiloderma vasculare atrophicans**

**L94.6 Ainhum**

**L94.8 Other specified localized connective tissue disorders**

**L94.9 Localized connective tissue disorder, unspecified**

**L95 Vasculitis limited to skin, not elsewhere classified**

**Excludes:** angioma serpiginosum (L81.7)  
Henoch(-Schönlein) purpura (D69.0)  
hypersensitivity angiitis (M31.0)  
panniculitis (of):  
• NOS (M79.3)  
• lupus (L93.2)  
• neck and back (M54.0)  
• relapsing [Weber-Christian] (M35.6)  
polyarteritis nodosa (M30.0)  
rheumatoid vasculitis (M05.2)  
serum sickness (T80.6)  
urticaria (L50-)  
Wegener granulomatosis (M31.3)

**L95.0 Livedoid vasculitis**

Atrophie blanche (en plaque)

**L95.1 Erythema elevatum diutinum**

**L95.8 Other vasculitis limited to skin**

**L95.9 Vasculitis limited to skin, unspecified**

**L97 Ulcer of lower limb, not elsewhere classified**

**Excludes:** decubitus [pressure] ulcer and pressure area (L89-)  
gangrene (R02)  
skin infections (L00-L08)  
specific infections classified to A00-B99  
varicose ulcer (I83.0, I83.2)

**L98 Other disorders of skin and subcutaneous tissue, not elsewhere classified**

**L98.0 Pyogenic granuloma**

**L98.1 Factitial dermatitis**

Neurotic excoriation

**L98.2 Febrile neutrophilic dermatosis [Sweet]**

**L98.3 Eosinophilic cellulitis [Wells]**

**L98.4 Chronic ulcer of skin, not elsewhere classified**

Chronic ulcer of skin NOS

Tropical ulcer NOS

Ulcer of skin NOS

**Excludes:** decubitus [pressure] ulcer and pressure area (L89-)  
gangrene (R02)  
skin infections (L00-L08)  
specific infections classified to A00-B99  
ulcer of lower limb NEC (L97)  
varicose ulcer (I83.0, I83.2)

**L98.5 Mucinosis of skin**

Focal mucinosis  
Lichen myxoedematosus  
Reticular erythematous mucinosis

**Excludes:** focal oral mucinosis (K13.7)  
myxoedema (E03.9)

**L98.6 Other infiltrative disorders of skin and subcutaneous tissue**

**Excludes:** hyalinosis cutis et mucosae (E78.8)

**L98.8 Other specified disorders of skin and subcutaneous tissue**

**L98.9 Disorder of skin and subcutaneous tissue, unspecified**

**L99 Other disorders of skin and subcutaneous tissue in diseases classified elsewhere**

**L99.0\* Amyloidosis of skin (E85†)**

Lichen amyloidosis  
Macular amyloid

**L99.8\* Other specified disorders of skin and subcutaneous tissue in diseases classified elsewhere**

Syphilitic:  
• alopecia (A51.3†)



## ICD-10-Mortality 2e-Volume1 - 2017

- leukoderma (A51.3†, A52.7†)

## CHAPTER XIII - Diseases of the musculoskeletal system and connective tissue (M00-M99)

**Excludes:** certain conditions originating in the perinatal period (P00-P96)  
certain disorders of the temporomandibular joint (K07.6)  
certain infectious and parasitic diseases (A00-B99)  
compartment syndrome (T79.6)  
complications of pregnancy, childbirth and the puerperium (O00-O99)  
congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)  
endocrine, nutritional and metabolic diseases (E00-E90)  
injury, poisoning and certain other consequences of external causes (S00-T98)  
neoplasms (C00-D48)  
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

### This chapter contains the following blocks:

|         |                                                                     |
|---------|---------------------------------------------------------------------|
| M00-M25 | Arthropathies                                                       |
|         | M00-M03 Infectious arthropathies                                    |
|         | M05-M14 Inflammatory polyarthropathies                              |
|         | M15-M19 Arthrosis                                                   |
|         | M20-M25 Other joint disorders                                       |
| M30-M36 | Systemic connective tissue disorders                                |
| M40-M54 | Dorsopathies                                                        |
|         | M40-M43 Deforming dorsopathies                                      |
|         | M45-M49 Spondylopathies                                             |
|         | M50-M54 Other dorsopathies                                          |
| M60-M79 | Soft tissue disorders                                               |
|         | M60-M63 Disorders of muscles                                        |
|         | M65-M68 Disorders of synovium and tendon                            |
|         | M70-M79 Other soft tissue disorders                                 |
| M80-M94 | Osteopathies and chondropathies                                     |
|         | M80-M85 Disorders of bone density and structure                     |
|         | M86-M90 Other osteopathies                                          |
|         | M91-M94 Chondropathies                                              |
| M95-M99 | Other disorders of the musculoskeletal system and connective tissue |

## Asterisk categories for this chapter are provided as follows:

|      |                                                                                      |
|------|--------------------------------------------------------------------------------------|
| M01* | Direct infections of joint in infectious and parasitic diseases classified elsewhere |
| M03* | Postinfective and reactive arthropathies in diseases classified elsewhere            |
| M07* | Psoriatic and enteropathic arthropathies                                             |
| M09* | Juvenile arthritis in diseases classified elsewhere                                  |
| M14* | Arthropathies in other diseases classified elsewhere                                 |
| M36* | Systemic disorders of connective tissue in diseases classified elsewhere             |
| M49* | Spondylopathies in diseases classified elsewhere                                     |
| M63* | Disorders of muscle in diseases classified elsewhere                                 |
| M68* | Disorders of synovium and tendon in diseases classified elsewhere                    |
| M73* | Soft tissue disorders in diseases classified elsewhere                               |
| M82* | Osteoporosis in diseases classified elsewhere                                        |
| M90* | Osteopathies in diseases classified elsewhere                                        |

## Site of musculoskeletal involvement

The following subclassification to indicate the site of involvement is provided for optional use with appropriate categories in Chapter XIII. As local extensions or specialty adaptations may vary in the number of characters used, it is suggested that the supplementary site subclassification be placed in an identifiably separate position (e.g. in an additional box). Different subclassifications for use with derangement of knee, dorsopathies, and biomechanical lesions not elsewhere classified are given at categories M23, M40-M54, and M99 respectively.

### 0 Multiple sites

|                           |                                 |                                                       |        |
|---------------------------|---------------------------------|-------------------------------------------------------|--------|
| 1 Shoulder region         | clavicle<br>scapula             | acromioclavicular<br>glenohumeral<br>sternoclavicular | joints |
| 2 Upper arm               | humerus                         | elbow joint                                           |        |
| 3 Forearm                 | radius<br>ulna                  | wrist joint                                           |        |
| 4 Hand                    | carpus<br>fingers<br>metacarpus | joints between<br>these bones                         |        |
| 5 Pelvic region and thigh | buttock<br>femur<br>pelvis      | hip (joint)<br>sacroiliac joint                       |        |
| 6 Lower leg               | fibula                          | knee joint                                            |        |

|                    |                                                            |                                     |
|--------------------|------------------------------------------------------------|-------------------------------------|
|                    | tibia                                                      |                                     |
| 7 Ankle and foot   | metatarsus<br>tarsus<br>toes                               | ankle joint<br>other joints in foot |
| 8 Other            | head<br>neck<br>ribs<br>skull<br>trunk<br>vertebral column |                                     |
| 9 Site unspecified |                                                            |                                     |

## Arthropathies (M00-M25)

Disorders affecting predominantly peripheral (limb) joints

## Infectious arthropathies (M00-M03)

**Note:** This block comprises arthropathies due to microbiological agents. Distinction is made between the following types of etiological relationship:

- (a) direct infection of joint, where organisms invade synovial tissue and microbial antigen is present in the joint;
- (b) indirect infection, which may be of two types: a *reactive arthropathy*, where microbial infection of the body is established but neither organisms nor antigens can be identified in the joint, and a *postinfective arthropathy*, where microbial antigen is present but recovery of an organism is inconstant and evidence of local multiplication is lacking.

### M00 Pyogenic arthritis

[See site code preceding Arthropathies (M00-M25)]

**M00.0 Staphylococcal arthritis and polyarthritis**

**M00.1 Pneumococcal arthritis and polyarthritis**

**M00.2 Other streptococcal arthritis and polyarthritis**

**M00.8 Arthritis and polyarthritis due to other specified bacterial agents**

Use additional code (B95-B96), if desired, to identify bacterial agent.

**M00.9 Pyogenic arthritis, unspecified**

Infective arthritis NOS

**M01 Direct infections of joint in infectious and parasitic diseases classified elsewhere**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** arthropathy in sarcoidosis (M14.8\*)  
postinfective and reactive arthropathy (M03\*)

**M01.0\* Meningococcal arthritis (A39.8†)**

**Excludes:** postmeningococcal arthritis (M03.0\*)

**M01.1\* Tuberculous arthritis (A18.0†)**

**Excludes:** of spine (M49.0\*)

**M01.2\* Arthritis in Lyme disease (A69.2†)**

**M01.3\* Arthritis in other bacterial diseases classified elsewhere**

Arthritis in:

- leprosy [Hansen disease] (A30†)
- localized salmonella infection (A02.2†)

- typhoid or paratyphoid fever (A01†)
- Gonococcal arthritis (A54.4†)

**M01.4\* Rubella arthritis (B06.8†)**

**M01.5\* Arthritis in other viral diseases classified elsewhere**

Arthritis in:

- mumps (B26.8†)
- O'nyong-nyong fever (A92.1†)

**M01.6\* Arthritis in mycoses (B35-B49†)**

**M01.8\* Arthritis in other infectious and parasitic diseases classified elsewhere**

**M02 Reactive arthropathies**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** Behçet disease (M35.2)  
rheumatic fever (I00)

**M02.0 Arthropathy following intestinal bypass**

**M02.1 Postdysenteric arthropathy**

**M02.2 Postimmunization arthropathy**

**M02.3 Reiter disease**

**M02.8 Other reactive arthropathies**

## **M02.9 Reactive arthropathy, unspecified**

### **M03 Postinfective and reactive arthropathies in diseases classified elsewhere**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** direct infections of joint in infectious and parasitic diseases  
classified  
elsewhere (M01\*)

#### **M03.0\* Postmeningococcal arthritis (A39.8†)**

**Excludes:** meningococcal arthritis (M01.0\*)

#### **M03.1\* Postinfective arthropathy in syphilis**

Clutton joints (A50.5†)

**Excludes:** Charcot or tabetic arthropathy (M14.6\*)

#### **M03.2\* Other postinfectious arthropathies in diseases classified elsewhere**

Postinfectious arthropathy in:

- enteritis due to *Yersinia enterocolitica* (A04.6†)
- viral hepatitis (B15-B19†)

**Excludes:** viral arthropathies (M01.4-M01.5\*)

#### **M03.6\* Reactive arthropathy in other diseases classified elsewhere**

Arthropathy in infective endocarditis (I33.0†)

## Inflammatory polyarthropathies (M05-M14)

### **M05 Seropositive rheumatoid arthritis**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** rheumatic fever (I00)  
rheumatoid arthritis (of):

- juvenile (M08-)
- spine (M45)

#### **M05.0 Felty syndrome**

Rheumatoid arthritis with splenadenomegaly and leukopenia

#### **M05.1† Rheumatoid lung disease (J99.0\*)**

#### **M05.2 Rheumatoid vasculitis**

#### **M05.3† Rheumatoid arthritis with involvement of other organs and systems**

Rheumatoid:

- carditis (I52.8\*)
- endocarditis (I39\*)
- myocarditis (I41.8\*)
- myopathy (G73.7\*)
- pericarditis (I32.8\*)
- polyneuropathy (G63.6\*)

#### **M05.8 Other seropositive rheumatoid arthritis**

#### **M05.9 Seropositive rheumatoid arthritis, unspecified**

### **M06 Other rheumatoid arthritis**



[See site code preceding Arthropathies (M00-M25)]

**M06.0 Seronegative rheumatoid arthritis**

**M06.1 Adult-onset Still disease**

*Excludes:* Still disease NOS (M08.2)

**M06.2 Rheumatoid bursitis**

**M06.3 Rheumatoid nodule**

**M06.4 Inflammatory polyarthropathy**

*Excludes:* polyarthritides NOS (M13.0)

**M06.8 Other specified rheumatoid arthritis**

**M06.9 Rheumatoid arthritis, unspecified**

**M07 Psoriatic and enteropathic arthropathies**

[See site code preceding Arthropathies (M00-M25)]

*Excludes:* juvenile psoriatic and enteropathic arthropathies (M09\*)

**M07.0\* Distal interphalangeal psoriatic arthropathy (L40.5†)**

**M07.1\* Arthritis mutilans (L40.5†)**

**M07.2\* Psoriatic spondylitis (L40.5†)**

**M07.3\* Other psoriatic arthropathies (L40.5†)**

**M07.4\* Arthropathy in Crohn disease [regional enteritis]  
(K50+)**

**M07.5\* Arthropathy in ulcerative colitis (K51+)**

**M07.6\* Other enteropathic arthropathies**

**M08 Juvenile arthritis**

[See site code preceding Arthropathies (M00-M25)]

**Includes:** arthritis in children, with onset before 16th birthday and lasting longer than 3 months

**Excludes:** Felty syndrome (M05.0)  
juvenile dermatomyositis (M33.0)

**M08.0 Juvenile rheumatoid arthritis**

Juvenile rheumatoid arthritis with or without rheumatoid factor

**M08.1 Juvenile ankylosing spondylitis**

**Excludes:** ankylosing spondylitis in adults (M45)

**M08.2 Juvenile arthritis with systemic onset**

Still disease NOS

**Excludes:** adult-onset Still disease (M06.1)

**M08.3 Juvenile polyarthritis (seronegative)**

Chronic juvenile polyarthritis

**M08.4 Pauciarticular juvenile arthritis**

**M08.8 Other juvenile arthritis**

**M08.9 Juvenile arthritis, unspecified**

**M09 Juvenile arthritis in diseases classified elsewhere**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** arthropathy in Whipple disease (M14.8\*)

**M09.0\* Juvenile arthritis in psoriasis (L40.5†)**

**M09.1\* Juvenile arthritis in Crohn disease [regional enteritis] (K50†)**

**M09.2\* Juvenile arthritis in ulcerative colitis (K51†)**

**M09.8\* Juvenile arthritis in other diseases classified elsewhere**

**M10 Gout**

[See site code preceding Arthropathies (M00-M25)]

**M10.0 Idiopathic gout**

Gouty bursitis

Primary gout

Urate tophus of heart† (I43.8\*)

**M10.1 Lead-induced gout**

**M10.2 Drug-induced gout**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**M10.3 Gout due to impairment of renal function**

Use additional code, if desired, to identify impairment of kidney disease (N17-N19)

**M10.4 Other secondary gout**

**M10.9 Gout, unspecified**

**M11 Other crystal arthropathies**

[See site code preceding Arthropathies (M00-M25)]

**M11.0 Hydroxyapatite deposition disease**

**M11.1 Familial chondrocalcinosis**

**M11.2 Other chondrocalcinosis**

Chondrocalcinosis NOS

**M11.8 Other specified crystal arthropathies**

**M11.9 Crystal arthropathy, unspecified**

**M12 Other specific arthropathies**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** arthropathy NOS (M13.9)  
arthrosis (M15-M19)  
cricoarytenoid arthropathy (J38.7)

**M12.0 Chronic postrheumatic arthropathy [Jaccoud]**

**M12.1 Kaschin-Beck disease**

**M12.2 Villonodular synovitis (pigmented)**

**M12.3 Palindromic rheumatism**

**M12.4 Intermittent hydrarthrosis**

**M12.5 Traumatic arthropathy**

- Excludes:** post-traumatic arthrosis (of):
- NOS (M19.1)
  - first carpometacarpal joint (M18.2-M18.3)
  - hip (M16.4-M16.5)
  - knee (M17.2-M17.3)
  - other single joints (M19.1)

**M12.8 Other specific arthropathies, not elsewhere classified**  
Transient arthropathy

**M13 Other arthritis**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** arthrosis (M15-M19)

**M13.0 Polyarthritis, unspecified**

**M13.1 Monoarthritis, not elsewhere classified**

**M13.8 Other specified arthritis**  
Allergic arthritis

**M13.9 Arthritis, unspecified**  
Arthropathy NOS

**M14 Arthropathies in other diseases classified elsewhere**

- Excludes:** arthropathy in:
- haematological disorders (M36.2-M36.3\*)
  - hypersensitivity reactions (M36.4\*)
  - neoplastic disease (M36.1\*)
- neuropathic spondylopathy (M49.4\*)  
psoriatic and enteropathic arthropathies (M07\*)
- juvenile (M09\*)

**M14.0\* Gouty arthropathy due to enzyme defects and other inherited disorders**

Gouty arthropathy in:

- Lesch-Nyhan syndrome (E79.1†)
- sickle-cell disorders (D57†)

**M14.1\* Crystal arthropathy in other metabolic disorders**

Crystal arthropathy in hyperparathyroidism (E21†)

**M14.2\* Diabetic arthropathy (E10-E14† with common fourth character .6)**

**Excludes:** diabetic neuropathic arthropathy (M14.6\*)

**M14.3\* Lipoid dermatoarthritis (E78.8†)**

**M14.4\* Arthropathy in amyloidosis (E85†)**

**M14.5\* Arthropathies in other endocrine, nutritional and metabolic disorders**

Arthropathy in:

- acromegaly and pituitary gigantism (E22.0†)
- haemochromatosis (E83.1†)
- hypothyroidism (E00-E03†)
- thyrotoxicosis [hyperthyroidism] (E05†)

**M14.6\* Neuropathic arthropathy**

Charcot or tabetic arthropathy (A52.1†)

Diabetic neuropathic arthropathy (E10-E14† with common fourth character .6)

**M14.8\* Arthropathies in other specified diseases classified elsewhere**

Arthropathy in:

- erythema:
  - multiforme (L51†)
  - nodosum (L52†)
- sarcoidosis (D86.8†)
- Whipple disease (K90.8†)

## Arthrosis (M15-M19)

**Note:** In this block the term osteoarthritis is used as a synonym for arthrosis or osteoarthritis. The term primary has been used with its customary clinical meaning of no underlying or determining condition identified.

**Excludes:** osteoarthritis of spine (M47-)

### M15 Polyarthrosis

**Includes:** arthrosis with mention of more than one site

**Excludes:** bilateral involvement of single joint (M16-M19)

### M15.0 Primary generalized (osteo)arthrosis

### M15.1 Heberden nodes (with arthropathy)

### M15.2 Bouchard nodes (with arthropathy)

**M15.3 Secondary multiple arthrosis**

Post-traumatic polyarthrosis

**M15.4 Erosive (osteo)arthrosis**

**M15.8 Other polyarthrosis**

**M15.9 Polyarthrosis, unspecified**

Generalized osteoarthritis NOS

**M16 Coxarthrosis [arthrosis of hip]**

**M16.0 Primary coxarthrosis, bilateral**

**M16.1 Other primary coxarthrosis**

Primary coxarthrosis:

- NOS
- unilateral

**M16.2 Coxarthrosis resulting from dysplasia, bilateral**

**M16.3 Other dysplastic coxarthrosis**

Dysplastic coxarthrosis:

- NOS
- unilateral

**M16.4 Post-traumatic coxarthrosis, bilateral**

**M16.5 Other post-traumatic coxarthrosis**

Post-traumatic coxarthrosis:

- NOS



- unilateral

**M16.6 Other secondary coxarthrosis, bilateral**

**M16.7 Other secondary coxarthrosis**

Secondary coxarthrosis:

- NOS
- unilateral

**M16.9 Coxarthrosis, unspecified**

**M17 Gonarthrosis [arthrosis of knee]**

**M17.0 Primary gonarthrosis, bilateral**

**M17.1 Other primary gonarthrosis**

Primary gonarthrosis:

- NOS
- unilateral

**M17.2 Post-traumatic gonarthrosis, bilateral**

**M17.3 Other post-traumatic gonarthrosis**

Post-traumatic gonarthrosis:

- NOS
- unilateral

**M17.4 Other secondary gonarthrosis, bilateral**

**M17.5 Other secondary gonarthrosis**

Secondary gonarthrosis:

- NOS
- unilateral

**M17.9 Gonarthrosis, unspecified**

**M18 Arthrosis of first carpometacarpal joint**

**M18.0 Primary arthrosis of first carpometacarpal joints, bilateral**

**M18.1 Other primary arthrosis of first carpometacarpal joint**

Primary arthrosis of first carpometacarpal joint:

- NOS
- unilateral

**M18.2 Post-traumatic arthrosis of first carpometacarpal joints, bilateral**

**M18.3 Other post-traumatic arthrosis of first carpometacarpal joint**

Post-traumatic arthrosis of first carpometacarpal joint:

- NOS
- unilateral

**M18.4 Other secondary arthrosis of first carpometacarpal joints, bilateral**

**M18.5 Other secondary arthrosis of first carpometacarpal joint**

Secondary arthrosis of first carpometacarpal joint:

- NOS
- unilateral

**M18.9 Arthrosis of first carpometacarpal joint, unspecified**

**M19 Other arthrosis**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** arthrosis of spine (M47-)  
hallux rigidus (M20.2)  
polyarthrosis (M15-)

**M19.0 Primary arthrosis of other joints**

Primary arthrosis NOS

**M19.1 Post-traumatic arthrosis of other joints**

Post-traumatic arthrosis NOS

**M19.2 Other secondary arthrosis**

Secondary arthrosis NOS

**M19.8 Other specified arthrosis**

**M19.9 Arthrosis, unspecified**

**M19.90** Advanced arthrosis

Grave arthrosis

Severe arthrosis

**Other joint disorders (M20-M25)**

**Excludes:** joints of the spine (M40-M54)

**M20 Acquired deformities of fingers and toes**

**Excludes:** acquired absence of fingers and toes (c11Z89.-)

congenital:

- absence of fingers and toes (Q71.3, Q72.3)
- deformities and malformations of fingers and toes (Q66-, Q68-Q70, Q74-)

**M20.0 Deformity of finger(s)**

Boutonnière and swan-neck deformities

**Excludes:** clubbing of fingers (R68.3)  
palmar fascial fibromatosis [Dupuytren] (M72.0)  
trigger finger (M65.3)

**M20.1 Hallux valgus (acquired)**

Bunion

**M20.2 Hallux rigidus**

**M20.3 Other deformity of hallux (acquired)**

Hallux varus

**M20.4 Other hammer toe(s) (acquired)**

**M20.5 Other deformities of toe(s) (acquired)**

**M20.6 Acquired deformity of toe(s), unspecified**

**M21 Other acquired deformities of limbs**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** acquired absence of limb (<sup>ciii</sup>Z89.-)  
acquired deformities of fingers or toes (M20-)  
congenital:  
• absence of limbs (Q71-Q73)  
• deformities and malformations of limbs (Q65-Q66, Q68-Q74)  
coxa plana (M91.2)

**M21.0 Valgus deformity, not elsewhere classified**

*Excludes:* metatarsus valgus (Q66.6)  
talipes calcaneovalgus (Q66.4)

**M21.1 Varus deformity, not elsewhere classified**

*Excludes:* metatarsus varus (Q66.2)  
tibia vara (M92.5)

**M21.2 Flexion deformity**

**M21.3 Wrist or foot drop (acquired)**

**M21.4 Flat foot [pes planus] (acquired)**

*Excludes:* congenital pes planus (Q66.5)

**M21.5 Acquired clawhand, clubhand, clawfoot and clubfoot**

*Excludes:* clubfoot, not specified as acquired (Q66.8)

**M21.6 Other acquired deformities of ankle and foot**

*Excludes:* deformities of toe (acquired) (M20.1-M20.6)

**M21.7 Unequal limb length (acquired)**

**M21.8 Other specified acquired deformities of limbs**

**M21.9 Acquired deformity of limb, unspecified**

**M22 Disorders of patella**

*Excludes:* dislocation of patella (S83.0)

**M22.0 Recurrent dislocation of patella**

**M22.1 Recurrent subluxation of patella**

**M22.2 Patellofemoral disorders**

**M22.3 Other derangements of patella**

**M22.4 Chondromalacia patellae**

**M22.8 Other disorders of patella**

**M22.9 Disorder of patella, unspecified**

**M23 Internal derangement of knee**

The following supplementary subclassification to indicate the site of involvement is provided for optional use with appropriate subcategories in M23-; see also note in "Site of musculoskeletal involvement" preceding Arthropathies (M00-M25).

0 Multiple sites

1 Anterior cruciate ligament or Anterior horn of medial meniscus

2 Posterior cruciate ligament or Posterior horn of medial meniscus

3 Medial collateral ligament or Other and unspecified medial meniscus

4 Lateral collateral ligament or Anterior horn of lateral meniscus

5 Posterior horn of lateral meniscus

6 Other and unspecified lateral meniscus

7 Capsular ligament

9 Unspecified ligament or Unspecified meniscus

**Excludes:** ankylosis (M24.6)  
current injury - see injury to the knee and lower leg (S80-S89)  
deformity of knee (M21-)  
disorders of patella (M22-)

osteocondritis dissecans (M93.2)  
recurrent dislocation or subluxation (M24.4)  
• patella (M22.0-M22.1)

**M23.0 Cystic meniscus**

**M23.1 Discoid meniscus (congenital)**

**M23.2 Derangement of meniscus due to old tear or injury**

Old bucket-handle tear

**M23.3 Other meniscus derangements**

|            |          |
|------------|----------|
| Degenerate | meniscus |
| Detached   |          |
| Retained   |          |

**M23.4 Loose body in knee**

**M23.5 Chronic instability of knee**

**M23.6 Other spontaneous disruption of ligament(s) of knee**

**M23.8 Other internal derangements of knee**

Laxity of ligament of knee  
Snapping knee

**M23.9 Internal derangement of knee, unspecified**

**M24 Other specific joint derangements**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** current injury - see injury of joint by body region

ganglion (M67.4)  
snapping knee (M23.8)  
temporomandibular joint disorders (K07.6)

**M24.0 Loose body in joint**

**Excludes:** loose body in knee (M23.4)

**M24.1 Other articular cartilage disorders**

**Excludes:** chondrocalcinosis (M11.1-M11.2)  
internal derangement of knee (M23.-)  
metastatic calcification (E83.5)  
ochronosis (E70.2)

**M24.2 Disorder of ligament**

Instability secondary to old ligament injury  
Ligamentous laxity NOS

**Excludes:** familial ligamentous laxity (M35.7)  
knee (M23.5-M23.8)

**M24.3 Pathological dislocation and subluxation of joint, not elsewhere classified**

**Excludes:** dislocation or displacement of joint:

- congenital - see congenital malformations and deformations of the musculoskeletal system (Q65-Q79)
- current injury - see injury of joints and ligaments by body region
- recurrent (M24.4)

**M24.4 Recurrent dislocation and subluxation of joint**

**Excludes:** patella (M22.0-M22.1)  
vertebral subluxation (M43.3-M43.5)

**M24.5 Contracture of joint**

**Excludes:** acquired deformities of limbs (M20-M21)  
contracture of tendon (sheath) without contracture of joint (M67.1)



Dupuytren contracture (M72.0)

**M24.6 Ankylosis of joint**

**Excludes:** spine (M43.2)  
stiffness of joint without ankylosis (M25.6)

**M24.7 Protrusio acetabuli**

**M24.8 Other specific joint derangements, not elsewhere classified**

**Excludes:** that involving iliotibial band syndrome (M76.3)

**M24.9 Joint derangement, unspecified**

**M25 Other joint disorders, not elsewhere classified**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** abnormality of gait and mobility (R26-)  
calcification of:  
• bursa (M71.4)  
• shoulder (joint) (M75.3)  
• tendon (M65.2)  
deformities classified to M20-M21  
difficulty in walking (R26.2)

**M25.0 Haemarthrosis**

**Excludes:** current injury - see injury of joint by body region

**M25.1 Fistula of joint**

**M25.2 Flail joint**

**M25.3 Other instability of joint**

- Excludes:** instability of joint secondary to:
- old ligament injury (M24.2)
  - removal of joint prosthesis (M96.8)

**M25.4 Effusion of joint**

- Excludes:** hydrarthrosis of jaws (A66.6)

**M25.5 Pain in joint**

**M25.6 Stiffness of joint, not elsewhere classified**

**M25.7 Osteophyte**

**M25.8 Other specified joint disorders**

**M25.9 Joint disorder, unspecified**

**Systemic connective tissue disorders (M30-M36)**

- Includes:** autoimmune disease:
- NOS
  - systemic
- collagen (vascular) disease:
- NOS
  - systemic

- Excludes:** antiphospholipid syndrome (D68.6)  
autoimmune disease, single organ or single cell-type (code to relevant condition category)

**M30 Polyarteritis nodosa and related conditions**

**M30.0 Polyarteritis nodosa**

**M30.1 Polyarteritis with lung involvement [Churg-Strauss]**  
Allergic granulomatous angiitis

**M30.2 Juvenile polyarteritis**

**M30.3 Mucocutaneous lymph node syndrome [Kawasaki]**

**M30.8 Other conditions related to polyarteritis nodosa**  
Polyangiitis overlap syndrome

**M31 Other necrotizing vasculopathies**

**M31.0 Hypersensitivity angiitis**  
Goodpasture syndrome

**M31.1 Thrombotic microangiopathy**  
Thrombotic thrombocytopenic purpura

**M31.2 Lethal midline granuloma**

**M31.3 Wegener granulomatosis**  
Necrotizing respiratory granulomatosis

**M31.4 Aortic arch syndrome [Takayasu]**

**M31.5 Giant cell arteritis with polymyalgia rheumatica**

**M31.6 Other giant cell arteritis**

**M31.7 Microscopic polyangiitis**

Microscopic polyarteritis

**Excludes:** polyarteritis nodosa (M30.0)

**M31.8 Other specified necrotizing vasculopathies**

Hypocomplementaemic vasculitis

**M31.9 Necrotizing vasculopathy, unspecified**

**M32 Systemic lupus erythematosus**

**Excludes:** lupus erythematosus (discoid) (NOS) (L93.0)

**M32.0 Drug-induced systemic lupus erythematosus**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**M32.1† Systemic lupus erythematosus with organ or system involvement**

Libman-Sacks disease (I39\*)

Lupus pericarditis (I32.8\*)

Systemic lupus erythematosus with:

- kidney involvement (N08.5\*, N16.4\*)
- lung involvement (J99.1\*)

**M32.8 Other forms of systemic lupus erythematosus**

**M32.9 Systemic lupus erythematosus, unspecified**

**M33 Dermatopolymyositis**

**M33.0 Juvenile dermatomyositis**

**M33.1 Other dermatomyositis**

**M33.2 Polymyositis**

**M33.9 Dermatopolymyositis, unspecified**

**M34 Systemic sclerosis**

*Includes:* scleroderma

*Excludes:* scleroderma:  
• circumscribed (L94.0)  
• neonatal (P83.8)

**M34.0 Progressive systemic sclerosis**

**M34.1 CR(E)ST syndrome**

Combination of calcinosis, Raynaud phenomenon, (o)esophageal dysfunction, sclerodactyly, telangiectasia

**M34.2 Systemic sclerosis induced by drugs and chemicals**

Use additional external cause code (Chapter XX), if desired, to identify cause.

**M34.8 Other forms of systemic sclerosis**

Systemic sclerosis with:

- lung involvement† (J99.1\*)
- myopathy† (G73.7\*)

**M34.9 Systemic sclerosis, unspecified**

**M35 Other systemic involvement of connective tissue**

*Excludes:* reactive perforating collagenosis (L87.1)

**M35.0 Sicca syndrome [Sjögren]**

Sjögren syndrome with:

- keratoconjunctivitis† (H19.3\*)
- lung involvement† (J99.1\*)
- myopathy† (G73.7\*)
- renal tubulo-interstitial disorders† (N16.4\*)

**M35.1 Other overlap syndromes**

Mixed connective tissue disease

*Excludes:* polyangiitis overlap syndrome (M30.8)

**M35.2 Behçet disease**

**M35.3 Polymyalgia rheumatica**

*Excludes:* polymyalgia rheumatica with giant cell arteritis (M31.5)

**M35.4 Diffuse (eosinophilic) fasciitis**

**M35.5 Multifocal fibrosclerosis**

**M35.6 Relapsing panniculitis [Weber-Christian]**

*Excludes:* panniculitis:

- NOS (M79.3)
- lupus (L93.2)

**M35.7 Hypermobility syndrome**

Familial ligamentous laxity

*Excludes:* Ehlers-Danlos syndrome (Q79.6)  
ligamentous laxity NOS (M24.2)

**M35.8 Other specified systemic involvement of connective tissue**

**M35.9 Systemic involvement of connective tissue, unspecified**

Autoimmune disease (systemic) NOS

Collagen (vascular) disease NOS

**M36 Systemic disorders of connective tissue in diseases classified elsewhere**

**Excludes:** arthropathies in diseases classified elsewhere (M14\*)

**M36.0\* Dermato(poly)myositis in neoplastic disease (C00-D48†)**

**M36.1\* Arthropathy in neoplastic disease (C00-D48†)**

Arthropathy in:

- leukaemia (C91-C95†)
- malignant histiocytosis (C96.1†)
- multiple myeloma (C90.0†)

**M36.2\* Haemophilic arthropathy (D66-D68†)**

**M36.3\* Arthropathy in other blood disorders (D50-D76†)**

**Excludes:** arthropathy in Henoch(-Schönlein) purpura (M36.4\*)

**M36.4\* Arthropathy in hypersensitivity reactions classified elsewhere**

Arthropathy in Henoch(-Schönlein) purpura (D69.0†)

**M36.8\* Systemic disorders of connective tissue in other diseases classified elsewhere**

Systemic disorders of connective tissue in:

- hypogammaglobulinaemia (D80†)
- ochronosis (E70.2†)

## Dorsopathies (M40-M54)

The following supplementary subclassification to indicate the site of involvement is provided for optional use with appropriate categories in the block on dorsopathies, except categories M50 and M51; see also note in "Site of musculoskeletal involvement" preceding Arthropathies (M00-M25).

- 0 Multiple sites in spine
- 1 Occipito-atlanto-axial region
- 2 Cervical region
- 3 Cervicothoracic region
- 4 Thoracic region
- 5 Thoracolumbar region
- 6 Lumbar region
- 7 Lumbosacral region
- 8 Sacral and sacrococcygeal region
- 9 Site unspecified

## Deforming dorsopathies (M40-M43)

### M40 Kyphosis and lordosis

[See site code above]

**Excludes:** kyphoscoliosis (M41-)  
kyphosis and lordosis:

- congenital (Q76.4)
- postprocedural (M96-)

### M40.0 Postural kyphosis



**Excludes:** osteochondrosis of spine (M42-)

**M40.1 Other secondary kyphosis**

**M40.2 Other and unspecified kyphosis**

**M40.3 Flatback syndrome**

**M40.4 Other lordosis**

Lordosis:

- acquired
- postural

**M40.5 Lordosis, unspecified**

**M41 Scoliosis**

[See site code at Dorsopathies (M40-M54)]

**Includes:** kyphoscoliosis

**Excludes:** congenital scoliosis:

- NOS (Q67.5)
- due to bony malformation (Q76.3)
- postural (Q67.5)

kyphoscoliotic heart disease (I27.1)  
postprocedural (M96-)

**M41.0 Infantile idiopathic scoliosis**

**M41.1 Juvenile idiopathic scoliosis**

Adolescent scoliosis

**M41.2 Other idiopathic scoliosis**

**M41.3 Thoracogenic scoliosis**

**M41.4 Neuromuscular scoliosis**

Scoliosis secondary to cerebral palsy, Friedreich ataxia, poliomyelitis, and other neuromuscular disorders.

**M41.5 Other secondary scoliosis**

**M41.8 Other forms of scoliosis**

**M41.9 Scoliosis, unspecified**

**M42 Spinal osteochondrosis**

[See site code at Dorsopathies (M40-M54)]

**M42.0 Juvenile osteochondrosis of spine**

Calvé disease

Scheuermann disease

**Excludes:** postural kyphosis (M40.0)

**M42.1 Adult osteochondrosis of spine**

**M42.9 Spinal osteochondrosis, unspecified**

**M43 Other deforming dorsopathies**

[See site code at Dorsopathies (M40-M54)]

**Excludes:** congenital spondylolysis and spondylolisthesis (Q76.2)  
hemivertebra (Q76.3-Q76.4)  
Klippel-Feil syndrome (Q76.1)  
lumbarization and sacralization (Q76.4)  
platyspondylisis (Q76.4)

spina bifida occulta (Q76.0)

spinal curvature in:

- osteoporosis (M80-M81)
- Paget disease of bone [osteitis deformans] (M88-)

## **M43.0 Spondylolysis**

## **M43.1 Spondylolisthesis**

## **M43.2 Other fusion of spine**

Ankylosis of spinal joint

**Excludes:** ankylosing spondylitis (M45)  
arthrodesis status (<sup>civ</sup>Z98.1)  
pseudoarthrosis after fusion or arthrodesis (M96.0)

## **M43.3 Recurrent atlantoaxial subluxation with myelopathy**

## **M43.4 Other recurrent atlantoaxial subluxation**

## **M43.5 Other recurrent vertebral subluxation**

**Excludes:** biomechanical lesions NEC (M99-)

## **M43.6 Torticollis**

**Excludes:** torticollis:

- congenital (sternomastoid) (Q68.0)
- current injury - see injury of spine by body region
- due to birth injury (P15.2)
- psychogenic (F45.8)
- spasmodic (G24.3)

## **M43.8 Other specified deforming dorsopathies**

**Excludes:** kyphosis and lordosis (M40-)  
scoliosis (M41-)

**M43.9 Deforming dorsopathy, unspecified**

Curvature of spine NOS

**Spondylopathies (M45-M49)**

**M45 Ankylosing spondylitis**

[See site code at Dorsopathies (M40-M54)]

Rheumatoid arthritis of spine

**Excludes:** arthropathy in Reiter disease (M02.3)  
Behçet disease (M35.2)  
juvenile (ankylosing) spondylitis (M08.1)

**M46 Other inflammatory spondylopathies**

[See site code at Dorsopathies (M40-M54)]

**M46.0 Spinal enthesopathy**

Disorder of ligamentous or muscular attachments of spine

**M46.1 Sacroiliitis, not elsewhere classified**

**M46.2 Osteomyelitis of vertebra**

**M46.3 Infection of intervertebral disc (pyogenic)**

Use additional code (B95-B97), if desired, to identify infectious agent.

**M46.4 Discitis, unspecified**

**M46.5 Other infective spondylopathies**

**M46.8 Other specified inflammatory spondylopathies**

**M46.9 Inflammatory spondylopathy, unspecified**

**M47 Spondylosis**

[See site code at Dorsopathies (M40-M54)]

**Includes:** arthrosis or osteoarthritis of spine  
degeneration of facet joints

**M47.0† Anterior spinal and vertebral artery compression syndromes (G99.2\*)**

**M47.1 Other spondylosis with myelopathy**

Spondylogenic compression of spinal cord† (G99.2\*)

**Excludes:** vertebral subluxation (M43.3-M43.5)

**M47.2 Other spondylosis with radiculopathy**

**M47.8 Other spondylosis**

Cervical spondylosis  
Lumbosacral spondylosis  
Thoracic spondylosis

without myelopathy or  
radiculopathy

**M47.9 Spondylosis, unspecified**

**M48 Other spondylopathies**

[See site code at Dorsopathies (M40-M54)]

**M48.0 Spinal stenosis**

Caudal stenosis

**M48.1 Ankylosing hyperostosis [Forestier]**

Diffuse idiopathic skeletal hyperostosis [DISH]

**M48.2 Kissing spine**

**M48.3 Traumatic spondylopathy**

**M48.4 Fatigue fracture of vertebra**

Stress fracture of vertebra

**M48.5 Collapsed vertebra, not elsewhere classified**

Collapsed vertebra NOS

Wedging of vertebra NOS

**Excludes:** collapsed vertebra in osteoporosis (M80-)  
current injury - see injury of spine by body region.

**M48.8 Other specified spondylopathies**

Ossification of posterior longitudinal ligament

**M48.9 Spondylopathy, unspecified**

**M49 Spondylopathies in diseases classified elsewhere**

[See site code at Dorsopathies (M40-M54)]

**Excludes:** psoriatic and enteropathic arthropathies (M07\*, M09\*)

**M49.0\* Tuberculosis of spine (A18.0†)**

Pott curvature

**M49.1\* Brucella spondylitis (A23†)**

**M49.2\* Enterobacterial spondylitis (A01-A04†)**

**M49.3\* Spondylopathy in other infectious and parasitic diseases classified elsewhere**

*Excludes:* neuropathic spondylopathy in tabes dorsalis (M49.4\*)

**M49.4\* Neuropathic spondylopathy**

Neuropathic spondylopathy in:

- syringomyelia and syringobulbia (G95.0†)
- tabes dorsalis (A52.1†)

**M49.5\* Collapsed vertebra in diseases classified elsewhere**

Metastatic fracture of vertebra (C79.5†)

**M49.8\* Spondylopathy in other diseases classified elsewhere**

**Other dorsopathies (M50-M54)**

*Excludes:* current injury - see injury of spine by body region  
discitis NOS (M46.4)

**M50 Cervical disc disorders**

*Includes:* cervical disc disorders with cervicalgia  
cervicothoracic disc disorders

**M50.0† Cervical disc disorder with myelopathy (G99.2\*)**

**M50.1 Cervical disc disorder with radiculopathy**

*Excludes:* brachial radiculitis NOS (M54.1)

**M50.2 Other cervical disc displacement**

**M50.3 Other cervical disc degeneration**

**M50.8 Other cervical disc disorders**

**M50.9 Cervical disc disorder, unspecified**

**M51 Other intervertebral disc disorders**

*Includes:* thoracic, thoracolumbar and lumbosacral disc disorders

**M51.0† Lumbar and other intervertebral disc disorders with myelopathy (G99.2\*)**

**M51.1† Lumbar and other intervertebral disc disorders with radiculopathy (G55.1\*)**

Sciatica due to intervertebral disc disorder

*Excludes:* lumbar radiculitis NOS (M54.1)

**M51.2 Other specified intervertebral disc displacement**

Lumbago due to displacement of intervertebral disc

**M51.3 Other specified intervertebral disc degeneration**

**M51.4 Schmorl nodes**

**M51.8 Other specified intervertebral disc disorders**

**M51.9 Intervertebral disc disorder, unspecified**

**M53 Other dorsopathies, not elsewhere classified**

[See site code at Dorsopathies (M40-M54)]

**M53.0 Cervicocranial syndrome**



Posterior cervical sympathetic syndrome

**M53.1 Cervicobrachial syndrome**

**Excludes:** cervical disc disorder (M50-)  
thoracic outlet syndrome (G54.0)

**M53.2 Spinal instabilities**

**M53.3 Sacrococcygeal disorders, not elsewhere classified**

Coccygodynia

**M53.8 Other specified dorsopathies**

**M53.9 Dorsopathy, unspecified**

**M54 Dorsalgia**

[See site code at Dorsopathies (M40-M54)]

**Excludes:** psychogenic dorsalgia (F45.4)

**M54.0 Panniculitis affecting regions of neck and back**

**Excludes:** panniculitis:  
• NOS (M79.3)  
• lupus (L93.2)  
• relapsing [Weber-Christian] (M35.6)

**M54.1 Radiculopathy**

Neuritis or radiculitis:

- brachial NOS
- lumbar NOS
- lumbosacral NOS
- thoracic NOS

Radiculitis NOS

- Excludes:** neuralgia and neuritis NOS (M79.2)  
radiculopathy with:
- cervical disc disorder (M50.1)
  - lumbar and other intervertebral disc disorder (M51.1)
  - spondylosis (M47.2)

**M54.2 Cervicalgia**

- Excludes:** cervicalgia due to intervertebral cervical disc disorder (M50-)

**M54.3 Sciatica**

- Excludes:** lesion of sciatic nerve (G57.0)  
sciatica:
- due to intervertebral disc disorder (M51.1)
  - with lumbago (M54.4)

**M54.4 Lumbago with sciatica**

- Excludes:** that due to intervertebral disc disorder (M51.1)

**M54.5 Low back pain**

Loin pain  
Low back strain  
Lumbago NOS

- Excludes:** lumbago:
- due to intervertebral disc displacement (M51.2)
  - with sciatica (M54.4)

**M54.6 Pain in thoracic spine**

- Excludes:** pain due to intervertebral disc disorder (M51-)

**M54.8 Other dorsalgia**

**M54.9 Dorsalgia, unspecified**

Backache NOS

## Soft tissue disorders (M60-M79)

### Disorders of muscles (M60-M63)

**Excludes:** dermatopolymyositis (M33-)  
muscular dystrophies and myopathies (G71-G72)  
myopathy in:

- amyloidosis (E85-)
- polyarteritis nodosa (M30.0)
- rheumatoid arthritis (M05.3)
- scleroderma (M34-)
- Sjögren syndrome (M35.0)
- systemic lupus erythematosus (M32-)

#### **M60 Myositis**

[See site code preceding Arthropathies (M00-M25)]

#### **M60.0 Infective myositis**

Tropical pyomyositis

Use additional code (B95-B97), if desired, to identify infectious agent.

#### **M60.1 Interstitial myositis**

#### **M60.2 Foreign body granuloma of soft tissue, not elsewhere classified**

**Excludes:** foreign body granuloma of skin and subcutaneous tissue (L92.3)

#### **M60.8 Other myositis**

#### **M60.9 Myositis, unspecified**

**M61 Calcification and ossification of muscle**

[See site code preceding Arthropathies (M00-M25)]

**M61.0 Myositis ossificans traumatica**

**M61.1 Myositis ossificans progressiva**

Fibrodysplasia ossificans progressiva

**M61.2 Paralytic calcification and ossification of muscle**

Myositis ossificans associated with quadriplegia or paraplegia

**M61.3 Calcification and ossification of muscles associated with burns**

Myositis ossificans associated with burns

**M61.4 Other calcification of muscle**

**Excludes:** calcific tendinitis (M65.2)  
• of shoulder (M75.3)

**M61.5 Other ossification of muscle**

**M61.9 Calcification and ossification of muscle, unspecified**

**M62 Other disorders of muscle**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** cramp and spasm (R25.2)  
myalgia (M79.1)  
myopathy:  
• alcoholic (G72.1)  
• drug-induced (G72.0)  
stiff-man syndrome (G25.8)

**M62.0 Diastasis of muscle**

**M62.1 Other rupture of muscle (nontraumatic)**

**Excludes:** rupture of tendon (M66-)  
traumatic rupture of muscle - see injury of muscle by  
body region

**M62.2 Ischaemic infarction of muscle**

Compartment syndrome, nontraumatic

**Excludes:** compartment syndrome, traumatic (T79.6)  
traumatic ischaemia of muscle (T79.6)  
Volkmann ischaemic contracture (T79.6)

**M62.3 Immobility syndrome (paraplegic)**

**M62.4 Contracture of muscle**

**Excludes:** contracture of joint (M24.5)

**M62.5 Muscle wasting and atrophy, not elsewhere classified**

Disuse atrophy NEC

**M62.6 Muscle strain**

**Excludes:** current injury - see injury of muscle by body region

**M62.8 Other specified disorders of muscle**

Muscle (sheath) hernia

**M62.9 Disorder of muscle, unspecified**

**M63 Disorders of muscle in diseases classified elsewhere**

**Excludes:** myopathy in:  
• endocrine diseases (G73.5\*)  
• metabolic diseases (G73.6\*)

**M63.0\* Myositis in bacterial diseases classified elsewhere**

Myositis in:

- leprosy [Hansen disease] (A30†)
- syphilis (A51.4†, A52.7†)

**M63.1\* Myositis in protozoal and parasitic infections classified elsewhere**

Myositis in:

- cysticercosis (B69.8†)
- schistosomiasis [bilharziasis] (B65†)
- toxoplasmosis (B58.8†)
- trichinellosis (B75†)

**M63.2\* Myositis in other infectious diseases classified elsewhere**

Myositis in mycosis (B35-B49†)

**M63.3\* Myositis in sarcoidosis (D86.8†)**

**M63.8\* Other disorders of muscle in diseases classified elsewhere**

*Disorders of synovium and tendon  
(M65-M68)*

**M65 Synovitis and tenosynovitis**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** chronic crepitant synovitis of hand and wrist (M70.0)  
current injury - see injury of ligament or tendon by body region  
soft tissue disorders related to use, overuse and pressure (M70-)

**M65.0 Abscess of tendon sheath**

Use additional code (B95-B96), if desired, to identify bacterial agent.

**M65.1 Other infective (teno)synovitis**

**M65.2 Calcific tendinitis**

*Excludes:* of shoulder (M75.3)  
specified tendinitis (M75-M77)

**M65.3 Trigger finger**

Nodular tendinous disease

**M65.4 Radial styloid tenosynovitis [de Quervain]**

**M65.8 Other synovitis and tenosynovitis**

Irritable hip

**M65.9 Synovitis and tenosynovitis, unspecified**

**M66 Spontaneous rupture of synovium and tendon**

[See site code preceding Arthropathies (M00-M25)]

*Includes:* rupture that occurs when a normal force is applied to tissues that are inferred to have less than normal strength

*Excludes:* rotator cuff syndrome (M75.1)  
rupture where an abnormal force is applied to normal tissue - see injury of tendon by body region

**M66.0 Rupture of popliteal cyst**

**M66.1 Rupture of synovium**

Rupture of synovial cyst

*Excludes:* rupture of popliteal cyst (M66.0)

**M66.2 Spontaneous rupture of extensor tendons**

**M66.3 Spontaneous rupture of flexor tendons**

**M66.4 Spontaneous rupture of other tendons**

**M66.5 Spontaneous rupture of unspecified tendon**

Rupture at musculotendinous junction, nontraumatic

**M67 Other disorders of synovium and tendon**

**Excludes:** palmar fascial fibromatosis [Dupuytren] (M72.0)  
tendinitis NOS (M77.9)  
xanthomatosis localized to tendons (E78.2)

**M67.0 Short Achilles tendon (acquired)**

**M67.1 Other contracture of tendon (sheath)**

**Excludes:** with contracture of joint (M24.5)

**M67.2 Synovial hypertrophy, not elsewhere classified**

**Excludes:** villonodular synovitis (pigmented) (M12.2)

**M67.3 Transient synovitis**

Toxic synovitis

**Excludes:** palindromic rheumatism (M12.3)

**M67.4 Ganglion**

Ganglion of joint or tendon (sheath)

|                  |            |               |
|------------------|------------|---------------|
| <b>Excludes:</b> | cyst of:   |               |
|                  | • bursa    | (M71.2-M71.3) |
|                  | • synovium |               |

ganglion in yaws (A66.6)

**M67.8 Other specified disorders of synovium and tendon**



**M67.9 Disorder of synovium and tendon, unspecified**

**M68 Disorders of synovium and tendon in diseases classified elsewhere**

**M68.0\* Synovitis and tenosynovitis in bacterial diseases classified elsewhere**

Synovitis or tenosynovitis in:

- gonorrhoea (A54.4†)
- syphilis (A52.7†)
- tuberculosis (A18.0†)

**M68.8\* Other disorders of synovium and tendon in diseases classified elsewhere**

**Other soft tissue disorders (M70-M79)**

**M70 Soft tissue disorders related to use, overuse and pressure**  
[See site code preceding Arthropathies (M00-M25)]

**Includes:** soft tissue disorders of occupational origin

**Excludes:** bursitis (of):

- NOS (M71.9)
- shoulder (M75.5)

decubitus ulcer and pressure area (L89-) enthesopathies (M76-M77)

**M70.0 Chronic crepitant synovitis of hand and wrist**

**M70.1 Bursitis of hand**

**M70.2 Olecranon bursitis**

**M70.3 Other bursitis of elbow**

**M70.4 Prepatellar bursitis**

**M70.5 Other bursitis of knee**

**M70.6 Trochanteric bursitis**

Trochanteric tendinitis

**M70.7 Other bursitis of hip**

Ischial bursitis

**M70.8 Other soft tissue disorders related to use, overuse and pressure**

**M70.9 Unspecified soft tissue disorder related to use, overuse and pressure**

**M71 Other bursopathies**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** bunion (M20.1)  
bursitis related to use, overuse and pressure (M70-)  
enthesopathies (M76-M77)

**M71.0 Abscess of bursa**

**M71.1 Other infective bursitis**

**M71.2 Synovial cyst of popliteal space [Baker]**

*Excludes:* with rupture (M66.0)

**M71.3 Other bursal cyst**

Synovial cyst NOS

*Excludes:* synovial cyst with rupture (M66.1)

**M71.4 Calcium deposit in bursa**

*Excludes:* of shoulder (M75.3)

**M71.5 Other bursitis, not elsewhere classified**

*Excludes:* bursitis (of):

- NOS (M71.9)
- shoulder (M75.5)
- tibial collateral [Pellegrini-Stieda] (M76.4)

**M71.8 Other specified bursopathies**

**M71.9 Bursopathy, unspecified**

Bursitis NOS

**M72 Fibroblastic disorders**

[See site code preceding Arthropathies (M00-M25)]

*Excludes:* retroperitoneal fibromatosis (D48.3)

**M72.0 Palmar fascial fibromatosis [Dupuytren]**

**M72.1 Knuckle pads**

**M72.2 Plantar fascial fibromatosis**

Plantar fasciitis

**M72.4 Pseudosarcomatous fibromatosis**

Nodular fasciitis

**M72.6 Necrotizing fasciitis**

Use additional code, if desired, to identify infectious agent.

**M72.8 Other fibroblastic disorders**

Abscess of fascia

**Excludes:** fasciitis:

- diffuse (eosinophilic) (M35.4)
- necrotizing (M72.6)
- nodular (M72.4)
- perirenal:
  - NOS (N13.5)
  - with infection (N13.6)
- plantar (M72.2)

**M72.9 Fibroblastic disorder, unspecified**

Fasciitis NOS

Fibromatosis NOS

**M73 Soft tissue disorders in diseases classified elsewhere**

[See site code preceding Arthropathies (M00-M25)]

**M73.0\* Gonococcal bursitis (A54.4†)**

**M73.1\* Syphilitic bursitis (A52.7†)**

**M73.8\* Other soft tissue disorders in diseases classified elsewhere**

**M75 Shoulder lesions**

**Excludes:** shoulder-hand syndrome (M89.0)

**M75.0 Adhesive capsulitis of shoulder**

Frozen shoulder

Periarthritis of shoulder

**M75.1 Rotator cuff syndrome**

Rotator cuff or supraspinatus tear or rupture (complete)(incomplete),  
not specified as traumatic

Supraspinatus syndrome

**M75.2 Bicipital tendinitis**

**M75.3 Calcific tendinitis of shoulder**

Calcified bursa of shoulder

**M75.4 Impingement syndrome of shoulder**

**M75.5 Bursitis of shoulder**

**M75.8 Other shoulder lesions**

**M75.9 Shoulder lesion, unspecified**

**M76 Enthesopathies of lower limb, excluding foot**

[See site code preceding Arthropathies (M00-M25)]

**Note:** The superficially specific terms bursitis, capsulitis and tendinitis tend to be used indiscriminately for various disorders of peripheral ligamentous or muscular attachments; most of these conditions have been brought together as enthesopathies which is the generic term for lesions at these sites.

**Excludes:** bursitis due to use, overuse and pressure (M70-)

**M76.0 Gluteal tendinitis**

**M76.1 Psoas tendinitis**

**M76.2 Iliac crest spur**

**M76.3 Iliotibial band syndrome**

**M76.4 Tibial collateral bursitis [Pellegrini-Stieda]**

**M76.5 Patellar tendinitis**

**M76.6 Achilles tendinitis**

Achilles bursitis

**M76.7 Peroneal tendinitis**

**M76.8 Other enthesopathies of lower limb, excluding foot**

Anterior tibial syndrome

Posterior tibial tendinitis

**M76.9 Enthesopathy of lower limb, unspecified**

**M77 Other enthesopathies**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** bursitis:  
• NOS (M71.9)  
• due to use, overuse and pressure (M70-)

osteophyte (M25.7)  
spinal enthesopathy (M46.0)

**M77.0 Medial epicondylitis**

**M77.1 Lateral epicondylitis**  
Tennis elbow

**M77.2 Periarthritis of wrist**

**M77.3 Calcaneal spur**

**M77.4 Metatarsalgia**  
*Excludes:* Morton metatarsalgia (G57.6)

**M77.5 Other enthesopathy of foot**

**M77.8 Other enthesopathies, not elsewhere classified**

**M77.9 Enthesopathy, unspecified**  
Bone spur NOS  
Capsulitis NOS  
Periarthritis NOS  
Tendinitis NOS

**M79 Other soft tissue disorders, not elsewhere classified**  
[See site code preceding Arthropathies (M00-M25)]

*Excludes:* soft tissue pain, psychogenic (F45.4)

**M79.0 Rheumatism, unspecified**  
*Excludes:* fibromyalgia (M79.7)

palindromic rheumatism (M12.3)

**M79.1 Myalgia**

**Excludes:** myositis (M60-)

**M79.2 Neuralgia and neuritis, unspecified**

**Excludes:** mononeuropathies (G56-G58)  
radiculitis:  
• NOS  
• brachial NOS  
• lumbosacral NOS  
(M54.1)  
sciatica (M54.3-M54.4)

**M79.3 Panniculitis, unspecified**

**Excludes:** panniculitis:  
• lupus (L93.2)  
• neck and back (M54.0)  
• relapsing [Weber-Christian] (M35.6)

**M79.4 Hypertrophy of (infrapatellar) fat pad**

**M79.5 Residual foreign body in soft tissue**

**Excludes:** foreign body granuloma of:  
• skin and subcutaneous tissue (L92.3)  
• soft tissue (M60.2)

**M79.6 Pain in limb**

**M79.7 Fibromyalgia**

Fibromyositis

Fibrositis

Myofibrositis

**M79.8 Other specified soft tissue disorders**



**M79.9 Soft tissue disorder, unspecified**

**Osteopathies and chondropathies (M80-M94)**

**Disorders of bone density and structure (M80-M85)**

**M80 Osteoporosis with pathological fracture**

[See site code preceding Arthropathies (M00-M25)]

***Includes:*** osteoporotic vertebral collapse and wedging

***Excludes:*** collapsed vertebra NOS (M48.5)  
pathological fracture NOS (M84.4)  
wedging of vertebra NOS (M48.5)

**M80.0 Postmenopausal osteoporosis with pathological fracture**

**M80.1 Postophorectomy osteoporosis with pathological fracture**

**M80.2 Osteoporosis of disuse with pathological fracture**

**M80.3 Postsurgical malabsorption osteoporosis with pathological fracture**

**M80.4 Drug-induced osteoporosis with pathological fracture**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**M80.5 Idiopathic osteoporosis with pathological fracture**

**M80.8 Other osteoporosis with pathological fracture**

**M80.9 Unspecified osteoporosis with pathological fracture**

**M81 Osteoporosis without pathological fracture**

[See site code preceding Arthropathies (M00-M25)]

*Excludes:* osteoporosis with pathological fracture (M80-)

**M81.0 Postmenopausal osteoporosis**

**M81.1 Postophorectomy osteoporosis**

**M81.2 Osteoporosis of disuse**

*Excludes:* Sudeck atrophy (M89.0)

**M81.3 Postsurgical malabsorption osteoporosis**

**M81.4 Drug-induced osteoporosis**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**M81.5 Idiopathic osteoporosis**

**M81.6 Localized osteoporosis [Lequesne]**

*Excludes:* Sudeck atrophy (M89.0)

**M81.8 Other osteoporosis**

Senile osteoporosis

**M81.9 Osteoporosis, unspecified**

**M82 Osteoporosis in diseases classified elsewhere**

[See site code preceding Arthropathies (M00-M25)]

**M82.0\* Osteoporosis in multiple myelomatosis (C90.0†)**

**M82.1\* Osteoporosis in endocrine disorders (E00-E34†)**

**M82.8\* Osteoporosis in other diseases classified elsewhere**

**M83 Adult osteomalacia**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** osteomalacia:

- infantile and juvenile (E55.0)
- vitamin-D-resistant (E83.3)

renal osteodystrophy (N25.0)

rickets (active) (E55.0)

- sequelae (E64.3)
- vitamin-D-resistant (E83.3)

**M83.0 Puerperal osteomalacia**

**M83.1 Senile osteomalacia**

**M83.2 Adult osteomalacia due to malabsorption**

Postsurgical malabsorption osteomalacia in adults

**M83.3 Adult osteomalacia due to malnutrition**

**M83.4 Aluminium bone disease**

**M83.5 Other drug-induced osteomalacia in adults**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**M83.8 Other adult osteomalacia**

**M83.9 Adult osteomalacia, unspecified**

**M84 Disorders of continuity of bone**

[See site code preceding Arthropathies (M00-M25)]

**M84.0 Malunion of fracture**

**M84.1 Nonunion of fracture [pseudarthrosis]**

**Excludes:** pseudarthrosis after fusion or arthrodesis (M96.0)

**M84.2 Delayed union of fracture**

**M84.3 Stress fracture, not elsewhere classified**

Stress fracture NOS

**Excludes:** stress fracture of vertebra (M48.4)

**M84.4 Pathological fracture, not elsewhere classified**

Pathological fracture NOS

**Excludes:** collapsed vertebra NEC (M48.5)  
pathological fracture in osteoporosis (M80-)

**M84.8 Other disorders of continuity of bone**

**M84.9 Disorder of continuity of bone, unspecified**

**M85 Other disorders of bone density and structure**

[See site code preceding Arthropathies (M00-M25)]

**Excludes:** osteogenesis imperfecta (Q78.0)  
osteopetrosis (Q78.2)  
osteopoikilosis (Q78.8)  
polyostotic fibrous dysplasia (Q78.1)

**M85.0 Fibrous dysplasia (monostotic)**

**Excludes:** fibrous dysplasia of jaw (K10.8)

**M85.1 Skeletal fluorosis**

**M85.2 Hyperostosis of skull**

**M85.3 Osteitis condensans**

**M85.4 Solitary bone cyst**

**Excludes:** solitary cyst of jaw (K09.1-K09.2)

**M85.5 Aneurysmal bone cyst**

**Excludes:** aneurysmal cyst of jaw (K09.2)

**M85.6 Other cyst of bone**

**Excludes:** cyst of jaw NEC (K09.1-K09.2)  
osteitis fibrosa cystica generalisata [von Recklinghausen disease of bone] (E21.0)

**M85.8 Other specified disorders of bone density and structure**

Hyperostosis of bones, except skull

Osteosclerosis, acquired

- Excludes:** diffuse idiopathic skeletal hyperostosis [DISH] (M48.1)  
osteosclerosis:
- congenita (Q77.4)
  - myelofibrosis (D75.8)

**M85.9 Disorder of bone density and structure, unspecified**

**Other osteopathies (M86-M90)**

**Excludes:** postprocedural osteopathies (M96-)

**M86 Osteomyelitis**

[See site code preceding Arthropathies (M00-M25)]

Use additional code (B95-B97), if desired, to identify infectious agent.

- Excludes:** osteomyelitis (of):
- due to salmonella (A01-A02)
  - jaw (K10.2)
  - vertebra (M46.2)

**M86.0 Acute haematogenous osteomyelitis**

**M86.1 Other acute osteomyelitis**

**M86.2 Subacute osteomyelitis**

**M86.3 Chronic multifocal osteomyelitis**

**M86.4 Chronic osteomyelitis with draining sinus**

**M86.5 Other chronic haematogenous osteomyelitis**

**M86.6 Other chronic osteomyelitis**

**M86.8 Other osteomyelitis**

Brodie abscess

**M86.9 Osteomyelitis, unspecified**

Infection of bone NOS

Periostitis NOS

**M87 Osteonecrosis**

[See site code preceding Arthropathies (M00-M25)]

**Includes:** avascular necrosis of bone

**Excludes:** osteochondropathies (M91-M93)

**M87.0 Idiopathic aseptic necrosis of bone**

**M87.1 Osteonecrosis due to drugs**

Use additional external cause code (Chapter XX), if desired, to identify drug.

**M87.2 Osteonecrosis due to previous trauma**

**M87.3 Other secondary osteonecrosis**

**M87.8 Other osteonecrosis**

**M87.9 Osteonecrosis, unspecified**

**M88 Paget disease of bone [osteitis deformans]**  
[See site code preceding Arthropathies (M00-M25)]

**M88.0 Paget disease of skull**

**M88.8 Paget disease of other bones**

**M88.9 Paget disease of bone, unspecified**

**M89 Other disorders of bone**  
[See site code preceding Arthropathies (M00-M25)]

**M89.0 Algoneurodystrophy**  
Shoulder-hand syndrome  
Sudeck atrophy  
Sympathetic reflex dystrophy

**M89.1 Epiphyseal arrest**

**M89.2 Other disorders of bone development and growth**

**M89.3 Hypertrophy of bone**

**M89.4 Other hypertrophic osteoarthropathy**  
Marie-Bamberger disease  
Pachydermoperiostosis

**M89.5 Osteolysis**



**M89.6 Osteopathy after poliomyelitis**

Use additional code (B91), if desired, to identify previous poliomyelitis.

*Excludes:* postpolio syndrome (G14)

**M89.8 Other specified disorders of bone**

Infantile cortical hyperostoses

Post-traumatic subperiosteal ossification

**M89.9 Disorder of bone, unspecified**

**M90 Osteopathies in diseases classified elsewhere**

[See site code preceding Arthropathies (M00-M25)]

**M90.0\* Tuberculosis of bone (A18.0†)**

*Excludes:* tuberculosis of spine (M49.0\*)

**M90.1\* Periostitis in other infectious diseases classified elsewhere**

Secondary syphilitic periostitis (A51.4†)

**M90.2\* Osteopathy in other infectious diseases classified elsewhere**

Osteomyelitis:

- echinococcal (B67.2†)
- gonococcal (A54.4†)
- salmonella (A02.2†)

Syphilitic osteopathy or osteochondropathy (A50.5†, A52.7†)

**M90.3\* Osteonecrosis in caisson disease (T70.3†)**

**M90.4\* Osteonecrosis due to haemoglobinopathy (D50-D64†)**

**M90.5\* Osteonecrosis in other diseases classified elsewhere**

**M90.6\* Osteitis deformans in neoplastic disease (C00-D48†)**

Osteitis deformans in malignant neoplasm of bone (C40-C41†)

**M90.7\* Fracture of bone in neoplastic disease (C00-D48†)**

*Excludes:* collapse of vertebra in neoplastic disease (M49.5\*)

**M90.8\* Osteopathy in other diseases classified elsewhere**

Osteopathy in renal osteodystrophy (N25.0†)

## Chondropathies (M91-M94)

*Excludes:* postprocedural chondropathies (M96-)

**M91 Juvenile osteochondrosis of hip and pelvis**

[See site code preceding Arthropathies (M00-M25)]

*Excludes:* slipped upper femoral epiphysis (nontraumatic) (M93.0)

**M91.0 Juvenile osteochondrosis of pelvis**

Osteochondrosis (juvenile) of:

- acetabulum
- iliac crest [Buchanan]
- ischiopubic synchondrosis [van Neck]
- symphysis pubis [Pierson]

**M91.1 Juvenile osteochondrosis of head of femur  
[Legg-Calvé-Perthes]**

**M91.2 Coxa plana**

Hip deformity due to previous juvenile osteochondrosis

**M91.3 Pseudocoxalgia**

**M91.8 Other juvenile osteochondrosis of hip and pelvis**

Juvenile osteochondrosis after reduction of congenital dislocation of hip

**M91.9 Juvenile osteochondrosis of hip and pelvis, unspecified**

**M92 Other juvenile osteochondrosis**

**M92.0 Juvenile osteochondrosis of humerus**

Osteochondrosis (juvenile) of:

- capitulum of humerus [Panner]
- head of humerus [Haas]

**M92.1 Juvenile osteochondrosis of radius and ulna**

Osteochondrosis (juvenile) of:

- lower ulna [Burns]
- radial head [Brailsford]

**M92.2 Juvenile osteochondrosis of hand**

Osteochondrosis (juvenile) of:

- carpal lunate [Kienböck]
- metacarpal heads [Mauclaire]

**M92.3 Other juvenile osteochondrosis of upper limb**

**M92.4 Juvenile osteochondrosis of patella**

Osteochondrosis (juvenile) of:

- primary patellar centre [Köhler]
- secondary patellar centre [Sinding-Larsen]

**M92.5 Juvenile osteochondrosis of tibia and fibula**

Osteochondrosis (juvenile) of:

- proximal tibia [Blount]
- tibial tubercle [Osgood-Schlatter]

Tibia vara

**M92.6 Juvenile osteochondrosis of tarsus**

Osteochondrosis (juvenile) of:

- calcaneum [Sever]
- os tibiale externum [Haglund]
- talus [Diaz]
- tarsal navicular [Köhler]

**M92.7 Juvenile osteochondrosis of metatarsus**

Osteochondrosis (juvenile) of:

- fifth metatarsus [Iselin]
- second metatarsus [Freiberg]

**M92.8 Other specified juvenile osteochondrosis**

Calcaneal apophysitis

**M92.9 Juvenile osteochondrosis, unspecified**

Apophysitis

Epiphysitis

Osteochondritis

Osteochondrosis

specified as juvenile, of unspecified site

**M93 Other osteochondropathies**

**Excludes:** osteochondrosis of spine (M42-)

**M93.0 Slipped upper femoral epiphysis (nontraumatic)**

**M93.1 Kienböck disease of adults**

Adult osteochondrosis of carpal lunate

**M93.2 Osteochondritis dissecans**

**M93.8 Other specified osteochondropathies**

**M93.9 Osteochondropathy, unspecified**

Apophysitis

Epiphysitis

Osteochondritis

Osteochondrosis

not specified as adult or juvenile, of unspecified site

**M94 Other disorders of cartilage**

[See site code preceding Arthropathies (M00-M25)]

**M94.0 Chondrocostal junction syndrome [Tietze]**

Costochondritis

**M94.1 Relapsing polychondritis**

**M94.2 Chondromalacia**

*Excludes:* chondromalacia patellae (M22.4)

**M94.3 Chondrolysis**

**M94.8 Other specified disorders of cartilage**

**M94.9 Disorder of cartilage, unspecified**

## Other disorders of the musculoskeletal system and connective tissue (M95-M99)

### M95 Other acquired deformities of musculoskeletal system and connective tissue

**Excludes:** acquired:

- absence of limbs and organs (<sup>c</sup>Z89-Z90)
  - deformities of limbs (M20-M21)
- congenital malformations and deformations of the musculoskeletal system (Q65-Q79)  
deforming dorsopathies (M40-M43)  
dentofacial anomalies [including malocclusion] (K07-)  
postprocedural musculoskeletal disorders (M96-)

#### M95.0 Acquired deformity of nose

**Excludes:** deviated nasal septum (J34.2)

#### M95.1 Cauliflower ear

**Excludes:** other acquired deformities of ear (H61.1)

#### M95.2 Other acquired deformity of head

#### M95.3 Acquired deformity of neck

#### M95.4 Acquired deformity of chest and rib

#### M95.5 Acquired deformity of pelvis

**Excludes:** maternal care for known or suspected disproportion (O33-)

#### M95.8 Other specified acquired deformities of musculoskeletal system

**M95.9 Acquired deformity of musculoskeletal system, unspecified**

**M96 Postprocedural musculoskeletal disorders, not elsewhere classified**

**Excludes:** arthropathy following intestinal bypass (M02.0)  
disorders associated with osteoporosis (M80-M81)  
presence of functional implants and other devices (<sup>cv</sup>Z95-Z97)

**M96.0 Pseudarthrosis after fusion or arthrodesis**

**M96.1 Postlaminectomy syndrome, not elsewhere classified**

**M96.2 Postradiation kyphosis**

**M96.3 Postlaminectomy kyphosis**

**M96.4 Postsurgical lordosis**

**M96.5 Postradiation scoliosis**

**M96.6 Fracture of bone following insertion of orthopaedic implant, joint prosthesis, or bone plate**

**Excludes:** complication of internal orthopaedic devices, implants or grafts (T84-)

**M96.8 Other postprocedural musculoskeletal disorders**

Instability of joint secondary to removal of joint prosthesis

**M96.9 Postprocedural musculoskeletal disorder, unspecified**

**M99 Biomechanical lesions, not elsewhere classified**

**Note:** This category should not be used if the condition can be classified elsewhere.

The following supplementary subclassification to indicate the site of lesions is provided for optional use with appropriate subcategories in M99-; see also note in "Site of musculoskeletal involvement" preceding Arthropathies (M00-M25).

|                     |                                               |
|---------------------|-----------------------------------------------|
| 0 Head region       | occipitocervical                              |
| 1 Cervical region   | cervicothoracic                               |
| 2 Thoracic region   | thoracolumbar                                 |
| 3 Lumbar region     | lumbosacral                                   |
| 4 Sacral region     | sacroccocygeal, sacroiliac                    |
| 5 Pelvic region     | hip, pubic                                    |
| 6 Lower extremity   |                                               |
| 7 Upper extremity   | acromioclavicular, sternoclavicular           |
| 8 Rib cage          | costochondral, costovertebral, sternochondral |
| 9 Abdomen and other |                                               |

**M99.0 Segmental and somatic dysfunction**

**M99.1 Subluxation complex (vertebral)**

**M99.2 Subluxation stenosis of neural canal**

**M99.3 Osseous stenosis of neural canal**

**M99.4 Connective tissue stenosis of neural canal**

**M99.5 Intervertebral disc stenosis of neural canal**

**M99.6 Osseous and subluxation stenosis of intervertebral foramina**



**M99.7 Connective tissue and disc stenosis of intervertebral  
foramina**

**M99.8 Other biomechanical lesions**

**M99.9 Biomechanical lesion, unspecified**

## CHAPTER XIV - Diseases of the genitourinary system (N00-N99)

**Excludes:** certain conditions originating in the perinatal period (P00-P96)  
certain infectious and parasitic diseases (A00-B99)  
complications of pregnancy, childbirth and the puerperium (O00-O99)  
congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)  
endocrine, nutritional and metabolic diseases (E00-E90)  
injury, poisoning and certain other consequences of external causes (S00-T98)  
neoplasms (C00-D48)  
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

### **This chapter contains the following blocks:**

|         |                                                   |
|---------|---------------------------------------------------|
| N00-N08 | Glomerular diseases                               |
| N10-N16 | Renal tubulo-interstitial diseases                |
| N17-N19 | Renal failure                                     |
| N20-N23 | Urolithiasis                                      |
| N25-N29 | Other disorders of kidney and ureter              |
| N30-N39 | Other diseases of urinary system                  |
| N40-N51 | Diseases of male genital organs                   |
| N60-N64 | Disorders of breast                               |
| N70-N77 | Inflammatory diseases of female pelvic organs     |
| N80-N98 | Noninflammatory disorders of female genital tract |
| N99     | Other disorders of genitourinary tract            |

### **Asterisk categories for this chapter are provided as follows:**

|      |                                                                           |
|------|---------------------------------------------------------------------------|
| N08* | Glomerular disorders in diseases classified elsewhere                     |
| N16* | Renal tubulo-interstitial disorders in diseases classified elsewhere      |
| N22* | Calculus of urinary tract in diseases classified elsewhere                |
| N29* | Other disorders of kidney and ureter in diseases classified elsewhere     |
| N33* | Bladder disorders in diseases classified elsewhere                        |
| N37* | Urethral disorders in diseases classified elsewhere                       |
| N51* | Disorders of male genital organs in diseases classified elsewhere         |
| N74* | Female pelvic inflammatory disorders in diseases classified elsewhere     |
| N77* | Vulvovaginal ulceration and inflammation in diseases classified elsewhere |

## Glomerular diseases (N00-N08)

Use additional code, if desired, to identify associated chronic kidney disease (N18-).

Use additional code, if desired, to identify external cause (Chapter XX) or presence of renal failure, acute (N17) or unspecified (N19).

**Excludes:** hypertensive renal disease (I12-)

The following fourth-character subdivisions classify morphological changes and are for use with categories N00-N07. Subdivisions .0-.8 should not normally be used unless these have been specifically identified (e.g. by renal biopsy or autopsy). The three-character categories relate to clinical syndromes.

**.0 Minor glomerular abnormality**

Minimal change lesion

**.1 Focal and segmental glomerular lesions**

Focal and segmental:

- hyalinosis
- sclerosis

Focal glomerulonephritis

**.2 Diffuse membranous glomerulonephritis**

**.3 Diffuse mesangial proliferative glomerulonephritis**

**.4 Diffuse endocapillary proliferative glomerulonephritis**

**.5 Diffuse mesangiocapillary glomerulonephritis**

Membranoproliferative glomerulonephritis, types 1 and 3, or NOS

**.6 Dense deposit disease**

Membranoproliferative glomerulonephritis, type 2

**.7 Diffuse crescentic glomerulonephritis**

Extracapillary glomerulonephritis

**.8 Other**

Proliferative glomerulonephritis NOS

**.9 Unspecified**

**N00 Acute nephritic syndrome**

[See subdivisions at Glomerular diseases (N00-N08)]

**Includes:** acute:

- glomerular disease
- glomerulonephritis
- nephritis
- renal disease NOS

**Excludes:** acute infectious tubulo-interstitial nephritis (N10)  
nephritic syndrome NOS (N05-)

**N01 Rapidly progressive nephritic syndrome**

[See subdivisions at Glomerular diseases (N00-N08)]

**Includes:** rapidly progressive:

- glomerular disease
- glomerulonephritis
- nephritis

**Excludes:** nephritic syndrome NOS (N05-)

**N02 Recurrent and persistent haematuria**

[See subdivisions at Glomerular diseases (N00-N08)]

**Includes:** haematuria:

- benign (familial)(of childhood)
- with morphological lesion specified in .0-.8 at Glomerular diseases (N00-N08)

**Excludes:** haematuria NOS (R31)

**N03 Chronic nephritic syndrome**

[See subdivisions at Glomerular diseases (N00-N08)]

**Includes:** chronic:

- glomerular disease
- glomerulonephritis
- nephritis

**Excludes:** chronic tubulo-interstitial nephritis (N11-)  
diffuse sclerosing glomerulonephritis (N18-)  
nephritic syndrome NOS (N05-)

**N04 Nephrotic syndrome**

[See subdivisions at Glomerular diseases (N00-N08)]

**Includes:** congenital nephrotic syndrome  
lipoid nephrosis

**N05 Unspecified nephritic syndrome**

[See subdivisions at Glomerular diseases (N00-N08)]

**Includes:** glomerular disease NOS  
glomerulonephritis NOS  
nephritis NOS  
nephropathy NOS and renal disease NOS with morphological lesion  
specified in .0-.8 at Glomerular diseases (N00-N08)

**Excludes:** nephropathy NOS with no stated morphological lesion (N28.9)  
renal disease NOS with no stated morphological lesion (N28.9)  
tubulo-interstitial nephritis NOS (N12)

**N06 Isolated proteinuria with specified morphological lesion**

[See subdivisions at Glomerular diseases (N00-N08)]

**Includes:** proteinuria (isolated)(orthostatic)(persistent) with morphological  
lesion specified in .0-.8 at Glomerular diseases (N00-N08)

**Excludes:** proteinuria:  
• NOS (R80)  
• Bence Jones (R80)  
• gestational (O12.1)  
• isolated NOS (R80)  
• orthostatic NOS (N39.2)  
• persistent NOS (N39.1)

**N07 Hereditary nephropathy, not elsewhere classified**

[See subdivisions at Glomerular diseases (N00-N08)]

**Excludes:** Alport syndrome (Q87.8)  
hereditary amyloid nephropathy (E85.0)  
nail patella syndrome (Q87.2)  
non-neuropathic hereditary familial amyloidosis (E85.0)

**N08 Glomerular disorders in diseases classified elsewhere**

**Includes:** nephropathy in diseases classified elsewhere

**Excludes:** renal tubulo-interstitial disorders in diseases classified elsewhere (N16\*)

**N08.0\* Glomerular disorders in infectious and parasitic diseases classified elsewhere**

Glomerular disorders in:

- *Plasmodium malariae* malaria (B52.0†)
- mumps (B26.8†)
- schistosomiasis [bilharziasis] (B65†)
- septicaemia (A40-A41†)
- strongyloidiasis (B78†)
- syphilis (A52.7†)

**N08.1\* Glomerular disorders in neoplastic diseases**

Glomerular disorders in:

- multiple myeloma (C90.0†)
- Waldenström macroglobulinaemia (C88.0†)

**N08.2\* Glomerular disorders in blood diseases and disorders involving the immune mechanism**

Glomerular disorders in:

- cryoglobulinaemia (D89.1†)
- disseminated intravascular coagulation [defibrination syndrome] (D65†)
- haemolytic-uraemic syndrome (D59.3†)
- Henoch(-Schönlein) purpura (D69.0†)

- sickle-cell disorders (D57†)

**N08.3\* Glomerular disorders in diabetes mellitus (E10-E14† with common fourth character .2)**

**N08.4\* Glomerular disorders in other endocrine, nutritional and metabolic diseases**

Glomerular disorders in:

- amyloidosis (E85†)
- Fabry(-Anderson) disease (E75.2†)
- lecithin cholesterol acyltransferase deficiency (E78.6†)

**N08.5\* Glomerular disorders in systemic connective tissue disorders**

Glomerular disorders in:

- Goodpasture syndrome (M31.0†)
- microscopic polyangiitis (M31.7†)
- systemic lupus erythematosus (M32.1†)
- thrombotic thrombocytopenic purpura (M31.1†)
- Wegener granulomatosis (M31.3†)

**N08.8\* Glomerular disorders in other diseases classified elsewhere**

Glomerular disorders in subacute bacterial endocarditis (I33.0†)

**Renal tubulo-interstitial diseases (N10-N16)**

**Includes:** pyelonephritis

**Excludes:** pyeloureteritis cystica (N28.8)  
Use additional code, if desired, to identify associated chronic kidney disease (N18-)

**N10 Acute tubulo-interstitial nephritis**

Acute:

- infectious interstitial nephritis
- pyelitis
- pyelonephritis

Use additional code (B95-B97), if desired, to identify infectious agent.

**N11 Chronic tubulo-interstitial nephritis**

**Includes:** chronic:

- infectious interstitial nephritis
- pyelitis
- pyelonephritis

Use additional code, if desired, to identify associated chronic kidney disease (N18-)

**N11.0 Nonobstructive reflux-associated chronic pyelonephritis**

Pyelonephritis (chronic) associated with (vesicoureteral) reflux

**Excludes:** vesicoureteral reflux NOS (N13.7)

**N11.1 Chronic obstructive pyelonephritis**

Pyelonephritis (chronic) associated with:

- |                                                                                                                       |    |                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------------|----|----------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• anomaly</li><li>• kinking</li><li>• obstruction</li><li>• stricture</li></ul> | of | <ul style="list-style-type: none"><li>pelviureteric junction</li><li>pyeloureteric junction</li><li>ureter</li></ul> |
|-----------------------------------------------------------------------------------------------------------------------|----|----------------------------------------------------------------------------------------------------------------------|

**Excludes:** calculous pyelonephritis (N20.9)  
obstructive uropathy (N13-)

**N11.8 Other chronic tubulo-interstitial nephritis**

Nonobstructive chronic pyelonephritis NOS

**N11.9 Chronic tubulo-interstitial nephritis, unspecified**

Chronic:

- interstitial nephritis NOS



- pyelitis NOS
- pyelonephritis NOS

**N12 Tubulo-interstitial nephritis, not specified as acute or chronic**

Interstitial nephritis NOS

Pyelitis NOS

Pyelonephritis NOS

**Excludes:** calculous pyelonephritis (N20.9)

**N13 Obstructive and reflux uropathy**

**Excludes:** calculus of kidney and ureter without hydronephrosis (N20-)  
congenital obstructive defects of renal pelvis and ureter  
(Q62.0-Q62.3)  
obstructive pyelonephritis (N11.1)

**N13.0 Hydronephrosis with ureteropelvic junction obstruction**

**Excludes:** with infection (N13.6)

**N13.1 Hydronephrosis with ureteral stricture, not elsewhere classified**

**Excludes:** with infection (N13.6)

**N13.2 Hydronephrosis with renal and ureteral calculous obstruction**

**Excludes:** with infection (N13.6)

**N13.3 Other and unspecified hydronephrosis**

**Excludes:** with infection (N13.6)

**N13.4 Hydroureter**

**Excludes:** with infection (N13.6)

**N13.5 Kinking and stricture of ureter without hydronephrosis**

*Excludes:* with infection (N13.6)

**N13.6 Pyonephrosis**

Conditions in N13.0-N13.5 with infection

Obstructive uropathy with infection

Use additional code (B95-B97), if desired, to identify infectious agent.

**N13.7 Vesicoureteral-reflux-associated uropathy**

Vesicoureteral reflux:

- NOS
- with scarring

*Excludes:* reflux-associated pyelonephritis (N11.0)

**N13.8 Other obstructive and reflux uropathy**

**N13.9 Obstructive and reflux uropathy, unspecified**

Urinary tract obstruction NOS

**N14 Drug- and heavy-metal-induced tubulo-interstitial and tubular conditions**

Use additional external cause code (Chapter XX), if desired, to identify toxic agent.

**N14.0 Analgesic nephropathy**

**N14.1 Nephropathy induced by other drugs, medicaments and biological substances**

**N14.2 Nephropathy induced by unspecified drug, medicament or biological substance**

**N14.3 Nephropathy induced by heavy metals**

**N14.4 Toxic nephropathy, not elsewhere classified**

**N15 Other renal tubulo-interstitial diseases**

**N15.0 Balkan nephropathy**  
Balkan endemic nephropathy

**N15.1 Renal and perinephric abscess**

**N15.8 Other specified renal tubulo-interstitial diseases**

**N15.9 Renal tubulo-interstitial disease, unspecified**  
Infection of kidney NOS

*Excludes:* urinary tract infection NOS (N39.0)

**N16 Renal tubulo-interstitial disorders in diseases classified elsewhere**

**N16.0\* Renal tubulo-interstitial disorders in infectious and parasitic diseases classified elsewhere**

Renal tubulo-interstitial disorders (due to)(in):

- brucellosis (A23†)
- diphtheria (A36.8†)
- salmonella infection (A02.2†)
- septicaemia (A40-A41†)
- toxoplasmosis (B58.8†)

**N16.1\* Renal tubulo-interstitial disorders in neoplastic diseases**

Renal tubulo-interstitial disorders in:

- leukaemia (C91-C95†)
- lymphoma (C81-C85†, C96†)
- multiple myeloma (C90.0†)

**N16.2\* Renal tubulo-interstitial disorders in blood diseases and disorders involving the immune mechanism**

Renal tubulo-interstitial disorders in:

- mixed cryoglobulinaemia (D89.1†)
- sarcoidosis (D86†)

**N16.3\* Renal tubulo-interstitial disorders in metabolic diseases**

Renal tubulo-interstitial disorders in:

- cystinosis (E72.0†)
- glycogen storage disease (E74.0†)
- Wilson disease (E83.0†)

**N16.4\* Renal tubulo-interstitial disorders in systemic connective tissue disorders**

Renal tubulo-interstitial disorders in:

- sicca syndrome [Sjögren] (M35.0†)
- systemic lupus erythematosus (M32.1†)

**N16.5\* Renal tubulo-interstitial disorders in transplant rejection (T86†)**

**N16.8\* Renal tubulo-interstitial disorders in other diseases classified elsewhere**

**Renal failure (N17-N19)**

Use additional external cause code (Chapter XX), if desired, to identify external agent.

- Excludes:** congenital renal failure (P96.0)  
drug- and heavy-metal-induced tubulo-interstitial and tubular conditions (N14-)  
extrarenal uraemia (R39.2)  
haemolytic-uraemic syndrome (D59.3)  
hepatorenal syndrome (K76.7)  
• postpartum (O90.4)  
prerenal uraemia (R39.2)  
renal failure:  
• complicating abortion or ectopic or molar pregnancy (O00-O07, O08.4)  
• following labour and delivery (O90.4)  
• postprocedural (N99.0)

**N17 Acute renal failure**

**Includes:** acute renal impairment

**N17.0 Acute renal failure with tubular necrosis**

Tubular necrosis:

- NOS
- acute
- renal

**N17.1 Acute renal failure with acute cortical necrosis**

Cortical necrosis:

- NOS
- acute
- renal

**N17.2 Acute renal failure with medullary necrosis**

Medullary [papillary] necrosis:

- NOS
- acute
- renal

**N17.8 Other acute renal failure**

## **N17.9 Acute renal failure, unspecified**

### **N18 Chronic kidney disease**

**Includes:** chronic uraemia  
diffuse sclerosing glomerulonephritis

**Excludes:** chronic renal failure with hypertension (I12.0)

Use additional code, if desired, to identify underlying disease.

Use additional code, if desired, to identify presence of hypertension.

#### **N18.1 Chronic kidney disease, stage 1**

Kidney damage with normal or increased GFR (> 90 mL/min)

#### **N18.2 Chronic kidney disease, stage 2**

Kidney damage with mild decreased GFR (60-89 mL/min)

#### **N18.3 Chronic kidney disease, stage 3**

Kidney damage with moderately decreased GFR (30-59 mL/min)

#### **N18.4 Chronic kidney disease, stage 4**

Kidney damage with severely decreased GFR (15-29 mL/min)

#### **N18.5 Chronic kidney disease, stage 5**

Chronic uraemia

End stage kidney disease:

- in allograft failure
- NOS
- on dialysis
- without dialysis or transplant

Renal retinitis† (H32.8\*)

Uraemic:

- apoplexia† (I68.8\*)
- dementia† (F02.8\*)
- neuropathy† (G63.8\*)

- paralysis† (G99.8\*)
- pericarditis† (I32.8\*)

## **N18.9 Chronic kidney disease, unspecified**

### **N19 Unspecified kidney failure**

Renal insufficiency NOS

Uraemia NOS

**Excludes:** kidney failure due to hypertension (I12.0)

**Note:** The Excludes statement above is for morbidity coding only.

uraemia of newborn (P96.0)

## **Urolithiasis (N20-N23)**

### **N20 Calculus of kidney and ureter**

**Includes:** calculous pyelonephritis

**Excludes:** with hydronephrosis (N13.2)

#### **N20.0 Calculus of kidney**

Nephrolithiasis NOS

Renal calculus or stone

Staghorn calculus

Stone in kidney

#### **N20.1 Calculus of ureter**

Ureteric stone

**N20.2 Calculus of kidney with calculus of ureter**

**N20.9 Urinary calculus, unspecified**

**N21 Calculus of lower urinary tract**

*Includes:* with cystitis and urethritis

**N21.0 Calculus in bladder**

Calculus in diverticulum of bladder

Urinary bladder stone

*Excludes:* staghorn calculus (N20.0)

**N21.1 Calculus in urethra**

**N21.8 Other lower urinary tract calculus**

**N21.9 Calculus of lower urinary tract, unspecified**

**N22 Calculus of urinary tract in diseases classified elsewhere**

**N22.0\* Urinary calculus in schistosomiasis [bilharziasis]  
(B65†)**

**N22.8\* Calculus of urinary tract in other diseases classified  
elsewhere**

**N23 Unspecified renal colic**



## Other disorders of kidney and ureter (N25-N29)

**Excludes:** with urolithiasis (N20-N23)

### **N25 Disorders resulting from impaired renal tubular function**

**Excludes:** metabolic disorders classifiable to E70-E90

#### **N25.0 Renal osteodystrophy**

Azotaemic osteodystrophy

Phosphate-losing tubular disorders

Renal:

- rickets
- short stature

#### **N25.1 Nephrogenic diabetes insipidus**

#### **N25.8 Other disorders resulting from impaired renal tubular function**

Lightwood-Albright syndrome

Renal tubular acidosis NOS

Secondary hyperparathyroidism of renal origin

#### **N25.9 Disorder resulting from impaired renal tubular function, unspecified**

### **N26 Unspecified contracted kidney**

Atrophy of kidney (terminal)

Renal sclerosis NOS

**Excludes:** contracted kidney due to hypertension (I12-)  
diffuse sclerosing glomerulonephritis (N18-)  
hypertensive nephrosclerosis (arteriolar) (arteriosclerotic) (I12-)  
small kidney of unknown cause (N27-)

**N27 Small kidney of unknown cause**

**N27.0 Small kidney, unilateral**

**N27.1 Small kidney, bilateral**

**N27.9 Small kidney, unspecified**

**N28 Other disorders of kidney and ureter, not elsewhere classified**

**Excludes:** hydroureter (N13.4)  
renal disease:  
• acute NOS (N00.9)  
• chronic NOS (N03.9)  
ureteric kinking and stricture:  
• with hydronephrosis (N13.1)  
• without hydronephrosis (N13.5)

**N28.0 Ischaemia and infarction of kidney**

Renal artery:

- embolism
- obstruction
- occlusion
- thrombosis

Renal infarct

**Excludes:** Goldblatt kidney (I70.1)  
renal artery (extrarenal part):  
• atherosclerosis (I70.1)  
• congenital stenosis (Q27.1)

**N28.1 Cyst of kidney**

Cyst (acquired) (multiple) (solitary) of kidney

**Excludes:** cystic kidney disease, congenital (Q61-)

**N28.8 Other specified disorders of kidney and ureter**

Hypertrophy of kidney

Megaloureter

Nephroptosis

Pyelitis

Pyeloureteritis cystica

Ureteritis

NOS

Ureterocele

**N28.9 Disorder of kidney and ureter, unspecified**

Nephropathy NOS

Renal disease NOS

**Excludes:** nephropathy NOS and renal disease NOS with morphological lesion specified in .0-.8 at Glomerular diseases (N00-N08) (N05-)

**N29 Other disorders of kidney and ureter in diseases classified elsewhere**

**N29.0\* Late syphilis of kidney (A52.7†)**

**N29.1\* Other disorders of kidney and ureter in infectious and parasitic diseases classified elsewhere**

Disorders of kidney and ureter in:

- schistosomiasis [bilharziasis] (B65†)
- tuberculosis (A18.1†)

**N29.8\* Other disorders of kidney and ureter in other diseases classified elsewhere**

Cystine storage disease (E72.0†)

## Other diseases of urinary system (N30-N39)

- Excludes:** urinary infection (complicating):
- abortion or ectopic or molar pregnancy (O00-O07, O08.8)
  - pregnancy, childbirth and the puerperium (O23-, O75.3, O86.2)
  - with urolithiasis (N20-N23)

### N30 Cystitis

Use additional code, if desired, to identify infectious agent (B95-B97) or responsible external agent (Chapter XX).

- Excludes:** prostatocystitis (N41.3)

#### N30.0 Acute cystitis

- Excludes:** irradiation cystitis (N30.4)  
trigonitis (N30.3)

#### N30.1 Interstitial cystitis (chronic)

#### N30.2 Other chronic cystitis

#### N30.3 Trigonitis

Urethrotrigonitis

#### N30.4 Irradiation cystitis

#### N30.8 Other cystitis

Abscess of bladder

#### N30.9 Cystitis, unspecified

### N31 Neuromuscular dysfunction of bladder, not elsewhere classified

- Excludes:** cord bladder NOS (G95.8)

- due to spinal cord lesion (G95.8)
- neurogenic bladder due to cauda equina syndrome (G83.4)
- urinary incontinence:
  - NOS (R32)
  - specified (N39.3-N39.4)

**N31.0 Uninhibited neuropathic bladder, not elsewhere classified**

**N31.1 Reflex neuropathic bladder, not elsewhere classified**

**N31.2 Flaccid neuropathic bladder, not elsewhere classified**

Neuropathic bladder:

- atonic (motor) (sensory)
- autonomous
- nonreflex

**N31.8 Other neuromuscular dysfunction of bladder**

**N31.9 Neuromuscular dysfunction of bladder, unspecified**

Neurogenic bladder dysfunction NOS

**N32 Other disorders of bladder**

**Excludes:** calculus in bladder (N21.0)  
cystocele (N81.1)  
hernia or prolapse of bladder, female (N81.1)

**N32.0 Bladder-neck obstruction**

Bladder-neck stenosis (acquired)

**N32.1 Vesicointestinal fistula**

Vesicorectal fistula

**N32.2 Vesical fistula, not elsewhere classified**

**Excludes:** fistula between bladder and female genital tract (N82.0-N82.1)

**N32.3 Diverticulum of bladder**

Diverticulitis of bladder

**Excludes:** calculus in diverticulum of bladder (N21.0)

**N32.4 Rupture of bladder, nontraumatic**

**N32.8 Other specified disorders of bladder**

Bladder:

- calcified
- contracted
- overactive

**N32.9 Bladder disorder, unspecified**

**N33 Bladder disorders in diseases classified elsewhere**

**N33.0\* Tuberculous cystitis (A18.1†)**

**N33.8\* Bladder disorders in other diseases classified elsewhere**

Bladder disorder in schistosomiasis [bilharziasis] (B65†)

**N34 Urethritis and urethral syndrome**

Use additional code (B95-B97), if desired, to identify infectious agent.

**Excludes:** Reiter disease (M02.3)  
urethritis in diseases with a predominantly sexual mode of transmission (A50-A64)

urethrotigonitis (N30.3)

**N34.0 Urethral abscess**

Abscess (of):

- Cowper gland
- Littre gland
- periurethral
- urethral (gland)

*Excludes:* urethral caruncle (N36.2)

**N34.1 Nonspecific urethritis**

Urethritis:

- nongonococcal
- nonvenereal

**N34.2 Other urethritis**

Meatitis, urethral

Ulcer of urethra (meatus)

Urethritis:

- NOS
- postmenopausal

**N34.3 Urethral syndrome, unspecified**

**N35 Urethral stricture**

*Excludes:* postprocedural urethral stricture (N99.1)

**N35.0 Post-traumatic urethral stricture**

Stricture of urethra as a sequela of:

- childbirth
- injury

**N35.1 Postinfective urethral stricture, not elsewhere classified**

**N35.8 Other urethral stricture**

**N35.9 Urethral stricture, unspecified**  
Pinhole meatus NOS

**N36 Other disorders of urethra**

**N36.0 Urethral fistula**  
False urethral passage

Fistula:

- urethroperineal
- urethrorectal
- urinary NOS

**Excludes:** fistula:

- urethroscrotal (N50.8)
- urethrovaginal (N82.1)

**N36.1 Urethral diverticulum**

**N36.2 Urethral caruncle**

**N36.3 Prolapsed urethral mucosa**  
Prolapse of urethra  
Urethrocele, male

**Excludes:** urethrocele

- congenital (Q64.7)
- female (N81.0)



**N36.8 Other specified disorders of urethra**

**N36.9 Urethral disorder, unspecified**

**N37 Urethral disorders in diseases classified elsewhere**

**N37.0\* Urethritis in diseases classified elsewhere**

Candidal urethritis (B37.4†)

**N37.8\* Other urethral disorders in diseases classified elsewhere**

**N39 Other disorders of urinary system**

**Excludes:** haematuria:  
• NOS (R31)  
• recurrent and persistent (N02-)  
• with specified morphological lesion (N02-)  
proteinuria NOS (R80)

**N39.0 Urinary tract infection, site not specified**

Use additional code (B95-B97), if desired, to identify infectious agent.

**N39.1 Persistent proteinuria, unspecified**

**Excludes:** complicating pregnancy, childbirth and the puerperium (O11-O15)  
with specified morphological lesion (N06-)

**N39.2 Orthostatic proteinuria, unspecified**

**Excludes:** with specified morphological lesion (N06-)

**N39.3 Stress incontinence**

Use additional code (N32.8), if desired, to identify overactive bladder or deetrusor muscle hyperactivity.

**N39.4 Other specified urinary incontinence**

|          |  |              |
|----------|--|--------------|
| Overflow |  | incontinence |
| Reflex   |  |              |
| Urge     |  |              |

Use additional code (N32.8), if desired, to identify overactive bladder or destrusor muscle hyperactivity.

**Excludes:** enuresis NOS (R32)  
urinary incontinence (of):

- NOS (R32)
- nonorganic origin (F98.0)

**N39.8 Other specified disorders of urinary system**

**N39.9 Disorder of urinary system, unspecified**

**Diseases of male genital organs (N40-N51)**

**N40 Hyperplasia of prostate**

|                              |  |             |
|------------------------------|--|-------------|
| Adenofibromatous hypertrophy |  | of prostate |
| Enlargement (benign)         |  |             |
| Hypertrophy (benign)         |  |             |

Median bar (prostate)  
Prostatic obstruction NOS

**Excludes:** benign neoplasms of prostate (D29.1)

**N41 Inflammatory diseases of prostate**

Use additional code (B95-B97), if desired, to identify infectious agent.

**N41.0 Acute prostatitis**

**N41.1 Chronic prostatitis**

**N41.2 Abscess of prostate**

**N41.3 Prostatocystitis**

**N41.8 Other inflammatory diseases of prostate**

**N41.9 Inflammatory disease of prostate, unspecified**  
Prostatitis NOS

**N42 Other disorders of prostate**

**N42.0 Calculus of prostate**  
Prostatic stone

**N42.1 Congestion and haemorrhage of prostate**

**N42.2 Atrophy of prostate**

**N42.3 Dysplasia of prostate**  
Low grade dysplasia

*Excludes:* high grade dysplasia of prostate (D07.5)

**N42.8 Other specified disorders of prostate**

**N42.9 Disorder of prostate, unspecified**

**N43 Hydrocele and spermatocele**

**Includes:** hydrocele of spermatic cord, testis or tunica vaginalis

**Excludes:** congenital hydrocele (P83.5)

**N43.0 Encysted hydrocele**

**N43.1 Infected hydrocele**

Use additional code (B95-B97), if desired, to identify infectious agent.

**N43.2 Other hydrocele**

**N43.3 Hydrocele, unspecified**

**N43.4 Spermatocele**

**N44 Torsion of testis**

Torsion of:

- epididymis
- spermatic cord
- testicle

**N45 Orchitis and epididymitis**

Use additional code (B95-B97), if desired, to identify infectious agent.

**N45.0 Orchitis, epididymitis and epididym-orchitis with abscess**

Abscess of epididymis or testis

**N45.9 Orchitis, epididymitis and epididymo-orchitis without abscess**

Epididymitis NOS

Orchitis NOS

**N46 Male infertility**

Azoospermia NOS

Oligospermia NOS

**N47 Redundant prepuce, phimosis and paraphimosis**

Adherent prepuce

Tight foreskin

**N48 Other disorders of penis**

**N48.0 Leukoplakia of penis**

Balanitis xerotica obliterans

Kraurosis of penis

*Excludes:* carcinoma in situ of penis (D07.4)

**N48.1 Balanoposthitis**

Balanitis

Use additional code (B95-B97), if desired, to identify infectious agent.

**N48.2 Other inflammatory disorders of penis**

Abscess

Boil

Carbuncle

Cellulitis

of corpus cavernosum and penis

Cavernitis (penis)

Use additional code (B95-B97), if desired, to identify infectious agent.

**N48.3 Priapism**

Painful erection

**N48.4 Impotence of organic origin**

Use additional code, if desired, to identify cause.

*Excludes:* psychogenic impotence (F52.2)

**N48.5 Ulcer of penis**

**N48.6 Induratio penis plastica**

Peyronie disease

Plastic induration of penis

**N48.8 Other specified disorders of penis**

Atrophy

Hypertrophy

Thrombosis

of corpus cavernosum and penis

**N48.9 Disorder of penis, unspecified**

**N49 Inflammatory disorders of male genital organs, not elsewhere classified**

Use additional code (B95-B97), if desired, to identify infectious agent.

*Excludes:* inflammation of penis (N48.1-N48.2)  
orchitis and epididymitis (N45-)

**N49.0 Inflammatory disorders of seminal vesicle**

Vesiculitis NOS

**N49.1 Inflammatory disorders of spermatic cord, tunica vaginalis and vas deferens**

Vasitis

**N49.2 Inflammatory disorders of scrotum**

**N49.8 Inflammatory disorders of other specified male genital organs**

Inflammation of multiple sites in male genital organs

**N49.9 Inflammatory disorder of unspecified male genital organ**

Abscess

Boil

Carbuncle

Cellulitis

of unspecified male genital organ

**N50 Other disorders of male genital organs**

**Excludes:** torsion of testis (N44)

**N50.0 Atrophy of testis**

**N50.1 Vascular disorders of male genital organs**

Haematocele NOS

Haemorrhage

Thrombosis

of male genital organs

**N50.8 Other specified disorders of male genital organs**

Atrophy

Hypertrophy

Oedema

Ulcer

of scrotum, seminal vesicle, spermatic cord, testis  
[except atrophy], tunica vaginalis and vas deferens

Chylocele, tunica vaginalis (nonfilarial) NOS

Fistula, urethroscrotal

Stricture of:

• spermatic cord

• tunica vaginalis

- vas deferens

**N50.9 Disorder of male genital organs, unspecified**

**N51 Disorders of male genital organs in diseases classified elsewhere**

**N51.0\* Disorders of prostate in diseases classified elsewhere**

Prostatitis:

- gonococcal (A54.2†)
- trichomonal (A59.0†)
- tuberculous (A18.1†)

**N51.1\* Disorders of testis and epididymis in diseases classified elsewhere**

Chlamydial:

- epididymitis (A56.1†)
- orchitis (A56.1†)

Gonococcal:

- epididymitis (A54.2†)
- orchitis (A54.2†)

Mumps orchitis (B26.0†)

Tuberculosis of:

- epididymis (A18.1†)
- testis (A18.1†)

**N51.2\* Balanitis in diseases classified elsewhere**

Balanitis:

- amoebic (A06.8†)
- candidal (B37.4†)

**N51.8\* Other disorders of male genital organs in diseases classified elsewhere**

Filarial chylocele, tunica vaginalis (B74†)



Herpesviral [herpes simplex] infection of male genital tract (A60.0†)  
Tuberculosis of seminal vesicle (A18.1†)

## Disorders of breast (N60-N64)

**Excludes:** disorders of breast associated with childbirth (O91-O92)

### **N60 Benign mammary dysplasia**

**Includes:** fibrocystic mastopathy

#### **N60.0 Solitary cyst of breast**

Cyst of breast

#### **N60.1 Diffuse cystic mastopathy**

Cystic breast

**Excludes:** with epithelial proliferation (N60.3)

#### **N60.2 Fibroadenosis of breast**

**Excludes:** fibroadenoma of breast (D24)

#### **N60.3 Fibrosclerosis of breast**

Cystic mastopathy with epithelial proliferation

#### **N60.4 Mammary duct ectasia**

#### **N60.8 Other benign mammary dysplasias**

#### **N60.9 Benign mammary dysplasia, unspecified**

**N61 Inflammatory disorders of breast**

Abscess (acute) (chronic) (nonpuerperal) of:

- areola
- breast

Carbuncle of breast

Mastitis (acute) (subacute) (nonpuerperal):

- NOS
- infective

**Excludes:** neonatal infective mastitis (P39.0)

**N62 Hypertrophy of breast**

Gynaecomastia

Hypertrophy of breast:

- NOS
- massive pubertal

**N63 Unspecified lump in breast**

Nodule(s) NOS in breast

**N64 Other disorders of breast**

**N64.0 Fissure and fistula of nipple**

**N64.1 Fat necrosis of breast**

Fat necrosis (segmental) of breast

**N64.2 Atrophy of breast**

**N64.3 Galactorrhoea not associated with childbirth**

**N64.4 Mastodynia**

**N64.5 Other signs and symptoms in breast**

Induration of breast  
Nipple discharge  
Retraction of nipple

**N64.8 Other specified disorders of breast**

Galactocele  
Subinvolution of breast (postlactational)

**N64.9 Disorder of breast, unspecified**

**Inflammatory diseases of female pelvic organs (N70-N77)**

**Excludes:** those complicating:  
• abortion or ectopic or molar pregnancy (O00-O07, O08.0)  
• pregnancy, childbirth and the puerperium (O23-, O75.3, O85, O86-)

**N70 Salpingitis and oophoritis**

**Includes:** abscess (of):  
• fallopian tube  
• ovary  
• tubo-ovarian  
pyosalpinx  
salpingo-oophoritis  
tubo-ovarian inflammatory disease

Use additional code (B95-B97), if desired, to identify infectious agent.

**N70.0 Acute salpingitis and oophoritis**

**N70.1 Chronic salpingitis and oophoritis**

Hydrosalpinx

## **N70.9 Salpingitis and oophoritis, unspecified**

### **N71 Inflammatory disease of uterus, except cervix**

**Includes:** endo(myo)metritis  
metritis  
myometritis  
pyometra  
uterine abscess  
Use additional code (B95-B97), if desired, to identify infectious agent.

#### **N71.0 Acute inflammatory disease of uterus**

#### **N71.1 Chronic inflammatory disease of uterus**

#### **N71.9 Inflammatory disease of uterus, unspecified**

### **N72 Inflammatory disease of cervix uteri**

|                |                                      |
|----------------|--------------------------------------|
| Cervicitis     | with or without erosion or ectropion |
| Endocervicitis |                                      |
| Exocervicitis  |                                      |

Use additional code (B95-B97), if desired, to identify infectious agent.

**Excludes:** erosion and ectropion of cervix without cervicitis (N86)

### **N73 Other female pelvic inflammatory diseases**

Use additional code (B95-B97), if desired, to identify infectious agent.

#### **N73.0 Acute parametritis and pelvic cellulitis**

Abscess of:

- |                  |                    |
|------------------|--------------------|
| • broad ligament | specified as acute |
| • parametrium    |                    |

Pelvic cellulitis, female

**N73.1 Chronic parametritis and pelvic cellulitis**

Any condition in N73.0 specified as chronic

**N73.2 Unspecified parametritis and pelvic cellulitis**

Any condition in N73.0 unspecified whether acute or chronic

**N73.3 Female acute pelvic peritonitis**

**N73.4 Female chronic pelvic peritonitis**

**N73.5 Female pelvic peritonitis, unspecified**

**N73.6 Female pelvic peritoneal adhesions**

*Excludes:* postprocedural pelvic peritoneal adhesions (N99.4)

**N73.8 Other specified female pelvic inflammatory diseases**

**N73.9 Female pelvic inflammatory disease, unspecified**

Female pelvic infection or inflammation NOS

**N74 Female pelvic inflammatory disorders in diseases classified elsewhere**

**N74.0\* Tuberculous infection of cervix uteri (A18.1†)**

**N74.1\* Female tuberculous pelvic inflammatory disease**

(A18.1†)

Tuberculous endometritis

**N74.2\* Female syphilitic pelvic inflammatory disease (A51.4†, A52.7†)**

**N74.3\* Female gonococcal pelvic inflammatory disease (A54.2†)**

**N74.4\* Female chlamydial pelvic inflammatory disease (A56.1†)**

**N74.8\* Female pelvic inflammatory disorders in other diseases classified elsewhere**

**N75 Diseases of Bartholin gland**

**N75.0 Cyst of Bartholin gland**

**N75.1 Abscess of Bartholin gland**

**N75.8 Other diseases of Bartholin gland**  
Bartholinitis

**N75.9 Disease of Bartholin gland, unspecified**

**N76 Other inflammation of vagina and vulva**

Use additional code (B95-B97), if desired, to identify infectious agent.

**Excludes:** senile (atrophic) vaginitis (N95.2)

**N76.0 Acute vaginitis**

Vaginitis NOS

Vulvovaginitis:

- NOS
- acute

**N76.1 Subacute and chronic vaginitis**

Vulvovaginitis:

- chronic
- subacute

**N76.2 Acute vulvitis**

Vulvitis NOS

**N76.3 Subacute and chronic vulvitis**

**N76.4 Abscess of vulva**

Furuncle of vulva

**N76.5 Ulceration of vagina**

**N76.6 Ulceration of vulva**

**N76.8 Other specified inflammation of vagina and vulva**

**N77 Vulvovaginal ulceration and inflammation in diseases classified elsewhere**

**N77.0\* Ulceration of vulva in infectious and parasitic diseases classified elsewhere**

Ulceration of vulva in:

- herpesviral [herpes simplex] infection (A60.0†)
- tuberculosis (A18.1†)

**N77.1\* Vaginitis, vulvitis and vulvovaginitis in infectious and parasitic diseases classified elsewhere**

Vaginitis, vulvitis and vulvovaginitis in:

- candidiasis (B37.3†)
- herpesviral [herpes simplex] infection (A60.0†)
- pinworm infection (B80†)

**N77.8\* Vulvovaginal ulceration and inflammation in other diseases classified elsewhere**

Ulceration of vulva in Behçet disease (M35.2†)

**Noninflammatory disorders of female genital tract  
(N80-N98)**

**N80 Endometriosis**

**N80.0 Endometriosis of uterus**

Adenomyosis

**N80.1 Endometriosis of ovary**

**N80.2 Endometriosis of fallopian tube**

**N80.3 Endometriosis of pelvic peritoneum**

**N80.4 Endometriosis of rectovaginal septum and vagina**

**N80.5 Endometriosis of intestine**



**N80.6 Endometriosis in cutaneous scar**

**N80.8 Other endometriosis**  
**Endometriosis of thorax**

**N80.9 Endometriosis, unspecified**

**N81 Female genital prolapse**

**Excludes:** genital prolapse complicating pregnancy, labour or delivery (O34.5)  
prolapse and hernia of ovary and fallopian tube (N83.4)  
prolapse of vaginal vault after hysterectomy (N99.3)

**N81.0 Female urethrocele**

**Excludes:** congenital (Q64.7)  
urethrocele with:  
• cystocele (N81.1)  
• prolapse of uterus (N81.2-N81.4)

**N81.1 Cystocele**

Cystocele with urethrocele  
Prolapse of (anterior) vaginal (wall) NOS

**Excludes:** cystocele with prolapse of uterus (N81.2-N81.4)

**N81.2 Incomplete uterovaginal prolapse**

Prolapse of cervix NOS  
Uterine prolapse:  
• first degree  
• second degree

**N81.3 Complete uterovaginal prolapse**

Procidentia (uteri) NOS  
Third degree uterine prolapse

**N81.4 Uterovaginal prolapse, unspecified**

Prolapse of uterus NOS

**N81.5 Vaginal enterocele**

*Excludes:* enterocele with prolapse of uterus (N81.2-N81.4)

**N81.6 Rectocele**

Prolapse of posterior vaginal wall

*Excludes:* rectal prolapse (K62.3)  
rectocele with prolapse of uterus (N81.2-N81.4)

**N81.8 Other female genital prolapse**

Deficient perineum

Old laceration of muscles of pelvic floor

**N81.9 Female genital prolapse, unspecified**

**N82 Fistulae involving female genital tract**

*Excludes:* vesicointestinal fistulae (N32.1)

**N82.0 Vesicovaginal fistula**

**N82.1 Other female urinary-genital tract fistulae**

Fistula:

- cervicovesical
- ureterovaginal
- urethrovaginal
- uteroureteric
- uterovesical

**N82.2 Fistula of vagina to small intestine**

**N82.3 Fistula of vagina to large intestine**

Rectovaginal fistula

**N82.4 Other female intestinal-genital tract fistulae**

Intestinouterine fistula

**N82.5 Female genital tract-skin fistulae**

Fistula:

- uterus to abdominal wall
- vaginoperineal

**N82.8 Other female genital tract fistulae**

**N82.9 Female genital tract fistula, unspecified**

**N83 Noninflammatory disorders of ovary, fallopian tube and broad ligament**

**Excludes:** hydrosalpinx (N70.1)

**N83.0 Follicular cyst of ovary**

Cyst of graafian follicle

Haemorrhagic follicular cyst (of ovary)

**N83.1 Corpus luteum cyst**

Haemorrhagic corpus luteum cyst

**N83.2 Other and unspecified ovarian cysts**

|             |          |
|-------------|----------|
| Retention   | of ovary |
| Simple cyst |          |

**Excludes:** ovarian cyst:

- developmental (Q50.1)
- neoplastic (D27)
- polycystic ovarian syndrome (E28.2)

**N83.3 Acquired atrophy of ovary and fallopian tube**

**N83.4 Prolapse and hernia of ovary and fallopian tube**

**N83.5 Torsion of ovary, ovarian pedicle and fallopian tube**

Torsion:

- accessory tube
- hydatid of Morgagni

**N83.6 Haematosalpinx**

**Excludes:** haematosalpinx with:

- haematocolpos (N89.7)
- haematometra (N85.7)

**N83.7 Haematoma of broad ligament**

**N83.8 Other noninflammatory disorders of ovary, fallopian tube and broad ligament**

Broad ligament laceration syndrome [Allen-Masters]

**N83.9 Noninflammatory disorder of ovary, fallopian tube and broad ligament, unspecified**

**N84 Polyp of female genital tract**

**Excludes:** adenomatous polyp (D28-)  
placental polyp (O90.8)

**N84.0 Polyp of corpus uteri**

Polyp of:

- endometrium
- uterus NOS

**Excludes:** polypoid endometrial hyperplasia (N85.0)

**N84.1 Polyp of cervix uteri**

Mucous polyp of cervix

**N84.2 Polyp of vagina**

**N84.3 Polyp of vulva**

Polyp of labia

**N84.8 Polyp of other parts of female genital tract**

**N84.9 Polyp of female genital tract, unspecified**

**N85 Other noninflammatory disorders of uterus, except cervix**

**Excludes:** endometriosis (N80-)  
inflammatory diseases of uterus (N71-)  
noninflammatory disorders of cervix, except malposition (N86-N88)  
polyp of corpus uteri (N84.0)  
uterine prolapse (N81-)

**N85.0 Endometrial glandular hyperplasia**

Hyperplasia of endometrium:

- NOS
- cystic
- glandular-cystic
- polypoid

**N85.1 Endometrial adenomatous hyperplasia**

Hyperplasia of endometrium, atypical (adenomatous)

**N85.2 Hypertrophy of uterus**

Bulky or enlarged uterus

**Excludes:** puerperal hypertrophy of uterus (O90.8)

**N85.3 Subinvolution of uterus**

**Excludes:** puerperal subinvolution of uterus (O90.8)

**N85.4 Malposition of uterus**

|             |           |
|-------------|-----------|
| Anteversio  | of uterus |
| Retroflexio |           |
| Retroversio |           |

**Excludes:** that complicating pregnancy, labour or delivery (O34.5, O65.5)

**N85.5 Inversion of uterus**

**Excludes:** current obstetric trauma (O71.2)  
postpartum inversion of uterus (O71.2)

**N85.6 Intrauterine synechiae**

**N85.7 Haematometra**

Haematosalpinx with haematometra

**Excludes:** haematometra with haematocolpos (N89.7)

**N85.8 Other specified noninflammatory disorders of uterus**

Atrophy of uterus, acquired  
Fibrosis of uterus NOS

**N85.9 Noninflammatory disorder of uterus, unspecified**

Disorder of uterus NOS

**N86 Erosion and ectropion of cervix uteri**

|                           |           |
|---------------------------|-----------|
| Decubitus (trophic) ulcer | of cervix |
| Eversion                  |           |

**Excludes:** with cervicitis (N72)

**N87 Dysplasia of cervix uteri**

**Excludes:** carcinoma in situ of cervix (D06-)

**N87.0 Mild cervical dysplasia**

Cervical intraepithelial neoplasia [CIN], grade I

**N87.1 Moderate cervical dysplasia**

Cervical intraepithelial neoplasia [CIN], grade II

**N87.2 Severe cervical dysplasia, not elsewhere classified**

Severe cervical dysplasia NOS

**Excludes:** cervical intraepithelial neoplasia [CIN], grade III, with or without mention of severe dysplasia (D06-)

**N87.9 Dysplasia of cervix uteri, unspecified**

**N88 Other noninflammatory disorders of cervix uteri**

**Excludes:** inflammatory disease of cervix (N72)  
polyp of cervix (N84.1)

**N88.0 Leukoplakia of cervix uteri**

**N88.1 Old laceration of cervix uteri**

Adhesions of cervix

**Excludes:** current obstetric trauma (O71.3)

**N88.2 Stricture and stenosis of cervix uteri**

**Excludes:** complicating labour (O65.5)

**N88.3 Incompetence of cervix uteri**

Investigation and management of (suspected) cervical incompetence in a nonpregnant woman

**Excludes:** affecting fetus or newborn (P01.0)  
complicating pregnancy (O34.3)

**N88.4 Hypertrophic elongation of cervix uteri**

**N88.8 Other specified noninflammatory disorders of cervix uteri**

**Excludes:** current obstetric trauma (O71.3)

**N88.9 Noninflammatory disorder of cervix uteri, unspecified**

**N89 Other noninflammatory disorders of vagina**

**Excludes:** carcinoma in situ of vagina (D07.2)  
inflammation of vagina (N76-)  
senile (atrophic) vaginitis (N95.2)  
trichomonal leukorrhoea (A59.0)

**N89.0 Mild vaginal dysplasia**

Vaginal intraepithelial neoplasia [VAIN], grade I

**N89.1 Moderate vaginal dysplasia**

Vaginal intraepithelial neoplasia [VAIN], grade II

**N89.2 Severe vaginal dysplasia, not elsewhere classified**

Severe vaginal dysplasia NOS

**Excludes:** vaginal intraepithelial neoplasia [VAIN], grade III, with or without mention of severe dysplasia (D07.2)

**N89.3 Dysplasia of vagina, unspecified**

**N89.4 Leukoplakia of vagina**



**N89.5 Stricture and atresia of vagina**

Vaginal:

- adhesions
- stenosis

*Excludes:* postoperative adhesions of vagina (N99.2)

**N89.6 Tight hymenal ring**

Rigid hymen

Tight introitus

*Excludes:* imperforate hymen (Q52.3)

**N89.7 Haematocolpos**

Haematocolpos with haematometra or haematosalpinx

**N89.8 Other specified noninflammatory disorders of vagina**

Leukorrhoea NOS

Old vaginal laceration

Pessary ulcer of vagina

*Excludes:* current obstetric trauma (O70-, O71.4, O71.7-O71.8)  
old laceration involving muscles of pelvic floor (N81.8)

**N89.9 Noninflammatory disorder of vagina, unspecified**

**N90 Other noninflammatory disorders of vulva and perineum**

*Excludes:* carcinoma in situ of vulva (D07.1)  
current obstetric trauma (O70-, O71.7-O71.8)  
inflammation of vulva (N76-)

**N90.0 Mild vulvar dysplasia**

Vulvar intraepithelial neoplasia [VIN], grade I

**N90.1 Moderate vulvar dysplasia**

Vulvar intraepithelial neoplasia [VIN], grade II

**N90.2 Severe vulvar dysplasia, not elsewhere classified**

Severe vulvar dysplasia NOS

**Excludes:** vulvar intraepithelial neoplasia [VIN], grade III, with or without mention of severe dysplasia (D07.1)

**N90.3 Dysplasia of vulva, unspecified**

**N90.4 Leukoplakia of vulva**

|           |          |
|-----------|----------|
| Dystrophy | of vulva |
| Kraurosis |          |

**N90.5 Atrophy of vulva**

Stenosis of vulva

**N90.6 Hypertrophy of vulva**

Hypertrophy of labia

**N90.7 Vulvar cyst**

**N90.8 Other specified noninflammatory disorders of vulva and perineum**

Adhesions of vulva

Hypertrophy of clitoris

**N90.9 Noninflammatory disorder of vulva and perineum, unspecified**

**N91 Absent, scanty and rare menstruation**

**Excludes:** ovarian dysfunction (E28-)

**N91.0 Primary amenorrhoea**

Failure to start menstruation at puberty.

**N91.1 Secondary amenorrhoea**

Absence of menstruation in a woman who had previously menstruated.

**N91.2 Amenorrhoea, unspecified**

Absence of menstruation NOS

**N91.3 Primary oligomenorrhoea**

Menstruation which is scanty or rare from the start.

**N91.4 Secondary oligomenorrhoea**

Scanty and rare menstruation in a woman with previously normal periods.

**N91.5 Oligomenorrhoea, unspecified**

Hypomenorrhoea NOS

**N92 Excessive, frequent and irregular menstruation**

**Excludes:** postmenopausal bleeding (N95.0)

**N92.0 Excessive and frequent menstruation with regular cycle**

Heavy periods NOS

Menorrhagia NOS

Polymenorrhoea

**N92.1 Excessive and frequent menstruation with irregular cycle**

Irregular intermenstrual bleeding

Irregular, shortened intervals between menstrual bleeding

Menometrorrhagia

Metrorrhagia

**N92.2 Excessive menstruation at puberty**

Excessive bleeding associated with onset of menstrual periods

Pubertal menorrhagia

Puberty bleeding

**N92.3 Ovulation bleeding**

Regular intermenstrual bleeding

**N92.4 Excessive bleeding in the premenopausal period**

Menorrhagia or metrorrhagia:

- climacteric
- menopausal
- preclimacteric
- premenopausal

**N92.5 Other specified irregular menstruation**

**N92.6 Irregular menstruation, unspecified**

Irregular:

- bleeding NOS
- periods NOS

**Excludes:** irregular menstruation with:

- lengthened intervals or scanty bleeding (N91.3-N91.5)
- shortened intervals or excessive bleeding (N92.1)

**N93 Other abnormal uterine and vaginal bleeding**

**Excludes:** neonatal vaginal haemorrhage (P54.6)  
pseudomenses (P54.6)

**N93.0 Postcoital and contact bleeding**

**N93.8 Other specified abnormal uterine and vaginal bleeding**

Dysfunctional or functional uterine or vaginal bleeding NOS

**N93.9 Abnormal uterine and vaginal bleeding, unspecified**

**N94 Pain and other conditions associated with female genital organs and menstrual cycle**

**N94.0 Mittelschmerz**

**N94.1 Dyspareunia**

*Excludes:* psychogenic dyspareunia (F52.6)

**N94.2 Vaginismus**

*Excludes:* psychogenic vaginismus (F52.5)

**N94.3 Premenstrual tension syndrome**

**N94.4 Primary dysmenorrhoea**

**N94.5 Secondary dysmenorrhoea**

**N94.6 Dysmenorrhoea, unspecified**

**N94.8 Other specified conditions associated with female genital organs and menstrual cycle**

**N94.9 Unspecified condition associated with female genital organs and menstrual cycle**

**N95 Menopausal and other perimenopausal disorders**

**Excludes:** excessive bleeding in the premenopausal period (N92.4)  
postmenopausal:  
• osteoporosis (M81.0)  
• with pathological fracture (M80.0)  
• urethritis (N34.2)  
premature menopause NOS (E28.3)

**N95.0 Postmenopausal bleeding**

**Excludes:** that associated with artificial menopause (N95.3)

**N95.1 Menopausal and female climacteric states**

Symptoms such as flushing, sleeplessness, headache, lack of concentration,  
associated with menopause

**Excludes:** those associated with artificial menopause (N95.3)

**N95.2 Postmenopausal atrophic vaginitis**

Senile (atrophic) vaginitis

**Excludes:** that associated with artificial menopause (N95.3)

**N95.3 States associated with artificial menopause**

Post-artificial-menopause syndrome

**N95.8 Other specified menopausal and perimenopausal disorders**

**N95.9 Menopausal and perimenopausal disorder, unspecified**

**N96 Habitual aborter**

Investigation or care in a nonpregnant woman  
Relative infertility

**Excludes:** currently pregnant (O26.2)  
with current abortion (O03-006)

**N97 Female infertility**

**Includes:** inability to achieve a pregnancy  
sterility, female NOS

**Excludes:** relative infertility (N96)

**N97.0 Female infertility associated with anovulation**

**N97.1 Female infertility of tubal origin**

Associated with congenital anomaly of tube

Tubal:

- block
- occlusion
- stenosis

**N97.2 Female infertility of uterine origin**

Associated with congenital anomaly of uterus

Nonimplantation of ovum

**N97.3 Female infertility of cervical origin**

**N97.4 Female infertility associated with male factors**

**N97.8 Female infertility of other origin**

**N97.9 Female infertility, unspecified**

**N98 Complications associated with artificial fertilization**

**N98.0 Infection associated with artificial insemination**

**N98.1 Hyperstimulation of ovaries**

Hyperstimulation of ovaries:

- NOS
- associated with induced ovulation

**N98.2 Complications of attempted introduction of fertilized ovum following in vitro fertilization**

**N98.3 Complications of attempted introduction of embryo in embryo transfer**

**N98.8 Other complications associated with artificial fertilization**

Complications of artificial insemination by:

- donor
- husband

**N98.9 Complication associated with artificial fertilization, unspecified**

**Other disorders of the genitourinary system (N99)**

**N99 Postprocedural disorders of genitourinary system, not elsewhere classified**

**Excludes:** irradiation cystitis (N30.4)  
postophorectomy osteoporosis (M81.1)  
• with pathological fracture (M80.1)  
states associated with artificial menopause (N95.3)



**N99.0 Postprocedural renal failure**

**N99.1 Postprocedural urethral stricture**

Postcatheterization urethral stricture

**N99.2 Postoperative adhesions of vagina**

**N99.3 Prolapse of vaginal vault after hysterectomy**

**N99.4 Postprocedural pelvic peritoneal adhesions**

**N99.5 Malfunction of external stoma of urinary tract**

**N99.8 Other postprocedural disorders of genitourinary system**

Residual ovary syndrome

**N99.9 Postprocedural disorder of genitourinary system, unspecified**

## CHAPTER XV - Pregnancy, childbirth and the puerperium (O00-O99)

The codes included in this chapter are to be used for conditions related to or aggravated by the pregnancy, childbirth or by the puerperium (maternal causes or obstetric causes).

**Excludes:** certain diseases or injuries complicating pregnancy, childbirth and the puerperium classified elsewhere:

- external causes (for mortality) (V, W, X, Y)
- injury, poisoning and certain other consequences of external cause (S00-T88.1, T88.6-T98)
- mental and behavioural disorders associated with the puerperium (F53-)
- obstetrical tetanus (A34)
- postpartum necrosis of pituitary gland (E23.0)
- puerperal osteomalacia (M83.0)
- supervision of:
  - high-risk pregnancy (<sup>cvii</sup>Z35.-)
  - normal pregnancy (<sup>cviii</sup>Z34.-)

### **This chapter contains the following blocks:**

|         |                                                                                            |
|---------|--------------------------------------------------------------------------------------------|
| O00-O08 | Pregnancy with abortive outcome                                                            |
| O10-O16 | Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium |
| O20-O29 | Other maternal disorders predominantly related to pregnancy                                |
| O30-O48 | Maternal care related to the fetus and amniotic cavity and possible delivery problems      |
| O60-O75 | Complications of labour and delivery                                                       |
| O80-O84 | Delivery                                                                                   |
| O85-O92 | Complications predominantly related to the puerperium                                      |
| O94-O99 | Other obstetric conditions, not elsewhere classified                                       |

## Pregnancy with abortive outcome (O00-O08)

**Excludes:** continuing pregnancy in multiple gestation after abortion of one fetus or more (O31.1)

### O00 Ectopic pregnancy

**Includes:** ruptured ectopic pregnancy  
Use additional code from category O08-, if desired, to identify any associated complication.

#### O00.0 Abdominal pregnancy

**Excludes:** delivery of viable fetus in abdominal pregnancy (O83.3)  
maternal care for viable fetus in abdominal pregnancy (O36.7)

#### O00.1 Tubal pregnancy

Fallopian pregnancy  
Rupture of (fallopian) tube due to pregnancy  
Tubal abortion

#### O00.2 Ovarian pregnancy

#### O00.8 Other ectopic pregnancy

Pregnancy:

- cervical
- cornual
- intraligamentous
- mural

#### O00.9 Ectopic pregnancy, unspecified

### O01 Hydatidiform mole

Use additional code from category O08-, if desired, to identify any associated complication.

**Excludes:** malignant hydatidiform mole (D39.2)

**001.0 Classical hydatidiform mole**

Complete hydatidiform mole

**001.1 Incomplete and partial hydatidiform mole**

**001.9 Hydatidiform mole, unspecified**

Trophoblastic disease NOS

Vesicular mole NOS

**O02 Other abnormal products of conception**

Use additional code from category O08-, if desired, to identify any associated complication.

**Excludes:** papyraceous fetus (O31.0)

**002.0 Blighted ovum and nonhydatidiform mole**

Mole:

- carneous
- fleshy
- intrauterine NOS

Pathological ovum

**002.1 Missed abortion**

Early fetal death with retention of dead fetus

**Excludes:** missed abortion with:

- blighted ovum (O02.0)
- mole:
  - hydatidiform (O01-)
  - nonhydatidiform (O02.0)

**002.8 Other specified abnormal products of conception**

- Excludes:** those with:
- blighted ovum (O02.0)
  - mole:
  - hydatidiform (O01-)
  - nonhydatidiform (O02.0)

## **002.9 Abnormal product of conception, unspecified**

The following fourth-character subdivisions are for use with categories O03-O06:

**Note:** Incomplete abortion includes retained products of conception following abortion.

- .0 Incomplete, complicated by genital tract and pelvic infection**  
With conditions in O08.0
- .1 Incomplete, complicated by delayed or excessive haemorrhage**  
With conditions in O08.1
- .2 Incomplete, complicated by embolism**  
With conditions in O08.2
- .3 Incomplete, with other and unspecified complications**  
With conditions in O08.3-O08.9
- .4 Incomplete, without complication**
- .5 Complete or unspecified, complicated by genital tract and pelvic infection**  
With conditions in O08.0
- .6 Complete or unspecified, complicated by delayed or excessive haemorrhage**  
With conditions in O08.1
- .7 Complete or unspecified, complicated by embolism**  
With conditions in O08.2
- .8 Complete or unspecified, with other and unspecified complications**  
With conditions in O08.3-O08.9
- .9 Complete or unspecified, without complication**

## **003 Spontaneous abortion** [See above for subdivisions]

**Includes:** miscarriage

**O04 Medical abortion**

[See above for subdivisions]

***Includes:*** termination of pregnancy:  
• legal  
• therapeutic  
therapeutic abortion

**O05 Other abortion**

[See above for subdivisions]

**O06 Unspecified abortion**

[See above for subdivisions]

***Includes:*** induced abortion NOS

**O07 Failed attempted abortion**

***Includes:*** failure of attempted induction of abortion

***Excludes:*** incomplete abortion (O03-O06)

**O07.0 Failed medical abortion, complicated by genital tract and pelvic infection**

With conditions in O08.0

**O07.1 Failed medical abortion, complicated by delayed or excessive haemorrhage**

With conditions in O08.1

**O07.2 Failed medical abortion, complicated by embolism**

With conditions in O08.2

**O07.3 Failed medical abortion, with other and unspecified complications**

With conditions in O08.3-O08.9

**O07.4 Failed medical abortion, without complication**

Failed medical abortion NOS

**O07.5 Other and unspecified failed attempted abortion, complicated by genital tract and pelvic infection**

With conditions in O08.0

**O07.6 Other and unspecified failed attempted abortion, complicated by delayed or excessive haemorrhage**

With conditions in O08.1

**O07.7 Other and unspecified failed attempted abortion, complicated by embolism**

With conditions in O08.2

**O07.8 Other and unspecified failed attempted abortion, with other and unspecified complications**

With conditions in O08.3-O08.9

**O07.9 Other and unspecified failed attempted abortion, without complication**

Failed attempted abortion NOS

**O08 Complications following abortion and ectopic and molar pregnancy**

**Note:**

This code is provided primarily for morbidity coding. For use of this category, reference should be made to the morbidity coding rules and guidelines in Volume 2 or mortality coding rules and guidelines in Part 2a Instruction Manual (NCHS).

**008.0 Genital tract and pelvic infection following abortion and ectopic and molar pregnancy**

Endometritis  
Oophoritis  
Parametritis  
Pelvic peritonitis  
Salpingitis  
Salpingo-oophoritis  
Sepsis  
Septic shock  
Septicaemia

following conditions classifiable to O00-O07

**Excludes:** septic or septicopyaemic embolism (O08.2)  
urinary tract infection (O08.8)

**008.1 Delayed or excessive haemorrhage following abortion and ectopic and molar pregnancy**

Afibrinogenaemia  
Defibrination syndrome  
Intravascular  
coagulation

following conditions classifiable to O00-O07

**008.2 Embolism following abortion and ectopic and molar pregnancy**

Embolism:  
• NOS  
• air  
• amniotic fluid  
• blood-clot  
• pulmonary  
• pyaemic  
• septic or septicopyaemic  
• soap

following conditions classifiable to O00-O07

**008.3 Shock following abortion and ectopic and molar pregnancy**

Circulatory collapse

following conditions classifiable to O00-O07



Shock (postoperative) |

**Excludes:** septic shock (O08.0)

**008.4 Renal failure following abortion and ectopic and molar pregnancy**

Oliguria

Renal:

- failure (acute)
- shutdown
- tubular necrosis

Uraemia

following conditions classifiable to O00-O07

**008.5 Metabolic disorders following abortion and ectopic and molar pregnancy**

Electrolyte imbalance following conditions classifiable to O00-O07

**008.6 Damage to pelvic organs and tissues following abortion and ectopic and molar pregnancy**

**Laceration, perforation, tear or chemical damage of:**

- bladder
- bowel
- broad ligament
- cervix
- periurethral tissue
- uterus

following conditions classifiable to O00-O07

**008.7 Other venous complications following abortion and ectopic and molar pregnancy**

**008.8 Other complications following abortion and ectopic and molar pregnancy**

Cardiac arrest

Urinary tract infection

following conditions classifiable to O00-O07

**008.9 Complication following abortion and ectopic and molar pregnancy, unspecified**

Unspecified complication following conditions classifiable to O00-O07

**Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium (O10-O16)**

**O10 Pre-existing hypertension complicating pregnancy, childbirth and the puerperium**

**Includes:** the listed conditions with pre-existing proteinuria

**Excludes:** that with increased or superimposed proteinuria (O11)

**O10.0 Pre-existing essential hypertension complicating pregnancy, childbirth and the puerperium**

Any condition in I10 specified as a reason for obstetric care during pregnancy, childbirth or the puerperium

**O10.1 Pre-existing hypertensive heart disease complicating pregnancy, childbirth and the puerperium**

Any condition in I11- specified as a reason for obstetric care during pregnancy, childbirth or the puerperium

**O10.2 Pre-existing hypertensive renal disease complicating pregnancy, childbirth and the puerperium**

Any condition in I12- specified as a reason for obstetric care during pregnancy, childbirth or the puerperium

**O10.3 Pre-existing hypertensive heart and renal disease complicating pregnancy, childbirth and the puerperium**

Any condition in I13- specified as a reason for obstetric care during pregnancy, childbirth or the puerperium

**O10.4 Pre-existing secondary hypertension complicating pregnancy, childbirth and the puerperium**

Any condition in I15- specified as a reason for obstetric care during pregnancy, childbirth or the puerperium

**O10.9 Unspecified pre-existing hypertension complicating pregnancy, childbirth and the puerperium**

**O11 Pre-existing hypertensive disorder with superimposed proteinuria**

Conditions in O10- complicated by increased proteinuria

Superimposed pre-eclampsia

**O12 Gestational [pregnancy-induced] oedema and proteinuria without hypertension**

**O12.0 Gestational oedema**

**O12.1 Gestational proteinuria**

**O12.2 Gestational oedema with proteinuria**

**O13 Gestational [pregnancy-induced] hypertension without significant proteinuria**

Gestational hypertension NOS

Mild pre-eclampsia

***Includes:*** Transient hypertension of pregnancy

**O14 Gestational [pregnancy-induced] hypertension with significant proteinuria**

**Excludes:** superimposed pre-eclampsia (O11)

**O14.0 Moderate pre-eclampsia**

**O14.1 Severe pre-eclampsia**

**O14.2 HELLP syndrome**

Combination of hemolysis, elevated liver enzymes and low platelet count

**O14.9 Pre-eclampsia, unspecified**

**O15 Eclampsia**

**Includes:** convulsions following conditions in O10-O14 and O16  
eclampsia with pregnancy-induced or pre-existing hypertension

**O15.0 Eclampsia in pregnancy**

**O15.1 Eclampsia in labour**

**O15.2 Eclampsia in the puerperium**

**O15.9 Eclampsia, unspecified as to time period**

Eclampsia NOS

**O16 Unspecified maternal hypertension**

## Other maternal disorders predominantly related to pregnancy (O20-O29)

**Note:** Categories O24- and O25 include the listed conditions even if they occur during childbirth or the puerperium.

**Excludes:** maternal:

- care related to the fetus and amniotic cavity and possible delivery problems (O30-O48)
- diseases classifiable elsewhere but complicating pregnancy, labour and delivery, and the puerperium (O98-O99)

### **O20 Haemorrhage in early pregnancy**

**Excludes:** pregnancy with abortive outcome (O00-O08)

#### **O20.0 Threatened abortion**

Haemorrhage specified as due to threatened abortion

#### **O20.8 Other haemorrhage in early pregnancy**

#### **O20.9 Haemorrhage in early pregnancy, unspecified**

### **O21 Excessive vomiting in pregnancy**

#### **O21.0 Mild hyperemesis gravidarum**

Hyperemesis gravidarum, mild or unspecified, starting before the end of the 22nd week of gestation

#### **O21.1 Hyperemesis gravidarum with metabolic disturbance**

Hyperemesis gravidarum, starting before the end of the 22nd week of gestation, with metabolic disturbance such as:

- carbohydrate depletion
- dehydration
- electrolyte imbalance

**021.2 Late vomiting of pregnancy**

Excessive vomiting starting after 22 completed weeks of gestation

**021.8 Other vomiting complicating pregnancy**

Vomiting due to diseases classified elsewhere, complicating pregnancy

Use additional code, if desired, to identify cause.

**021.9 Vomiting of pregnancy, unspecified**

**022 Venous complications in pregnancy**

**Excludes:** obstetric pulmonary embolism (O88-)  
the listed conditions as complications of:  
• abortion or ectopic or molar pregnancy (O00-O07, O08.7)  
• childbirth and the puerperium (O87-)

**022.0 Varicose veins of lower extremity in pregnancy**

Varicose veins NOS in pregnancy

**022.1 Genital varices in pregnancy**

|          |  |                      |
|----------|--|----------------------|
| Perineal |  | varices in pregnancy |
| Vaginal  |  |                      |
| Vulval   |  |                      |

**022.2 Superficial thrombophlebitis in pregnancy**

Thrombophlebitis of legs in pregnancy

**022.3 Deep phlebothrombosis in pregnancy**

Deep-vein thrombosis, antepartum

**022.4 Haemorrhoids in pregnancy**

**022.5 Cerebral venous thrombosis in pregnancy**

Cerebrovenous sinus thrombosis in pregnancy

**022.8 Other venous complications in pregnancy**

**022.9 Venous complication in pregnancy, unspecified**

Gestational:

- phlebitis NOS
- phlebopathy NOS
- thrombosis NOS

**023 Infections of genitourinary tract in pregnancy**

**Excludes:** gonococcal infections (O98.2)  
infections with a predominantly sexual mode of  
transmission NOS (O98.3)  
syphilis (O98.1)  
tuberculosis of genitourinary system (O98.0)  
venereal disease (NOS) (O98.3)

complicating pregnancy,  
childbirth and the puerperium

**023.0 Infections of kidney in pregnancy**

**023.1 Infections of bladder in pregnancy**

**023.2 Infections of urethra in pregnancy**

**023.3 Infections of other parts of urinary tract in pregnancy**

**023.4 Unspecified infection of urinary tract in pregnancy**

**023.5 Infections of the genital tract in pregnancy**

**O23.9 Other and unspecified genitourinary tract infection in pregnancy**

Genitourinary tract infection in pregnancy NOS

**O24 Diabetes mellitus in pregnancy**

*Includes:* in childbirth and the puerperium

**O24.0 Pre-existing type 1 diabetes mellitus**

**O24.1 Pre-existing type 2 diabetes mellitus**

**O24.2 Pre-existing malnutrition-related diabetes mellitus**

**O24.3 Pre-existing diabetes mellitus, unspecified**

**O24.4 Diabetes mellitus arising in pregnancy**

Gestational diabetes mellitus NOS

**O24.9 Diabetes mellitus in pregnancy, unspecified**

**O25 Malnutrition in pregnancy**

Malnutrition in childbirth and the puerperium

**O26 Maternal care for other conditions predominantly related to pregnancy**

**O26.0 Excessive weight gain in pregnancy**

*Excludes:* gestational oedema (O12.0, O12.2)

**O26.1 Low weight gain in pregnancy**



**O26.2 Pregnancy care of habitual aborter**

- Excludes:** habitual aborter:
- with current abortion (O03-O06)
  - without current pregnancy (N96)

**O26.3 Retained intrauterine contraceptive device in pregnancy**

**O26.4 Herpes gestationis**

**O26.5 Maternal hypotension syndrome**

Supine hypotensive syndrome

**O26.6 Liver disorders in pregnancy, childbirth and the puerperium**

- Excludes:** hepatorenal syndrome following labour and delivery (O90.4)

**O26.7 Subluxation of symphysis (pubis) in pregnancy, childbirth and the puerperium**

- Excludes:** traumatic separation of symphysis (pubis) during childbirth (O71.6)

**O26.8 Other specified pregnancy-related conditions**

|                        |                      |
|------------------------|----------------------|
| Exhaustion and fatigue | varices in pregnancy |
| Peripheral neuritis    |                      |
| Renal disease          |                      |

**O26.9 Pregnancy-related condition, unspecified**

**O28 Abnormal findings on antenatal screening of mother**

- Excludes:** diagnostic findings classified elsewhere - see Alphabetical Index

maternal care related to the fetus and amniotic cavity and possible delivery problems (O30-O48)

**O28.0 Abnormal haematological finding on antenatal screening of mother**

**O28.1 Abnormal biochemical finding on antenatal screening of mother**

**O28.2 Abnormal cytological finding on antenatal screening of mother**

**O28.3 Abnormal ultrasonic finding on antenatal screening of mother**

**O28.4 Abnormal radiological finding on antenatal screening of mother**

**O28.5 Abnormal chromosomal and genetic finding on antenatal screening of mother**

**O28.8 Other abnormal findings on antenatal screening of mother**

**O28.9 Abnormal finding on antenatal screening of mother, unspecified**

**O29 Complications of anaesthesia during pregnancy**

**Includes:** maternal complications arising from the administration of a general or local anaesthetic, analgesic or other sedation during pregnancy

**Excludes:** complications of anaesthesia during:

- abortion or ectopic or molar pregnancy (O00-O08)
- labour and delivery (O74-)
- puerperium (O89-)

**O29.0 Pulmonary complications of anaesthesia during pregnancy**

Aspiration pneumonitis

Chemical pneumonitis due to aspiration

Inhalation of stomach contents or secretions NOS

Mendelson syndrome

Pressure collapse of lung

due to anaesthesia during pregnancy

**O29.1 Cardiac complications of anaesthesia during pregnancy**

Cardiac:

- arrest
- failure

due to anaesthesia during pregnancy

**O29.2 Central nervous system complications of anaesthesia during pregnancy**

Cerebral anoxia due to anaesthesia during pregnancy

**O29.3 Toxic reaction to local anaesthesia during pregnancy**

**O29.4 Spinal and epidural anaesthesia-induced headache during pregnancy**

**O29.5 Other complications of spinal and epidural anaesthesia during pregnancy**

**O29.6 Failed or difficult intubation during pregnancy**

**O29.8 Other complications of anaesthesia during pregnancy**

**O29.9 Complication of anaesthesia during pregnancy,  
unspecified**

Maternal care related to the fetus and amniotic cavity and  
possible delivery problems (O30-O48)

**O30 Multiple gestation**

**Excludes:** complications specific to multiple gestation (O31-)

**O30.0 Twin pregnancy**

**O30.1 Triplet pregnancy**

**O30.2 Quadruplet pregnancy**

**O30.8 Other multiple gestation**

**O30.9 Multiple gestation, unspecified**

Multiple pregnancy NOS

**O31 Complications specific to multiple gestation**

**Excludes:** conjoined twins causing disproportion (O33.7)  
delayed delivery of second twin, triplet, etc. (O63.2)  
malpresentation of one fetus or more (<sup>cix</sup>O32.5)  
with obstructed labour (O64-O66)

**031.0 Papyraceous fetus**

Fetus compressus

**031.1 Continuing pregnancy after abortion of one fetus or more**

**031.2 Continuing pregnancy after intrauterine death of one fetus or more**

**031.8 Other complications specific to multiple gestation**

**O32 Maternal care for known or suspected malpresentation of fetus**

***Includes:*** the listed conditions as a reason for observation, hospitalization or other obstetric care of the mother, or for caesarean section before onset of labour

***Excludes:*** the listed conditions with obstructed labour (O64-)

**032.0 Maternal care for unstable lie**

**032.1 Maternal care for breech presentation**

**032.2 Maternal care for transverse and oblique lie**

Presentation:

- oblique
- transverse

**032.3 Maternal care for face, brow and chin presentation**

**032.4 Maternal care for high head at term**

Failure of head to enter pelvic brim

**032.5 Maternal care for multiple gestation with malpresentation of one fetus or more**

**032.6 Maternal care for compound presentation**

**032.8 Maternal care for other malpresentation of fetus**

**032.9 Maternal care for malpresentation of fetus, unspecified**

**033 Maternal care for known or suspected disproportion**

**Includes:** the listed conditions as a reason for observation, hospitalization or other obstetric care of the mother, or for caesarean section before onset of labour

**Excludes:** the listed conditions with obstructed labour (O65-O66)

**033.0 Maternal care for disproportion due to deformity of maternal pelvic bones**

Pelvic deformity causing disproportion NOS

**033.1 Maternal care for disproportion due to generally contracted pelvis**

Contracted pelvis NOS causing disproportion

**033.2 Maternal care for disproportion due to inlet contraction of pelvis**

Inlet contraction (pelvis) causing disproportion

**033.3 Maternal care for disproportion due to outlet contraction of pelvis**

|                                 |                       |
|---------------------------------|-----------------------|
| Mid-cavity contraction (pelvis) | causing disproportion |
| Outlet contraction (pelvis)     |                       |

**033.4 Maternal care for disproportion of mixed maternal and fetal origin**

**033.5 Maternal care for disproportion due to unusually large fetus**

Disproportion of fetal origin with normally formed fetus

Fetal disproportion NOS

**033.6 Maternal care for disproportion due to hydrocephalic fetus**

**033.7 Maternal care for disproportion due to other fetal deformities**

Conjoined twins

Fetal:

- ascites
- hydrops
- meningomyelocele
- sacral teratoma
- tumour

causing disproportion

**033.8 Maternal care for disproportion of other origin**

**033.9 Maternal care for disproportion, unspecified**

Cephalopelvic disproportion NOS

Fetopelvic disproportion NOS

**O34 Maternal care for known or suspected abnormality of pelvic organs**

**Includes:** the listed conditions as a reason for observation, hospitalization or other obstetric care of the mother, or for caesarean section before onset of labour

**Excludes:** the listed conditions with obstructed labour (O65.5)

**034.0 Maternal care for congenital malformation of uterus**

Maternal care for:

- double uterus
- uterus bicornis

**034.1 Maternal care for tumour of corpus uteri**

Maternal care for:

- polyp of corpus uteri
- uterine fibroid

*Excludes:* maternal care for tumour of cervix (O34.4)

**034.2 Maternal care due to uterine scar from previous surgery**

Maternal care for scar from previous

*Excludes:* vaginal delivery following previous caesarean section NOS (O75.7)

**034.3 Maternal care for cervical incompetence**

Maternal care for:

- |                                                                                       |                                                  |
|---------------------------------------------------------------------------------------|--------------------------------------------------|
| <ul style="list-style-type: none"><li>• cerclage</li><li>• Shirodkar suture</li></ul> | with or without mention of cervical incompetence |
|---------------------------------------------------------------------------------------|--------------------------------------------------|

**034.4 Maternal care for other abnormalities of cervix**

Maternal care for:

- polyp of cervix
- previous surgery to cervix
- stricture or stenosis of cervix
- tumour of cervix

**034.5 Maternal care for other abnormalities of gravid uterus**

Maternal care for:

- |                                                                 |                  |
|-----------------------------------------------------------------|------------------|
| <ul style="list-style-type: none"><li>• incarceration</li></ul> | of gravid uterus |
|-----------------------------------------------------------------|------------------|



- prolapse
- retroversion

#### **O34.6 Maternal care for abnormality of vagina**

Maternal care for:

- previous surgery to vagina
- septate vagina
- stenosis of vagina (acquired)(congenital)
- stricture of vagina
- tumour of vagina

**Excludes:** maternal care for vaginal varices in pregnancy (O22.1)

#### **O34.7 Maternal care for abnormality of vulva and perineum**

Maternal care for:

- fibrosis of perineum
- previous surgery to perineum or vulva
- rigid perineum
- tumour of vulva

**Excludes:** maternal care for perineal and vulval varices in pregnancy (O22.1)

#### **O34.8 Maternal care for other abnormalities of pelvic organs**

Maternal care for:

- cystocele
- pelvic floor repair (previous)
- pendulous abdomen
- rectocele
- rigid pelvic floor

#### **O34.9 Maternal care for abnormality of pelvic organ, unspecified**

**O35 Maternal care for known or suspected fetal abnormality and damage**

**Includes:** the listed conditions in the fetus as a reason for observation, hospitalization or other obstetric care of the mother, or for termination of pregnancy

**Excludes:** maternal care for known or suspected disproportion (O33-)

**O35.0 Maternal care for (suspected) central nervous system malformation in fetus**

Maternal care for (suspected) fetal:

- anencephaly
- spina bifida

**Excludes:** chromosomal abnormality in fetus (O35.1)

**O35.1 Maternal care for (suspected) chromosomal abnormality in fetus**

**O35.2 Maternal care for (suspected) hereditary disease in fetus**

**Excludes:** chromosomal abnormality in fetus (O35.1)

**O35.3 Maternal care for (suspected) damage to fetus from viral disease in mother**

Maternal care for (suspected) damage to fetus from maternal:

- cytomegalovirus infection
- rubella

**O35.4 Maternal care for (suspected) damage to fetus from alcohol**

**O35.5 Maternal care for (suspected) damage to fetus by drugs**

Maternal care for (suspected) damage to fetus from drug addiction

**Excludes:** fetal distress in labour and delivery due to drug administration (O68-)

**035.6 Maternal care for (suspected) damage to fetus by radiation**

**035.7 Maternal care for (suspected) damage to fetus by other medical procedures**

Maternal care for (suspected) damage to fetus by:

- amniocentesis
- biopsy procedures
- haematological investigation
- intrauterine contraceptive device
- intrauterine surgery

**035.8 Maternal care for other (suspected) fetal abnormality and damage**

Maternal care for (suspected) damage to fetus from maternal:

- listeriosis
- toxoplasmosis

**035.9 Maternal care for (suspected) fetal abnormality and damage, unspecified**

**O36 Maternal care for other known or suspected fetal problems**

**Includes:** the listed conditions in the fetus as a reason for observation, hospitalization or other obstetric care of the mother, or for termination of pregnancy

**Excludes:** labour and delivery complicated by fetal stress [distress] (O68-) placental transfusion syndromes (O43.0)

**036.0 Maternal care for rhesus isoimmunization**

Anti-D [Rh] antibodies

Rh incompatibility (with hydrops fetalis)

**036.1 Maternal care for other isoimmunization**

ABO isoimmunization

Isoimmunization NOS (with hydrops fetalis)

**036.2 Maternal care for hydrops fetalis**

Hydrops fetalis:

- NOS
- not associated with isoimmunization

**036.3 Maternal care for signs of fetal hypoxia**

**036.4 Maternal care for intrauterine death**

*Excludes:* missed abortion (O02.1)

**036.5 Maternal care for poor fetal growth**

Maternal care for known or suspected:

- light-for-dates
- placental insufficiency
- small-for-dates

**036.6 Maternal care for excessive fetal growth**

Maternal care for known or suspected large-for-dates

**036.7 Maternal care for viable fetus in abdominal pregnancy**

**036.8 Maternal care for other specified fetal problems**

**036.9 Maternal care for fetal problem, unspecified**

**O40 Polyhydramnios**

Hydramnios

**O41 Other disorders of amniotic fluid and membranes**

**Excludes:** premature rupture of membranes (O42-)

**O41.0 Oligohydramnios**

Oligohydramnios without mention of rupture of membranes

**O41.1 Infection of amniotic sac and membranes**

Amnionitis

Chorioamnionitis

Membranitis

Placentitis

**O41.8 Other specified disorders of amniotic fluid and membranes**

**O41.9 Disorder of amniotic fluid and membranes, unspecified**

**O42 Premature rupture of membranes**

**O42.0 Premature rupture of membranes, onset of labour within 24 hours**

**O42.1 Premature rupture of membranes, onset of labour after 24 hours**

**Excludes:** with labour delayed by therapy (O42.2)

**O42.2 Premature rupture of membranes, labour delayed by therapy**

**O42.9 Premature rupture of membranes, unspecified**

**O43 Placental disorders**

**Excludes:** maternal care for poor fetal growth due to placental insufficiency (O36.5)  
placenta praevia (O44-)  
premature separation of placenta [abruptio placentae] (O45-)

**O43.0 Placental transfusion syndromes**

Transfusion:

- fetomaternal
- maternofetal
- twin-to-twin

**O43.1 Malformation of placenta**

Abnormal placenta NOS

Circumvallate placenta

**O43.2 Morbidly adherent placenta**

Placenta:

- accreta
- increta
- percreta

Use additional code, if desired, to identify any:

- postpartum haemorrhage, third stage (O72.0)
- retained placenta without haemorrhage (O73.0)

**O43.8 Other placental disorders**

Placental:

- dysfunction
- infarction

**O43.9 Placental disorder, unspecified**

**O44 Placenta praevia**

**O44.0 Placenta praevia specified as without haemorrhage**

Low implantation of placenta specified as without haemorrhage

**O44.1 Placenta praevia with haemorrhage**

Low implantation of placenta, NOS or with haemorrhage

Placenta praevia:

- |                                                                                              |                         |
|----------------------------------------------------------------------------------------------|-------------------------|
| <ul style="list-style-type: none"><li>• marginal</li><li>• partial</li><li>• total</li></ul> | NOS or with haemorrhage |
|----------------------------------------------------------------------------------------------|-------------------------|

**Excludes:** labour and delivery complicated by haemorrhage from vasa praevia (O69.4)

**O45 Premature separation of placenta [abruptio placentae]**

**O45.0 Premature separation of placenta with coagulation defect**

Abruptio placentae with (excessive) haemorrhage associated with:

- afibrinogenaemia
- disseminated intravascular coagulation
- hyperfibrinolysis
- hypofibrinogenaemia

**O45.8 Other premature separation of placenta**

**O45.9 Premature separation of placenta, unspecified**

Abruptio placentae NOS

**O46 Antepartum haemorrhage, not elsewhere classified**

**Excludes:** haemorrhage in early pregnancy (O20-)  
intrapartum haemorrhage NEC (O67-)  
placenta praevia (O44-)  
premature separation of placenta [abruptio placentae] (O45-)

**O46.0 Antepartum haemorrhage with coagulation defect**

Antepartum haemorrhage (excessive) associated with:

- afibrinogenaemia
- disseminated intravascular coagulation
- hyperfibrinolysis
- hypofibrinogenaemia

**O46.8 Other antepartum haemorrhage**

**O46.9 Antepartum haemorrhage, unspecified**

**O47 False labour**

**O47.0 False labour before 37 completed weeks of gestation**

**O47.1 False labour at or after 37 completed weeks of gestation**

**O47.9 False labour, unspecified**

**O48 Prolonged pregnancy**

Post-dates

Post-term

**Complications of labour and delivery (O60-O75)**

**O60 Preterm labour**

Onset (spontaneous) of labour before 37 completed weeks of gestation



**O61 Failed induction of labour**

**O61.0 Failed medical induction of labour**

Failed induction (of labour) by:

- oxytocin
- prostaglandins

**O61.1 Failed instrumental induction of labour**

Failed induction (of labour):

- mechanical
- surgical

**O61.8 Other failed induction of labour**

**O61.9 Failed induction of labour, unspecified**

**O62 Abnormalities of forces of labour**

**O62.0 Primary inadequate contractions**

Failure of cervical dilatation

Primary hypotonic uterine dysfunction

Uterine inertia during latent phase of labour

**O62.1 Secondary uterine inertia**

Arrested active phase of labour

Secondary hypotonic uterine dysfunction

**O62.2 Other uterine inertia**

Atony of uterus

Desultory labour

Hypotonic uterine dysfunction NOS

Irregular labour

Poor contractions

Uterine inertia NOS

**062.3 Precipitate labour**

**062.4 Hypertonic, incoordinate, and prolonged uterine contractions**

Contraction ring dystocia

Dyscoordinate labour

Hour-glass contraction of uterus

Hypertonic uterine dysfunction

Incoordinate uterine action

Tetanic contractions

Uterine dystocia NOS

**Excludes:** dystocia (fetal)(maternal) NOS (O66.9)

**062.8 Other abnormalities of forces of labour**

**062.9 Abnormality of forces of labour, unspecified**

**O63 Long labour**

**063.0 Prolonged first stage (of labour)**

**063.1 Prolonged second stage (of labour)**

**063.2 Delayed delivery of second twin, triplet, etc.**

**063.9 Long labour, unspecified**

Prolonged labour NOS

**O64 Obstructed labour due to malposition and malpresentation of fetus**

**O64.0 Obstructed labour due to incomplete rotation of fetal head**

Deep transverse arrest

Obstructed labour due to persistent (position):

- occipitoiliac
- occipitoposterior
- occipitosacral
- occipitotransverse

**O64.1 Obstructed labour due to breech presentation**

**O64.2 Obstructed labour due to face presentation**

Obstructed labour due to chin presentation

**O64.3 Obstructed labour due to brow presentation**

**O64.4 Obstructed labour due to shoulder presentation**

Prolapsed arm

*Excludes:* impacted shoulders (O66.0)  
shoulder dystocia (O66.0)

**O64.5 Obstructed labour due to compound presentation**

**O64.8 Obstructed labour due to other malposition and malpresentation**

**O64.9 Obstructed labour due to malposition and malpresentation, unspecified**

**O65 Obstructed labour due to maternal pelvic abnormality**

**O65.0 Obstructed labour due to deformed pelvis**

**O65.1 Obstructed labour due to generally contracted pelvis**

**O65.2 Obstructed labour due to pelvic inlet contraction**

**O65.3 Obstructed labour due to pelvic outlet and mid-cavity contraction**

**O65.4 Obstructed labour due to fetopelvic disproportion, unspecified**

*Excludes:* dystocia due to abnormality of fetus (O66.2-O66.3)

**O65.5 Obstructed labour due to abnormality of maternal pelvic organs**

Obstructed labour due to conditions listed in O34-

**O65.8 Obstructed labour due to other maternal pelvic abnormalities**

**O65.9 Obstructed labour due to maternal pelvic abnormality, unspecified**

**O66 Other obstructed labour**

**O66.0 Obstructed labour due to shoulder dystocia**

Impacted shoulders

**O66.1 Obstructed labour due to locked twins**

**O66.2 Obstructed labour due to unusually large fetus**

**O66.3 Obstructed labour due to other abnormalities of fetus**

Dystocia due to:

- conjoined twins
- fetal:
  - ascites
  - hydrops
  - meningomyelocele
  - sacral teratoma
  - tumour
- hydrocephalic fetus

**O66.4 Failed trial of labour, unspecified**

Failed trial of labour with subsequent delivery by caesarean section

**O66.5 Failed application of vacuum extractor and forceps, unspecified**

Failed application of ventouse or forceps, with subsequent delivery by forceps or caesarean section respectively

**O66.8 Other specified obstructed labour**

**O66.9 Obstructed labour, unspecified**

Dystocia:

- NOS
- fetal NOS
- maternal NOS

**O67 Labour and delivery complicated by intrapartum haemorrhage, not elsewhere classified**

**Excludes:** antepartum haemorrhage NEC (O46-)  
placenta praevia (O44-)  
postpartum haemorrhage (O72-)

premature separation of placenta [abruptio placentae] (O45-)

**O67.0 Intrapartum haemorrhage with coagulation defect**

Intrapartum haemorrhage (excessive) associated with:

- afibrinogenaemia
- disseminated intravascular coagulation
- hyperfibrinolysis
- hypofibrinogenaemia

**O67.8 Other intrapartum haemorrhage**

Excessive intrapartum haemorrhage

**O67.9 Intrapartum haemorrhage, unspecified**

**O68 Labour and delivery complicated by fetal stress [distress]**

*Includes:* fetal distress in labour or delivery due to drug administration

**O68.0 Labour and delivery complicated by fetal heart rate anomaly**

Fetal:

- bradycardia
- heart rate irregularity
- tachycardia

*Excludes:* with meconium in amniotic fluid (O68.2)

**O68.1 Labour and delivery complicated by meconium in amniotic fluid**

*Excludes:* with fetal heart rate anomaly (O68.2)

**O68.2 Labour and delivery complicated by fetal heart rate anomaly with meconium in amniotic fluid**

**O68.3 Labour and delivery complicated by biochemical evidence of fetal stress**

Abnormal fetal:

- acidaemia
- acid-base balance

**O68.8 Labour and delivery complicated by other evidence of fetal stress**

Evidence of fetal distress:

- electrocardiographic
- ultrasonic

**O68.9 Labour and delivery complicated by fetal stress, unspecified**

**O69 Labour and delivery complicated by umbilical cord complications**

**O69.0 Labour and delivery complicated by prolapse of cord**

**O69.1 Labour and delivery complicated by cord around neck, with compression**

**O69.2 Labour and delivery complicated by other cord entanglement, with compression**

Compression of cord NOS

Entanglement of cords of twins in monoamniotic sac

Knot in cord

**O69.3 Labour and delivery complicated by short cord**

**O69.4 Labour and delivery complicated by vasa praevia**

Haemorrhage from vasa praevia

**069.5 Labour and delivery complicated by vascular lesion of cord**

Cord:

- bruising
- haematoma

Thrombosis of umbilical vessels

**069.8 Labour and delivery complicated by other cord complications**

Cord around neck without compression

**069.9 Labour and delivery complicated by cord complication, unspecified**

**O70 Perineal laceration during delivery**

*Includes:* episiotomy extended by laceration

*Excludes:* obstetric high vaginal laceration alone (O71.4)

**O70.0 First degree perineal laceration during delivery**

Perineal laceration, rupture or tear (involving):

- |                                                                                                                                               |                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <ul style="list-style-type: none"><li>• fourchette</li><li>• labia</li><li>• skin</li><li>• slight</li><li>• vagina</li><li>• vulva</li></ul> | during delivery |
|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------|

**O70.1 Second degree perineal laceration during delivery**

Perineal laceration, rupture or tear as in O70.0, also involving:

- |                                                                                                                     |                 |
|---------------------------------------------------------------------------------------------------------------------|-----------------|
| <ul style="list-style-type: none"><li>• pelvic floor</li><li>• perineal muscles</li><li>• vaginal muscles</li></ul> | during delivery |
|---------------------------------------------------------------------------------------------------------------------|-----------------|

*Excludes:* that involving anal sphincter (O70.2)



**O70.2 Third degree perineal laceration during delivery**

Perineal laceration, rupture or tear as in O70.1, also involving:

- |                                                                                                                        |                 |
|------------------------------------------------------------------------------------------------------------------------|-----------------|
| <ul style="list-style-type: none"><li>• anal sphincter</li><li>• rectovaginal septum</li><li>• sphincter NOS</li></ul> | during delivery |
|------------------------------------------------------------------------------------------------------------------------|-----------------|

**Excludes:** that involving anal or rectal mucosa (O70.3)

**O70.3 Fourth degree perineal laceration during delivery**

Perineal laceration, rupture or tear as in O70.2, also involving:

- |                                                                                       |                 |
|---------------------------------------------------------------------------------------|-----------------|
| <ul style="list-style-type: none"><li>• anal mucosa</li><li>• rectal mucosa</li></ul> | during delivery |
|---------------------------------------------------------------------------------------|-----------------|

**O70.9 Perineal laceration during delivery, unspecified**

**O71 Other obstetric trauma**

**Includes:** damage from instruments

**O71.0 Rupture of uterus before onset of labour**

**O71.1 Rupture of uterus during labour**

Rupture of uterus not stated as occurring before onset of labour

**O71.2 Postpartum inversion of uterus**

**O71.3 Obstetric laceration of cervix**

Annular detachment of cervix

**O71.4 Obstetric high vaginal laceration alone**

Laceration of vaginal wall without mention of perineal laceration

**Excludes:** with perineal laceration (O70-)

**071.5 Other obstetric injury to pelvic organs**

Obstetric injury to:

- bladder
- urethra

**071.6 Obstetric damage to pelvic joints and ligaments**

Avulsion of inner symphyseal cartilage

Damage to coccyx

Traumatic separation of symphysis (pubis)

obstetric

**071.7 Obstetric haematoma of pelvis**

Obstetric haematoma of:

- perineum
- vagina
- vulva

**071.8 Other specified obstetric trauma**

**071.9 Obstetric trauma, unspecified**

**O72 Postpartum haemorrhage**

**Includes:** haemorrhage after delivery of fetus or infant

**072.0 Third-stage haemorrhage**

Haemorrhage associated with retained, trapped or adherent placenta

Retained placenta NOS

Use additional code, if desired, to identify any morbidly adherent placenta (O43.2)

**072.1 Other immediate postpartum haemorrhage**

Haemorrhage following delivery of placenta

Postpartum haemorrhage (atonic) NOS

**072.2 Delayed and secondary postpartum haemorrhage**

Haemorrhage associated with retained portions of placenta or membranes

Retained products of conception NOS, following delivery

**072.3 Postpartum coagulation defects**

Postpartum:

- afibrinogenaemia
- fibrinolysis

**073 Retained placenta and membranes, without haemorrhage**

**073.0 Retained placenta without haemorrhage**

Use additional code, if desired, to identify any morbidly adherent placenta (O43.2).

**073.1 Retained portions of placenta and membranes, without haemorrhage**

Retained products of conception following delivery, without haemorrhage

**074 Complications of anaesthesia during labour and delivery**

**Includes:** maternal complications arising from the administration of a general or local anaesthetic, analgesic or other sedation during labour and delivery

**074.0 Aspiration pneumonitis due to anaesthesia during labour and delivery**

Chemical pneumonitis due to aspiration

Inhalation of stomach contents or secretions NOS

Mendelson syndrome

due to anaesthesia during labour and delivery

**074.1 Other pulmonary complications of anaesthesia during labour and delivery**

Pressure collapse of lung due to anaesthesia during labour and delivery

**074.2 Cardiac complications of anaesthesia during labour and delivery**

Cardiac:

- arrest
  - failure
- due to anaesthesia during labour and delivery

**074.3 Central nervous system complications of anaesthesia during labour and delivery**

Cerebral anoxia due to anaesthesia during labour and delivery

**074.4 Toxic reaction to local anaesthesia during labour and delivery**

**074.5 Spinal and epidural anaesthesia-induced headache during labour and delivery**

**074.6 Other complications of spinal and epidural anaesthesia during labour and delivery**

**074.7 Failed or difficult intubation during labour and delivery**

**074.8 Other complications of anaesthesia during labour and delivery**

**074.9 Complication of anaesthesia during labour and delivery, unspecified**

**O75 Other complications of labour and delivery, not elsewhere classified**

**Excludes:** puerperal:  
• infection (O86-)  
• sepsis (O85)

**O75.0 Maternal distress during labour and delivery**

**O75.1 Shock during or following labour and delivery**  
Obstetric shock

**O75.2 Pyrexia during labour, not elsewhere classified**

**O75.3 Other infection during labour**  
Septicaemia during labour

**O75.4 Other complications of obstetric surgery and procedures**

|                                                      |                                                                                            |
|------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Cardiac:<br>• arrest<br>• failure<br>Cerebral anoxia | following caesarean or other<br>obstetric surgery or procedures,<br>including delivery NOS |
|------------------------------------------------------|--------------------------------------------------------------------------------------------|

**Excludes:** complications of anaesthesia during labour and delivery (O74-)  
obstetric (surgical) wound:  
• disruption (O90.0-O90.1)  
• haematoma (O90.2)  
• infection (O86.0)

**O75.5 Delayed delivery after artificial rupture of membranes**

**O75.6 Delayed delivery after spontaneous or unspecified rupture of membranes**

**Excludes:** spontaneous premature rupture of membranes (O42-)

**075.7 Vaginal delivery following previous caesarean section**

**075.8 Other specified complications of labour and delivery**

**075.9 Complication of labour and delivery, unspecified**

**Delivery (O80-O84)**

**Note:** For use of these categories, reference should be made to the mortality and morbidity coding rules and guidelines in Volume 2 or mortality coding rules and guidelines in Part 2a Instruction Manual (NCHS).

**O80 Single spontaneous delivery**

**Includes:** cases with minimal or no assistance, with or without episiotomy delivery in a completely normal case

**O80.0 Spontaneous vertex delivery**

**O80.1 Spontaneous breech delivery**

**O80.8 Other single spontaneous delivery**

**O80.9 Single spontaneous delivery, unspecified**

Spontaneous delivery NOS

**O81 Single delivery by forceps and vacuum extractor**

**Excludes:** failed application of vacuum extractor or forceps (O66.5)

**081.0 Low forceps delivery**

**081.1 Mid-cavity forceps delivery**

**081.2 Mid-cavity forceps with rotation**

**081.3 Other and unspecified forceps delivery**

**081.4 Vacuum extractor delivery**

Ventouse delivery

**081.5 Delivery by combination of forceps and vacuum extractor**

Forceps and ventouse delivery

**082 Single delivery by caesarean section**

**082.0 Delivery by elective caesarean section**

Repeat caesarean section NOS

**082.1 Delivery by emergency caesarean section**

**082.2 Delivery by caesarean hysterectomy**

**082.8 Other single delivery by caesarean section**

**082.9 Delivery by caesarean section, unspecified**

**083 Other assisted single delivery**

**083.0 Breech extraction**

**083.1 Other assisted breech delivery**

Breech delivery NOS

**083.2 Other manipulation-assisted delivery**

Version with extraction

**083.3 Delivery of viable fetus in abdominal pregnancy**

**083.4 Destructive operation for delivery**

Cleidotomy

Craniotomy

Embryotomy

to facilitate delivery

**083.8 Other specified assisted single delivery**

**083.9 Assisted single delivery, unspecified**

Assisted delivery NOS

**O84 Multiple delivery**

Use additional code (O80-O83), if desired, to indicate the method of delivery of each fetus or infant.

**084.0 Multiple delivery, all spontaneous**

**084.1 Multiple delivery, all by forceps and vacuum extractor**

**084.2 Multiple delivery, all by caesarean section**



**084.8 Other multiple delivery**

Multiple delivery by combination of methods

**084.9 Multiple delivery, unspecified**

**Complications predominantly related to the puerperium  
(O85-O92)**

**Note:** Categories O88-, O91- and O92- include the listed conditions even if they occur during pregnancy and childbirth.

**Excludes:** mental and behavioural disorders associated with the puerperium (F53-)  
obstetrical tetanus (A34)  
puerperal osteomalacia (M83.0)

**O85 Puerperal sepsis**

Puerperal:

- endometritis
- fever
- peritonitis
- septicaemia

Use additional code (B95-B97), if desired, to identify infectious agent.

**Excludes:** obstetric pyaemic and septic embolism (O88.3)  
septicaemia during labour (O75.3)

**O86 Other puerperal infections**

Use additional code (B95-B97), if desired, to identify infectious agent.

**Excludes:** infection during labour (O75.3)

**O86.0 Infection of obstetric surgical wound**

Infected:

- caesarean section wound
  - perineal repair
- following delivery

**086.1 Other infection of genital tract following delivery**

- Cervicitis
  - Vaginitis
- following delivery

**086.2 Urinary tract infection following delivery**

Conditions in N10-N12, N15-, N30-, N34-, N39.0 following delivery

**086.3 Other genitourinary tract infections following delivery**

Puerperal genitourinary tract infection NOS

**086.4 Pyrexia of unknown origin following delivery**

Puerperal:

- infection NOS
- pyrexia NOS

**Excludes:** puerperal fever (O85)  
pyrexia during labour (O75.2)

**086.8 Other specified puerperal infections**

**O87 Venous complications in the puerperium**

**Includes:** in labour, delivery and the puerperium

**Excludes:** obstetric embolism (O88-)  
venous complications in pregnancy (O22-)

**087.0 Superficial thrombophlebitis in the puerperium**

**087.1 Deep phlebothrombosis in the puerperium**

Deep-vein thrombosis, postpartum  
Pelvic thrombophlebitis, postpartum

**087.2 Haemorrhoids in the puerperium**

**087.3 Cerebral venous thrombosis in the puerperium**

Cerebrovenous sinus thrombosis in the puerperium

**087.8 Other venous complications in the puerperium**

Genital varices in the puerperium

**087.9 Venous complication in the puerperium, unspecified**

Puerperal:

- phlebitis NOS
- phlebopathy NOS
- thrombosis NOS

**O88 Obstetric embolism**

**Includes:** pulmonary emboli in pregnancy, childbirth or the puerperium

**Excludes:** embolism complicating abortion or ectopic or molar pregnancy  
(O00-O07, O08.2)

**088.0 Obstetric air embolism**

**088.1 Amniotic fluid embolism**

Anaphylactoid syndrome of pregnancy

**088.2 Obstetric blood-clot embolism**

Obstetric (pulmonary) embolism NOS  
Puerperal (pulmonary) embolism NOS

**088.3 Obstetric pyaemic and septic embolism**

**088.8 Other obstetric embolism**

Obstetric fat embolism

**089 Complications of anaesthesia during the puerperium**

**Includes:** maternal complications arising from the administration of a general or local anaesthetic, analgesic or other sedation during the puerperium

**089.0 Pulmonary complications of anaesthesia during the puerperium**

Aspiration pneumonitis

Chemical pneumonitis due to aspiration

Inhalation of stomach contents or secretions NOS

Mendelson syndrome

Pressure collapse of lung

due to anaesthesia during the puerperium

**089.1 Cardiac complications of anaesthesia during the puerperium**

Cardiac:

- arrest
  - failure
- due to anaesthesia during the puerperium

**089.2 Central nervous system complications of anaesthesia during the puerperium**

Cerebral anoxia due to anaesthesia during the puerperium

**089.3 Toxic reaction to local anaesthesia during the puerperium**

**089.4 Spinal and epidural anaesthesia-induced headache during the puerperium**

**089.5 Other complications of spinal and epidural anaesthesia during the puerperium**

**089.6 Failed or difficult intubation during the puerperium**

**089.8 Other complications of anaesthesia during the puerperium**

**089.9 Complication of anaesthesia during the puerperium, unspecified**

**O90 Complications of the puerperium, not elsewhere classified**

**090.0 Disruption of caesarean section wound**

**090.1 Disruption of perineal obstetric wound**

Disruption of wound of:

- episiotomy
- perineal laceration

Secondary perineal tear

**090.2 Haematoma of obstetric wound**

**090.3 Cardiomyopathy in the puerperium**

Conditions in I42-

**090.4 Postpartum acute renal failure**

Hepatorenal syndrome following labour and delivery

**O90.5 Postpartum thyroiditis**

**O90.8 Other complications of the puerperium, not elsewhere classified**

Placental polyp

**O90.9 Complication of the puerperium, unspecified**

**O91 Infections of breast associated with childbirth**

**Includes:** the listed conditions during pregnancy, the puerperium or lactation

**O91.0 Infection of nipple associated with childbirth**

Abscess of nipple:

- gestational
- puerperal

**O91.1 Abscess of breast associated with childbirth**

Mammary abscess  
Purulent mastitis  
Subareolar abscess

gestational or puerperal

**O91.2 Nonpurulent mastitis associated with childbirth**

Lymphangitis of breast

Mastitis:

- NOS
- interstitial
- parenchymatous

gestational or puerperal

**O92 Other disorders of breast and lactation associated with childbirth**

**Includes:** the listed conditions during pregnancy, the puerperium or lactation

**092.0 Retracted nipple associated with childbirth**

**092.1 Cracked nipple associated with childbirth**

Fissure of nipple, gestational or puerperal

**092.2 Other and unspecified disorders of breast associated with childbirth**

**092.3 Agalactia**

Primary agalactia

**092.4 Hypogalactia**

**092.5 Suppressed lactation**

Agalactia:

- elective
- secondary
- therapeutic

**092.6 Galactorrhoea**

**Excludes:** galactorrhoea not associated with childbirth (N64.3)

**092.7 Other and unspecified disorders of lactation**

Puerperal galac

Other obstetric conditions, not elsewhere classified  
(O94-O99)

**Note:** For use of categories O94-O97 reference should be made to the mortality coding rules and guidelines in Part 2a Instruction Manual (NCHS).

**O94 Sequelae of complication of pregnancy, childbirth and the puerperium**

**Note:** Category O94 is to be used for morbidity coding only to indicate previous episodes of conditions in categories O00-O75 and O85-O92 as the cause of sequelae, which are themselves classified elsewhere. The 'sequelae' include conditions specified as such or as late effects, or those present one year or more after the onset of the causal condition.

Not to be used for chronic complications of pregnancy, childbirth and the puerperium. Code these to O00-O75 and O85-O92.

**Excludes:** that resulting in death (O96, O97)

**O95 Obstetric death of unspecified cause**

Maternal death from unspecified cause occurring during pregnancy, labour and delivery, or the puerperium

**O96 Death from any obstetric cause occurring more than 42 days but less than one year after delivery**

**Note:** This category is to be used to indicate death from any obstetric cause (conditions in categories O00-O75, O85-O92 and O98-O99) occurring more than 42 days but less than one year after delivery.

Use additional code, if desired, to identify obstetric cause (direct or indirect) of death.

**Excludes:** death from conditions specified as sequelae or late effects of obstetric causes (O97.-)  
that not resulting in death (O94.-)

**O96.0 Death from direct obstetric cause**

**O96.1 Death from indirect obstetric cause**

**O96.9 Death from unspecified obstetric cause**



**O97 Death from sequelae of obstetric causes**

**Note:** This category is to be used to indicate death from sequelae of any obstetric cause (conditions in categories O00-O75, O85-O92 and O98-O99) occurring more than one year after delivery. The 'sequelae' include conditions specified as such or as late effects, or those present one year or more after delivery.

Use additional code, if desired, to identify obstetric cause (direct or indirect) of death.

**Excludes:** that not resulting in death (O94.-)

**O97.0 Death from sequelae of direct obstetric cause**

**O97.1 Death from sequelae of indirect obstetric cause**

**O97.9 Death from sequelae of obstetric cause, unspecified**

**O98 Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium**

**Includes:** the listed conditions when complicating the pregnant state, when aggravated by the pregnancy, or as a reason for obstetric care  
Use additional code (Chapter I), if desired, to identify specific condition.

**Excludes:** asymptomatic human immunodeficiency virus [HIV] infection status (Z21)  
laboratory evidence of human immunodeficiency virus [HIV] (R75)  
obstetrical tetanus (A34)  
puerperal:  
• infection (O86-)  
• sepsis (O85)  
when the reason for maternal care is that the disease is known or suspected to have affected the fetus (O35-O36)

**098.0 Tuberculosis complicating pregnancy, childbirth and the puerperium**

Conditions in A15-A19

**098.1 Syphilis complicating pregnancy, childbirth and the puerperium**

Conditions in A50-A53

**098.2 Gonorrhoea complicating pregnancy, childbirth and the puerperium**

Conditions in A54-

**098.3 Other infections with a predominantly sexual mode of transmission complicating pregnancy, childbirth and the puerperium**

Conditions in A55-A64

**098.4 Viral hepatitis complicating pregnancy, childbirth and the puerperium**

Conditions in B15-B19

**098.5 Other viral diseases complicating pregnancy, childbirth and the puerperium**

Conditions in A80-B09, B25-B34

**098.6 Protozoal diseases complicating pregnancy, childbirth and the puerperium**

Conditions in B50-B64

**098.7 Human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium**

Conditions in B20-B24

**098.8 Other maternal infectious and parasitic diseases complicating pregnancy, childbirth and the puerperium**

**098.9 Unspecified maternal infectious or parasitic disease complicating pregnancy, childbirth and the puerperium**

**099 Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium**

**Note:** This category includes conditions which complicate the pregnant state, are aggravated by the pregnancy or are a main reason for obstetric care and for which the Alphabetical Index does not indicate a specific rubric in Chapter XV.

Use additional code, if desired, to identify specific condition.

**Excludes:** infectious and parasitic diseases (O98-)  
injury, poisoning and certain other consequences of external causes (S00-T98) when the reason for maternal care is that the condition is known or suspected to have affected the fetus (O35-O36)

**099.0 Anaemia complicating pregnancy, childbirth and the puerperium**

Conditions in D50-D64

**099.1 Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, childbirth and the puerperium**

Conditions in D65-D89

**Excludes:** haemorrhage with coagulation defects (O46.0, O67.0, O72.3)

**099.2 Endocrine, nutritional and metabolic diseases complicating pregnancy, childbirth and the puerperium**

Conditions in E00-E90

**Excludes:** diabetes mellitus (O24-)  
malnutrition (O25)  
postpartum thyroiditis (O90.5)

**099.3 Mental disorders and diseases of the nervous system complicating pregnancy, childbirth and the puerperium**

Conditions in F00-F99 and G00-G99

**Excludes:** postnatal depression (F53.0)  
pregnancy-related peripheral neuritis (O26.8)  
puerperal psychosis (F53.1)

**099.4 Diseases of the circulatory system complicating pregnancy, childbirth and the puerperium**

Conditions in I00-I99

**Excludes:** cardiomyopathy in the puerperium (O90.3)  
hypertensive disorders (O10-O16)  
obstetric embolism (O88-)  
venous complications and cerebrovenous sinus thrombosis in:  
• labour, childbirth and the puerperium (O87-)  
• pregnancy (O22-)

**099.5 Diseases of the respiratory system complicating pregnancy, childbirth and the puerperium**

Conditions in J00-J99

**099.6 Diseases of the digestive system complicating pregnancy, childbirth and the puerperium**

Conditions in K00-K93

**Excludes:** haemorrhoids in pregnancy (O22.4)  
liver disorders in pregnancy, childbirth and the  
puerperium (O26.6)

**O99.7 Diseases of the skin and subcutaneous tissue  
complicating pregnancy, childbirth and the  
puerperium**

Conditions in L00-L99

**Excludes:** herpes gestationis (O26.4)  
pruritus in pregnancy (O26.8)

**O99.8 Other specified diseases and conditions complicating  
pregnancy, childbirth and the puerperium**

Combination of conditions classifiable to O99.0-O99.7

Conditions in C00-D48, H00-H95, M00-M99, N00-N99, and Q00-Q99  
not elsewhere classified

**Excludes:** genitourinary infections in pregnancy (O23-)  
infection of genitourinary tract following delivery  
(O86.0-O86.3)  
maternal care for known or suspected abnormality of  
maternal pelvic organs (O34-)  
postpartum acute renal failure (O90.4)  
postpartum nephritis (O90.8)

## CHAPTER XVI - Certain conditions originating in the perinatal period (P00-P96)

**Includes:** conditions that have their origin in the perinatal period even though death or morbidity occurs later

**Excludes:** congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)  
endocrine, nutritional and metabolic diseases (E00-E90)  
injury, poisoning and certain other consequences of external causes (S00-T98)  
neoplasms (C00-D48)  
tetanus neonatorum (A33)  
whooping cough (A37-)

### **This chapter contains the following blocks:**

|         |                                                                                                       |
|---------|-------------------------------------------------------------------------------------------------------|
| P00-P04 | Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery |
| P05-P08 | Disorders related to length of gestation and fetal growth                                             |
| P10-P15 | Birth trauma                                                                                          |
| P20-P29 | Respiratory and cardiovascular disorders specific to the perinatal period                             |
| P35-P39 | Infections specific to the perinatal period                                                           |
| P50-P61 | Haemorrhagic and haematological disorders of fetus and newborn                                        |
| P70-P74 | Transitory endocrine and metabolic disorders specific to fetus and newborn                            |
| P75-P78 | Digestive system disorders of fetus and newborn                                                       |
| P80-P83 | Conditions involving the integument and temperature regulation of fetus and newborn                   |
| P90-P96 | Other disorders originating in the perinatal period                                                   |

### **An asterisk category for this chapter is provided as follows:**

P75\* Meconium ileus

**Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery (P00-P04)**

**Includes:** the listed maternal conditions only when specified as a cause of mortality or morbidity in fetus or newborn

**P00 Fetus and newborn affected by maternal conditions that may be unrelated to present pregnancy**

**Excludes:** fetus and newborn affected by:

- maternal complications of pregnancy (P01-)
- maternal endocrine and metabolic disorders (P70-P74)
- noxious influences transmitted via placenta or breast milk (P04-)

**P00.0 Fetus and newborn affected by maternal hypertensive disorders**

Fetus or newborn affected by maternal conditions classifiable to O10-O11, O13-O16

**P00.1 Fetus and newborn affected by maternal renal and urinary tract diseases**

Fetus or newborn affected by maternal conditions classifiable to N00-N39

**P00.2 Fetus and newborn affected by maternal infectious and parasitic diseases**

Fetus or newborn affected by maternal infectious disease classifiable to A00-B99 and J09-J11, but not itself manifesting that disease

**Excludes:** infections specific to the perinatal period (P35-P39)  
maternal genital tract and other localized infections (P00.8)

**P00.3 Fetus and newborn affected by other maternal circulatory and respiratory diseases**

Fetus or newborn affected by maternal conditions classifiable to I00-I99, J00-J99,

Q20-Q34 and not included in P00.0, P00.2

**P00.4 Fetus and newborn affected by maternal nutritional disorders**

Fetus or newborn affected by maternal disorders classifiable to E40-E64

Maternal malnutrition NOS

**P00.5 Fetus and newborn affected by maternal injury**

Fetus or newborn affected by maternal conditions classifiable to S00-T79

**P00.6 Fetus and newborn affected by surgical procedure on mother**

*Excludes:* caesarean section for present delivery (P03.4)  
damage to placenta from amniocentesis, caesarean section or surgical induction (P02.1)  
previous surgery to uterus or pelvic organs (P03.8)  
termination of pregnancy, fetus (P96.4)

**P00.7 Fetus and newborn affected by other medical procedures on mother, not elsewhere classified**

Fetus or newborn affected by radiology on mother

*Excludes:* damage to placenta from amniocentesis, caesarean section or surgical induction (P02.1)  
fetus or newborn affected by other complications of labour and delivery (P03-)

**P00.8 Fetus and newborn affected by other maternal conditions**

Fetus or newborn affected by:

- conditions classifiable to T80-T88
- maternal genital tract and other localized infections
- maternal systemic lupus erythematosus



**Excludes:** transitory neonatal endocrine and metabolic disorders  
(P70-P74)

**P00.9 Fetus and newborn affected by unspecified maternal condition**

**P01 Fetus and newborn affected by maternal complications of pregnancy**

**P01.0 Fetus and newborn affected by incompetent cervix**

**P01.1 Fetus and newborn affected by premature rupture of membranes**

**P01.2 Fetus and newborn affected by oligohydramnios**  
**Excludes:** when due to premature rupture of membranes (P01.1)

**P01.3 Fetus and newborn affected by polyhydramnios**  
Hydramnios

**P01.4 Fetus and newborn affected by ectopic pregnancy**  
Abdominal pregnancy

**P01.5 Fetus and newborn affected by multiple pregnancy**  
Triplet (pregnancy)  
Twin (pregnancy)

**P01.6 Fetus and newborn affected by maternal death**

**P01.7 Fetus and newborn affected by malpresentation before labour**  
Breech presentation | before labour

External version  
Face presentation  
Transverse lie  
Unstable lie

**P01.8 Fetus and newborn affected by other maternal complications of pregnancy**

Spontaneous abortion, fetus

**P01.9 Fetus and newborn affected by maternal complication of pregnancy, unspecified**

**P02 Fetus and newborn affected by complications of placenta, cord and membranes**

**P02.0 Fetus and newborn affected by placenta praevia**

**P02.1 Fetus and newborn affected by other forms of placental separation and haemorrhage**

Abruptio placentae

Accidental haemorrhage

Antepartum haemorrhage

Damage to placenta from amniocentesis, caesarean section or surgical induction

Maternal blood loss

Premature separation of placenta

**P02.2 Fetus and newborn affected by other and unspecified morphological and functional abnormalities of placenta**

Placental:

- dysfunction
- infarction
- insufficiency

**P02.3 Fetus and newborn affected by placental transfusion syndromes**

Placental and cord abnormalities resulting in twin-to-twin or other transplacental transfusion

Use additional code, if desired, to indicate resultant condition in the fetus or newborn.

**P02.4 Fetus and newborn affected by prolapsed cord**

**P02.5 Fetus and newborn affected by other compression of umbilical cord**

Cord (tightly) around neck

Entanglement of cord

Knot in cord

**P02.6 Fetus and newborn affected by other and unspecified conditions of umbilical cord**

Short cord

Vasa praevia

*Excludes:* single umbilical artery (Q27.0)

**P02.7 Fetus and newborn affected by chorioamnionitis**

Amnionitis

Membranitis

Placentitis

**P02.8 Fetus and newborn affected by other abnormalities of membranes**

**P02.9 Fetus and newborn affected by abnormality of membranes, unspecified**

**P03 Fetus and newborn affected by other complications of labour and delivery**

**P03.0 Fetus and newborn affected by breech delivery and extraction**

**P03.1 Fetus and newborn affected by other malpresentation, malposition and disproportion during labour and delivery**

Contracted pelvis

Fetus or newborn affected by conditions classifiable to O64-O66

Persistent occipitoposterior

Transverse lie

**P03.2 Fetus and newborn affected by forceps delivery**

**P03.3 Fetus and newborn affected by delivery by vacuum extractor [ventouse]**

**P03.4 Fetus and newborn affected by caesarean delivery**

**P03.5 Fetus and newborn affected by precipitate delivery**  
Rapid second stage

**P03.6 Fetus and newborn affected by abnormal uterine contractions**  
Fetus or newborn affected by conditions classifiable to O62-, except O62.3  
Hypertonic labour  
Uterine inertia

**P03.8 Fetus and newborn affected by other specified complications of labour and delivery**

Abnormality of maternal soft tissues  
Destructive operation to facilitate delivery  
Fetus or newborn affected by conditions classifiable to O60-O75 and  
by procedures used in labour and delivery not included in P02- and  
P03.0-P03.6  
Induction of labour

**P03.9 Fetus and newborn affected by complication of labour and delivery, unspecified**

**P04 Fetus and newborn affected by noxious influences transmitted via placenta or breast milk**

*Includes:* nonteratogenic effects of substances transmitted via placenta

*Excludes:* congenital malformations (Q00-Q99)  
neonatal jaundice due to drugs or toxins transmitted from mother (P58.4)

**P04.0 Fetus and newborn affected by maternal anaesthesia and analgesia in pregnancy, labour and delivery**

Reactions and intoxications from maternal opiates and tranquillizers administered during labour and delivery

**P04.1 Fetus and newborn affected by other maternal medication**

Cancer chemotherapy  
Cytotoxic drugs

*Excludes:* dysmorphism due to warfarin (Q86.2)  
fetal hydantoin syndrome (Q86.1)  
maternal use of drugs of addiction (P04.4)

**P04.2 Fetus and newborn affected by maternal use of tobacco**

**P04.3 Fetus and newborn affected by maternal use of alcohol**

*Excludes:* fetal alcohol syndrome (Q86.0)

**P04.4 Fetus and newborn affected by maternal use of drugs of addiction**

*Excludes:* maternal anaesthesia and analgesia (P04.0)  
withdrawal symptoms from maternal use of drugs of addiction (P96.1)

**P04.5 Fetus and newborn affected by maternal use of nutritional chemical substances**

**P04.6 Fetus and newborn affected by maternal exposure to environmental chemical substances**

**P04.8 Fetus and newborn affected by other maternal noxious influences**

**P04.9 Fetus and newborn affected by maternal noxious influence, unspecified**

Disorders related to length of gestation and fetal growth  
(P05-P08)

**P05 Slow fetal growth and fetal malnutrition**

**P05.0 Light for gestational age**

Usually referred to as weight below but length above 10th centile for gestational age.

Light-for-dates

**P05.1 Small for gestational age**

Usually referred to as weight and length below 10th centile for gestational age.

Small-for-dates

Small-and-light-for-dates

**P05.2 Fetal malnutrition without mention of light or small for gestational age**

Infant, not light or small for gestational age, showing signs of fetal malnutrition, such as dry, peeling skin and loss of subcutaneous tissue.

**Excludes:** fetal malnutrition with mention of:

- light for gestational age (P05.0)
- small for gestational age (P05.1)

**P05.9 Slow fetal growth, unspecified**

Fetal growth retardation NOS

**P07 Disorders related to short gestation and low birth weight, not elsewhere classified**

**Note:** When both birth weight and gestational age are available, priority of assignment should be given to birth weight.

**Includes:** the listed conditions, without further specification, as the cause of mortality, morbidity or additional care, in newborn

**Excludes:** low birth weight due to slow fetal growth and fetal malnutrition (P05-)

**P07.0 Extremely low birth weight**

Birth weight 999 g or less.

**P07.1 Other low birth weight**

Birth weight 1000-2499 g.

**P07.2 Extreme immaturity**

Less than 28 completed weeks (less than 196 completed days) of gestation.

**P07.3 Other preterm infants**

28 completed weeks or more but less than 37 completed weeks (196 completed days but less than 259 completed days) of gestation.  
Prematurity NOS

**P08 Disorders related to long gestation and high birth weight**

**Note:** When both birth weight and gestational age are available, priority of assignment should be given to birth weight.

**Includes:** the listed conditions, without further specification, as causes of mortality, morbidity or additional care, in fetus or newborn

**P08.0 Exceptionally large baby**

Usually implies a birth weight of 4500 g or more.

**Excludes:** syndrome of:  
• infant of diabetic mother (P70.1)  
• infant of mother with gestational diabetes (P70.0)

**P08.1 Other heavy for gestational age infants**

Other fetus or infant heavy- or large-for-dates regardless of period of gestation.

Usually implies a birth weight >90th percentile for gestational age or 4000 g or more at term

**Excludes:** syndrome of infant of:  
• diabetic mother (P70.1)  
• mother with gestational diabetes (P70.0)  
birth weight of 4500 g or more (P08.0)



**P08.2 Post-term infant, not heavy for gestational age**

Fetus or infant with gestation period of 42 completed weeks or more (294 days or more), not heavy- or large-for-dates.

Postmaturity NOS

**Birth trauma (P10-P15)**

**P10 Intracranial laceration and haemorrhage due to birth injury**

**Excludes:** intracranial haemorrhage of fetus or newborn:

- NOS (P52.9)
- due to anoxia or hypoxia (P52-)

**P10.0 Subdural haemorrhage due to birth injury**

Subdural haematoma (localized) due to birth injury

**Excludes:** subdural haemorrhage accompanying tentorial tear (P10.4)

**P10.1 Cerebral haemorrhage due to birth injury**

**P10.2 Intraventricular haemorrhage due to birth injury**

**P10.3 Subarachnoid haemorrhage due to birth injury**

**P10.4 Tentorial tear due to birth injury**

**P10.8 Other intracranial lacerations and haemorrhages due to birth injury**

**P10.9 Unspecified intracranial laceration and haemorrhage due to birth injury**

**P11 Other birth injuries to central nervous system**

**P11.0 Cerebral oedema due to birth injury**

**P11.1 Other specified brain damage due to birth injury**

**P11.2 Unspecified brain damage due to birth injury**

**P11.3 Birth injury to facial nerve**  
Facial palsy due to birth injury

**P11.4 Birth injury to other cranial nerves**

**P11.5 Birth injury to spine and spinal cord**  
Fracture of spine due to birth injury

**P11.9 Birth injury to central nervous system, unspecified**

**P12 Birth injury to scalp**

**P12.0 Cephalhaematoma due to birth injury**

**P12.1 Chignon due to birth injury**

**P12.2 Epicranial subaponeurotic haemorrhage due to birth injury**

**P12.3 Bruising of scalp due to birth injury**

**P12.4 Monitoring injury of scalp of newborn**

Sampling incision

Scalp clip (electrode) injury

**P12.8 Other birth injuries to scalp**

**P12.9 Birth injury to scalp, unspecified**

**P13 Birth injury to skeleton**

*Excludes:* birth injury to spine (P11.5)

**P13.0 Fracture of skull due to birth injury**

**P13.1 Other birth injuries to skull**

*Excludes:* cephalhaematoma (P12.0)

**P13.2 Birth injury to femur**

**P13.3 Birth injury to other long bones**

**P13.4 Fracture of clavicle due to birth injury**

**P13.8 Birth injuries to other parts of skeleton**

**P13.9 Birth injury to skeleton, unspecified**

**P14 Birth injury to peripheral nervous system**

**P14.0 Erb paralysis due to birth injury**

**P14.1 Klumpke paralysis due to birth injury**

**P14.2 Phrenic nerve paralysis due to birth injury**

**P14.3 Other brachial plexus birth injuries**

**P14.8 Birth injuries to other parts of peripheral nervous system**

**P14.9 Birth injury to peripheral nervous system, unspecified**

**P15 Other birth injuries**

**P15.0 Birth injury to liver**  
Rupture of liver due to birth injury

**P15.1 Birth injury to spleen**  
Rupture of spleen due to birth injury

**P15.2 Sternomastoid injury due to birth injury**

|                                  |                     |
|----------------------------------|---------------------|
| <b>P15.3 Birth injury to eye</b> |                     |
| Subconjunctival                  |                     |
| haemorrhage                      |                     |
| Traumatic glaucoma               | due to birth injury |

**P15.4 Birth injury to face**

Facial congestion due to birth injury

**P15.5 Birth injury to external genitalia**

**P15.6 Subcutaneous fat necrosis due to birth injury**

**P15.8 Other specified birth injuries**

**P15.9 Birth injury, unspecified**

Respiratory and cardiovascular disorders specific to the  
perinatal period (P20-P29)

**P20 Intrauterine hypoxia**

**Includes:** abnormal fetal heart rate  
fetal or intrauterine:  
• acidosis  
• anoxia  
• asphyxia  
• distress  
• hypoxia  
meconium in liquor  
passage of meconium

**Excludes:** intracranial haemorrhage due to anoxia or hypoxia (P52-)

**P20.0 Intrauterine hypoxia first noted before onset of labour**

**P20.1 Intrauterine hypoxia first noted during labour and delivery**

## **P20.9 Intrauterine hypoxia, unspecified**

### **P21 Birth asphyxia**

**Note:** This category is not to be used for low Apgar score without mention of asphyxia or other respiratory problems.

**Excludes:** intrauterine hypoxia or asphyxia (P20-)

#### **P21.0 Severe birth asphyxia**

Pulse less than 100 per minute at birth and falling or steady, respiration absent or gasping, colour poor, tone absent.

Asphyxia with 1-minute Apgar score 0-3

White asphyxia

#### **P21.1 Mild and moderate birth asphyxia**

Normal respiration not established within one minute, but heart rate 100 or above, some muscle tone present, some response to stimulation.

Asphyxia with 1-minute Apgar score 4-7

Blue asphyxia

#### **P21.9 Birth asphyxia, unspecified**

|          |     |
|----------|-----|
| Anoxia   |     |
| Asphyxia | NOS |
| Hypoxia  |     |

### **P22 Respiratory distress of newborn**

**Excludes:** respiratory failure of newborn (P28.5)

#### **P22.0 Respiratory distress syndrome of newborn**

Hyaline membrane disease

#### **P22.1 Transient tachypnoea of newborn**

**P22.8 Other respiratory distress of newborn**

**P22.9 Respiratory distress of newborn, unspecified**

**P23 Congenital pneumonia**

**Includes:** infective pneumonia acquired in utero or during birth

**Excludes:** neonatal pneumonia resulting from aspiration (P24-)

**P23.0 Congenital pneumonia due to viral agent**

**Excludes:** congenital rubella pneumonitis (P35.0)

**P23.1 Congenital pneumonia due to *Chlamydia***

**P23.2 Congenital pneumonia due to staphylococcus**

**P23.3 Congenital pneumonia due to streptococcus, group B**

**P23.4 Congenital pneumonia due to *Escherichia coli***

**P23.5 Congenital pneumonia due to *Pseudomonas***

**P23.6 Congenital pneumonia due to other bacterial agents**

*Haemophilus influenzae*

*Klebsiella pneumoniae*

*Mycoplasma*

Streptococcus, except group B

**P23.8 Congenital pneumonia due to other organisms**

**P23.9 Congenital pneumonia, unspecified**

**P24 Neonatal aspiration syndromes**

*Includes:* neonatal pneumonia resulting from aspiration

**P24.0 Neonatal aspiration of meconium**

**P24.1 Neonatal aspiration of amniotic fluid and mucus**

Aspiration of liquor (amnii)

**P24.2 Neonatal aspiration of blood**

**P24.3 Neonatal aspiration of milk and regurgitated food**

**P24.8 Other neonatal aspiration syndromes**

**P24.9 Neonatal aspiration syndrome, unspecified**

Neonatal aspiration pneumonia NOS

**P25 Interstitial emphysema and related conditions originating in the perinatal period**

**P25.0 Interstitial emphysema originating in the perinatal period**

**P25.1 Pneumothorax originating in the perinatal period**

**P25.2 Pneumomediastinum originating in the perinatal period**

**P25.3 Pneumopericardium originating in the perinatal period**



**P25.8 Other conditions related to interstitial emphysema originating in the perinatal period**

**P26 Pulmonary haemorrhage originating in the perinatal period**

**P26.0 Tracheobronchial haemorrhage originating in the perinatal period**

**P26.1 Massive pulmonary haemorrhage originating in the perinatal period**

**P26.8 Other pulmonary haemorrhages originating in the perinatal period**

**P26.9 Unspecified pulmonary haemorrhage originating in the perinatal period**

**P27 Chronic respiratory disease originating in the perinatal period**

**P27.0 Wilson-Mikity syndrome**  
Pulmonary dysmaturity

**P27.1 Bronchopulmonary dysplasia originating in the perinatal period**

**P27.8 Other chronic respiratory diseases originating in the perinatal period**  
Congenital pulmonary fibrosis  
Ventilator lung in newborn

**P27.9 Unspecified chronic respiratory disease originating in the perinatal period**

**P28 Other respiratory conditions originating in the perinatal period**

**Excludes:** congenital malformations of the respiratory system (Q30-Q34)

**P28.0 Primary atelectasis of newborn**

Primary failure to expand terminal respiratory units

Pulmonary:

- hypoplasia associated with short gestation
- immaturity NOS

**P28.1 Other and unspecified atelectasis of newborn**

Atelectasis:

- NOS
- partial
- secondary

Resorption atelectasis without respiratory distress syndrome

**P28.2 Cyanotic attacks of newborn**

**Excludes:** apnoea of newborn (P28.3-P28.4)

**P28.3 Primary sleep apnoea of newborn**

Sleep apnoea of newborn :

- central
- NOS
- obstructive

**P28.4 Other apnoea of newborn**

Apnoea (of):

- newborn, obstructive
- prematurity

**Excludes:** obstructive sleep apnoea of newborn (P28.3)

**P28.5 Respiratory failure of newborn**

**P28.8 Other specified respiratory conditions of newborn**

Congenital (laryngeal) stridor NOS

Snuffles in newborn

*Excludes:* early congenital syphilitic rhinitis (A50.0)

**P28.9 Respiratory condition of newborn, unspecified**

**P29 Cardiovascular disorders originating in the perinatal period**

*Excludes:* congenital malformations of the circulatory system (Q20-Q28)

**P29.0 Neonatal cardiac failure**

**P29.1 Neonatal cardiac dysrhythmia**

**P29.2 Neonatal hypertension**

**P29.3 Persistent fetal circulation**

Delayed closure of ductus arteriosus

(Persistent) Pulmonary hypertension of newborn

**P29.4 Transient myocardial ischaemia of newborn**

**P29.8 Other cardiovascular disorders originating in the perinatal period**

**P29.9 Cardiovascular disorder originating in the perinatal period, unspecified**

## Infections specific to the perinatal period (P35-P39)

**Includes:** infections acquired in utero or during birth

**Excludes:** asymptomatic human immunodeficiency virus [HIV] infection status (Z21)  
congenital:

- gonococcal infection (A54-)
- pneumonia (P23-)
- syphilis (A50-)

human immunodeficiency virus [HIV] disease (B20-B24)  
infectious diseases acquired after birth (A00-B99, J09-J11)  
intestinal infectious diseases (A00-A09)  
laboratory evidence of human immunodeficiency virus [HIV] (R75)  
maternal infectious disease as a cause of mortality or morbidity in fetus or newborn not itself manifesting the disease (P00.2)  
tetanus neonatorum (A33)  
whooping cough (A37-)

### P35 Congenital viral diseases

#### **P35.0 Congenital rubella syndrome**

Congenital rubella pneumonitis

#### **P35.1 Congenital cytomegalovirus infection**

#### **P35.2 Congenital herpesviral [herpes simplex] infection**

#### **P35.3 Congenital viral hepatitis**

#### **P35.8 Other congenital viral diseases**

Congenital varicella [chickenpox]

#### **P35.9 Congenital viral disease, unspecified**

**P36 Bacterial sepsis of newborn**

***Includes:*** congenital septicaemia

**P36.0 Sepsis of newborn due to streptococcus, group B**

**P36.1 Sepsis of newborn due to other and unspecified streptococci**

**P36.2 Sepsis of newborn due to *Staphylococcus aureus***

**P36.3 Sepsis of newborn due to other and unspecified staphylococci**

**P36.4 Sepsis of newborn due to *Escherichia coli***

**P36.5 Sepsis of newborn due to anaerobes**

**P36.8 Other bacterial sepsis of newborn**

**P36.9 Bacterial sepsis of newborn, unspecified**

**P37 Other congenital infectious and parasitic diseases**

***Excludes:*** congenital syphilis (A50-)  
necrotizing enterocolitis of fetus or newborn (P77)  
neonatal diarrhoea:  
• infectious (A00-A09)  
• noninfective (P78.3)  
ophthalmia neonatorum due to gonococcus (A54.3)  
tetanus neonatorum (A33)  
whooping cough (A37-)

**P37.0 Congenital tuberculosis**

**P37.1 Congenital toxoplasmosis**

Hydrocephalus due to congenital toxoplasmosis

**P37.2 Neonatal (disseminated) listeriosis**

**P37.3 Congenital falciparum malaria**

**P37.4 Other congenital malaria**

**P37.5 Neonatal candidiasis**

**P37.8 Other specified congenital infectious and parasitic diseases**

**P37.9 Congenital infectious and parasitic disease, unspecified**

**P38 Omphalitis of newborn with or without mild haemorrhage**

**P39 Other infections specific to the perinatal period**

**P39.0 Neonatal infective mastitis**

*Excludes:* breast engorgement of newborn (P83.4)  
noninfective mastitis of newborn (P83.4)

**P39.1 Neonatal conjunctivitis and dacryocystitis**

Neonatal chlamydial conjunctivitis  
Ophthalmia neonatorum NOS

*Excludes:* gonococcal conjunctivitis (A54.3)

**P39.2 Intra-amniotic infection of fetus, not elsewhere classified**

**P39.3 Neonatal urinary tract infection**

**P39.4 Neonatal skin infection**

Neonatal pyoderma

*Excludes:* pemphigus neonatorum (L00)  
staphylococcal scalded skin syndrome (L00)

**P39.8 Other specified infections specific to the perinatal period**

**P39.9 Infection specific to the perinatal period, unspecified**

**Haemorrhagic and haematological disorders of fetus and newborn (P50-P61)**

*Excludes:* congenital stenosis and stricture of bile ducts (Q44.3)  
Crigler-Najjar syndrome (E80.5)  
Dubin-Johnson syndrome (E80.6)  
Gilbert syndrome (E80.4)  
hereditary haemolytic anaemias (D55-D58)

**P50 Fetal blood loss**

*Excludes:* congenital anaemia from fetal blood loss (P61.3)

**P50.0 Fetal blood loss from vasa praevia**

**P50.1 Fetal blood loss from ruptured cord**

**P50.2 Fetal blood loss from placenta**

**P50.3 Haemorrhage into co-twin**

**P50.4 Haemorrhage into maternal circulation**

**P50.5 Fetal blood loss from cut end of co-twin's cord**

**P50.8 Other fetal blood loss**

**P50.9 Fetal blood loss, unspecified**

Fetal haemorrhage NOS

**P51 Umbilical haemorrhage of newborn**

**Excludes:** omphalitis with mild haemorrhage (P38)

**P51.0 Massive umbilical haemorrhage of newborn**

**P51.8 Other umbilical haemorrhages of newborn**

Slipped umbilical ligature NOS

**P51.9 Umbilical haemorrhage of newborn, unspecified**

**P52 Intracranial nontraumatic haemorrhage of fetus and newborn**

**Includes:** intracranial haemorrhage due to anoxia or hypoxia

**Excludes:** intracranial haemorrhage due to injury:

- birth (P10-)
- maternal (P00.5)
- other (S06-)



**P52.0 Intraventricular (nontraumatic) haemorrhage, grade 1, of fetus and newborn**

Subependymal haemorrhage (without intraventricular extension)

**P52.1 Intraventricular (nontraumatic) haemorrhage, grade 2, of fetus and newborn**

Subependymal haemorrhage with intraventricular extension

**P52.2 Intraventricular (nontraumatic) haemorrhage, grade 3 and grade 4, of fetus and newborn**

Subependymal haemorrhage with both intraventricular and intracerebral extension

**P52.3 Unspecified intraventricular (nontraumatic) haemorrhage of fetus and newborn**

**P52.4 Intracerebral (nontraumatic) haemorrhage of fetus and newborn**

**P52.5 Subarachnoid (nontraumatic) haemorrhage of fetus and newborn**

**P52.6 Cerebellar (nontraumatic) and posterior fossa haemorrhage of fetus and newborn**

**P52.8 Other intracranial (nontraumatic) haemorrhages of fetus and newborn**

**P52.9 Intracranial (nontraumatic) haemorrhage of fetus and newborn, unspecified**

**P53 Haemorrhagic disease of fetus and newborn**

Vitamin K deficiency of newborn

**P54 Other neonatal haemorrhages**

**Excludes:** fetal blood loss (P50-)  
pulmonary haemorrhage originating in the perinatal period (P26-)

**P54.0 Neonatal haematemesis**

**Excludes:** that due to swallowed maternal blood (P78.2)

**P54.1 Neonatal melaena**

**Excludes:** that due to swallowed maternal blood (P78.2)

**P54.2 Neonatal rectal haemorrhage**

**P54.3 Other neonatal gastrointestinal haemorrhage**

**P54.4 Neonatal adrenal haemorrhage**

**P54.5 Neonatal cutaneous haemorrhage**

|             |                     |
|-------------|---------------------|
| Bruising    | in fetus or newborn |
| Ecchymoses  |                     |
| Petechiae   |                     |
| Superficial |                     |
| haematomata |                     |

**Excludes:** bruising of scalp due to birth injury (P12.3)  
cephalhaematoma due to birth injury (P12.0)

**P54.6 Neonatal vaginal haemorrhage**

Pseudomenses

**P54.8 Other specified neonatal haemorrhages**

**P54.9 Neonatal haemorrhage, unspecified**

**P55 Haemolytic disease of fetus and newborn**

**P55.0 Rh isoimmunization of fetus and newborn**

**P55.1 ABO isoimmunization of fetus and newborn**

**P55.8 Other haemolytic diseases of fetus and newborn**

**P55.9 Haemolytic disease of fetus and newborn,  
unspecified**

**P56 Hydrops fetalis due to haemolytic disease**

**Excludes:** hydrops fetalis NOS (P83.2)  
• not due to haemolytic disease (P83.2)

**P56.0 Hydrops fetalis due to isoimmunization**

**P56.9 Hydrops fetalis due to other and unspecified  
haemolytic disease**

**P57 Kernicterus**

**P57.0 Kernicterus due to isoimmunization**

**P57.8 Other specified kernicterus**

**Excludes:** Crigler-Najjar syndrome (E80.5)

**P57.9 Kernicterus, unspecified**

**P58 Neonatal jaundice due to other excessive haemolysis**

**Excludes:** jaundice due to isoimmunization (P55-P57)

**P58.0 Neonatal jaundice due to bruising**

**P58.1 Neonatal jaundice due to bleeding**

**P58.2 Neonatal jaundice due to infection**

**P58.3 Neonatal jaundice due to polycythaemia**

**P58.4 Neonatal jaundice due to drugs or toxins transmitted from mother or given to newborn**

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**P58.5 Neonatal jaundice due to swallowed maternal blood**

**P58.8 Neonatal jaundice due to other specified excessive haemolysis**

**P58.9 Neonatal jaundice due to excessive haemolysis, unspecified**

**P59 Neonatal jaundice from other and unspecified causes**

**Excludes:** due to inborn errors of metabolism (E70-E90)  
kernicterus (P57-)

**P59.0 Neonatal jaundice associated with preterm delivery**

Hyperbilirubinaemia of prematurity

Jaundice due to delayed conjugation associated with preterm delivery

**P59.1 Inspissated bile syndrome**

**P59.2 Neonatal jaundice from other and unspecified hepatocellular damage**

Fetal or neonatal giant cell hepatitis

Fetal or neonatal (idiopathic) hepatitis

*Excludes:* congenital viral hepatitis (P35.3)

**P59.3 Neonatal jaundice from breast milk inhibitor**

**P59.8 Neonatal jaundice from other specified causes**

**P59.9 Neonatal jaundice, unspecified**

Physiological jaundice (intense)(prolonged) NOS

**P60 Disseminated intravascular coagulation of fetus and newborn**  
Defibrination syndrome of fetus or newborn

**P61 Other perinatal haematological disorders**

*Excludes:* transient hypogammaglobulinaemia of infancy (D80.7)

**P61.0 Transient neonatal thrombocytopenia**

Neonatal thrombocytopenia due to:

- exchange transfusion
- idiopathic maternal thrombocytopenia
- isoimmunization

**P61.1 Polycythaemia neonatorum**

**P61.2 Anaemia of prematurity**

**P61.3 Congenital anaemia from fetal blood loss**

**P61.4 Other congenital anaemias, not elsewhere classified**  
Congenital anaemia NOS

**P61.5 Transient neonatal neutropenia**

**P61.6 Other transient neonatal disorders of coagulation**

**P61.8 Other specified perinatal haematological disorders**

**P61.9 Perinatal haematological disorder, unspecified**

**Transitory endocrine and metabolic disorders specific to  
fetus and newborn (P70-P74)**

**Includes:** transitory endocrine and metabolic disturbances caused by the infant's response to maternal endocrine and metabolic factors, or its adjustment to extrauterine existence

**P70 Transitory disorders of carbohydrate metabolism specific to  
fetus and newborn**

**P70.0 Syndrome of infant of mother with gestational  
diabetes**

Fetus or newborn (with hypoglycaemia) affected by maternal gestational diabetes

**P70.1 Syndrome of infant of a diabetic mother**

Fetus or newborn (with hypoglycaemia) affected by maternal diabetes mellitus (pre-existing)

**P70.2 Neonatal diabetes mellitus**

**P70.3 Iatrogenic neonatal hypoglycaemia**

**P70.4 Other neonatal hypoglycaemia**

Transitory neonatal hypoglycaemia

**P70.8 Other transitory disorders of carbohydrate metabolism of fetus and newborn**

**P70.9 Transitory disorder of carbohydrate metabolism of fetus and newborn, unspecified**

**P71 Transitory neonatal disorders of calcium and magnesium metabolism**

**P71.0 Cow milk hypocalcaemia in newborn**

**P71.1 Other neonatal hypocalcaemia**

*Excludes:* neonatal hypoparathyroidism (P71.4)

**P71.2 Neonatal hypomagnesaemia**

**P71.3 Neonatal tetany without calcium or magnesium deficiency**

Neonatal tetany NOS

**P71.4 Transitory neonatal hypoparathyroidism**

**P71.8 Other transitory neonatal disorders of calcium and magnesium metabolism**

**P71.9    Transitory neonatal disorder of calcium and magnesium metabolism, unspecified**

**P72    Other transitory neonatal endocrine disorders**

**Excludes:** congenital hypothyroidism with or without goitre (E03.0-E03.1)  
dyshormogenetic goitre (E07.1)  
Pendred syndrome (E07.1)

**P72.0    Neonatal goitre, not elsewhere classified**

Transitory congenital goitre with normal function

**P72.1    Transitory neonatal hyperthyroidism**

Neonatal thyrotoxicosis

**P72.2    Other transitory neonatal disorders of thyroid function, not elsewhere classified**

Transitory neonatal hypothyroidism

**P72.8    Other specified transitory neonatal endocrine disorders**

**P72.9    Transitory neonatal endocrine disorder, unspecified**

**P74    Other transitory neonatal electrolyte and metabolic disturbances**

**P74.0    Late metabolic acidosis of newborn**

**P74.1    Dehydration of newborn**

**P74.2    Disturbances of sodium balance of newborn**



**P74.3 Disturbances of potassium balance of newborn**

**P74.4 Other transitory electrolyte disturbances of newborn**

**P74.5 Transitory tyrosinaemia of newborn**

**P74.8 Other transitory metabolic disturbances of newborn**

**P74.9 Transitory metabolic disturbance of newborn,  
unspecified**

Digestive system disorders of fetus and newborn  
(P75-P78)

**P75 Meconium ileus (E84.1†)**

**P76 Other intestinal obstruction of newborn**

**P76.0 Meconium plug syndrome**

**P76.1 Transitory ileus of newborn**

*Excludes:* Hirschsprung disease (Q43.1)

**P76.2 Intestinal obstruction due to inspissated milk**

**P76.8 Other specified intestinal obstruction of newborn**

*Excludes:* intestinal obstruction classifiable to K56.0-K56.5

**P76.9 Intestinal obstruction of newborn, unspecified**

**P77 Necrotizing enterocolitis of fetus and newborn**

**P78 Other perinatal digestive system disorders**

**Excludes:** neonatal gastrointestinal haemorrhages (P54.0-P54.3)

**P78.0 Perinatal intestinal perforation**

Meconium peritonitis

**P78.1 Other neonatal peritonitis**

Neonatal peritonitis NOS

**P78.2 Neonatal haematemesis and melaena due to swallowed maternal blood**

**P78.3 Noninfective neonatal diarrhoea**

Neonatal diarrhoea NOS

**Excludes:** neonatal diarrhoea NOS in countries where the condition can be presumed to be of infectious origin (A09)

**P78.8 Other specified perinatal digestive system disorders**

Congenital cirrhosis (of liver)

Neonatal oesophageal reflux

Peptic ulcer of newborn

**P78.9 Perinatal digestive system disorder, unspecified**

Conditions involving the integument and temperature regulation of fetus and newborn (P80-P83)

**P80 Hypothermia of newborn**

**P80.0 Cold injury syndrome**

Severe and usually chronic hypothermia associated with a pink flushed appearance, oedema and neurological and biochemical abnormalities.

*Excludes:* mild hypothermia of newborn (P80.8)

**P80.8 Other hypothermia of newborn**

Mild hypothermia of newborn

**P80.9 Hypothermia of newborn, unspecified**

**P81 Other disturbances of temperature regulation of newborn**

**P81.0 Environmental hyperthermia of newborn**

**P81.8 Other specified disturbances of temperature regulation of newborn**

**P81.9 Disturbance of temperature regulation of newborn, unspecified**

Fever of newborn NOS

**P83 Other conditions of integument specific to fetus and newborn**

*Excludes:* congenital malformations of skin and integument (Q80-Q84)

cradle cap (L21.0)  
diaper [napkin] dermatitis (L22)  
hydrops fetalis due to haemolytic disease (P56-)  
neonatal skin infection (P39.4)  
staphylococcal scalded skin syndrome (L00)

**P83.0 Sclerema neonatorum**

**P83.1 Neonatal erythema toxicum**

**P83.2 Hydrops fetalis not due to haemolytic disease**

Hydrops fetalis NOS

**P83.3 Other and unspecified oedema specific to fetus and newborn**

**P83.4 Breast engorgement of newborn**

Noninfective mastitis of newborn

**P83.5 Congenital hydrocele**

**P83.6 Umbilical polyp of newborn**

**P83.8 Other specified conditions of integument specific to fetus and newborn**

Bronze baby syndrome

Neonatal scleroderma

Urticaria neonatorum

**P83.9 Condition of integument specific to fetus and newborn, unspecified**

Other disorders originating in the perinatal period  
(P90-P96)

**P90 Convulsions of newborn**

**Excludes:** benign neonatal convulsions (familial) (G40.3)

**P91 Other disturbances of cerebral status of newborn**

**P91.0 Neonatal cerebral ischaemia**

**P91.1 Acquired periventricular cysts of newborn**

**P91.2 Neonatal cerebral leukomalacia**

**P91.3 Neonatal cerebral irritability**

**P91.4 Neonatal cerebral depression**

**P91.5 Neonatal coma**

**P91.6 Hypoxic ischaemic encephalopathy of newborn**

**P91.8 Other specified disturbances of cerebral status of newborn**

**P91.9 Disturbance of cerebral status of newborn, unspecified**

**P92 Feeding problems of newborn**

**P92.0 Vomiting in newborn**

**P92.1 Regurgitation and rumination in newborn**

**P92.2 Slow feeding of newborn**

**P92.3 Underfeeding of newborn**

**P92.4 Overfeeding of newborn**

**P92.5 Neonatal difficulty in feeding at breast**

**P92.8 Other feeding problems of newborn**

**P92.9 Feeding problem of newborn, unspecified**

**P93 Reactions and intoxications due to drugs administered to fetus and newborn**

Grey syndrome from chloramphenicol administration in newborn

- Excludes:**
- jaundice due to drugs or toxins transmitted from mother or given to newborn (P58.4)
  - reactions and intoxications from maternal opiates, tranquillizers and other medication (P04.0-P04.1, P04.4)
  - withdrawal symptoms from:
    - maternal use of drugs of addiction (P96.1)
    - therapeutic use of drugs in newborn (P96.2)

**P94 Disorders of muscle tone of newborn**

**P94.0 Transient neonatal myasthenia gravis**

*Excludes:* myasthenia gravis (G70.0)

**P94.1 Congenital hypertonia**

**P94.2 Congenital hypotonia**

Nonspecific floppy baby syndrome

**P94.8 Other disorders of muscle tone of newborn**

**P94.9 Disorder of muscle tone of newborn, unspecified**

**P95 Fetal death of unspecified cause**

Deadborn fetus NOS

Stillbirth NOS

**P96 Other conditions originating in the perinatal period**

**P96.0 Congenital renal failure**

Uraemia of newborn

**P96.1 Neonatal withdrawal symptoms from maternal use of drugs of addiction**

Drug withdrawal syndrome in infant of dependent mother

Neonatal abstinence syndrome

*Excludes:* reactions and intoxications from maternal opiates and tranquillizers administered during labour and delivery (P04.0)

**P96.2 Withdrawal symptoms from therapeutic use of drugs in newborn**

**P96.3 Wide cranial sutures of newborn**

Neonatal craniotabes

**P96.4 Termination of pregnancy, affecting fetus and newborn**

*Excludes:* termination of pregnancy (affecting mother) (O04-)

**P96.5 Complications of intrauterine procedures, not elsewhere classified**

**P96.8 Other specified conditions originating in the perinatal period**

**P96.9 Condition originating in the perinatal period, unspecified**

Congenital debility NOS



## **CHAPTER XVII - Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)**

**Excludes:** inborn errors of metabolism (E70-E90)

### **This chapter contains the following blocks:**

|         |                                                                         |
|---------|-------------------------------------------------------------------------|
| Q00-Q07 | Congenital malformations of the nervous system                          |
| Q10-Q18 | Congenital malformations of eye, ear, face and neck                     |
| Q20-Q28 | Congenital malformations of the circulatory system                      |
| Q30-Q34 | Congenital malformations of the respiratory system                      |
| Q35-Q37 | Cleft lip and cleft palate                                              |
| Q38-Q45 | Other congenital malformations of the digestive system                  |
| Q50-Q56 | Congenital malformations of genital organs                              |
| Q60-Q64 | Congenital malformations of the urinary system                          |
| Q65-Q79 | Congenital malformations and deformations of the musculoskeletal system |
| Q80-Q89 | Other congenital malformations                                          |
| Q90-Q99 | Chromosomal abnormalities, not elsewhere classified                     |

### **Congenital malformations of the nervous system (Q00-Q07)**

#### **Q00 Anencephaly and similar malformations**

##### **Q00.0 Anencephaly**

Acephaly

Acrania

Amyelencephaly

Hemianencephaly

Hemicephaly

**Q00.1 Craniorachischisis**

**Q00.2 Iniencephaly**

**Q01 Encephalocele**

***Includes:*** encephalomyelocele  
hydroencephalocele  
hydromeningocele, cranial  
meningocele, cerebral  
meningoencephalocele

***Excludes:*** Meckel-Gruber syndrome (Q61.9)

**Q01.0 Frontal encephalocele**

**Q01.1 Nasofrontal encephalocele**

**Q01.2 Occipital encephalocele**

**Q01.8 Encephalocele of other sites**

**Q01.9 Encephalocele, unspecified**

**Q02 Microcephaly**

Hydromicrocephaly  
Micrencephalon

***Excludes:*** Meckel-Gruber syndrome (Q61.9)

**Q03 Congenital hydrocephalus**

***Includes:*** hydrocephalus in newborn

***Excludes:*** Arnold-Chiari syndrome (Q07.0)  
hydrocephalus:  
• acquired (G91-)  
• due to congenital toxoplasmosis (P37.1)  
• with spina bifida (Q05.0-Q05.4)

**Q03.0 Malformations of aqueduct of Sylvius**

Aqueduct of Sylvius:

- anomaly
- obstruction, congenital
- stenosis

**Q03.1 Atresia of foramina of Magendie and Luschka**

Dandy-Walker syndrome

**Q03.8 Other congenital hydrocephalus**

**Q03.9 Congenital hydrocephalus, unspecified**

**Q04 Other congenital malformations of brain**

***Excludes:*** cyclopia (Q87.0)  
macrocephaly (Q75.3)

**Q04.0 Congenital malformations of corpus callosum**

Agenesis of corpus callosum

**Q04.1 Arhinencephaly**

**Q04.2 Holoprosencephaly**

**Q04.3 Other reduction deformities of brain**

|                                              |                  |
|----------------------------------------------|------------------|
| Absence<br>Agenesis<br>Aplasia<br>Hypoplasia | of part of brain |
|----------------------------------------------|------------------|

Agyria  
Hydranencephaly  
Lissencephaly  
Microgyria  
Pachygyria

**Excludes:** congenital malformations of corpus callosum (Q04.0)

#### **Q04.4 Septo-optic dysplasia**

#### **Q04.5 Megalencephaly**

#### **Q04.6 Congenital cerebral cysts**

Porencephaly  
Schizencephaly

**Excludes:** acquired porencephalic cyst (G93.0)

#### **Q04.8 Other specified congenital malformations of brain**

Macrogyria

#### **Q04.9 Congenital malformation of brain, unspecified**

Congenital:

|                                                                         |              |
|-------------------------------------------------------------------------|--------------|
| • anomaly<br>• deformity<br>• disease or lesion<br>• multiple anomalies | NOS of brain |
|-------------------------------------------------------------------------|--------------|

#### **Q05 Spina bifida**

**Includes:** hydromeningocele (spinal)  
meningocele (spinal)  
meningomyelocele  
myelocele  
myelomeningocele  
rachischisis  
spina bifida (aperta)(cystica)  
syringomyelocele

**Excludes:** Arnold-Chiari syndrome (Q07.0)  
spina bifida occulta (Q76.0)

**Q05.0 Cervical spina bifida with hydrocephalus**

**Q05.1 Thoracic spina bifida with hydrocephalus**

Spina bifida:

- |                                                                                  |                    |
|----------------------------------------------------------------------------------|--------------------|
| <ul style="list-style-type: none"><li>• dorsal</li><li>• thoracolumbar</li></ul> | with hydrocephalus |
|----------------------------------------------------------------------------------|--------------------|

**Q05.2 Lumbar spina bifida with hydrocephalus**

Lumbosacral spina bifida with hydrocephalus

**Q05.3 Sacral spina bifida with hydrocephalus**

**Q05.4 Unspecified spina bifida with hydrocephalus**

**Q05.5 Cervical spina bifida without hydrocephalus**

**Q05.6 Thoracic spina bifida without hydrocephalus**

Spina bifida:

- dorsal NOS
- thoracolumbar NOS

**Q05.7 Lumbar spina bifida without hydrocephalus**

Lumbosacral spina bifida NOS

**Q05.8 Sacral spina bifida without hydrocephalus**

**Q05.9 Spina bifida, unspecified**

**Q06 Other congenital malformations of spinal cord**

**Q06.0 Amyelia**

**Q06.1 Hypoplasia and dysplasia of spinal cord**

Atelomyelia

Myelatelasia

Myelodysplasia of spinal cord

**Q06.2 Diastematomyelia**

**Q06.3 Other congenital cauda equina malformations**

**Q06.4 Hydromyelia**

Hydrorachis

**Q06.8 Other specified congenital malformations of spinal cord**

**Q06.9 Congenital malformation of spinal cord, unspecified**

Congenital:

- anomaly
- deformity
- disease or lesion

NOS of spinal cord or meninges

**Q07 Other congenital malformations of nervous system**

**Excludes:** familial dysautonomia [Riley-Day] (G90.1)  
neurofibromatosis (nonmalignant) (Q85.0)

**Q07.0 Arnold-Chiari syndrome**

**Q07.8 Other specified congenital malformations of nervous system**

Agensis of nerve  
Displacement of brachial plexus  
Jaw-winking syndrome  
Marcus Gunn syndrome

**Q07.9 Congenital malformation of nervous system, unspecified**

Congenital:

- anomaly
- deformity
- disease or lesion

NOS of nervous system

**Congenital malformations of eye, ear, face and neck  
(Q10-Q18)**

**Excludes:** cleft lip and cleft palate (Q35-Q37)  
congenital malformation of:  
• cervical spine (Q05.0, Q05.5, Q67.5, Q76.0-Q76.4)  
• larynx (Q31-)  
• lip NEC (Q38.0)  
• nose (Q30-)  
• parathyroid gland (Q89.2)  
• thyroid gland (Q89.2)

**Q10 Congenital malformations of eyelid, lacrimal apparatus and orbit**

- Excludes:** cryptophthalmos:
- NOS (Q11.2)
  - syndrome (Q87.0)

**Q10.0 Congenital ptosis**

**Q10.1 Congenital ectropion**

**Q10.2 Congenital entropion**

**Q10.3 Other congenital malformations of eyelid**

Ablepharon

Absence or agenesis of:

- cilia
- eyelid

Accessory:

- eyelid
- eye muscle

Blepharophimosis, congenital

Coloboma of eyelid

Congenital malformation of eyelid NOS

**Q10.4 Absence and agenesis of lacrimal apparatus**

Absence of punctum lacrimale

**Q10.5 Congenital stenosis and stricture of lacrimal duct**

**Q10.6 Other congenital malformations of lacrimal apparatus**

Congenital malformation of lacrimal apparatus NOS

**Q10.7 Congenital malformation of orbit**



**Q11 Anophthalmos, microphthalmos and macrophthalmos**

**Q11.0 Cystic eyeball**

**Q11.1 Other anophthalmos**

|         |  |        |
|---------|--|--------|
| Agensis |  | of eye |
| Aplasia |  |        |

**Q11.2 Microphthalmos**

Cryptophthalmos NOS

Dysplasia of eye

Hypoplasia of eye

Rudimentary eye

**Excludes:** cryptophthalmos syndrome (Q87.0)

**Q11.3 Macrophthalmos**

**Excludes:** macrophthalmos in congenital glaucoma (Q15.0)

**Q12 Congenital lens malformations**

**Q12.0 Congenital cataract**

**Q12.1 Congenital displaced lens**

**Q12.2 Coloboma of lens**

**Q12.3 Congenital aphakia**

**Q12.4 Spherophakia**

**Q12.8 Other congenital lens malformations**

**Q12.9 Congenital lens malformation, unspecified**

**Q13 Congenital malformations of anterior segment of eye**

**Q13.0 Coloboma of iris**

Coloboma NOS

**Q13.1 Absence of iris**

Aniridia

**Q13.2 Other congenital malformations of iris**

Anisocoria, congenital

Atresia of pupil

Congenital malformation of iris NOS

Corectopia

**Q13.3 Congenital corneal opacity**

**Q13.4 Other congenital corneal malformations**

Congenital malformation of cornea NOS

Microcornea

Peter anomaly

**Q13.5 Blue sclera**

**Q13.8 Other congenital malformations of anterior segment of eye**

Rieger anomaly

**Q13.9 Congenital malformation of anterior segment of eye, unspecified**

**Q14 Congenital malformations of posterior segment of eye**

**Q14.0 Congenital malformation of vitreous humour**  
Congenital vitreous opacity

**Q14.1 Congenital malformation of retina**  
Congenital retinal aneurysm

**Q14.2 Congenital malformation of optic disc**  
Coloboma of optic disc

**Q14.3 Congenital malformation of choroid**

**Q14.8 Other congenital malformations of posterior segment of eye**  
Coloboma of the fundus

**Q14.9 Congenital malformation of posterior segment of eye, unspecified**

**Q15 Other congenital malformations of eye**

**Excludes:** congenital nystagmus (H55)  
ocular albinism (E70.3)  
retinitis pigmentosa (H35.5)

**Q15.0 Congenital glaucoma**  
Buphthalmos  
Glaucoma of newborn  
Hydrophthalmos

Keratoglobus, congenital, with glaucoma  
Macrocornea with glaucoma  
Macrophthalmos in congenital glaucoma  
Megalocornea with glaucoma

**Q15.8 Other specified congenital malformations of eye**

**Q15.9 Congenital malformation of eye, unspecified**

Congenital:

- |                                                                               |            |
|-------------------------------------------------------------------------------|------------|
| <ul style="list-style-type: none"><li>• anomaly</li><li>• deformity</li></ul> | NOS of eye |
|-------------------------------------------------------------------------------|------------|

**Q16 Congenital malformations of ear causing impairment of hearing**

**Excludes:** congenital deafness (H90-)

**Q16.0 Congenital absence of (ear) auricle**

**Q16.1 Congenital absence, atresia and stricture of auditory canal (external)**

Atresia or stricture of osseous meatus

**Q16.2 Absence of eustachian tube**

**Q16.3 Congenital malformation of ear ossicles**

Fusion of ear ossicles

**Q16.4 Other congenital malformations of middle ear**

Congenital malformation of middle ear NOS

**Q16.5 Congenital malformation of inner ear**

Anomaly:

- membranous labyrinth
- organ of Corti

**Q16.9 Congenital malformation of ear causing impairment of hearing, unspecified**

Congenital absence of ear NOS

**Q17 Other congenital malformations of ear**

*Excludes:* preauricular sinus (Q18.1)

**Q17.0 Accessory auricle**

Accessory tragus

Polyotia

Preauricular appendage or tag

Supernumerary:

- ear
- lobule

**Q17.1 Macrotia**

**Q17.2 Microtia**

**Q17.3 Other misshapen ear**

Pointed ear

**Q17.4 Misplaced ear**

Low-set ears

*Excludes:* cervical auricle (Q18.2)

**Q17.5 Prominent ear**

Bat ear

**Q17.8 Other specified congenital malformations of ear**

Congenital absence of lobe of ear

**Q17.9 Congenital malformation of ear, unspecified**

Congenital anomaly of ear NOS

**Q18 Other congenital malformations of face and neck**

**Excludes:** cleft lip and cleft palate (Q35-Q37)  
conditions classified to Q67.0-Q67.4  
congenital malformations of skull and face bones (Q75-)  
cyclopia (Q87.0)  
dentofacial anomalies [including malocclusion] (K07-)  
malformation syndromes affecting facial appearance (Q87.0)  
persistent thyroglossal duct (Q89.2)

**Q18.0 Sinus, fistula and cyst of branchial cleft**

Branchial vestige

**Q18.1 Preauricular sinus and cyst**

Fistula (of):

- auricle, congenital
- cervicoaural

Pretragal sinus and cyst

**Q18.2 Other branchial cleft malformations**

Branchial cleft malformation NOS

Cervical auricle

Otocephaly

**Q18.3 Webbing of neck**

Pterygium colli

**Q18.4 Macrostomia**

**Q18.5 Microstomia**

**Q18.6 Macrocheilia**

Hypertrophy of lip, congenital

**Q18.7 Microcheilia**

**Q18.8 Other specified congenital malformations of face and neck**

Medial:

- |                                                                                          |                  |
|------------------------------------------------------------------------------------------|------------------|
| <ul style="list-style-type: none"><li>• cyst</li><li>• fistula</li><li>• sinus</li></ul> | of face and neck |
|------------------------------------------------------------------------------------------|------------------|

**Q18.9 Congenital malformation of face and neck, unspecified**

Congenital anomaly NOS of face and neck

**Congenital malformations of the circulatory system  
(Q20-Q28)**

**Q20 Congenital malformations of cardiac chambers and connections**

**Excludes:** dextrocardia with situs inversus (Q89.3)  
mirror-image atrial arrangement with situs inversus (Q89.3)

**Q20.0 Common arterial trunk**

Persistent truncus arteriosus

**Q20.1 Double outlet right ventricle**

Taussig-Bing syndrome

**Q20.2 Double outlet left ventricle**

**Q20.3 Discordant ventriculoarterial connection**

Dextrotransposition of aorta

Transposition of great vessels (complete)

**Q20.4 Double inlet ventricle**

Common ventricle

Cor triloculare biatriatum

Single ventricle

**Q20.5 Discordant atrioventricular connection**

Corrected transposition

Laevotransposition

Ventricular inversion

**Q20.6 Isomerism of atrial appendages**

Isomerism of atrial appendages with asplenia or polysplenia

**Q20.8 Other congenital malformations of cardiac chambers and connections**

**Q20.9 Congenital malformation of cardiac chambers and connections, unspecified**

**Q21 Congenital malformations of cardiac septa**

**Excludes:** acquired cardiac septal defect (I51.0)

**Q21.0 Ventricular septal defect**



**Q21.1 Atrial septal defect**

Coronary sinus defect

Patent or persistent:

- foramen ovale
- ostium secundum defect (type II)

Sinus venosus defect

**Q21.2 Atrioventricular septal defect**

Common atrioventricular canal

Endocardial cushion defect

Ostium primum atrial septal defect (type I)

**Q21.3 Tetralogy of Fallot**

Ventricular septal defect with pulmonary stenosis or atresia,  
dextroposition of aorta and hypertrophy of right ventricle.

**Q21.4 Aortopulmonary septal defect**

Aortic septal defect

Aortopulmonary window

**Q21.8 Other congenital malformations of cardiac septa**

Eisenmenger defect

Pentalogy of Fallot

- Excludes:** Eisenmenger:
- complex (I27.8)
  - syndrome (I27.8)

**Q21.9 Congenital malformation of cardiac septum, unspecified**

Septal (heart) defect NOS

**Q22 Congenital malformations of pulmonary and tricuspid valves**

**Q22.0 Pulmonary valve atresia**

**Q22.1 Congenital pulmonary valve stenosis**

**Q22.2 Congenital pulmonary valve insufficiency**

Congenital pulmonary valve regurgitation

**Q22.3 Other congenital malformations of pulmonary valve**

Congenital malformation of pulmonary valve NOS

**Q22.4 Congenital tricuspid stenosis**

Tricuspid atresia

**Q22.5 Ebstein anomaly**

**Q22.6 Hypoplastic right heart syndrome**

**Q22.8 Other congenital malformations of tricuspid valve**

**Q22.9 Congenital malformation of tricuspid valve,  
unspecified**

**Q23 Congenital malformations of aortic and mitral valves**

**Q23.0 Congenital stenosis of aortic valve**

Congenital aortic:

- atresia
- stenosis

**Excludes:** congenital subaortic stenosis (Q24.4)  
that in hypoplastic left heart syndrome (Q23.4)

**Q23.1 Congenital insufficiency of aortic valve**

Bicuspid aortic valve

Congenital aortic insufficiency

**Q23.2 Congenital mitral stenosis**

Congenital mitral atresia

**Q23.3 Congenital mitral insufficiency**

**Q23.4 Hypoplastic left heart syndrome**

Atresia, or marked hypoplasia of aortic orifice or valve, with hypoplasia of ascending aorta and defective development of left ventricle (with mitral valve stenosis or atresia).

**Q23.8 Other congenital malformations of aortic and mitral valves**

**Q23.9 Congenital malformation of aortic and mitral valves, unspecified**

**Q24 Other congenital malformations of heart**

**Excludes:** endocardial fibroelastosis (I42.4)

**Q24.0 Dextrocardia**

**Excludes:** dextrocardia with situs inversus (Q89.3)  
isomerism of atrial appendages (with asplenia or polysplenia) (Q20.6)  
mirror-image atrial arrangement with situs inversus (Q89.3)

**Q24.1 Laevocardia**

**Note:** Location of heart in left hemithorax with apex pointing to the left, but with situs inversus of other viscera and defects of the heart, or corrected transposition of great vessels.

**Q24.2 Cor triatriatum**

**Q24.3 Pulmonary infundibular stenosis**

**Q24.4 Congenital subaortic stenosis**

**Q24.5 Malformation of coronary vessels**

Congenital coronary (artery) aneurysm

**Q24.6 Congenital heart block**

**Q24.8 Other specified congenital malformations of heart**

Congenital:

- diverticulum of left ventricle
- malformation of:
  - myocardium
  - pericardium

Malposition of heart

Uhl disease

**Q24.9 Congenital malformation of heart, unspecified**

Congenital:

- |                                                                             |              |
|-----------------------------------------------------------------------------|--------------|
| <ul style="list-style-type: none"><li>• anomaly</li><li>• disease</li></ul> | NOS of heart |
|-----------------------------------------------------------------------------|--------------|

**Q25 Congenital malformations of great arteries**

**Q25.0 Patent ductus arteriosus**

Patent ductus Botallo

Persistent ductus arteriosus

**Q25.1 Coarctation of aorta**

Coarctation of aorta (preductal)(postductal)

**Q25.2 Atresia of aorta**

**Q25.3 Stenosis of aorta**

Supravalvular aortic stenosis

**Excludes:** congenital stenosis of aortic valve (Q23.0)

**Q25.4 Other congenital malformations of aorta**

|              |  |          |
|--------------|--|----------|
| Absence      |  | of aorta |
| Aplasia      |  |          |
| Congenital:  |  |          |
| • aneurysm   |  |          |
| • dilatation |  |          |

Aneurysm of sinus of Valsalva (ruptured)

Double aortic arch [vascular ring of aorta]

Hypoplasia of aorta

Persistent:

- convolutions of aortic arch
- right aortic arch

**Excludes:** hypoplasia of aorta in hypoplastic left heart syndrome (Q23.4)

**Q25.5 Atresia of pulmonary artery**

**Q25.6 Stenosis of pulmonary artery**

Supravalvular pulmonary stenosis

**Q25.7 Other congenital malformations of pulmonary artery**

Aberrant pulmonary artery

|           |  |                     |
|-----------|--|---------------------|
| Agensis   |  | of pulmonary artery |
| Aneurysm, |  |                     |

congenital  
Anomaly  
Hypoplasia

Pulmonary arteriovenous aneurysm

**Q25.8 Other congenital malformations of great arteries**

**Q25.9 Congenital malformation of great arteries,  
unspecified**

**Q26 Congenital malformations of great veins**

**Q26.0 Congenital stenosis of vena cava**

Congenital stenosis of vena cava (inferior)(superior)

**Q26.1 Persistent left superior vena cava**

**Q26.2 Total anomalous pulmonary venous connection**

**Q26.3 Partial anomalous pulmonary venous connection**

**Q26.4 Anomalous pulmonary venous connection,  
unspecified**

**Q26.5 Anomalous portal venous connection**

**Q26.6 Portal vein-hepatic artery fistula**

**Q26.8 Other congenital malformations of great veins**

Absence of vena cava (inferior)(superior)

Azygos continuation of inferior vena cava  
Persistent left posterior cardinal vein  
Scimitar syndrome

**Q26.9 Congenital malformation of great vein, unspecified**

Anomaly of vena cava (inferior)(superior) NOS

**Q27 Other congenital malformations of peripheral vascular system**

**Includes:** 5<sup>TH</sup> DIGIT TO IDENTIFY CONGENITAL ANEURYSMS

**Excludes:** anomalies of:

- cerebral and precerebral vessels (Q28.0-Q28.3)
  - coronary vessels (Q24.5)
  - pulmonary artery (Q25.5-Q25.7)
- congenital retinal aneurysm (Q14.1)  
haemangioma and lymphangioma (D18-)

**Q27.0 Congenital absence and hypoplasia of umbilical artery**

Single umbilical artery

**Q27.1 Congenital renal artery stenosis**

**Q27.2 Other congenital malformations of renal artery**

Congenital malformation of renal artery NOS  
Multiple renal arteries

**Q27.3 Peripheral arteriovenous malformation**

Arteriovenous aneurysm

**Excludes:** acquired arteriovenous aneurysm (I77.0)

**Q27.4 Congenital phlebectasia**

**Q27.8 Other specified congenital malformations of peripheral vascular system**

Aberrant subclavian artery

Absence  
Atresia | of artery or vein NEC

Congenital:

- aneurysm (peripheral)
- stricture, artery
- varix

**Q27.80 Congenital aneurysm NOS (peripheral)**

**Q27.9 Congenital malformation of peripheral vascular system, unspecified**

Anomaly of artery or vein NOS

**Q28 Other congenital malformations of circulatory system**

**Includes:** 5<sup>th</sup> DIGIT TO IDENTIFY CONGENITAL ANEURYSM

**Excludes:** congenital aneurysm:

- NOS (Q27.8)
- coronary (Q24.5)
- peripheral (Q27.8)
- pulmonary (Q25.7)
- retinal (Q14.1)

ruptured:

- cerebral arteriovenous malformation (I60.8)
- malformation of precerebral vessels (I72-)

**Q28.0 Arteriovenous malformation of precerebral vessels**

Congenital arteriovenous precerebral aneurysm (nonruptured)

**Q28.1 Other malformations of precerebral vessels**

Congenital:

- malformation of precerebral vessels NOS
- precerebral aneurysm (nonruptured)



**Q28.2 Arteriovenous malformation of cerebral vessels**

Arteriovenous malformation of brain NOS

Congenital arteriovenous cerebral aneurysm (nonruptured)

**Q28.20** Congenital arteriovenous cerebral aneurysm  
(nonruptured)

**Q28.3 Other malformations of cerebral vessels**

Congenital:

- cerebral aneurysm (nonruptured)
- malformation of cerebral vessels NOS

**Q28.30** Congenital cerebral aneurysm (nonruptured)

**Q28.8 Other specified congenital malformations of circulatory system**

Congenital aneurysm, specified site NEC

**Q28.9 Congenital malformation of circulatory system, unspecified**

Congenital malformations of the respiratory system  
(Q30-Q34)

**Q30 Congenital malformations of nose**

**Excludes:** congenital deviation of nasal septum (Q67.4)

**Q30.0 Choanal atresia**

|                     |                                |
|---------------------|--------------------------------|
| Absence             | of nares (anterior)(posterior) |
| Congenital stenosis |                                |

**Q30.1 Agenesis and underdevelopment of nose**

Congenital absence of nose

**Q30.2 Fissured, notched and cleft nose**

**Q30.3 Congenital perforated nasal septum**

**Q30.8 Other congenital malformations of nose**

Accessory nose

Congenital anomaly of nasal sinus wall

**Q30.9 Congenital malformation of nose, unspecified**

**Q31 Congenital malformations of larynx**

***Excludes:*** congenital laryngeal stridor NOS (P28.8)

**Q31.0 Web of larynx**

Web of larynx:

- NOS
- glottic
- subglottic

**Q31.1 Congenital subglottic stenosis**

**Q31.2 Laryngeal hypoplasia**

**Q31.3 Laryngocele**

**Q31.5 Congenital laryngomalacia**

**Q31.8 Other congenital malformations of larynx**

|                                |                                                                           |
|--------------------------------|---------------------------------------------------------------------------|
| Absence<br>Agenesis<br>Atresia | of cricoid cartilage, epiglottis, glottis, larynx or<br>thyroid cartilage |
|--------------------------------|---------------------------------------------------------------------------|

Cleft thyroid cartilage  
Congenital stenosis of larynx NEC  
Fissure of epiglottis  
Posterior cleft of cricoid cartilage

### **Q31.9 Congenital malformation of larynx, unspecified**

## **Q32 Congenital malformations of trachea and bronchus**

**Excludes:** congenital bronchiectasis (Q33.4)

### **Q32.0 Congenital tracheomalacia**

### **Q32.1 Other congenital malformations of trachea**

Anomaly of tracheal cartilage  
Atresia of trachea  
Congenital:  
• dilatation  
• malformation  
• stenosis  
• tracheocele

|  |            |
|--|------------|
|  | of trachea |
|--|------------|

### **Q32.2 Congenital bronchomalacia**

### **Q32.3 Congenital stenosis of bronchus**

### **Q32.4 Other congenital malformations of bronchus**

|                                                                               |             |
|-------------------------------------------------------------------------------|-------------|
| Absence<br>Agenesis<br>Atresia<br>Congenital malformation NOS<br>Diverticulum | of bronchus |
|-------------------------------------------------------------------------------|-------------|

## Q33 Congenital malformations of lung

### Q33.0 Congenital cystic lung

Congenital:

- honeycomb lung
- lung disease:
  - cystic
  - polycystic

**Excludes:** cystic lung disease, acquired or unspecified (J98.4)

### Q33.1 Accessory lobe of lung

### Q33.2 Sequestration of lung

### Q33.3 Agenesis of lung

Absence of lung (lobe)

### Q33.4 Congenital bronchiectasis

### Q33.5 Ectopic tissue in lung

### Q33.6 Hypoplasia and dysplasia of lung

**Excludes:** pulmonary hypoplasia associated with short gestation (P28.0)

### Q33.8 Other congenital malformations of lung

### Q33.9 Congenital malformation of lung, unspecified

**Q34 Other congenital malformations of respiratory system**

**Q34.0 Anomaly of pleura**

**Q34.1 Congenital cyst of mediastinum**

**Q34.8 Other specified congenital malformations of respiratory system**

Atresia of nasopharynx

**Q34.9 Congenital malformation of respiratory system, unspecified**

Congenital:

- absence
  - anomaly NOS
- | of respiratory organ

**Cleft lip and cleft palate (Q35-Q37)**

Use additional code (Q30.2), if desired, to identify associated malformations of the nose.

**Excludes:** Robin syndrome (Q87.0)

**Q35 Cleft palate**

**Includes:** fissure of palate  
palatoschisis

**Excludes:** cleft palate with cleft lip (Q37-)

**Q35.1 Cleft hard palate**

**Q35.3 Cleft soft palate**

**Q35.5 Cleft hard palate with cleft soft palate**

**Q35.7 Cleft uvula**

**Q35.9 Cleft palate, unspecified**

Cleft palate NOS

**Q36 Cleft lip**

***Includes:*** cheiloschisis  
congenital fissure of lip  
harelip  
labium leporinum

***Excludes:*** cleft lip with cleft palate (Q37-)

**Q36.0 Cleft lip, bilateral**

**Q36.1 Cleft lip, median**

**Q36.9 Cleft lip, unilateral**

Cleft lip NOS

**Q37 Cleft palate with cleft lip**

**Q37.0 Cleft hard palate with bilateral cleft lip**

**Q37.1 Cleft hard palate with unilateral cleft lip**

Cleft hard palate with cleft lip NOS

**Q37.2 Cleft soft palate with bilateral cleft lip**

**Q37.3 Cleft soft palate with unilateral cleft lip**

Cleft soft palate with cleft lip NOS

**Q37.4 Cleft hard and soft palate with bilateral cleft lip**

**Q37.5 Cleft hard and soft palate with unilateral cleft lip**

Cleft hard and soft palate with cleft lip NOS

**Q37.8 Unspecified cleft palate with bilateral cleft lip**

**Q37.9 Unspecified cleft palate with unilateral cleft lip**

Cleft palate with cleft lip NOS

Other congenital malformations of the digestive system  
(Q38-Q45)

**Q38 Other congenital malformations of tongue, mouth and pharynx**

**Excludes:** macrostomia (Q18.4)  
microstomia (Q18.5)

**Q38.0 Congenital malformations of lips, not elsewhere classified**

Congenital:

- fistula of lip
  - malformation of lip NOS
- Van der Woude syndrome

**Excludes:** cleft lip (Q36-)

- with cleft palate (Q37-)  
macrocheilia (Q18.6)  
microcheilia (Q18.7)

**Q38.1 Ankyloglossia**

Tongue tie

**Q38.2 Macroglossia**

**Q38.3 Other congenital malformations of tongue**

Aglossia

Bifid tongue

Congenital:

- adhesion
- fissure
- malformation

NOS

of tongue

Hypoglossia

Hypoplasia of tongue

Microglossia

**Q38.4 Congenital malformations of salivary glands and ducts**

Absence

Accessory

Atresia

(of) salivary gland or duct

Congenital fistula of salivary gland

**Q38.5 Congenital malformations of palate, not elsewhere classified**

Absence of uvula

Congenital malformation of palate NOS

High arched palate

**Excludes:** cleft palate (Q35-)



- with cleft lip (Q37-)

**Q38.6 Other congenital malformations of mouth**

Congenital malformation of mouth NOS

**Q38.7 Pharyngeal pouch**

Diverticulum of pharynx

*Excludes:* pharyngeal pouch syndrome (D82.1)

**Q38.8 Other congenital malformations of pharynx**

Congenital malformation of pharynx NOS

**Q39 Congenital malformations of oesophagus**

**Q39.0 Atresia of oesophagus without fistula**

Atresia of oesophagus NOS

**Q39.1 Atresia of oesophagus with tracheo-oesophageal fistula**

Atresia of oesophagus with broncho-oesophageal fistula

**Q39.2 Congenital tracheo-oesophageal fistula without atresia**

Congenital tracheo-oesophageal fistula NOS

**Q39.3 Congenital stenosis and stricture of oesophagus**

**Q39.4 Congenital oesophageal web**

*Excludes:* oesophageal web (acquired) (K22.2)

**Q39.5 Congenital dilatation of oesophagus**

**Q39.6 Diverticulum of oesophagus**

Oesophageal pouch

**Q39.8 Other congenital malformations of oesophagus**

Absent

Congenital  
displacement

Duplication

(of) oesophagus

**Q39.9 Congenital malformation of oesophagus, unspecified**

**Q40 Other congenital malformations of upper alimentary tract**

**Q40.0 Congenital hypertrophic pyloric stenosis**

Congenital or infantile:

- constriction
- hypertrophy
- spasm
- stenosis
- stricture

of pylorus

**Q40.1 Congenital hiatus hernia**

Displacement of cardia through oesophageal hiatus

**Excludes:** congenital diaphragmatic hernia (Q79.0)

**Q40.2 Other specified congenital malformations of stomach**

Congenital:

- displacement of stomach
- diverticulum of stomach
- hourglass stomach

Duplication of stomach

Megalogastria

Microgastria

**Q40.3 Congenital malformation of stomach, unspecified**

**Q40.8 Other specified congenital malformations of upper alimentary tract**

**Q40.9 Congenital malformation of upper alimentary tract, unspecified**

Congenital:

- |                                                                               |  |                               |
|-------------------------------------------------------------------------------|--|-------------------------------|
| <ul style="list-style-type: none"><li>• anomaly</li><li>• deformity</li></ul> |  | NOS of upper alimentary tract |
|-------------------------------------------------------------------------------|--|-------------------------------|

**Q41 Congenital absence, atresia and stenosis of small intestine**

***Includes:*** congenital obstruction, occlusion and stricture of small intestine or intestine NOS

***Excludes:*** meconium ileus (E84.1)

**Q41.0 Congenital absence, atresia and stenosis of duodenum**

**Q41.1 Congenital absence, atresia and stenosis of jejunum**

Apple peel syndrome

Imperforate jejunum

**Q41.2 Congenital absence, atresia and stenosis of ileum**

**Q41.8 Congenital absence, atresia and stenosis of other specified parts of small intestine**

**Q41.9 Congenital absence, atresia and stenosis of small intestine, part unspecified**

Congenital absence, atresia and stenosis of intestine NOS

**Q42 Congenital absence, atresia and stenosis of large intestine**

***Includes:*** congenital obstruction, occlusion and stricture of large intestine

**Q42.0 Congenital absence, atresia and stenosis of rectum with fistula**

**Q42.1 Congenital absence, atresia and stenosis of rectum without fistula**

Imperforate rectum

**Q42.2 Congenital absence, atresia and stenosis of anus with fistula**

**Q42.3 Congenital absence, atresia and stenosis of anus without fistula**

Imperforate anus

**Q42.8 Congenital absence, atresia and stenosis of other parts of large intestine**

**Q42.9 Congenital absence, atresia and stenosis of large intestine, part unspecified**

**Q43 Other congenital malformations of intestine**

**Q43.0 Meckel diverticulum**

Persistent:

- omphalomesenteric duct
- vitelline duct

**Q43.1 Hirschsprung disease**

Aganglionosis

Congenital (aganglionic) megacolon

**Q43.2 Other congenital functional disorders of colon**

Congenital dilatation of colon

**Q43.3 Congenital malformations of intestinal fixation**

Congenital adhesions [bands]:

- omental, anomalous
- peritoneal

Jackson membrane

Malrotation of colon

Rotation:

- |                                                                                                          |  |                     |
|----------------------------------------------------------------------------------------------------------|--|---------------------|
| <ul style="list-style-type: none"><li>• failure of</li><li>• incomplete</li><li>• insufficient</li></ul> |  | of caecum and colon |
|----------------------------------------------------------------------------------------------------------|--|---------------------|

Universal mesentery

**Q43.4 Duplication of intestine**

**Q43.5 Ectopic anus**

**Q43.6 Congenital fistula of rectum and anus**

**Excludes:** congenital fistula:

- rectovaginal (Q52.2)
- urethrorectal (Q64.7)

pilonidal fistula or sinus (L05-)  
with absence, atresia and stenosis (Q42.0, Q42.2)

**Q43.7 Persistent cloaca**

Cloaca NOS

**Q43.8 Other specified congenital malformations of intestine**

Congenital:

- blind loop syndrome

- diverticulitis, colon
- diverticulum, intestine
- Dolichocolon
- Megaloappendix
- Megaloduodenum
- Microcolon
- Transposition of:
  - appendix
  - colon
  - intestine

**Q43.9 Congenital malformation of intestine, unspecified**

**Q44 Congenital malformations of gallbladder, bile ducts and liver**

**Q44.0 Agenesis, aplasia and hypoplasia of gallbladder**

Congenital absence of gallbladder

**Q44.1 Other congenital malformations of gallbladder**

Congenital malformation of gallbladder NOS

Intrahepatic gallbladder

**Q44.2 Atresia of bile ducts**

**Q44.3 Congenital stenosis and stricture of bile ducts**

**Q44.4 Choledochal cyst**

**Q44.5 Other congenital malformations of bile ducts**

Accessory hepatic duct

Congenital malformation of bile duct NOS

Duplication:

- biliary duct

- cystic duct

**Q44.6 Cystic disease of liver**

Fibrocystic disease of liver

**Q44.7 Other congenital malformations of liver**

Accessory liver

Alagille syndrome

Congenital:

- absence of liver
- hepatomegaly
- malformation of liver NOS

**Q45 Other congenital malformations of digestive system**

**Excludes:** congenital:

- diaphragmatic hernia (Q79.0)
- hiatus hernia (Q40.1)

**Q45.0 Agenesis, aplasia and hypoplasia of pancreas**

Congenital absence of pancreas

**Q45.1 Annular pancreas**

**Q45.2 Congenital pancreatic cyst**

**Q45.3 Other congenital malformations of pancreas and pancreatic duct**

Accessory pancreas

Congenital malformation of pancreas or pancreatic duct NOS

**Excludes:** diabetes mellitus:

- congenital (E10-)
- neonatal (P70.2)

fibrocystic disease of pancreas (E84-)

**Q45.8 Other specified congenital malformations of digestive system**

Absence (complete)(partial) of alimentary tract NOS

Duplication

Malposition, congenital

of digestive organs NOS

**Q45.9 Congenital malformation of digestive system, unspecified**

Congenital:

- anomaly
- deformity

NOS of digestive system

**Congenital malformations of genital organs (Q50-Q56)**

**Excludes:** androgen resistance syndrome (E34.5)  
syndromes associated with anomalies in the number and form of  
chromosomes (Q90-Q99)  
testicular feminization syndrome (E34.5)

**Q50 Congenital malformations of ovaries, fallopian tubes and broad ligaments**

**Q50.0 Congenital absence of ovary**

**Excludes:** Turner syndrome (Q96-)

**Q50.1 Developmental ovarian cyst**

**Q50.2 Congenital torsion of ovary**

**Q50.3 Other congenital malformations of ovary**

Accessory ovary



Congenital malformation of ovary NOS  
Ovarian streak

**Q50.4 Embryonic cyst of fallopian tube**

Fimbrial cyst

**Q50.5 Embryonic cyst of broad ligament**

Cyst:

- epoophoron
- Gartner duct
- parovarian

**Q50.6 Other congenital malformations of fallopian tube and broad ligament**

Absence

Accessory

Atresia

(of) fallopian tube or broad ligament

Congenital malformation of fallopian tube or broad ligament NOS

**Q51 Congenital malformations of uterus and cervix**

**Q51.0 Agenesis and aplasia of uterus**

Congenital absence of uterus

**Q51.1 Doubling of uterus with doubling of cervix and vagina**

**Q51.2 Other doubling of uterus**

Doubling of uterus NOS

**Q51.3 Bicornate uterus**

**Q51.4 Unicornate uterus**

**Q51.5 Agenesis and aplasia of cervix**

Congenital absence of cervix

**Q51.6 Embryonic cyst of cervix**

**Q51.7 Congenital fistulae between uterus and digestive and urinary tracts**

**Q51.8 Other congenital malformations of uterus and cervix**

Hypoplasia of uterus and cervix

**Q51.9 Congenital malformation of uterus and cervix, unspecified**

**Q52 Other congenital malformations of female genitalia**

**Q52.0 Congenital absence of vagina**

**Q52.1 Doubling of vagina**

Septate vagina

**Excludes:** doubling of vagina with doubling of uterus and cervix (Q51.1)

**Q52.2 Congenital rectovaginal fistula**

**Excludes:** cloaca (Q43.7)

**Q52.3 Imperforate hymen**

**Q52.4 Other congenital malformations of vagina**

Congenital malformation of vagina NOS

Cyst:

- canal of Nuck, congenital
- embryonic vaginal

**Q52.5 Fusion of labia**

**Q52.6 Congenital malformation of clitoris**

**Q52.7 Other congenital malformations of vulva**

Congenital:

- |                                                                                                     |          |
|-----------------------------------------------------------------------------------------------------|----------|
| <ul style="list-style-type: none"><li>• absence</li><li>• cyst</li><li>• malformation NOS</li></ul> | of vulva |
|-----------------------------------------------------------------------------------------------------|----------|

**Q52.8 Other specified congenital malformations of female genitalia**

**Q52.9 Congenital malformation of female genitalia, unspecified**

**Q53 Undescended testicle**

**Q53.0 Ectopic testis**

Unilateral or bilateral ectopic testes

**Q53.1 Undescended testicle, unilateral**

**Q53.2 Undescended testicle, bilateral**

**Q53.9 Undescended testicle, unspecified**

Cryptorchism NOS

**Q54 Hypospadias**

**Excludes:** epispadias (Q64.0)

**Q54.0 Hypospadias, balanic**

Hypospadias:

- coronal
- glandular

**Q54.1 Hypospadias, penile**

**Q54.2 Hypospadias, penoscrotal**

**Q54.3 Hypospadias, perineal**

**Q54.4 Congenital chordee**

**Q54.8 Other hypospadias**

**Q54.9 Hypospadias, unspecified**

**Q55 Other congenital malformations of male genital organs**

**Excludes:** congenital hydrocele (P83.5)  
hypospadias (Q54-)

**Q55.0 Absence and aplasia of testis**

Monorchism

**Q55.1 Hypoplasia of testis and scrotum**

Fusion of testes

**Q55.2 Other congenital malformations of testis and scrotum**

Congenital malformation of testis or scrotum NOS  
Polyorchism  
Retractile testis  
Testis migrans

**Q55.3 Atresia of vas deferens**

**Q55.4 Other congenital malformations of vas deferens, epididymis, seminal vesicles and prostate**

Absence or aplasia of:

- prostate
- spermatic cord

Congenital malformation of vas deferens, epididymis, seminal vesicles or prostate  
NOS

**Q55.5 Congenital absence and aplasia of penis**

**Q55.6 Other congenital malformations of penis**

Congenital malformation of penis NOS  
Curvature of penis (lateral)  
Hypoplasia of penis

**Q55.8 Other specified congenital malformations of male genital organs**

**Q55.9 Congenital malformation of male genital organ, unspecified**

Congenital:

- |                                                                               |                           |
|-------------------------------------------------------------------------------|---------------------------|
| <ul style="list-style-type: none"><li>• anomaly</li><li>• deformity</li></ul> | NOS of male genital organ |
|-------------------------------------------------------------------------------|---------------------------|

**Q56 Indeterminate sex and pseudohermaphroditism**

- Excludes:** pseudohermaphroditism:
- female, with adrenocortical disorder (E25-)
  - male, with androgen resistance (E34.5)
  - with specified chromosomal anomaly (Q96-Q99)

**Q56.0 Hermaphroditism, not elsewhere classified**  
Ovotestis

**Q56.1 Male pseudohermaphroditism, not elsewhere classified**  
Male pseudohermaphroditism NOS

**Q56.2 Female pseudohermaphroditism, not elsewhere classified**  
Female pseudohermaphroditism NOS

**Q56.3 Pseudohermaphroditism, unspecified**

**Q56.4 Indeterminate sex, unspecified**  
Ambiguous genitalia

**Congenital malformations of the urinary system  
(Q60-Q64)**

**Q60 Renal agenesis and other reduction defects of kidney**

- Includes:** atrophy of kidney:
- congenital
  - infantile
- congenital absence of kidney

**Q60.0 Renal agenesis, unilateral**

**Q60.1 Renal agenesis, bilateral**

**Q60.2 Renal agenesis, unspecified**

**Q60.3 Renal hypoplasia, unilateral**

**Q60.4 Renal hypoplasia, bilateral**

**Q60.5 Renal hypoplasia, unspecified**

**Q60.6 Potter syndrome**

**Q61 Cystic kidney disease**

**Excludes:** cyst of kidney (acquired) (N28.1)  
Potter syndrome (Q60.6)

**Q61.0 Congenital single renal cyst**  
Congenital cyst of kidney (single)

**Q61.1 Polycystic kidney, autosomal recessive**  
Polycystic kidney, infantile type

**Q61.2 Polycystic kidney, autosomal dominant**  
Polycystic kidney, adult type

**Q61.3 Polycystic kidney, unspecified**

**Q61.4 Renal dysplasia**

**Q61.5 Medullary cystic kidney**  
Sponge kidney NOS

**Q61.8 Other cystic kidney diseases**

Fibrocystic:

- kidney
- renal degeneration or disease

**Q61.9 Cystic kidney disease, unspecified**

Meckel-Gruber syndrome

**Q62 Congenital obstructive defects of renal pelvis and congenital malformations of ureter**

**Q62.0 Congenital hydronephrosis**

**Q62.1 Atresia and stenosis of ureter**

Congenital occlusion of:

- ureter
- ureteropelvic junction
- ureterovesical orifice

Impervious ureter

**Q62.2 Congenital megaloureter**

Congenital dilatation of ureter

**Q62.3 Other obstructive defects of renal pelvis and ureter**

Congenital ureterocele

**Q62.4 Agenesis of ureter**

Absent ureter

**Q62.5 Duplication of ureter**

Accessory

Double

ureter



**Q62.6 Malposition of ureter**

Deviation

Displacement

Ectopic

Implantation, anomalous

(of) ureter or ureteric orifice

**Q62.7 Congenital vesico-uretero-renal reflux**

**Q62.8 Other congenital malformations of ureter**

Anomaly of ureter NOS

**Q63 Other congenital malformations of kidney**

**Excludes:** congenital nephrotic syndrome (N04-)

**Q63.0 Accessory kidney**

**Q63.1 Lobulated, fused and horseshoe kidney**

**Q63.2 Ectopic kidney**

Congenital displaced kidney

Malrotation of kidney

**Q63.3 Hyperplastic and giant kidney**

**Q63.8 Other specified congenital malformations of kidney**

Congenital renal calculi

**Q63.9 Congenital malformation of kidney, unspecified**

**Q64 Other congenital malformations of urinary system**

**Q64.0 Epispadias**

**Excludes:** hypospadias (Q54-)

**Q64.1 Exstrophy of urinary bladder**

Ectopia vesicae

Extroversion of bladder

**Q64.2 Congenital posterior urethral valves**

**Q64.3 Other atresia and stenosis of urethra and bladder neck**

Congenital:

- bladder neck obstruction
- stricture of:
  - urethra
  - urinary meatus
  - vesicourethral orifice

Impervious urethra

**Q64.4 Malformation of urachus**

Cyst of urachus

Patent urachus

Prolapse of urachus

**Q64.5 Congenital absence of bladder and urethra**

**Q64.6 Congenital diverticulum of bladder**

**Q64.7 Other congenital malformations of bladder and urethra**

Accessory:

- bladder
- urethra

Congenital:

- hernia of bladder
- malformation of bladder or urethra NOS
- prolapse of:
  - bladder (mucosa)
  - urethra
  - urinary meatus
- urethrorectal fistula

Double:

- urethra
- urinary meatus

**Q64.8 Other specified congenital malformations of urinary system**

**Q64.9 Congenital malformation of urinary system, unspecified**

Congenital:

- anomaly
  - deformity
- NOS of urinary system

**Congenital malformations and deformations of the musculoskeletal system (Q65-Q79)**

**Q65 Congenital deformities of hip**

**Excludes:** clicking hip (R29.4)

**Q65.0 Congenital dislocation of hip, unilateral**

**Q65.1 Congenital dislocation of hip, bilateral**

**Q65.2 Congenital dislocation of hip, unspecified**

**Q65.3 Congenital subluxation of hip, unilateral**

**Q65.4 Congenital subluxation of hip, bilateral**

**Q65.5 Congenital subluxation of hip, unspecified**

**Q65.6 Unstable hip**

Dislocatable hip

Subluxatable hip

**Q65.8 Other congenital deformities of hip**

Anteversion of femoral neck

Congenital acetabular dysplasia

Congenital coxa:

- valga
- vara

**Q65.9 Congenital deformity of hip, unspecified**

**Q66 Congenital deformities of feet**

**Excludes:** reduction defects of feet (Q72-)  
valgus deformities (acquired) (M21.0)  
varus deformities (acquired) (M21.1)

**Q66.0 Talipes equinovarus**

**Q66.1 Talipes calcaneovarus**

**Q66.2 Metatarsus varus**

**Q66.3 Other congenital varus deformities of feet**

Hallux varus, congenital

**Q66.4 Talipes calcaneovalgus**

**Q66.5 Congenital pes planus**

Flat foot:

- congenital
- rigid
- spastic (everted)

**Q66.6 Other congenital valgus deformities of feet**

Metatarsus valgus

**Q66.7 Pes cavus**

**Q66.8 Other congenital deformities of feet**

Clubfoot NOS

Hammer toe, congenital

Talipes:

- NOS
- asymmetric

Tarsal coalition

Vertical talus

**Q66.9 Congenital deformity of feet, unspecified**

**Q67 Congenital musculoskeletal deformities of head, face, spine and chest**

**Excludes:** congenital malformation syndromes classified to Q87-  
Potter syndrome (Q60.6)

**Q67.0 Facial asymmetry**

**Q67.1 Compression facies**

**Q67.2 Dolichocephaly**

**Q67.3 Plagiocephaly**

**Q67.4 Other congenital deformities of skull, face and jaw**

Depressions in skull

Deviation of nasal septum, congenital

Hemifacial atrophy or hypertrophy

Squashed or bent nose, congenital

**Excludes:** dentofacial anomalies [including malocclusion] (K07-)  
syphilitic saddle nose (A50.5)

**Q67.5 Congenital deformity of spine**

Congenital scoliosis:

- NOS
- postural

**Excludes:** infantile idiopathic scoliosis (M41.0 )  
scoliosis due to congenital bony malformation (Q76.3)

**Q67.6 Pectus excavatum**

Congenital funnel chest

**Q67.7 Pectus carinatum**

Congenital pigeon chest

**Q67.8 Other congenital deformities of chest**

Congenital deformity of chest wall NOS

**Q68 Other congenital musculoskeletal deformities**

**Excludes:** reduction defects of limb(s) (Q71-Q73)

**Q68.0 Congenital deformity of sternocleidomastoid muscle**

Congenital (sternomastoid) torticollis  
Contracture of sternocleidomastoid (muscle)  
Sternomastoid tumour (congenital)

**Q68.1 Congenital deformity of hand**

Congenital clubfinger  
Spade-like hand (congenital)

**Q68.2 Congenital deformity of knee**

Congenital:  
• dislocation of knee  
• genu recurvatum

**Q68.3 Congenital bowing of femur**

*Excludes:* anteversion of femur (neck) (Q65.8)

**Q68.4 Congenital bowing of tibia and fibula**

**Q68.5 Congenital bowing of long bones of leg, unspecified**

**Q68.8 Other specified congenital musculoskeletal deformities**

Congenital:  
• deformity of:  
    • clavicle  
    • elbow  
    • forearm  
    • scapula  
• dislocation of:  
    • elbow  
    • shoulder

**Q69 Polydactyly**

**Q69.0 Accessory finger(s)**

**Q69.1 Accessory thumb(s)**

**Q69.2 Accessory toe(s)**

Accessory hallux

**Q69.9 Polydactyly, unspecified**

Supernumerary digit(s) NOS

**Q70 Syndactyly**

**Q70.0 Fused fingers**

Complex syndactyly of fingers with synostosis

**Q70.1 Webbed fingers**

Simple syndactyly of fingers without synostosis

**Q70.2 Fused toes**

Complex syndactyly of toes with synostosis

**Q70.3 Webbed toes**

Simple syndactyly of toes without synostosis

**Q70.4 Polysyndactyly**

**Q70.9 Syndactyly, unspecified**

Symphalangy NOS



**Q71 Reduction defects of upper limb**

**Q71.0 Congenital complete absence of upper limb(s)**

**Q71.1 Congenital absence of upper arm and forearm with hand present**

**Q71.2 Congenital absence of both forearm and hand**

**Q71.3 Congenital absence of hand and finger(s)**

**Q71.4 Longitudinal reduction defect of radius**

Clubhand (congenital)

Radial clubhand

**Q71.5 Longitudinal reduction defect of ulna**

**Q71.6 Lobster-claw hand**

**Q71.8 Other reduction defects of upper limb(s)**

Congenital shortening of upper limb(s)

**Q71.9 Reduction defect of upper limb, unspecified**

**Q72 Reduction defects of lower limb**

**Q72.0 Congenital complete absence of lower limb(s)**

**Q72.1 Congenital absence of thigh and lower leg with foot present**

**Q72.2 Congenital absence of both lower leg and foot**

**Q72.3 Congenital absence of foot and toe(s)**

**Q72.4 Longitudinal reduction defect of femur**

Proximal femoral focal deficiency

**Q72.5 Longitudinal reduction defect of tibia**

**Q72.6 Longitudinal reduction defect of fibula**

**Q72.7 Split foot**

**Q72.8 Other reduction defects of lower limb(s)**

Congenital shortening of lower limb(s)

**Q72.9 Reduction defect of lower limb, unspecified**

**Q73 Reduction defects of unspecified limb**

**Q73.0 Congenital absence of unspecified limb(s)**

Amelia NOS

**Q73.1 Phocomelia, unspecified limb(s)**

Phocomelia NOS

**Q73.8 Other reduction defects of unspecified limb(s)**

Longitudinal reduction deformity of unspecified limb(s)

Ectromelia NOS

Hemimelia NOS

Reduction defect

of limb(s) NOS

**Q74 Other congenital malformations of limb(s)**

**Excludes:** polydactyly (Q69-)  
reduction defect of limb (Q71-Q73)  
syndactyly (Q70-)

**Q74.0 Other congenital malformations of upper limb(s), including shoulder girdle**

Accessory carpal bones  
Cleidocranial dysostosis  
Congenital pseudarthrosis of clavicle  
Macroactylia (fingers)  
Madelung deformity  
Radioulnar synostosis  
Sprengel deformity  
Triphalangeal thumb

**Q74.1 Congenital malformation of knee**

Congenital:

- absence of patella
- dislocation of patella
- genu:
  - valgum
  - varum

Rudimentary patella

**Excludes:** congenital:

- dislocation of knee (Q68.2)
- genu recurvatum (Q68.2)
- nail patella syndrome (Q87.2)

**Q74.2 Other congenital malformations of lower limb(s), including pelvic girdle**

Congenital:

- fusion of sacroiliac joint

- malformation (of):
  - ankle (joint)
  - sacroiliac (joint)

**Excludes:** anteversion of femur (neck) (Q65.8)

**Q74.3 Arthrogryposis multiplex congenital**

**Q74.8 Other specified congenital malformations of limb(s)**

**Q74.9 Unspecified congenital malformation of limb(s)**

Congenital anomaly of limb(s) NOS

**Q75 Other congenital malformations of skull and face bones**

**Excludes:** congenital malformation of face NOS (Q18-)  
congenital malformation syndromes classified to Q87-  
dentofacial anomalies [including malocclusion] (K07-)  
musculoskeletal deformities of head and face (Q67.0-Q67.4)  
skull defects associated with congenital anomalies of brain such as:

- anencephaly (Q00.0)
- encephalocele (Q01-)
- hydrocephalus (Q03-)
- microcephaly (Q02)

**Q75.0 Craniosynostosis**

Acrocephaly

Imperfect fusion of skull

Oxycephaly

Trigonocephaly

**Q75.1 Craniofacial dysostosis**

Crouzon disease

**Q75.2 Hypertelorism**

**Q75.3 Macrocephaly**

**Q75.4 Mandibulofacial dysostosis**

Syndrome:

- Franceschetti
- Treacher Collins

**Q75.5 Oculomandibular dysostosis**

**Q75.8 Other specified congenital malformations of skull and face bones**

Absence of skull bone, congenital  
Congenital deformity of forehead  
Platybasia

**Q75.9 Congenital malformation of skull and face bones, unspecified**

Congenital anomaly of:

- face bones NOS
- skull NOS

**Q76 Congenital malformations of spine and bony thorax**

**Excludes:** congenital musculoskeletal deformities of spine and chest  
(Q67.5-Q67.8)

**Q76.0 Spina bifida occulta**

**Excludes:** meningocele (spinal) (Q05-)  
spina bifida (aperta)(cystica) (Q05-)

**Q76.1 Klippel-Feil syndrome**

Cervical fusion syndrome

**Q76.2 Congenital spondylolisthesis**

Congenital spondylolysis

**Excludes:** spondylolisthesis (acquired) (M43.1)  
spondylolysis (acquired) (M43.0)

**Q76.3 Congenital scoliosis due to congenital bony malformation**

Hemivertebra fusion or failure of segmentation with scoliosis

**Q76.4 Other congenital malformations of spine, not associated with scoliosis**

Congenital:

- absence of vertebra
- fusion of spine
- kyphosis
- lordosis
- malformation of lumbosacral (joint) (region)

Hemivertebra

Malformation of spine

Platyspondylisis

Supernumerary vertebra

unspecified or not associated with scoliosis

**Q76.5 Cervical rib**

Supernumerary rib in cervical region

**Q76.6 Other congenital malformations of ribs**

Accessory rib

Congenital:

- absence of rib
- fusion of ribs
- malformation of ribs NOS

**Excludes:** short rib syndrome (Q77.2)

**Q76.7 Congenital malformation of sternum**

Congenital absence of sternum  
Sternum bifidum

**Q76.8 Other congenital malformations of bony thorax**

**Q76.9 Congenital malformation of bony thorax, unspecified**

**Q77 Osteochondrodysplasia with defects of growth of tubular bones and spine**

**Excludes:** mucopolysaccharidosis (E76.0-E76.3)

**Q77.0 Achondrogenesis**

Hypochondrogenesis

**Q77.1 Thanatophoric short stature**

**Q77.2 Short rib syndrome**

Asphyxiating thoracic dysplasia [Jeune]

**Q77.3 Chondrodysplasia punctata**

**Q77.4 Achondroplasia**

Hypochondroplasia

Osteosclerosis congenita

**Q77.5 Dystrophic dysplasia**

**Q77.6 Chondroectodermal dysplasia**

Ellis-van Creveld syndrome

**Q77.7 Spondyloepiphyseal dysplasia**

**Q77.8 Other osteochondrodysplasia with defects of growth of tubular bones and spine**

**Q77.9 Osteochondrodysplasia with defects of growth of tubular bones and spine, unspecified**

**Q78 Other osteochondrodysplasias**

**Q78.0 Osteogenesis imperfecta**

Fragilitas ossium

Osteopsathyrosis

**Q78.1 Polyostotic fibrous dysplasia**

Albright(-McCune)(-Sternberg) syndrome

**Q78.2 Osteopetrosis**

Albers-Schönberg syndrome

**Q78.3 Progressive diaphyseal dysplasia**

Camurati-Engelmann syndrome

**Q78.4 Enchondromatosis**

Maffucci syndrome

Ollier disease

**Q78.5 Metaphyseal dysplasia**

Pyle syndrome

**Q78.6 Multiple congenital exostoses**

Diaphyseal aclasis



**Q78.8 Other specified osteochondrodysplasias**

Osteopoikilosis

**Q78.9 Osteochondrodysplasia, unspecified**

Chondrodystrophy NOS

Osteodystrophy NOS

**Q79 Congenital malformations of the musculoskeletal system, not elsewhere classified**

*Excludes:* congenital (sternomastoid) torticollis (Q68.0)

**Q79.0 Congenital diaphragmatic hernia**

*Excludes:* congenital hiatus hernia (Q40.1)

**Q79.1 Other congenital malformations of diaphragm**

Absence of diaphragm

Congenital malformation of diaphragm NOS

Eventration of diaphragm

**Q79.2 Exomphalos**

Omphalocele

*Excludes:* umbilical hernia (K42-)

**Q79.3 Gastroschisis**

**Q79.4 Prune belly syndrome**

**Q79.5 Other congenital malformations of abdominal wall**

*Excludes:* umbilical hernia (K42-)

**Q79.6 Ehlers-Danlos syndrome**

**Q79.8 Other congenital malformations of musculoskeletal system**

Absence of:

- muscle
- tendon

Accessory muscle

Amyotrophia congenita

Congenital:

- constricting bands
- shortening of tendon

Poland syndrome

**Q79.9 Congenital malformation of musculoskeletal system, unspecified**

Congenital:

- |                                                                                       |                               |
|---------------------------------------------------------------------------------------|-------------------------------|
| <ul style="list-style-type: none"><li>• anomaly NOS</li><li>• deformity NOS</li></ul> | of musculoskeletal system NOS |
|---------------------------------------------------------------------------------------|-------------------------------|

Other congenital malformations (Q80-Q89)

**Q80 Congenital ichthyosis**

**Excludes:** Refsum disease (G60.1)

**Q80.0 Ichthyosis vulgaris**

**Q80.1 X-linked ichthyosis**

**Q80.2 Lamellar ichthyosis**

Collodion baby

**Q80.3 Congenital bullous ichthyosiform erythroderma**

**Q80.4 Harlequin fetus**

**Q80.8 Other congenital ichthyosis**

**Q80.9 Congenital ichthyosis, unspecified**

**Q81 Epidermolysis bullosa**

**Q81.0 Epidermolysis bullosa simplex**

*Excludes:* Cockayne syndrome (Q87.1)

**Q81.1 Epidermolysis bullosa letalis**

Herlitz syndrome

**Q81.2 Epidermolysis bullosa dystrophica**

**Q81.8 Other epidermolysis bullosa**

**Q81.9 Epidermolysis bullosa, unspecified**

**Q82 Other congenital malformations of skin**

*Excludes:* acrodermatitis enteropathica (E83.2)  
congenital erythropoietic porphyria (E80.0)  
pilonidal cyst or sinus (L05-)  
Sturge-Weber(-Dimitri) syndrome (Q85.8)

**Q82.0 Hereditary lymphoedema**

**Q82.1 Xeroderma pigmentosum**

**Q82.2 Mastocytosis**

Urticaria pigmentosa

*Excludes:* malignant mastocytosis (C96.2)

**Q82.3 Incontinentia pigmenti**

**Q82.4 Ectodermal dysplasia (anhidrotic)**

*Excludes:* Ellis-van Creveld syndrome (Q77.6)

**Q82.5 Congenital non-neoplastic naevus**

Birthmark NOS

Naevus:

- flammeus
- portwine
- sanguineous
- strawberry
- vascular NOS
- verrucous

*Excludes:* café au lait spots (L81.3)  
lentigo (L81.4)  
naevus:

- NOS (D22-)
- araneus (I78.1)
- melanocytic (D22-)
- pigmented (D22-)
- spider (I78.1)
- stellar (I78.1)

**Q82.8 Other specified congenital malformations of skin**

Abnormal palmar creases

Accessory skin tags

Benign familial pemphigus [Hailey-Hailey]

Cutis laxa (hyperelastica)

Dermatoglyphic anomalies  
Inherited keratosis palmaris et plantaris  
Keratosis follicularis [Darier-White]

**Excludes:** Ehlers-Danlos syndrome (Q79.6)

**Q82.9 Congenital malformation of skin, unspecified**

**Q83 Congenital malformations of breast**

**Excludes:** absence of pectoral muscle (Q79.8)

**Q83.0 Congenital absence of breast with absent nipple**

**Q83.1 Accessory breast**

Supernumerary breast

**Q83.2 Absent nipple**

**Q83.3 Accessory nipple**

Supernumerary nipple

**Q83.8 Other congenital malformations of breast**

Hypoplasia of breast

**Q83.9 Congenital malformation of breast, unspecified**

**Q84 Other congenital malformations of integument**

**Q84.0 Congenital alopecia**

Congenital atrichosis

**Q84.1 Congenital morphological disturbances of hair, not elsewhere classified**

Beaded hair  
Monilethrix  
Pili annulati

**Excludes:** Menkes kinky hair syndrome (E83.0)

**Q84.2 Other congenital malformations of hair**

Congenital:  
• hypertrichosis  
• malformation of hair NOS  
Persistent lanugo

**Q84.3 Anonychia**

**Excludes:** nail patella syndrome (Q87.2)

**Q84.4 Congenital leukonychia**

**Q84.5 Enlarged and hypertrophic nails**

Congenital onychauxis  
Pachyonychia

**Q84.6 Other congenital malformations of nails**

Congenital:  
• clubnail  
• koilonychia  
• malformation of nail NOS

**Q84.8 Other specified congenital malformations of integument**

Aplasia cutis congenita

**Q84.9 Congenital malformation of integument, unspecified**

Congenital:

- anomaly NOS
  - deformity NOS
- of integument NOS

**Q85 Phakomatoses, not elsewhere classified**

**Excludes:** ataxia telangiectasia [Louis-Bar] (G11.3)  
familial dysautonomia [Riley-Day] (G90.1)

**Q85.0 Neurofibromatosis (nonmalignant)**

Von Recklinghausen disease

**Q85.1 Tuberous sclerosis**

Bourneville disease

Epiloia

**Q85.8 Other phakomatoses, not elsewhere classified**

Syndrome:

- Peutz-Jeghers
- Sturge-Weber(-Dimitri)
- von Hippel-Lindau

**Excludes:** Meckel-Gruber syndrome (Q61.9)

**Q85.9 Phakomatosis, unspecified**

Hamartosis NOS

**Q86 Congenital malformation syndromes due to known exogenous causes, not elsewhere classified**

**Excludes:** iodine-deficiency-related hypothyroidism (E00-E02)  
nonteratogenic effects of substances transmitted via placenta or breast (P04-)

**Q86.0 Fetal alcohol syndrome (dysmorphic)**

**Q86.1 Fetal hydantoin syndrome**

Meadow syndrome

**Q86.2 Dysmorphism due to warfarin**

**Q86.8 Other congenital malformation syndromes due to known exogenous causes**

**Q87 Other specified congenital malformation syndromes affecting multiple systems**

**Q87.0 Congenital malformation syndromes predominantly affecting facial appearance**

Acrocephalopolysyndactyly

Acrocephalosyndactyly [Apert]

Cryptophthalmos syndrome

Cyclopia

Syndrome:

- Goldenhar
- Moebius
- oro-facial-digital
- Robin

Whistling face

**Q87.1 Congenital malformation syndromes predominantly associated with short stature**

Syndrome:

- Aarskog
- Cockayne
- De Lange
- Dubowitz
- Noonan
- Prader-Willi
- Robinow-Silverman-Smith



- Russell-Silver
- Seckel
- Smith-Lemli-Opitz

**Excludes:** Ellis-van Creveld syndrome (Q77.6)

**Q87.2 Congenital malformation syndromes predominantly involving limbs**

Syndrome:

- Holt-Oram
- Klippel-Trénaunay-Weber
- nail patella
- Rubinstein-Taybi
- sirenomelia
- thrombocytopenia with absent radius [TAR]
- VATER

**Q87.3 Congenital malformation syndromes involving early overgrowth**

Syndrome:

- Beckwith-Wiedemann
- Sotos
- Weaver

**Q87.4 Marfan syndrome**

**Q87.5 Other congenital malformation syndromes with other skeletal changes**

**Q87.8 Other specified congenital malformation syndromes, not elsewhere classified**

Syndrome:

- Alport
- Laurence-Moon(-Bardet)-Biedl
- Zellweger

**Q89 Other congenital malformations, not elsewhere classified**

**Q89.0 Congenital malformations of spleen**

Asplenia (congenital)

Congenital splenomegaly

**Excludes:** isomerism of atrial appendages (with asplenia or polysplenia) (Q20.6)

**Q89.1 Congenital malformations of adrenal gland**

**Excludes:** congenital adrenal hyperplasia (E25.0)

**Q89.2 Congenital malformations of other endocrine glands**

Congenital malformation of parathyroid or thyroid gland

Persistent thyroglossal duct

Thyroglossal cyst

**Q89.3 Situs inversus**

Dextrocardia with situs inversus

Mirror-image atrial arrangement with situs inversus

Situs inversus or transversus:

- abdominalis
- thoracis

Transposition of viscera:

- abdominal
- thoracic

**Excludes:** dextrocardia NOS (Q24.0)  
laevocardia (Q24.1)

**Q89.4 Conjoined twins**

Craniopagus

Dicephaly

Double monster

Pygopagus

Thoracopagus

**Q89.7 Multiple congenital malformations, not elsewhere classified**

Monster NOS

Multiple congenital:

- anomalies NOS
- deformities NOS

**Excludes:** congenital malformation syndromes affecting multiple systems (Q87-)

**Q89.8 Other specified congenital malformations**

**Q89.9 Congenital malformation, unspecified**

Congenital:

- anomaly NOS
- deformity NOS

**Chromosomal abnormalities, not elsewhere classified  
(Q90-Q99)**

**Q90 Down syndrome**

**Q90.0 Trisomy 21, meiotic nondisjunction**

**Q90.1 Trisomy 21, mosaicism (mitotic nondisjunction)**

**Q90.2 Trisomy 21, translocation**

**Q90.9 Down syndrome, unspecified**

Trisomy 21 NOS

**Q91 Edwards syndrome and Patau syndrome**

**Q91.0 Trisomy 18, meiotic nondisjunction**

**Q91.1 Trisomy 18, mosaicism (mitotic nondisjunction)**

**Q91.2 Trisomy 18, translocation**

**Q91.3 Edwards syndrome, unspecified**

**Q91.4 Trisomy 13, meiotic nondisjunction**

**Q91.5 Trisomy 13, mosaicism (mitotic nondisjunction)**

**Q91.6 Trisomy 13, translocation**

**Q91.7 Patau syndrome, unspecified**

**Q92 Other trisomies and partial trisomies of the autosomes, not elsewhere classified**

***Includes:*** unbalanced translocations and insertions

***Excludes:*** trisomies of chromosomes 13, 18, 21 (Q90-Q91)

**Q92.0 Whole chromosome trisomy, meiotic nondisjunction**

**Q92.1 Whole chromosome trisomy, mosaicism (mitotic nondisjunction)**

**Q92.2 Major partial trisomy**  
Whole arm or more duplicated.

**Q92.3 Minor partial trisomy**

Less than whole arm duplicated.

**Q92.4 Duplications seen only at prometaphase**

**Q92.5 Duplications with other complex rearrangements**

**Q92.6 Extra marker chromosomes**

**Q92.7 Triploidy and polyploidy**

**Q92.8 Other specified trisomies and partial trisomies of autosomes**

**Q92.9 Trisomy and partial trisomy of autosomes, unspecified**

**Q93 Monosomies and deletions from the autosomes, not elsewhere classified**

**Q93.0 Whole chromosome monosomy, meiotic nondisjunction**

**Q93.1 Whole chromosome monosomy, mosaicism (mitotic nondisjunction)**

**Q93.2 Chromosome replaced with ring or dicentric**

**Q93.3 Deletion of short arm of chromosome 4**

Wolff-Hirschorn syndrome

**Q93.4 Deletion of short arm of chromosome 5**

Cri-du-chat syndrome

**Q93.5 Other deletions of part of a chromosome**

Angelman syndrome

**Q93.6 Deletions seen only at prometaphase**

**Q93.7 Deletions with other complex rearrangements**

**Q93.8 Other deletions from the autosomes**

**Q93.9 Deletion from autosomes, unspecified**

**Q95 Balanced rearrangements and structural markers, not elsewhere classified**

***Includes:*** Robertsonian and balanced reciprocal translocations and insertions

**Q95.0 Balanced translocation and insertion in normal individual**

**Q95.1 Chromosome inversion in normal individual**

**Q95.2 Balanced autosomal rearrangement in abnormal individual**

**Q95.3 Balanced sex/autosomal rearrangement in abnormal individual**

**Q95.4 Individuals with marker heterochromatin**

**Q95.5 Individuals with autosomal fragile site**

**Q95.8 Other balanced rearrangements and structural markers**

**Q95.9 Balanced rearrangement and structural marker, unspecified**

**Q96 Turner syndrome**

**Excludes:** Noonan syndrome (Q87.1)

**Q96.0 Karyotype 45,X**

**Q96.1 Karyotype 46,X iso (Xq)**

**Q96.2 Karyotype 46,X with abnormal sex chromosome, except iso (Xq)**

**Q96.3 Mosaicism, 45,X/46,XX or XY**

**Q96.4 Mosaicism, 45,X/other cell line(s) with abnormal sex chromosome**

**Q96.8 Other variants of Turner syndrome**

**Q96.9 Turner syndrome, unspecified**

**Q97 Other sex chromosome abnormalities, female phenotype, not elsewhere classified**

**Excludes:** Turner syndrome (Q96-)

**Q97.0 Karyotype 47,XXX**

**Q97.1 Female with more than three X chromosomes**

**Q97.2 Mosaicism, lines with various numbers of X chromosomes**

**Q97.3 Female with 46,XY karyotype**

**Q97.8 Other specified sex chromosome abnormalities, female phenotype**

**Q97.9 Sex chromosome abnormality, female phenotype, unspecified**

**Q98 Other sex chromosome abnormalities, male phenotype, not elsewhere classified**

**Q98.0 Klinefelter syndrome karyotype 47,XXY**

**Q98.1 Klinefelter syndrome, male with more than two X chromosomes**

**Q98.2 Klinefelter syndrome, male with 46,XX karyotype**

**Q98.3 Other male with 46,XX karyotype**

**Q98.4 Klinefelter syndrome, unspecified**

**Q98.5 Karyotype 47,XYY**



**Q98.6 Male with structurally abnormal sex chromosome**

**Q98.7 Male with sex chromosome mosaicism**

**Q98.8 Other specified sex chromosome abnormalities, male phenotype**

**Q98.9 Sex chromosome abnormality, male phenotype, unspecified**

**Q99 Other chromosome abnormalities, not elsewhere classified**

**Q99.0 Chimera 46,XX/46,XY**  
Chimera 46,XX/46,XY true hermaphrodite

**Q99.1 46,XX true hermaphrodite**  
46,XX with streak gonads  
46,XY with streak gonads  
Pure gonadal dysgenesis

**Q99.2 Fragile X chromosome**  
Fragile X syndrome

**Q99.8 Other specified chromosome abnormalities**

**Q99.9 Chromosomal abnormality, unspecified**

## **CHAPTER XVIII - Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)**

This chapter includes symptoms, signs, abnormal results of clinical or other investigative procedures, and ill-defined conditions regarding which no diagnosis classifiable elsewhere is recorded.

Signs and symptoms that point rather definitely to a given diagnosis have been assigned to a category in other chapters of the classification. In general, categories in this chapter include the less well-defined conditions and symptoms that, without the necessary study of the case to establish a final diagnosis, point perhaps equally to two or more diseases or to two or more systems of the body. Practically all categories in the chapter could be designated "not otherwise specified", "unknown etiology" or "transient". The Alphabetical Index should be consulted to determine which symptoms and signs are to be allocated here and which to other chapters. The residual subcategories, numbered .8, are generally provided for other relevant symptoms that cannot be allocated elsewhere in the classification.

The conditions and signs or symptoms included in categories R00-R99 consist of: (a) cases for which no more specific diagnosis can be made even after all the facts bearing on the case have been investigated; (b) signs or symptoms existing at the time of initial encounter that proved to be transient and whose causes could not be determined; (c) provisional diagnoses in a patient who failed to return for further investigation or care; (d) cases referred elsewhere for investigation or treatment before the diagnosis was made; (e) cases in which a more precise diagnosis was not available for any other reason; (f) certain symptoms, for which supplementary information is provided, that represent important problems in medical care in their own right.

**Excludes:** abnormal findings on antenatal screening of mother (O28-)  
certain conditions originating in the perinatal period (P00-P96)

### **This chapter contains the following blocks:**

|         |                                                                      |
|---------|----------------------------------------------------------------------|
| R00-R09 | Symptoms and signs involving the circulatory and respiratory systems |
| R10-R19 | Symptoms and signs involving the digestive system and abdomen        |
| R20-R23 | Symptoms and signs involving the skin and subcutaneous tissue        |

|         |                                                                                                  |
|---------|--------------------------------------------------------------------------------------------------|
| R25-R29 | Symptoms and signs involving the nervous and musculoskeletal systems                             |
| R30-R39 | Symptoms and signs involving the urinary system                                                  |
| R40-R46 | Symptoms and signs involving cognition, perception, emotional state and behaviour                |
| R47-R49 | Symptoms and signs involving speech and voice                                                    |
| R50-R69 | General symptoms and signs                                                                       |
| R70-R79 | Abnormal findings on examination of blood, without diagnosis                                     |
| R80-R82 | Abnormal findings on examination of urine, without diagnosis                                     |
| R83-R89 | Abnormal findings on examination of other body fluids, substances and tissues, without diagnosis |
| R90-R94 | Abnormal findings on diagnostic imaging and in function studies, without diagnosis               |
| R95-R99 | Ill-defined and unknown causes of mortality                                                      |

## Symptoms and signs involving the circulatory and respiratory systems (R00-R09)

### **R00 Abnormalities of heart beat**

**Excludes:** abnormalities originating in the perinatal period (P29.1)  
specified arrhythmias (I47-I49)

#### **R00.0 Tachycardia, unspecified**

Rapid heart beat

Tachycardia:

- sinoauricular NOS
- sinus [sinusal] NOS

#### **R00.1 Bradycardia, unspecified**

Bradycardia:

- sinoatrial
- sinus
- vagal

Slow heart beat

Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced.

**R00.2 Palpitations**

Awareness of heart beat

**R00.8 Other and unspecified abnormalities of heart beat**

**R01 Cardiac murmurs and other cardiac sounds**

**Excludes:** those originating in the perinatal period (P29.8)

**R01.0 Benign and innocent cardiac murmurs**

Functional cardiac murmur

**R01.1 Cardiac murmur, unspecified**

Cardiac bruit NOS

Systolic murmur NOS

**R01.2 Other cardiac sounds**

Cardiac dullness, increased or decreased

Precordial friction

**R02 Gangrene, not elsewhere classified**

**Excludes:** gangrene in:

- atherosclerosis (I70.2)
- diabetes mellitus (E10-E14 with common fourth character .5)
- other peripheral vascular diseases (I73-)

gangrene of certain specified sites - see Alphabetical Index

gas gangrene (A48.0)

pyoderma gangrenosum (L88)

**R03 Abnormal blood-pressure reading, without diagnosis**

**R03.0 Elevated blood-pressure reading, without diagnosis of hypertension**

**Note:** This category is to be used to record an episode of elevated blood pressure in a patient in whom no formal diagnosis of hypertension has been made, or as an isolated incidental finding.

**R03.1 Nonspecific low blood-pressure reading**

**Excludes:** hypotension (I95-)  
• neurogenic orthostatic (G90.3)  
maternal hypotension syndrome (O26.5)

**R04 Haemorrhage from respiratory passages**

**R04.0 Epistaxis**

Haemorrhage from nose  
Nosebleed

**R04.1 Haemorrhage from throat**

**Excludes:** haemoptysis (R04.2)

**R04.2 Haemoptysis**

Blood-stained sputum  
Cough with haemorrhage

**R04.8 Haemorrhage from other sites in respiratory passages**

Pulmonary haemorrhage NOS

**Excludes:** perinatal pulmonary haemorrhage (P26-)

**R04.9 Haemorrhage from respiratory passages, unspecified**

**R05 Cough**

**Excludes:** cough with haemorrhage (R04.2)  
psychogenic cough (F45.3)

**R06 Abnormalities of breathing**

**Excludes:** respiratory:  
• arrest (R09.2)  
• distress:  
• syndrome of adult (J80)  
• in newborn (P22-)  
• failure (J96-)  
• of newborn (P28.5)

**R06.0 Dyspnoea**

Orthopnoea  
Shortness of breath

**Excludes:** transient tachypnoea of newborn (P22.1)

**R06.1 Stridor**

**Excludes:** congenital laryngeal stridor (P28.8)  
laryngismus (stridulus) (J38.5)

**R06.2 Wheezing**

**R06.3 Periodic breathing**

Cheyne-Stokes breathing

**R06.4 Hyperventilation**

**Excludes:** psychogenic hyperventilation (F45.3)

**R06.5 Mouth breathing**

Snoring

**Excludes:** dry mouth NOS (R68.2)

**R06.6 Hiccough**

*Excludes:* psychogenic hiccough (F45.3)

**R06.7 Sneezing**

**R06.8 Other and unspecified abnormalities of breathing**

Apnoea NOS

Breath-holding (spells)

Choking sensation

Sighing

*Excludes:* apnoea (of):

- newborn (P28.4)
- sleep (G47.3)
- newborn (primary) (P28.3)

**R07 Pain in throat and chest**

*Excludes:* dysphagia (R13)  
epidemic myalgia (B33.0)  
pain in:

- breast (N64.4)
- neck (M54.2)

sore throat (acute) NOS (J02.9)

**R07.0 Pain in throat**

**R07.1 Chest pain on breathing**

Painful respiration

**R07.2 Precordial pain**

**R07.3 Other chest pain**

Anterior chest-wall pain NOS

## **R07.4 Chest pain, unspecified**

### **R09 Other symptoms and signs involving the circulatory and respiratory systems**

- Excludes:** respiratory:
- distress (syndrome)(of):
    - adult (J80)
    - newborn (P22-)
  - failure (J96-)
    - newborn (P28.5)

#### **R09.0 Asphyxia**

- Excludes:** asphyxia (due to):
- birth (P21-)
  - carbon monoxide (T58)
  - foreign body in respiratory tract (T17-)
  - intrauterine (P20-)
  - traumatic (T71)

#### **R09.1 Pleurisy**

- Excludes:** pleurisy with effusion (J90)

#### **R09.2 Respiratory arrest**

Cardiorespiratory failure

#### **R09.3 Abnormal sputum**

|           |             |
|-----------|-------------|
| Abnormal: | (of) sputum |
| • amount  |             |
| • colour  |             |
| • odour   |             |
| Excessive |             |

- Excludes:** blood-stained sputum (R04.2)

#### **R09.8 Other specified symptoms and signs involving the circulatory and respiratory systems**

Bruit (arterial)



Chest:

- abnormal percussion
- friction sounds
- tympany

Rales

Weak pulse

## Symptoms and signs involving the digestive system and abdomen (R10-R19)

**Excludes:** gastrointestinal haemorrhage (K92.0-K92.2)

- newborn (P54.0-P54.3)

intestinal obstruction (K56-)

- newborn (P76-)

pylorospasm (K31.3)

- congenital or infantile (Q40.0)

symptoms and signs involving the urinary system (R30-R39)

symptoms referable to genital organs:

- female (N94-)
- male (N48-N50)

### R10 Abdominal and pelvic pain

**Excludes:** dorsalgia (M54-)  
flatulence and related conditions (R14)  
renal colic (N23)

#### R10.0 Acute abdomen

Severe abdominal pain (generalized)(localized)(with abdominal rigidity)

#### R10.1 Pain localized to upper abdomen

Epigastric pain

#### R10.2 Pelvic and perineal pain

### **R10.3 Pain localized to other parts of lower abdomen**

### **R10.4 Other and unspecified abdominal pain**

Abdominal tenderness NOS

Colic:

- NOS
- infantile

### **R11 Nausea and vomiting**

**Excludes:** haematemesis (K92.0)

- neonatal (P54.0)

vomiting (of):

- excessive, in pregnancy (O21-)
- following gastrointestinal surgery (K91.0)
- newborn (P92.0)
- psychogenic (F50.5)

### **R12 Heartburn**

**Excludes:** dyspepsia (K30)

### **R13 Dysphagia**

Difficulty in swallowing

### **R14 Flatulence and related conditions**

Abdominal distension (gaseous)

Bloating

Eructation

Gas pain

Tympanites (abdominal)(intestinal)

**Excludes:** psychogenic aerophagy (F45.3)

### **R15 Faecal incontinence**

Encopresis NOS

**Excludes:** that of nonorganic origin (F98.1)

**R16 Hepatomegaly and splenomegaly, not elsewhere classified**

**R16.0 Hepatomegaly, not elsewhere classified**

Hepatomegaly NOS

**R16.1 Splenomegaly, not elsewhere classified**

Splenomegaly NOS

**R16.2 Hepatomegaly with splenomegaly, not elsewhere classified**

Hepatosplenomegaly NOS

**R17 Unspecified jaundice**

**Excludes:** neonatal jaundice (P55, P57-P59)

**R18 Ascites**

Fluid in peritoneal cavity

**R19 Other symptoms and signs involving the digestive system and abdomen**

**Excludes:** acute abdomen (R10.0)

**R19.0 Intra-abdominal and pelvic swelling, mass and lump**

Diffuse or generalized swelling or mass:

- intra-abdominal NOS
- pelvic NOS
- umbilical

*Excludes:* abdominal distension (gaseous) (R14)  
ascites (R18)

**R19.1 Abnormal bowel sounds**

Absent bowel sounds  
Hyperactive bowel sounds

**R19.2 Visible peristalsis**

Hyperperistalsis

**R19.3 Abdominal rigidity**

*Excludes:* that with severe abdominal pain (R10.0)

**R19.4 Change in bowel habit**

*Excludes:* constipation (K59.0)  
functional diarrhoea (K59.1)

**R19.5 Other faecal abnormalities**

Abnormal stool colour  
Bulky stools  
Mucus in stools  
Occult blood in stools

*Excludes:* melaena (K92.1)  
• neonatal (P54.1)

**R19.6 Halitosis**

**R19.8 Other specified symptoms and signs involving the digestive system and abdomen**

## Symptoms and signs involving the skin and subcutaneous tissue (R20-R23)

### R20 Disturbances of skin sensation

**Excludes:** dissociative anaesthesia and sensory loss (F44.6)  
psychogenic disturbances (F45.8)

#### R20.0 Anaesthesia of skin

#### R20.1 Hypoaesthesia of skin

#### R20.2 Paraesthesia of skin

Formication  
Pins and needles  
Tingling skin

**Excludes:** acroparaesthesia (I73.8)

#### R20.3 Hyperaesthesia

#### R20.8 Other and unspecified disturbances of skin sensation

### R21 Rash and other nonspecific skin eruption

### R22 Localized swelling, mass and lump of skin and subcutaneous tissue

**Includes:** subcutaneous nodules (localized)(superficial)

**Excludes:** abnormal findings on diagnostic imaging (R90-R93)  
enlarged lymph nodes (R59-)  
localized adiposity (E65)  
mass and lump:  
• breast (N63)  
• intra-abdominal or pelvic (R19.0)

- oedema (R60-)
- swelling (of):
  - intra-abdominal or pelvic (R19.0)
  - joint (M25.4)

**R22.0 Localized swelling, mass and lump, head**

**R22.1 Localized swelling, mass and lump, neck**

**R22.2 Localized swelling, mass and lump, trunk**

**R22.3 Localized swelling, mass and lump, upper limb**

**R22.4 Localized swelling, mass and lump, lower limb**

**R22.7 Localized swelling, mass and lump, multiple sites**

**R22.9 Localized swelling, mass and lump, unspecified**

**R23 Other skin changes**

**R23.0 Cyanosis**

- Excludes:** acrocyanosis (I73.8)  
cyanotic attacks of newborn (P28.2)

**R23.1 Pallor**

Clammy skin

**R23.2 Flushing**

Excessive blushing

- Excludes:** menopausal and female climacteric states (N95.1)

### **R23.3 Spontaneous ecchymoses**

Petechiae

**Excludes:** ecchymoses in fetus and newborn (P54.5)  
purpura (D69-)

### **R23.4 Changes in skin texture**

|              |         |
|--------------|---------|
| Desquamation | of skin |
| Induration   |         |
| Scaling      |         |

**Excludes:** epidermal thickening NOS (L85.9)

### **R23.8 Other and unspecified skin changes**

## Symptoms and signs involving the nervous and musculoskeletal systems (R25-R29)

### **R25 Abnormal involuntary movements**

**Excludes:** specific movement disorders (G20-G26)  
stereotyped movement disorders (F98.4)  
tic disorders (F95-)

### **R25.0 Abnormal head movements**

### **R25.1 Tremor, unspecified**

**Excludes:** chorea NOS (G25.5)  
tremor:  
• essential (G25.0)  
• hysterical (F44.4)  
• intention (G25.2)

### **R25.2 Cramp and spasm**

**Excludes:** carpopedal spasm (R29.0)  
infantile spasms (G40.4)

**R25.3 Fasciculation**

Twitching NOS

**R25.8 Other and unspecified abnormal involuntary movements**

**R26 Abnormalities of gait and mobility**

**Excludes:** ataxia:  
• NOS (R27.0)  
• hereditary (G11-)  
• locomotor (syphilitic) (A52.1)  
immobility syndrome (paraplegic) (M62.3)

**R26.0 Ataxic gait**

Staggering gait

**R26.1 Paralytic gait**

Spastic gait

**R26.2 Difficulty in walking, not elsewhere classified**

**R26.3 Immobility**

Bedfast

Chairfast

**R26.8 Other and unspecified abnormalities of gait and mobility**

Unsteadiness on feet NOS



**R27 Other lack of coordination**

**Excludes:** ataxic gait (R26.0)  
hereditary ataxia (G11-)  
vertigo NOS (R42)

**R27.0 Ataxia, unspecified**

**R27.8 Other and unspecified lack of coordination**

**R29 Other symptoms and signs involving the nervous and musculoskeletal systems**

**R29.0 Tetany**

Carpopedal spasm

**Excludes:** tetany:  
• hysterical (F44.5)  
• neonatal (P71.3)  
• parathyroid (E20.9)  
• post-thyroidectomy (E89.2)

**R29.1 Meningismus**

**R29.2 Abnormal reflex**

**Excludes:** abnormal pupillary reflex (H57.0)  
hyperactive gag reflex (J39.2)  
vasovagal reaction or syncope (R55)

**R29.3 Abnormal posture**

**R29.4 Clicking hip**

**Excludes:** congenital deformities of hip (Q65-)

**R29.6 Tendency to fall, not elsewhere classified**

Tendency to fall because of old age or other unclear health problems

**Excludes:** accidents (X59)  
difficulty walking (R26.2)  
dizziness and giddiness (R42)  
falls causing injury (W00-W19)  
falls due to diseases classified elsewhere  
syncope and collapse (R55)

**R29.8 Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems**

Symptoms and signs involving the urinary system  
(R30-R39)

**R30 Pain associated with micturition**

**Excludes:** psychogenic pain (F45.3)

**R30.0 Dysuria**  
Strangury

**R30.1 Vesical tenesmus**

**R30.9 Painful micturition, unspecified**  
Painful urination NOS

**R31 Unspecified haematuria**

**Excludes:** recurrent or persistent haematuria (N02-)

**R32 Unspecified urinary incontinence**

Enuresis NOS

**Excludes:** nonorganic enuresis (F98.0)  
stress incontinence and other specified urinary incontinence  
(N39.3-N39.4)

**R33 Retention of urine**

**R34 Anuria and oliguria**

**Excludes:** that complicating:  
• abortion or ectopic or molar pregnancy (O00-O07, O08.4)  
• pregnancy, childbirth and the puerperium (O26.8, O90.4)

**R35 Polyuria**

Frequency of micturition  
Nocturia

**Excludes:** psychogenic polyuria (F45.3)

**R36 Urethral discharge**

Penile discharge  
Urethrorrhoea

**R39 Other symptoms and signs involving the urinary system**

**R39.0 Extravasation of urine**

**R39.1 Other difficulties with micturition**

Hesitancy of micturition  
Poor urinary stream  
Splitting of urinary stream

**R39.2 Extrarenal uraemia**

Prerenal uraemia

**R39.8 Other and unspecified symptoms and signs involving the urinary system**

Symptoms and signs involving cognition, perception, emotional state and behaviour (R40-R46)

**Excludes:** those constituting part of a pattern of mental disorder (F00-F99)

**R40 Somnolence, stupor and coma**

**Excludes:** coma:

- diabetic (E10-E14 with common fourth character .0)
- hepatic (K72-)
- hypoglycaemic (nondiabetic) (E15)
- neonatal (P91.5)
- uraemic (N19)

**R40.0 Somnolence**

Drowsiness

**R40.1 Stupor**

Semicoma

**Excludes:** stupor:

- catatonic (F20.2)
- depressive (F31-F33)
- dissociative (F44.2)
- manic (F30.2)

**R40.2 Coma, unspecified**

Unconsciousness NOS

**R41 Other symptoms and signs involving cognitive functions and awareness**

**Excludes:** dissociative [conversion] disorders (F44-)

**R41.0 Disorientation, unspecified**

Confusion NOS

**Excludes:** psychogenic disorientation (F44.8)

**R41.1 Anterograde amnesia**

**R41.2 Retrograde amnesia**

**R41.3 Other amnesia**

Amnesia NOS

**Excludes:** amnesic syndrome:

- due to psychoactive substance use (F10-F19 with common fourth character .6)
- organic (F04)

transient global amnesia (G45.4)

**R41.8 Other and unspecified symptoms and signs involving cognitive functions and awareness**

**R42 Dizziness and giddiness**

Light-headedness

Vertigo NOS

**Excludes:** vertiginous syndromes (H81-)

**R43 Disturbances of smell and taste**

**R43.0 Anosmia**

**R43.1 Parosmia**

**R43.2 Parageusia**

**R43.8 Other and unspecified disturbances of smell and taste**

Mixed disturbance of smell and taste

**R44 Other symptoms and signs involving general sensations and perceptions**

*Excludes:* disturbances of skin sensation (R20-)

**R44.0 Auditory hallucinations**

**R44.1 Visual hallucinations**

**R44.2 Other hallucinations**

**R44.3 Hallucinations, unspecified**

**R44.8 Other and unspecified symptoms and signs involving general sensations and perceptions**

**R45 Symptoms and signs involving emotional state**

**R45.0 Nervousness**

Nervous tension

**R45.1 Restlessness and agitation**

**R45.2 Unhappiness**

Worries NOS

**R45.3 Demoralization and apathy**

**R45.4 Irritability and anger**

**R45.5 Hostility**

**R45.6 Physical violence**

**R45.7 State of emotional shock and stress, unspecified**

**R45.8 Other symptoms and signs involving emotional state**

Suicidal ideation (tendencies)

**Excludes:** signs and symptoms constituting part of a mental or behavioural disorder (F00-F99)

**R46 Symptoms and signs involving appearance and behaviour**

**R46.0 Very low level of personal hygiene**

**R46.1 Bizarre personal appearance**

**R46.2 Strange and inexplicable behaviour**

**R46.3 Overactivity**

**R46.4 Slowness and poor responsiveness**

**Excludes:** stupor (R40.1)

**R46.5 Suspiciousness and marked evasiveness**

**R46.6 Undue concern and preoccupation with stressful events**

**R46.7 Verbosity and circumstantial detail obscuring reason for contact**

**R46.8 Other symptoms and signs involving appearance and behaviour**

**Includes:** self neglect NOS

**Excludes:** insufficient intake of food and water (due to self neglect) (R63.6)

Symptoms and signs involving speech and voice  
(R47-R49)

**R47 Speech disturbances, not elsewhere classified**

**Excludes:** autism (F84.0-F84.1)  
cluttering (F98.6)  
specific developmental disorders of speech and language (F80-)  
stuttering [stammering] (F98.5)

**R47.0 Dysphasia and aphasia**

**Excludes:** progressive isolated aphasia (G31.0)

**R47.1 Dysarthria and anarthria**

**R47.8 Other and unspecified speech disturbances**



**R48 Dyslexia and other symbolic dysfunctions, not elsewhere classified**

**Excludes:** specific developmental disorders of scholastic skills (F81-)

**R48.0 Dyslexia and alexia**

**R48.1 Agnosia**

**R48.2 Apraxia**

**R48.8 Other and unspecified symbolic dysfunctions**

Acalculia

Agraphia

**R49 Voice disturbances**

**Excludes:** psychogenic voice disturbance (F44.4)

**R49.0 Dysphonia**

Hoarseness

**R49.1 Aphonia**

Loss of voice

**R49.2 Hypernasality and hyponasality**

**R49.8 Other and unspecified voice disturbances**

Change in voice NOS

## General symptoms and signs (R50-R69)

### R50 Fever of other and unknown origin

**Excludes:** fever of unknown origin (during)(in):

- labour (O75.2)
- newborn (P81.9)

puerperal pyrexia NOS (O86.4)

### R50.2 Drug-induced fever

Use additional external cause code (Chapter XX), if desired, to identify drug.

### R50.8 Other specified fever

Fever with chills  
Fever with rigors  
Persistent fever

### R50.9 Fever, unspecified

Hyperpyrexia NOS  
Pyrexia NOS

**Excludes:** malignant hyperthermia due to anaesthesia (T88.3)

### R51 Headache

Facial pain NOS

**Excludes:** atypical facial pain (G50.1)  
migraine and other headache syndromes (G43-G44)  
trigeminal neuralgia (G50.0)

### R52 Pain, not elsewhere classified

**Includes:** pain not referable to any one organ or body region

**Excludes:** chronic pain personality syndrome (F62.8)

headache (R51)  
pain (in):

- abdomen (R10-)
- back (M54.9)
- breast (N64.4)
- chest (R07.1-R07.4)
- ear (H92.0)
- eye (H57.1)
- joint (M25.5)
- limb (M79.6)
- lumbar region (M54.5)
- pelvic and perineal (R10.2)
- psychogenic (F45.4)
- shoulder (M25.5)
- spine (M54-)
- throat (R07.0)
- tongue (K14.6)
- tooth (K08.8)

renal colic (N23)

**R52.0 Acute pain**

**R52.1 Chronic intractable pain**

**R52.2 Other chronic pain**

**R52.9 Pain, unspecified**

Generalized pain NOS

**R53 Malaise and fatigue**

Asthenia NOS

Debility:

- NOS
- chronic

General physical deterioration

Lethargy

Tiredness

**Excludes:** debility:  
• congenital (P96.9)  
• senile (R54)  
exhaustion and fatigue (due to)(in):  
• combat (F43.0)  
• excessive exertion (T73.3)  
• exposure (T73.2)  
• heat (T67-)  
• neurasthenia (F48.0)  
• pregnancy (O26.8)  
• senile asthenia (R54)  
fatigue syndrome (F48.0)  
• postviral (G93.3)

## R54 Senility

Old age  
Senescence

without mention of psychosis

Senile:

- asthenia
- debility

**Excludes:** senile psychosis (F03)

## R55 Syncope and collapse

Blackout  
Fainting

**Excludes:** neurocirculatory asthenia (F45.3)  
orthostatic hypotension (I95.1)  
• neurogenic (G90.3)  
shock:  
• NOS (R57.9)  
• cardiogenic (R57.0)  
• complicating or following:  
• abortion or ectopic or molar pregnancy (O00-O07, O08.3)  
• labour and delivery (O75.1)  
• postoperative (T81.1)  
Stokes-Adams attack (I45.9)

syncope:

- carotid sinus (G90.0)
  - heat (T67.1)
  - psychogenic (F48.8)
- unconsciousness NOS (R40.2)

**R56 Convulsions, not elsewhere classified**

- Excludes:** convulsions and seizures (in):
- dissociative (F44.5)
  - epilepsy (G40-G41)
  - newborn (P90)

**R56.0 Febrile convulsions**

**R56.8 Other and unspecified convulsions**

Fit NOS

Seizure (convulsive) NOS

**R57 Shock, not elsewhere classified**

- Excludes:** shock (due to):
- anaesthesia (T88.2)
  - anaphylactic (due to):
    - NOS (T78.2)
    - adverse food reaction (T78.0)
    - serum (T80.5)
  - complicating or following abortion or ectopic or molar pregnancy (O00-O07, O08.3)
  - electric (T75.4)
  - lightning (T75.0)
  - obstetric (O75.1)
  - postoperative (T81.1)
  - psychic (F43.0)
  - septic (A41.9)
  - traumatic (T79.4)
- toxic shock syndrome (A48.3)

**R57.0 Cardiogenic shock**

**R57.1 Hypovolaemic shock**

**R57.8 Other shock**

Endotoxic shock

**R57.9 Shock, unspecified**

Failure of peripheral circulation NOS

**R58 Haemorrhage, not elsewhere classified**

**Includes:** 5<sup>TH</sup> DIGIT TO IDENTIFY HEMORRHAGE OF UNSPECIFIED SITE

**R58.00 Hemorrhage NOS**

**R59 Enlarged lymph nodes**

**Includes:** swollen glands

**Excludes:** lymphadenitis:

- NOS (I88.9)
- acute (L04-)
- chronic (I88.1)
- mesenteric (acute)(chronic) (I88.0)

**R59.0 Localized enlarged lymph nodes**

**R59.1 Generalized enlarged lymph nodes**

Lymphadenopathy NOS

**Excludes:** HIV disease resulting in (persistent) generalized lymphadenopathy (B23.1)

**R59.9 Enlarged lymph nodes, unspecified**

**R60 Oedema, not elsewhere classified**

**Excludes:** ascites (R18)

- hydrops fetalis NOS (P83.2)
- hydrothorax (J94.8)
- oedema (of):
  - angioneurotic (T78.3)
  - cerebral (G93.6)
    - due to birth injury (P11.0)
  - gestational (O12.0)
  - hereditary (Q82.0)
  - larynx (J38.4)
  - malnutrition (E40-E46)
  - nasopharynx (J39.2)
  - newborn (P83.3)
  - pharynx (J39.2)
  - pulmonary (J81)

**R60.0 Localized oedema**

**R60.1 Generalized oedema**

**R60.9 Oedema, unspecified**

Fluid retention NOS

**R61 Hyperhidrosis**

**R61.0 Localized hyperhidrosis**

**R61.1 Generalized hyperhidrosis**

**R61.9 Hyperhidrosis, unspecified**

Excessive sweating

Night sweats

**R62 Lack of expected normal physiological development**

**Excludes:** delayed puberty (E30.0)

**R62.0 Delayed milestone**

Delayed attainment of expected physiological developmental stage

Late:

- talker
- walker

**R62.8 Other lack of expected normal physiological development**

Failure to:

- gain weight
- thrive

Infantilism NOS

Lack of growth

Physical retardation

**Excludes:** HIV disease resulting in failure to thrive (B22.2)  
physical retardation due to malnutrition (E45)

**R62.9 Lack of expected normal physiological development, unspecified**

**R63 Symptoms and signs concerning food and fluid intake**

**Excludes:** bulimia NOS (F50.2)  
eating disorders of nonorganic origin (F50-)  
malnutrition (E40-E46)

**R63.0 Anorexia**

Loss of appetite

**Excludes:** anorexia nervosa (F50.0)  
loss of appetite of nonorganic origin (F50.8)

**R63.1 Polydipsia**

Excessive thirst



**R63.2 Polyphagia**

Excessive eating

Hyperalimentation NOS

**R63.3 Feeding difficulties and mismanagement**

Feeding problem NOS

**Excludes:** feeding problems of newborn (P92-)  
infant feeding disorder of nonorganic origin (F98.2)

**R63.4 Abnormal weight loss**

**R63.5 Abnormal weight gain**

**Excludes:** excessive weight gain in pregnancy (O26.0)  
obesity (E66-)

**R63.6 Insufficient intake of food and water**

**Insufficient intake of food and water (due to self neglect)**

**Excludes:** self neglect NOS (R46.8)  
starvation due to anorexia (R63.0)  
starvation due to privation of food (X53)  
thirst due to privation of water (X54)

**R63.8 Other symptoms and signs concerning food and fluid intake**

**R64 Cachexia**

**Excludes:** HIV disease resulting in wasting syndrome (B22.2)  
malignant cachexia (C80)  
nutritional marasmus (E41)

**R68 Other general symptoms and signs**

**R68.0 Hypothermia, not associated with low environmental temperature**

- Excludes:** hypothermia (due to)(of):
- NOS (accidental) (T68)
  - anaesthesia (T88.5)
  - low environmental temperature (T68)
  - newborn (P80-)

**R68.1 Nonspecific symptoms peculiar to infancy**

Excessive crying of infant  
Irritable infant

- Excludes:** neonatal cerebral irritability (P91.3)  
teething syndrome (K00.7)

**R68.2 Dry mouth, unspecified**

- Excludes:** dry mouth due to:
- dehydration (E86)
  - sicca syndrome [Sjögren] (M35.0)
  - salivary gland hyposecretion (K11.7)

**R68.3 Clubbing of fingers**

Clubbing of nails

- Excludes:** congenital clubfinger (Q68.1)  
congenital clubnail (Q84.6)

**R68.8 Other specified general symptoms and signs**

**R69 Unknown and unspecified causes of morbidity**

Illness NOS

Undiagnosed disease, not specified as to the site or system involved

## Abnormal findings on examination of blood, without diagnosis (R70-R79)

**Excludes:** abnormalities (of)(on):

- antenatal screening of mother (O28-)
- coagulation (D65-D68)
- lipids (E78-)
- platelets and thrombocytes (D69-)
- white blood cells classified elsewhere (D70-D72)

diagnostic abnormal findings classified elsewhere - see Alphabetical Index  
haemorrhagic and haematological disorders of fetus and newborn (P50-P61)

### **R70 Elevated erythrocyte sedimentation rate and abnormality of plasma viscosity**

#### **R70.0 Elevated erythrocyte sedimentation rate**

#### **R70.1 Abnormal plasma viscosity**

### **R71 Abnormality of red blood cells**

Abnormal red-cell:

- morphology NOS
- volume NOS

Anisocytosis

Poikilocytosis

**Excludes:** anaemias (D50-D64)  
polycythaemia:

- benign (familial) (D75.0)
- neonatorum (P61.1)
- secondary (D75.1)
- vera (D45)

### **R72 Abnormality of white blood cells, not elsewhere classified**

Abnormal leukocyte differential NOS

**Excludes:** leukocytosis (D72.8)

**R73 Elevated blood glucose level**

**Excludes:** diabetes mellitus (E10-E14)

- in pregnancy, childbirth and the puerperium (O24-)

neonatal disorders (P70.0-P70.2)  
postsurgical hypoinsulinaemia (E89.1)

**R73.0 Abnormal glucose tolerance test**

Diabetes:

- chemical
- latent

Impaired glucose tolerance

Prediabetes

**R73.9 Hyperglycaemia, unspecified**

**R74 Abnormal serum enzyme levels**

**R74.0 Elevation of levels of transaminase and lactic acid dehydrogenase [LDH]**

**R74.8 Abnormal levels of other serum enzymes**

Abnormal level of:

- acid phosphatase
- alkaline phosphatase
- amylase
- lipase [triacylglycerol lipase]

**R74.9 Abnormal level of unspecified serum enzyme**

**R75 Laboratory evidence of human immunodeficiency virus [HIV]**

Nonconclusive HIV-test finding in infants

**Excludes:** asymptomatic human immunodeficiency virus [HIV] infection status (cxiiZ21)  
human immunodeficiency virus [HIV] disease (B20-B24)  
human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium (O98.7)  
laboratory evidence of HIV complicating pregnancy, childbirth and puerperium (O98.7)

**Includes:** HIV positive NOS  
Non-conclusive HIV/test findings in infants

**R76 Other abnormal immunological findings in serum**

**R76.0 Raised antibody titre**

**Excludes:** isoimmunization, in pregnancy (O36.0-O36.1)  
• affecting fetus or newborn (P55-)

**R76.1 Abnormal reaction to tuberculin test**

Abnormal result of Mantoux test

**R76.2 False-positive serological test for syphilis**

False-positive Wassermann reaction

**R76.8 Other specified abnormal immunological findings in serum**

Raised level of immunoglobulins NOS

**R76.9 Abnormal immunological finding in serum, unspecified**

**R77 Other abnormalities of plasma proteins**

**Excludes:** disorders of plasma-protein metabolism (E88.0)

**R77.0 Abnormality of albumin**

**R77.1 Abnormality of globulin**

Hyperglobulinaemia NOS

**R77.2 Abnormality of alphafetoprotein**

**R77.8 Other specified abnormalities of plasma proteins**

**R77.9 Abnormality of plasma protein, unspecified**

**R78 Findings of drugs and other substances, not normally found in blood**

**Excludes:** mental and behavioural disorders due to psychoactive substance use (F10-F19)

**R78.0 Finding of alcohol in blood**

Use additional external cause code (Y90-), if desired, for detail regarding alcohol level.

**R78.1 Finding of opiate drug in blood**

**R78.2 Finding of cocaine in blood**

**R78.3 Finding of hallucinogen in blood**

**R78.4 Finding of other drugs of addictive potential in blood**

**R78.5 Finding of psychotropic drug in blood**

**R78.6 Finding of steroid agent in blood**

**R78.7 Finding of abnormal level of heavy metals in blood**

**R78.8 Finding of other specified substances, not normally found in blood**

Finding of abnormal level of lithium in blood

**R78.9 Finding of unspecified substance, not normally found in blood**

**R79 Other abnormal findings of blood chemistry**

**Excludes:** abnormality of fluid, electrolyte or acid-base balance (E86-E87)  
asymptomatic hyperuricaemia (E79.0)  
hyperglycaemia NOS (R73.9)  
hypoglycaemia NOS (E16.2)  
• neonatal (P70.3-P70.4)  
specific findings indicating disorder of:  
• amino-acid metabolism (E70-E72)  
• carbohydrate metabolism (E73-E74)  
• lipid metabolism (E75-)

**R79.0 Abnormal level of blood mineral**

Abnormal blood level of:

- cobalt
- copper
- iron
- magnesium
- mineral NEC
- zinc

**Excludes:** abnormal level of lithium (R78.8)  
disorders of mineral metabolism (E83-)  
neonatal hypomagnesaemia (P71.2)  
nutritional mineral deficiency (E58-61)

**R79.8 Other specified abnormal findings of blood chemistry**

Abnormal blood-gas level

**R79.9 Abnormal finding of blood chemistry, unspecified**

**Abnormal findings on examination of urine, without diagnosis (R80-R82)**

**Excludes:** abnormal findings on antenatal screening of mother (O28-)  
diagnostic abnormal findings classified elsewhere - see Alphabetical Index  
specific findings indicating disorder of:

- amino-acid metabolism (E70-E72)
- carbohydrate metabolism (E73-E74)

**R80 Isolated proteinuria**

Albuminuria NOS

Bence Jones proteinuria

Proteinuria NOS

**Excludes:** proteinuria:

- gestational (O12.1)
- isolated, with specified morphological lesion (N06-)
- orthostatic (N39.2)
- persistent (N39.1)

**R81 Glycosuria**

**Excludes:** renal glycosuria (E74.8)

**R82 Other abnormal findings in urine**

**Excludes:** haematuria (R31)

**R82.0 Chyluria**

**Excludes:** filarial chyluria (B74-)

**R82.1 Myoglobinuria**



**R82.2 Biliuria**

**R82.3 Haemoglobinuria**

- Excludes:** haemoglobinuria:
- due to haemolysis from external causes NEC (D59.6)
  - paroxysmal nocturnal [Marchiafava-Micheli] (D59.5)

**R82.4 Acetonuria**

Ketonuria

**R82.5 Elevated urine levels of drugs, medicaments and biological substances**

Elevated urine levels of:

- catecholamines
- indoleacetic acid
- 17-ketosteroids
- steroids

**R82.6 Abnormal urine levels of substances chiefly nonmedicinal as to source**

Abnormal urine level of heavy metals

**R82.7 Abnormal findings on microbiological examination of urine**

Positive culture findings

**R82.8 Abnormal findings on cytological and histological examination of urine**

**R82.9 Other and unspecified abnormal findings in urine**

Cells and casts in urine

Crystalluria

Melanuria

## Abnormal findings on examination of other body fluids, substances and tissues, without diagnosis (R83-R89)

**Excludes:** abnormal findings on:

- antenatal screening of mother (O28-)
- examination of:
  - blood, without diagnosis (R70-R79)
  - urine, without diagnosis (R80-R82)

diagnostic abnormal findings classified elsewhere - see Alphabetical Index

The following fourth-character subdivisions are for use with categories R83-R89:

- .0 Abnormal level of enzymes**
- .1 Abnormal level of hormones**
- .2 Abnormal level of other drugs, medicaments and biological substances**
- .3 Abnormal level of substances chiefly nonmedicinal as to source**
- .4 Abnormal immunological findings**
- .5 Abnormal microbiological findings**  
Positive culture findings
- .6 Abnormal cytological findings**  
Abnormal Papanicolaou smear
- .7 Abnormal histological findings**
- .8 Other abnormal findings**  
Abnormal chromosomal findings
- .9 Unspecified abnormal finding**

**R83 Abnormal findings in cerebrospinal fluid**  
[See before R83 for subdivisions]

**R84 Abnormal findings in specimens from respiratory organs and thorax**  
[See before R83 for subdivisions]

Abnormal findings in:

- bronchial washings
- nasal secretions
- pleural fluid
- sputum
- throat scrapings

**Excludes:** blood-stained sputum (R04.2)

**R85 Abnormal findings in specimens from digestive organs and abdominal cavity**

[See before R83 for subdivisions]

Abnormal findings in:

- peritoneal fluid
- saliva

**Excludes:** faecal abnormalities (R19.5)

**R86 Abnormal findings in specimens from male genital organs**

[See before R83 for subdivisions]

Abnormal findings in:

- prostatic secretions
- semen, seminal fluid

Abnormal spermatozoa

**Excludes:** azoospermia (N46)  
oligospermia (N46)

**R87 Abnormal findings in specimens from female genital organs**

[See before R83 for subdivisions]

Abnormal findings in secretions and smears from:

- cervix uteri
- vagina
- vulva

**Excludes:** carcinoma in situ (D05-D07.3)  
dysplasia of:

- cervix uteri (N87-)
- vagina (N89.0-N89.3)
- vulva (N90.0-N90.3)

**R89 Abnormal findings in specimens from other organs, systems and tissues**

[See before R83 for subdivisions]

Abnormal findings in:

- nipple discharge
- synovial fluid
- wound secretions

**Abnormal findings on diagnostic imaging and in function studies, without diagnosis (R90-R94)**

***Includes:*** nonspecific abnormal findings on diagnostic imaging by:

- computerized axial tomography [CAT scan]
- magnetic resonance imaging [MRI][NMR]
- positron emission tomography [PET scan]
- thermography
- ultrasound [echogram]
- X-ray examination

***Excludes:*** abnormal findings on antenatal screening of mother (O28-)  
diagnostic abnormal findings classified elsewhere - see Alphabetical Index

**R90 Abnormal findings on diagnostic imaging of central nervous system**

**R90.0 Intracranial space-occupying lesion**

**R90.8 Other abnormal findings on diagnostic imaging of central nervous system**

Abnormal echoencephalogram

White matter disease NOS

**R91 Abnormal findings on diagnostic imaging of lung**

Coin lesion NOS

Lung mass NOS

**R92 Abnormal findings on diagnostic imaging of breast**

**R93 Abnormal findings on diagnostic imaging of other body structures**

**R93.0 Abnormal findings on diagnostic imaging of skull and head, not elsewhere classified**

**Excludes:** intracranial space-occupying lesion (R90.0)

**R93.1 Abnormal findings on diagnostic imaging of heart and coronary circulation**

Abnormal:

- echocardiogram NOS
- heart shadow

**R93.2 Abnormal findings on diagnostic imaging of liver and biliary tract**

Nonvisualization of gallbladder

**R93.3 Abnormal findings on diagnostic imaging of other parts of digestive tract**

**R93.4 Abnormal findings on diagnostic imaging of urinary organs**

Filling defect of:

- bladder

- kidney
- ureter

**Excludes:** hypertrophy of kidney (N28.8)

**R93.5 Abnormal findings on diagnostic imaging of other abdominal regions, including retroperitoneum**

**R93.6 Abnormal findings on diagnostic imaging of limbs**

**Excludes:** abnormal finding in skin and subcutaneous tissue (R93.8)

**R93.7 Abnormal findings on diagnostic imaging of other parts of musculoskeletal system**

**Excludes:** abnormal findings on diagnostic imaging of skull (R93.0)

**R93.8 Abnormal findings on diagnostic imaging of other specified body structures**

Abnormal radiological finding in skin and subcutaneous tissue

Mediastinal shift

**R94 Abnormal results of function studies**

**Includes:** abnormal results of:

- radionuclide [radioisotope] uptake studies
- scintigraphy

**R94.0 Abnormal results of function studies of central nervous system**

Abnormal electroencephalogram [EEG]

**R94.1 Abnormal results of function studies of peripheral nervous system and special senses**

Abnormal:

- electromyogram [EMG]
- electro-oculogram [EOG]

- electroretinogram [ERG]
- response to nerve stimulation
- visually evoked potential [VEP]

**R94.2 Abnormal results of pulmonary function studies**

Reduced:

- ventilatory capacity
- vital capacity

**R94.3 Abnormal results of cardiovascular function studies**

Abnormal:

- electrocardiogram [ECG][EKG]
- electrophysiological intracardiac studies
- phonocardiogram
- vectorcardiogram

**R94.4 Abnormal results of kidney function studies**

Abnormal renal function test

**R94.5 Abnormal results of liver function studies**

**R94.6 Abnormal results of thyroid function studies**

**R94.7 Abnormal results of other endocrine function studies**

*Excludes:* abnormal glucose tolerance test (R73.0)

**R94.8 Abnormal results of function studies of other organs and systems**

Abnormal:

- basal metabolic rate [BMR]
- bladder function test
- splenic function test

## Ill-defined and unknown causes of mortality (R95-R99)

**Excludes:** fetal death of unspecified cause (P95)  
obstetric death NOS (O95)

### R95 Sudden infant death syndrome

### R96 Other sudden death, cause unknown

**Excludes:** sudden:  
• cardiac death, so described (I46.1)  
• infant death syndrome (R95)

#### R96.0 Instantaneous death

Sudden unexplained death in adult

**Excludes:** Sudden death of known aetiology (A00.0-Q99.9,  
V01.0-Y89.9)

#### R96.1 Death occurring less than 24 hours from onset of symptoms, not otherwise explained

Death known not to be violent or instantaneous for which no cause  
can

be discovered

Death without sign of disease

### R97 Unknown cause of mortality

### R98 Unattended death

Death in circumstances where the body of the deceased was found and no cause  
could be discovered

Found dead



## ICD-10-Mortality 2e-Volume1 - 2017

### R99 Other ill-defined and unspecified causes of mortality

***Excludes:*** CREATED CODE R97 TO IDENTIFY CAUSE UNKNOWN

Death NOS

## CHAPTER XIX - Injury, poisoning and certain other consequences of external causes (S00-T98)

**Excludes:** birth trauma (P10-P15)  
obstetric trauma (O70-O71)

### **This chapter contains the following blocks:**

|         |                                                                                 |
|---------|---------------------------------------------------------------------------------|
| S00-S09 | Injuries to the head                                                            |
| S10-S19 | Injuries to the neck                                                            |
| S20-S29 | Injuries to the thorax                                                          |
| S30-S39 | Injuries to the abdomen, lower back, lumbar spine and pelvis                    |
| S40-S49 | Injuries to the shoulder and upper arm                                          |
| S50-S59 | Injuries to the elbow and forearm                                               |
| S60-S69 | Injuries to the wrist and hand                                                  |
| S70-S79 | Injuries to the hip and thigh                                                   |
| S80-S89 | Injuries to the knee and lower leg                                              |
| S90-S99 | Injuries to the ankle and foot                                                  |
| T00-T07 | Injuries involving multiple body regions                                        |
| T08-T14 | Injuries to unspecified parts of trunk, limb or body region                     |
| T15-T19 | Effects of foreign body entering through natural orifice                        |
| T20-T32 | Burns and corrosions                                                            |
| T33-T35 | Frostbite                                                                       |
| T36-T50 | Poisoning by drugs, medicaments and biological substances                       |
| T51-T65 | Toxic effects of substances chiefly nonmedicinal as to source                   |
| T66-T78 | Other and unspecified effects of external causes                                |
| T79     | Certain early complications of trauma                                           |
| T80-T88 | Complications of surgical and medical care, not elsewhere classified            |
| T90-T98 | Sequelae of injuries, of poisoning and of other consequences of external causes |

The chapter uses the S-section for coding different types of injuries related to single body regions and the T-section to cover injuries to multiple or unspecified body regions as well as poisoning and certain other consequences of external causes.

Where multiple sites of injury are specified in the titles, the word "with" indicates involvement of both sites, and the word "and" indicates involvement of either or both sites.

## ICD-10-Mortality 2e-Volume1 - 2017

The principle of multiple coding of injuries should be followed wherever possible. Combination categories for multiple injuries are provided for use when there is insufficient detail as to the nature of the individual conditions, or for primary tabulation purposes when it is more convenient to record a single code; otherwise, the component injuries should be coded separately. Reference should also be made to the morbidity coding rules and guidelines in Volume 2 or mortality coding rules and guidelines in Part 2a Instruction Manual (NCHS).

The blocks of the S-section as well as T00-T14 and T90-T98 contain injuries at the three-character level classified by type as follows:

### **Superficial injury** including:

abrasion  
blister (nonthermal)  
contusion, including bruise and haematoma  
injury from superficial foreign body (splinter) without major open wound  
insect bite (nonvenomous)

### **Open wound** including:

animal bite  
cut  
laceration  
puncture wound:

- NOS
- with (penetrating) foreign body

### **Fracture** including:

Fracture:

- closed:
  - comminuted
  - depressed
  - elevated
  - fissured
  - greenstick
  - impacted
  - linear
  - simple
  - slipped epiphysis
  - spiral
- dislocated
- displaced

Fracture:

- open:
  - compound
  - infected

with or without delayed healing

with or without delayed healing

## ICD-10-Mortality 2e-Volume1 - 2017

- missile
- puncture
- with foreign body

**Excludes:** fracture:

- pathological (M84.4)
  - with osteoporosis (M80-)
- stress (M84.3)

malunion of fracture (M84.0)  
nonunion of fracture [pseudoarthrosis] (M84.1)

### Dislocation, sprain and strain including:

|                 |    |                                          |
|-----------------|----|------------------------------------------|
| avulsion        |    |                                          |
| laceration      |    |                                          |
| sprain          |    |                                          |
| strain          |    |                                          |
| traumatic:      | of | cartilage<br>joint (capsule)<br>ligament |
| • haemarthrosis |    |                                          |
| • rupture       |    |                                          |
| • subluxation   |    |                                          |
| • tear          |    |                                          |

### Injury to nerves and spinal cord including:

complete or incomplete lesion of spinal cord  
lesion in continuity of nerves and spinal cord  
traumatic:

- division of nerve
- haematomyelia
- paralysis (transient)
- paraplegia
- quadriplegia

### Injury to blood vessels including:

|                                          |                  |
|------------------------------------------|------------------|
| avulsion                                 |                  |
| cut                                      |                  |
| laceration                               |                  |
| traumatic:                               | of blood vessels |
| • aneurysm or fistula<br>(arteriovenous) |                  |
| • arterial haematoma                     |                  |
| • rupture                                |                  |

**Injury to muscle, fascia and tendon** including:

|                   |                              |
|-------------------|------------------------------|
| avulsion          | of muscle, fascia and tendon |
| cut               |                              |
| laceration        |                              |
| strain            |                              |
| traumatic rupture |                              |

**Crushing injury**

**Traumatic amputation**

**Injury to internal organs** including:

|                     |                    |
|---------------------|--------------------|
| blast injuries      | of internal organs |
| bruise              |                    |
| concussion injuries |                    |
| crushing            |                    |
| laceration          |                    |
| traumatic:          |                    |
| • haematoma         |                    |
| • puncture          |                    |
| • rupture           |                    |
| • tear              |                    |

**Other and unspecified injuries**

**Injuries to the head (S00-S09)**

- Includes:** injuries of:
- ear
  - eye
  - face [any part]
  - gum
  - jaw
  - temporomandibular joint area
  - oral cavity
  - palate
  - periocular area
  - scalp
  - tongue

- tooth

**Excludes:** burns and corrosions (T20-T32)  
effects of foreign body:  
• in:  
• ear (T16)  
• larynx (T17.3)  
• mouth (T18.0)  
• nose (T17.0-T17.1)  
• pharynx (T17.2)  
• on external eye (T15-)  
frostbite (T33-T35)  
insect bite or sting, venomous (T63.4)

## **S00 Superficial injury of head**

**Excludes:** cerebral contusion (diffuse) (S06.2)  
• focal (S06.3)  
injury of eye and orbit (S05-)

### **S00.0 Superficial injury of scalp**

### **S00.1 Contusion of eyelid and periorcular area**

Black eye

**Excludes:** contusion of eyeball and orbital tissues (S05.1)

### **S00.2 Other superficial injuries of eyelid and periorcular area**

**Excludes:** superficial injury of conjunctiva and cornea (S05.0)

### **S00.3 Superficial injury of nose**

### **S00.4 Superficial injury of ear**

### **S00.5 Superficial injury of lip and oral cavity**

**S00.7 Multiple superficial injuries of head**

**S00.8 Superficial injury of other parts of head**

**S00.9 Superficial injury of head, part unspecified**

**S01 Open wound of head**

**Excludes:** decapitation (S18)  
injury of eye and orbit (S05-)  
traumatic amputation of part of head (S08-)

**S01.0 Open wound of scalp**

**Excludes:** avulsion of scalp (S08.0)

**S01.1 Open wound of eyelid and periocular area**

Open wound of eyelid and periocular area with or without involvement of lacrimal passages

**S01.2 Open wound of nose**

**S01.3 Open wound of ear**

**S01.4 Open wound of cheek and temporomandibular area**

**S01.5 Open wound of lip and oral cavity**

**Excludes:** tooth:  
• dislocation (S03.2)  
• fracture (S02.5)

**S01.7 Multiple open wounds of head**

**S01.8 Open wound of other parts of head**

## **S01.9 Open wound of head, part unspecified**

### **S02 Fracture of skull and facial bones**

**Note:** For primary coding of fracture of skull and facial bones with associated intracranial injury, reference should be made to the morbidity coding rules and guidelines in Volume 2 or mortality coding rules and guidelines in Part 2a Instruction Manual (NCHS).

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

#### **S02.0 Fracture of vault of skull**

Frontal bone

Parietal bone

#### **S02.1 Fracture of base of skull**

Fossa:

- anterior
- middle
- posterior

Occiput

Orbital roof

Sinus:

- ethmoid
- frontal

Sphenoid

Temporal bone

**Excludes:** orbit NOS (S02.8)  
orbital floor (S02.3)



**S02.2 Fracture of nasal bones**

**S02.3 Fracture of orbital floor**

*Excludes:* orbit NOS (S02.8)  
orbital roof (S02.1)

**S02.4 Fracture of malar and maxillary bones**

Superior maxilla  
Upper jaw (bone)  
Zygoma

**S02.5 Fracture of tooth**

Broken tooth

**S02.6 Fracture of mandible**

Lower jaw (bone)

**S02.7 Multiple fractures involving skull and facial bones**

**S02.8 Fractures of other skull and facial bones**

Alveolus  
Orbit NOS  
Palate

*Excludes:* orbital:  
• floor (S02.3)  
• roof (S02.1)

**S02.9 Fracture of skull and facial bones, part unspecified**

**S03 Dislocation, sprain and strain of joints and ligaments of head**

**S03.0 Dislocation of jaw**

Jaw (cartilage)(meniscus)  
Mandible  
Temporomandibular (joint)

**S03.1 Dislocation of septal cartilage of nose**

**S03.2 Dislocation of tooth**

**S03.3 Dislocation of other and unspecified parts of head**

**S03.4 Sprain and strain of jaw**  
Temporomandibular (joint)(ligament)

**S03.5 Sprain and strain of joints and ligaments of other and unspecified parts of head**

**S04 Injury of cranial nerves**

**S04.0 Injury of optic nerve and pathways**  
Optic chiasm  
2nd cranial nerve  
Visual cortex

**S04.1 Injury of oculomotor nerve**  
3rd cranial nerve

**S04.2 Injury of trochlear nerve**  
4th cranial nerve

**S04.3 Injury of trigeminal nerve**  
5th cranial nerve

**S04.4 Injury of abducent nerve**

6th cranial nerve

**S04.5 Injury of facial nerve**

7th cranial nerve

**S04.6 Injury of acoustic nerve**

Auditory nerve

8th cranial nerve

**S04.7 Injury of accessory nerve**

11th cranial nerve

**S04.8 Injury of other cranial nerves**

Glossopharyngeal [9th] nerve

Hypoglossal [12th] nerve

Olfactory [1st] nerve

Vagus [10th] nerve

**S04.9 Injury of unspecified cranial nerve**

**S05 Injury of eye and orbit**

**Excludes:** injury of:

- oculomotor [3rd] nerve (S04.1)
- optic [2nd] nerve (S04.0)

open wound of eyelid and periocular area (S01.1)  
orbital bone fracture (S02.1, S02.3, S02.8)  
superficial injury of eyelid (S00.1-S00.2)

**S05.0 Injury of conjunctiva and corneal abrasion without mention of foreign body**

**Excludes:** foreign body in:

- conjunctival sac (T15.1)
- cornea (T15.0)

**S05.1 Contusion of eyeball and orbital tissues**

Traumatic hyphaema

**Excludes:** black eye (S00.1)  
contusion of eyelid and periocular area (S00.1)

**S05.2 Ocular laceration and rupture with prolapse or loss of intraocular tissue**

**S05.3 Ocular laceration without prolapse or loss of intraocular tissue**

Laceration of eye NOS

**S05.4 Penetrating wound of orbit with or without foreign body**

**Excludes:** retained (old) foreign body following penetrating wound of orbit (H05.5)

**S05.5 Penetrating wound of eyeball with foreign body**

**Excludes:** retained (old) intraocular foreign body (H44.6-H44.7)

**S05.6 Penetrating wound of eyeball without foreign body**

Ocular penetration NOS

**S05.7 Avulsion of eye**

Traumatic enucleation

**S05.8 Other injuries of eye and orbit**

Lacrimal duct injury

**S05.9 Injury of eye and orbit, unspecified**

Injury of eye NOS

## **S06 Intracranial injury**

**Note:** For primary coding of intracranial injuries with associated fractures, reference should be made to the morbidity coding rules and guidelines in Volume 2 or mortality coding rules and guidelines in Part 2a Instruction Manual (NCHS).

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify intracranial injury and open wound:

0 without open intracranial wound

1 with open intracranial wound

### **S06.0 Concussion**

Commotio cerebri

### **S06.1 Traumatic cerebral oedema**

### **S06.2 Diffuse brain injury**

Cerebral:

- contusion NOS
- laceration NOS

Traumatic compression of brain NOS

### **S06.3 Focal brain injury**

Focal:

- cerebral:
  - contusion
  - laceration
- traumatic intracerebral haemorrhage

### **S06.4 Epidural haemorrhage**

Extradural haemorrhage (traumatic)

**S06.5 Traumatic subdural haemorrhage**

**S06.6 Traumatic subarachnoid haemorrhage**

**S06.7 Intracranial injury with prolonged coma**

**S06.8 Other intracranial injuries**

Traumatic haemorrhage:

- cerebellar
- intracranial NOS

**S06.9 Intracranial injury, unspecified**

Brain injury NOS

*Excludes:* head injury NOS (S09.9)

**S07 Crushing injury of head**

**S07.0 Crushing injury of face**

**S07.1 Crushing injury of skull**

**S07.8 Crushing injury of other parts of head**

**S07.9 Crushing injury of head, part unspecified**

**S08 Traumatic amputation of part of head**

**S08.0 Avulsion of scalp**

**S08.1 Traumatic amputation of ear**

**S08.8 Traumatic amputation of other parts of head**

**S08.9 Traumatic amputation of unspecified part of head**

*Excludes:* decapitation (S18)

**S09 Other and unspecified injuries of head**

**S09.0 Injury of blood vessels of head, not elsewhere classified**

*Excludes:* injury of:  
• cerebral blood vessels (S06-)  
• precerebral blood vessels (S15-)

**S09.1 Injury of muscle and tendon of head**

**S09.2 Traumatic rupture of ear drum**

**S09.7 Multiple injuries of head**

Injuries classifiable to more than one of the categories S00-S09.2

**S09.8 Other specified injuries of head**

**S09.9 Unspecified injury of head**

Injury of:  
• face NOS  
• ear NOS  
• nose NOS

## Injuries to the neck (S10-S19)

- Includes:** injuries of:
- nape
  - supraclavicular region
  - throat
- Excludes:** burns and corrosions (T20-T32)  
effects of foreign body in:
- larynx (T17.3)
  - oesophagus (T18.1)
  - pharynx (T17.2)
  - trachea (T17.4)
- fracture of spine NOS (T08)  
frostbite (T33-T35)  
injury of:
- spinal cord NOS (T09.3)
  - trunk NOS (T09-)
- insect bite or sting, venomous (T63.4)

### S10 Superficial injury of neck

#### **S10.0 Contusion of throat**

Cervical oesophagus  
Larynx  
Pharynx  
Trachea

#### **S10.1 Other and unspecified superficial injuries of throat**

#### **S10.7 Multiple superficial injuries of neck**

#### **S10.8 Superficial injury of other parts of neck**

#### **S10.9 Superficial injury of neck, part unspecified**



**S11 Open wound of neck**

**Excludes:** decapitation (S18)

**S11.0 Open wound involving larynx and trachea**

Trachea:

- NOS
- cervical

**Excludes:** thoracic trachea (S27.5)

**S11.1 Open wound involving thyroid gland**

**S11.2 Open wound involving pharynx and cervical oesophagus**

**Excludes:** oesophagus NOS (S27.8)

**S11.7 Multiple open wounds of neck**

**S11.8 Open wound of other parts of neck**

**S11.9 Open wound of neck, part unspecified**

**S12 Fracture of neck**

**Includes:** cervical:

- neural arch
- spine
- spinous process
- transverse process
- vertebra
- vertebral arch

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

**S12.0 Fracture of first cervical vertebra**

Atlas

**S12.1 Fracture of second cervical vertebra**

Axis

**S12.2 Fracture of other specified cervical vertebra**

**Excludes:** multiple fractures of cervical spine (S12.7)

**S12.7 Multiple fractures of cervical spine**

**S12.8 Fracture of other parts of neck**

Hyoid bone

Larynx

Thyroid cartilage

Trachea

**S12.9 Fracture of neck, part unspecified**

Fracture of cervical:

- spine NOS
- vertebra NOS

**S13 Dislocation, sprain and strain of joints and ligaments at neck level**

**Excludes:** rupture or displacement (nontraumatic) of cervical intervertebral disc (M50-)

**S13.0 Traumatic rupture of cervical intervertebral disc**

**S13.1 Dislocation of cervical vertebra**

Cervical spine NOS

**S13.2 Dislocation of other and unspecified parts of neck**

**S13.3 Multiple dislocations of neck**

**S13.4 Sprain and strain of cervical spine**

Anterior longitudinal (ligament), cervical  
Atlanto-axial (joints)  
Atlanto-occipital (joints)  
Whiplash injury

**S13.5 Sprain and strain of thyroid region**

Cricoarytenoid (joint)(ligament)  
Cricothyroid (joint)(ligament)  
Thyroid cartilage

**S13.6 Sprain and strain of joints and ligaments of other and unspecified parts of neck**

**S14 Injury of nerves and spinal cord at neck level**

**S14.0 Concussion and oedema of cervical spinal cord**

**S14.1 Other and unspecified injuries of cervical spinal cord**

Injury of cervical spinal cord NOS

**S14.2 Injury of nerve root of cervical spine**

**S14.3 Injury of brachial plexus**

**S14.4 Injury of peripheral nerves of neck**

**S14.5 Injury of cervical sympathetic nerves**

**S14.6 Injury of other and unspecified nerves of neck**

**S15 Injury of blood vessels at neck level**

**S15.0 Injury of carotid artery**

Carotid artery (common) (external) (internal)

**S15.1 Injury of vertebral artery**

**S15.2 Injury of external jugular vein**

**S15.3 Injury of internal jugular vein**

**S15.7 Injury of multiple blood vessels at neck level**

**S15.8 Injury of other blood vessels at neck level**

**S15.9 Injury of unspecified blood vessel at neck level**

**S16 Injury of muscle and tendon at neck level**

**S17 Crushing injury of neck**

**S17.0 Crushing injury of larynx and trachea**

**S17.8 Crushing injury of other parts of neck**

**S17.9 Crushing injury of neck, part unspecified**

**S18 Traumatic amputation at neck level**

Decapitation

**S19 Other and unspecified injuries of neck**

**S19.7 Multiple injuries of neck**

Injuries classifiable to more than one of the categories S10-S18

**S19.8 Other specified injuries of neck**

**S19.9 Unspecified injury of neck**

**Injuries to the thorax (S20-S29)**

**Includes:** injuries of:

- breast
- chest (wall)
- interscapular area

**Excludes:** burns and corrosions (T20-T32)  
effects of foreign body in:

- bronchus (T17.5)
- lung (T17.8)
- oesophagus (T18.1)
- trachea (T17.4)

fracture of spine NOS (T08)  
frostbite (T33-T35)  
injuries of:

|                                                                                                                          |           |
|--------------------------------------------------------------------------------------------------------------------------|-----------|
| <ul style="list-style-type: none"><li>• axilla</li><li>• clavicle</li><li>• scapular region</li><li>• shoulder</li></ul> | (S40-S49) |
|--------------------------------------------------------------------------------------------------------------------------|-----------|

- spinal cord NOS (T09.3)
- trunk NOS (T09-)
- insect bite or sting, venomous (T63.4)

**S20 Superficial injury of thorax**

**S20.0 Contusion of breast**

**S20.1 Other and unspecified superficial injuries of breast**

**S20.2 Contusion of thorax**

**S20.3 Other superficial injuries of front wall of thorax**

**S20.4 Other superficial injuries of back wall of thorax**

**S20.7 Multiple superficial injuries of thorax**

**S20.8 Superficial injury of other and unspecified parts of thorax**

Thoracic wall NOS

**S21 Open wound of thorax**

- Excludes:** traumatic:
- haemopneumothorax (S27.2)
  - haemothorax (S27.1)
  - pneumothorax (S27.0)

**S21.0 Open wound of breast**

**S21.1 Open wound of front wall of thorax**

**S21.2 Open wound of back wall of thorax**

**S21.7 Multiple open wounds of thoracic wall**

**S21.8 Open wound of other parts of thorax**

**S21.9 Open wound of thorax, part unspecified**

Thoracic wall NOS

**S22 Fracture of rib(s), sternum and thoracic spine**

**Includes:** thoracic:

- neural arch
- spinous process
- transverse process
- vertebra
- vertebral arch

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

**Excludes:** fracture of:

- clavicle (S42.0)
- scapula (S42.1)

**S22.0 Fracture of thoracic vertebra**

Fracture of thoracic spine NOS

**S22.1 Multiple fractures of thoracic spine**

**S22.2 Fracture of sternum**

**S22.3 Fracture of rib**

**S22.4 Multiple fractures of ribs**

**S22.5 Flail chest**

**S22.8 Fracture of other parts of bony thorax**

**S22.9 Fracture of bony thorax, part unspecified**

**S23 Dislocation, sprain and strain of joints and ligaments of thorax**

**Excludes:** dislocation, sprain and strain of sterno-clavicular joint (S43.2, S43.6)  
rupture or displacement (nontraumatic) of thoracic intervertebral disc (M51-)

**S23.0 Traumatic rupture of thoracic intervertebral disc**

**S23.1 Dislocation of thoracic vertebra**

Thoracic spine NOS

**S23.2 Dislocation of other and unspecified parts of thorax**

**S23.3 Sprain and strain of thoracic spine**

**S23.4 Sprain and strain of ribs and sternum**

**S23.5 Sprain and strain of other and unspecified parts of thorax**



**S24 Injury of nerves and spinal cord at thorax level**

**Excludes:** injury of brachial plexus (S14.3)

**S24.0 Concussion and oedema of thoracic spinal cord**

**S24.1 Other and unspecified injuries of thoracic spinal cord**

**S24.2 Injury of nerve root of thoracic spine**

**S24.3 Injury of peripheral nerves of thorax**

**S24.4 Injury of thoracic sympathetic nerves**

Cardiac plexus

Oesophageal plexus

Pulmonary plexus

Stellate ganglion

Thoracic sympathetic ganglion

**S24.5 Injury of other nerves of thorax**

**S24.6 Injury of unspecified nerve of thorax**

**S25 Injury of blood vessels of thorax**

**S25.0 Injury of thoracic aorta**

Aorta NOS

**S25.1 Injury of innominate or subclavian artery**

**S25.2 Injury of superior vena cava**

Vena cava NOS

**S25.3 Injury of innominate or subclavian vein**

**S25.4 Injury of pulmonary blood vessels**

**S25.5 Injury of intercostal blood vessels**

**S25.7 Injury of multiple blood vessels of thorax**

**S25.8 Injury of other blood vessels of thorax**

Azygos vein

Mammary artery or vein

**S25.9 Injury of unspecified blood vessel of thorax**

**S26 Injury of heart**

***Includes:***

contusion  
laceration  
puncture  
traumatic  
rupture

of heart

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding:

0 without open wound into thoracic cavity

1 with open wound into thoracic cavity

**S26.0 Injury of heart with haemopericardium**

**S26.8 Other injuries of heart**

**S26.9 Injury of heart, unspecified**

**S27 Injury of other and unspecified intrathoracic organs**

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding:

0 without open wound into thoracic cavity

1 with open wound into thoracic cavity

**Excludes:** injury of:

- cervical oesophagus (S10-S19)
- trachea (cervical) (S10-S19)

**S27.0 Traumatic pneumothorax**

**S27.1 Traumatic haemothorax**

**S27.2 Traumatic haemopneumothorax**

**S27.3 Other injuries of lung**

**S27.4 Injury of bronchus**

**S27.5 Injury of thoracic trachea**

**S27.6 Injury of pleura**

**S27.7 Multiple injuries of intrathoracic organs**

**S27.8 Injury of other specified intrathoracic organs**

Diaphragm

Lymphatic thoracic duct

Oesophagus (thoracic part)

Thymus gland

**S27.9 Injury of unspecified intrathoracic organ**

**S28 Crushing injury of thorax and traumatic amputation of part of thorax**

**S28.0 Crushed chest**

*Excludes:* flail chest (S22.5)

**S28.1 Traumatic amputation of part of thorax**

*Excludes:* transection of thorax (T05.8)

**S29 Other and unspecified injuries of thorax**

**S29.0 Injury of muscle and tendon at thorax level**

**S29.7 Multiple injuries of thorax**

Injuries classifiable to more than one of the categories S20-S29.0

**S29.8 Other specified injuries of thorax**

**S29.9 Unspecified injury of thorax**

**Injuries to the abdomen, lower back, lumbar spine and pelvis (S30-S39)**

*Includes:* abdominal wall  
anus  
buttock  
external genitalia  
flank  
groin

*Excludes:* burns and corrosions (T20-T32)  
effects of foreign body in:

- anus and rectum (T18.5)
- genitourinary tract (T19-)
- stomach, small intestine and colon (T18.2-T18.4)
- fracture of spine NOS (T08)
- frostbite (T33-T35)
- injuries of:
  - back NOS (T09-)
  - spinal cord NOS (T09.3)
  - trunk NOS (T09-)
- insect bite or sting, venomous (T63.4)

**S30 Superficial injury of abdomen, lower back and pelvis**

***Excludes:*** superficial injury of hip (S70-)

**S30.0 Contusion of lower back and pelvis**

Buttock

**S30.1 Contusion of abdominal wall**

Flank

Groin

**S30.2 Contusion of external genital organs**

Labium (majus)(minus)

Penis

Perineum

Scrotum

Testis

Vagina

Vulva

**S30.7 Multiple superficial injuries of abdomen, lower back and pelvis**

**S30.8 Other superficial injuries of abdomen, lower back and pelvis**

**S30.9 Superficial injury of abdomen, lower back and pelvis, part unspecified**

**S31 Open wound of abdomen, lower back and pelvis**

**Excludes:** open wound of hip (S71.0)  
traumatic amputation of part of abdomen, lower back and pelvis (S38.2-S38.3)

**S31.0 Open wound of lower back and pelvis**  
Buttock

**S31.1 Open wound of abdominal wall**  
Flank  
Groin

**S31.2 Open wound of penis**

**S31.3 Open wound of scrotum and testes**

**S31.4 Open wound of vagina and vulva**

**S31.5 Open wound of other and unspecified external genital organs**  
**Excludes:** traumatic amputation of external genital organs (S38.2)

**S31.7 Multiple open wounds of abdomen, lower back and pelvis**

**S31.8 Open wound of other and unspecified parts of abdomen**

**S32 Fracture of lumbar spine and pelvis**

- Includes:** lumbosacral:
- neural arch
  - spinous process
  - transverse process
  - vertebra
  - vertebral arch

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

**Excludes:** fracture of hip NOS (S72.0)

**S32.0 Fracture of lumbar vertebra**

Fracture of lumbar spine

**S32.1 Fracture of sacrum**

**S32.2 Fracture of coccyx**

**S32.3 Fracture of ilium**

**S32.4 Fracture of acetabulum**

**S32.5 Fracture of pubis**

**S32.7 Multiple fractures of lumbar spine and pelvis**

**S32.8 Fracture of other and unspecified parts of lumbar spine and pelvis**

Fracture of:

- ischium
- lumbosacral spine NOS
- pelvis NOS

**S33 Dislocation, sprain and strain of joints and ligaments of lumbar spine and pelvis**

**Excludes:** dislocation, sprain and strain of joint and ligaments of hip (S73-)  
obstetric damage to pelvic joints and ligaments (O71.6)  
rupture or displacement (nontraumatic) of lumbar intervertebral disc (M51-)

**S33.0 Traumatic rupture of lumbar intervertebral disc**

**S33.1 Dislocation of lumbar vertebra**

Dislocation of lumbar spine NOS

**S33.2 Dislocation of sacroiliac and sacrococcygeal joint**

**S33.3 Dislocation of other and unspecified parts of lumbar spine and pelvis**

**S33.4 Traumatic rupture of symphysis pubis**

**S33.5 Sprain and strain of lumbar spine**

**S33.6 Sprain and strain of sacroiliac joint**

**S33.7 Sprain and strain of other and unspecified parts of lumbar spine and pelvis**

**S34 Injury of nerves and lumbar spinal cord at abdomen, lower back and pelvis level**



**S34.0 Concussion and oedema of lumbar spinal cord**

**S34.1 Other injury of lumbar spinal cord**

**S34.2 Injury of nerve root of lumbar and sacral spine**

**S34.3 Injury of cauda equina**

**S34.4 Injury of lumbosacral plexus**

**S34.5 Injury of lumbar, sacral and pelvic sympathetic nerves**

Coeliac ganglion or plexus

Hypogastric plexus

Mesenteric plexus (inferior)(superior)

Splanchnic nerve

**S34.6 Injury of peripheral nerve(s) of abdomen, lower back and pelvis**

**S34.8 Injury of other and unspecified nerves at abdomen, lower back and pelvis level**

**S35 Injury of blood vessels at abdomen, lower back and pelvis level**

**S35.0 Injury of abdominal aorta**

*Excludes:* aorta NOS (S25.0)

**S35.1 Injury of inferior vena cava**

Hepatic vein

*Excludes:* vena cava NOS (S25.2)

**S35.2 Injury of coeliac or mesenteric artery**

Gastric artery  
Gastroduodenal artery  
Hepatic artery  
Mesenteric artery (inferior)(superior)  
Splenic artery

**S35.3 Injury of portal or splenic vein**

Mesenteric vein (inferior)(superior)

**S35.4 Injury of renal blood vessels**

Renal artery or vein

**S35.5 Injury of iliac blood vessels**

Hypogastric artery or vein  
Iliac artery or vein  
Uterine artery or vein

**S35.7 Injury of multiple blood vessels at abdomen, lower back and pelvis level**

**S35.8 Injury of other blood vessels at abdomen, lower back and pelvis level**

Ovarian artery or vein

**S35.9 Injury of unspecified blood vessel at abdomen, lower back and pelvis level**

**S36 Injury of intra-abdominal organs**

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding:

0 without open wound into cavity

1 with open wound into cavity

**S36.0 Injury of spleen**

**S36.1 Injury of liver or gallbladder**

Bile duct

**S36.2 Injury of pancreas**

**S36.3 Injury of stomach**

**S36.4 Injury of small intestine**

**S36.5 Injury of colon**

**S36.6 Injury of rectum**

**S36.7 Injury of multiple intra-abdominal organs**

**S36.8 Injury of other intra-abdominal organs**

Peritoneum

Retroperitoneum

**S36.9 Injury of unspecified intra-abdominal organ**

**S37 Injury of urinary and pelvic organs**

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding:

0 without open wound into cavity

1 with open wound into cavity

**Excludes:** peritoneum and retroperitoneum (S36.8)

**S37.0 Injury of kidney**

**S37.1 Injury of ureter**

**S37.2 Injury of bladder**

**S37.3 Injury of urethra**

**S37.4 Injury of ovary**

**S37.5 Injury of fallopian tube**

**S37.6 Injury of uterus**

**S37.7 Injury of multiple pelvic organs**

**S37.8 Injury of other pelvic organs**

Adrenal gland

Prostate

Seminal vesicle

Vas deferens

**Excludes:** Open wound of other and unspecified external genital organs (S31.5)

**S37.9 Injury of unspecified pelvic organ**

**S38 Crushing injury and traumatic amputation of part of abdomen, lower back and pelvis**

**S38.0 Crushing injury of external genital organs**

**S38.1 Crushing injury of other and unspecified parts of abdomen, lower back and pelvis**

**S38.2 Traumatic amputation of external genital organs**

Labium (majus)(minus)

Penis

Scrotum

Testis

Vulva

**S38.3 Traumatic amputation of other and unspecified parts of abdomen, lower back and pelvis**

*Excludes:* transection of abdomen (T05.8)

**S39 Other and unspecified injuries of abdomen, lower back and pelvis**

**S39.0 Injury of muscle and tendon of abdomen, lower back and pelvis**

**S39.6 Injury of intra-abdominal organ(s) with pelvic organ(s)**

**S39.7 Other multiple injuries of abdomen, lower back and pelvis**

Injuries classifiable to more than one of the categories S30-S39.6

*Excludes:* injuries in S36- with injuries in S37- (S39.6)

**S39.8 Other specified injuries of abdomen, lower back and pelvis**

**S39.9 Unspecified injury of abdomen, lower back and pelvis**

## Injuries to the shoulder and upper arm (S40-S49)

**Includes:** injuries of:

- axilla
- scapular region

**Excludes:** bilateral involvement of shoulder and upper arm (T00-T07)  
burns and corrosions (T20-T32)  
frostbite (T33-T35)  
injuries of:

- arm, level unspecified (T10-T11)
- elbow (S50-S59)

insect bite or sting, venomous (T63.4)

### S40 Superficial injury of shoulder and upper arm

#### S40.0 Contusion of shoulder and upper arm

#### S40.7 Multiple superficial injuries of shoulder and upper arm

#### S40.8 Other superficial injuries of shoulder and upper arm

#### S40.9 Superficial injury of shoulder and upper arm, unspecified

### S41 Open wound of shoulder and upper arm

**Excludes:** traumatic amputation of shoulder and upper arm (S48-)

#### S41.0 Open wound of shoulder

#### S41.1 Open wound of upper arm

**S41.7 Multiple open wounds of shoulder and upper arm**

**S41.8 Open wound of other and unspecified parts of shoulder girdle**

**S42 Fracture of shoulder and upper arm**

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

**S42.0 Fracture of clavicle**

Clavicle:

- acromial end
- shaft

Collar bone

**S42.1 Fracture of scapula**

Acromial process

Acromion (process)

Scapula (body)(glenoid cavity)(neck)

Shoulder blade

**S42.2 Fracture of upper end of humerus**

Anatomical neck

Great tuberosity

Proximal end

Surgical neck

Upper epiphysis

**S42.3 Fracture of shaft of humerus**

Humerus NOS

Upper arm NOS

**S42.4 Fracture of lower end of humerus**

Articular process

Distal end

External condyle

Intercondylar

Internal epicondyle

Lower epiphysis

Supracondylar

*Excludes:* fracture of elbow NOS (S52.0)

**S42.7 Multiple fractures of clavicle, scapula and humerus**

**S42.8 Fracture of other parts of shoulder and upper arm**

**S42.9 Fracture of shoulder girdle, part unspecified**

Fracture of shoulder NOS

**S43 Dislocation, sprain and strain of joints and ligaments of shoulder girdle**

**S43.0 Dislocation of shoulder joint**

Glenohumeral joint

**S43.1 Dislocation of acromioclavicular joint**

**S43.2 Dislocation of sternoclavicular joint**

**S43.3 Dislocation of other and unspecified parts of shoulder girdle**



Dislocation of shoulder girdle NOS

**S43.4 Sprain and strain of shoulder joint**

Coracohumeral (ligament)

Rotator cuff capsule

**S43.5 Sprain and strain of acromioclavicular joint**

Acromioclavicular ligament

**S43.6 Sprain and strain of sternoclavicular joint**

**S43.7 Sprain and strain of other and unspecified parts of shoulder girdle**

Sprain and strain of shoulder girdle NOS

**S44 Injury of nerves at shoulder and upper arm level**

**Excludes:** injury of brachial plexus (S14.3)

**S44.0 Injury of ulnar nerve at upper arm level**

**Excludes:** ulnar nerve NOS (S54.0)

**S44.1 Injury of median nerve at upper arm level**

**Excludes:** median nerve NOS (S54.1)

**S44.2 Injury of radial nerve at upper arm level**

**Excludes:** radial nerve NOS (S54.2)

**S44.3 Injury of axillary nerve**

**S44.4 Injury of musculocutaneous nerve**

**S44.5 Injury of cutaneous sensory nerve at shoulder and upper arm level**

**S44.7 Injury of multiple nerves at shoulder and upper arm level**

**S44.8 Injury of other nerves at shoulder and upper arm level**

**S44.9 Injury of unspecified nerve at shoulder and upper arm level**

**S45 Injury of blood vessels at shoulder and upper arm level**

***Excludes:*** injury of subclavian:  
• artery (S25.1)  
• vein (S25.3)

**S45.0 Injury of axillary artery**

**S45.1 Injury of brachial artery**

**S45.2 Injury of axillary or brachial vein**

**S45.3 Injury of superficial vein at shoulder and upper arm level**

**S45.7 Injury of multiple blood vessels at shoulder and upper arm level**

**S45.8 Injury of other blood vessels at shoulder and upper arm level**

**S45.9 Injury of unspecified blood vessel at shoulder and upper arm level**

**S46 Injury of muscle and tendon at shoulder and upper arm level**  
*Excludes:* injury of muscle and tendon at or below elbow (S56-)

**S46.0 Injury of muscle(s) and tendon(s) of the rotator cuff of shoulder**

**S46.1 Injury of muscle and tendon of long head of biceps**

**S46.2 Injury of muscle and tendon of other parts of biceps**

**S46.3 Injury of muscle and tendon of triceps**

**S46.7 Injury of multiple muscles and tendons at shoulder and upper arm level**

**S46.8 Injury of other muscles and tendons at shoulder and upper arm level**

**S46.9 Injury of unspecified muscle and tendon at shoulder and upper arm level**

**S47 Crushing injury of shoulder and upper arm**  
*Excludes:* crushing injury of elbow (S57.0)

**S48 Traumatic amputation of shoulder and upper arm**  
*Excludes:* traumatic amputation:

- at elbow level (S58.0)
- of arm, level unspecified (T11.6)

**S48.0 Traumatic amputation at shoulder joint**

**S48.1 Traumatic amputation at level between shoulder and elbow**

**S48.9 Traumatic amputation of shoulder and upper arm, level unspecified**

**S49 Other and unspecified injuries of shoulder and upper arm**

**S49.7 Multiple injuries of shoulder and upper arm**  
Injuries classifiable to more than one of the categories S40-S48

**S49.8 Other specified injuries of shoulder and upper arm**

**S49.9 Unspecified injury of shoulder and upper arm**

**Injuries to the elbow and forearm (S50-S59)**

**Excludes:** bilateral involvement of elbow and forearm (T00-T07)  
burns and corrosions (T20-T32)  
frostbite (T33-T35)  
injuries of:  
• arm, level unspecified (T10-T11)  
• wrist and hand (S60-S69)  
insect bite or sting, venomous (T63.4)

**S50 Superficial injury of forearm**

**Excludes:** superficial injury of wrist and hand (S60-)

**S50.0 Contusion of elbow**

**S50.1 Contusion of other and unspecified parts of forearm**

**S50.7 Multiple superficial injuries of forearm**

**S50.8 Other superficial injuries of forearm**

**S50.9 Superficial injury of forearm, unspecified**  
Superficial injury of elbow NOS

**S51 Open wound of forearm**

**Excludes:** open wound of wrist and hand (S61-)  
traumatic amputation of forearm (S58-)

**S51.0 Open wound of elbow**

**S51.7 Multiple open wounds of forearm**

**S51.8 Open wound of other parts of forearm**

**S51.9 Open wound of forearm, part unspecified**

**S52 Fracture of forearm**

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

**Excludes:** fracture at wrist and hand level (S62-)

**S52.0 Fracture of upper end of ulna**

Coronoid process  
Elbow NOS  
Monteggia fracture-dislocation  
Olecranon process  
Proximal end

**S52.1 Fracture of upper end of radius**

Head  
Neck  
Proximal end

**S52.2 Fracture of shaft of ulna**

**S52.3 Fracture of shaft of radius**

**S52.4 Fracture of shafts of both ulna and radius**

**S52.5 Fracture of lower end of radius**

Colles fracture  
Smith fracture

**S52.6 Fracture of lower end of both ulna and radius**

**S52.7 Multiple fractures of forearm**

*Excludes:* fractures of both ulna and radius:  
• lower end (S52.6)  
• shafts (S52.4)

**S52.8 Fracture of other parts of forearm**

Lower end of ulna  
Head of ulna

**S52.9 Fracture of forearm, part unspecified**

**S53 Dislocation, sprain and strain of joints and ligaments of elbow**

**S53.0 Dislocation of radial head**

Radiohumeral joint

*Excludes:* Monteggia fracture-dislocation (S52.0)

**S53.1 Dislocation of elbow, unspecified**

Ulnohumeral joint

*Excludes:* dislocation of radial head alone (S53.0)

**S53.2 Traumatic rupture of radial collateral ligament**

**S53.3 Traumatic rupture of ulnar collateral ligament**

**S53.4 Sprain and strain of elbow**

**S54 Injury of nerves at forearm level**

*Excludes:* injury of nerves at wrist and hand level (S64-)

**S54.0 Injury of ulnar nerve at forearm level**

Ulnar nerve NOS

**S54.1 Injury of median nerve at forearm level**

Median nerve NOS

**S54.2 Injury of radial nerve at forearm level**

Radial nerve NOS

**S54.3 Injury of cutaneous sensory nerve at forearm level**

**S54.7 Injury of multiple nerves at forearm level**

**S54.8 Injury of other nerves at forearm level**

**S54.9 Injury of unspecified nerve at forearm level**

**S55 Injury of blood vessels at forearm level**

**Excludes:** injury of:  
• blood vessels at wrist and hand level (S65-)  
• brachial vessels (S45.1-S45.2)

**S55.0 Injury of ulnar artery at forearm level**

**S55.1 Injury of radial artery at forearm level**

**S55.2 Injury of vein at forearm level**

**S55.7 Injury of multiple blood vessels at forearm level**

**S55.8 Injury of other blood vessels at forearm level**

**S55.9 Injury of unspecified blood vessel at forearm level**

**S56 Injury of muscle and tendon at forearm level**

**Excludes:** injury of muscle and tendon at or below wrist (S66-)

**S56.0 Injury of flexor muscle and tendon of thumb at forearm level**



**S56.1 Injury of long flexor muscle and tendon of other finger(s) at forearm level**

**S56.2 Injury of other flexor muscle and tendon at forearm level**

**S56.3 Injury of extensor or abductor muscles and tendons of thumb at forearm level**

**S56.4 Injury of extensor muscle and tendon of other finger(s) at forearm level**

**S56.5 Injury of other extensor muscle and tendon at forearm level**

**S56.7 Injury of multiple muscles and tendons at forearm level**

**S56.8 Injury of other and unspecified muscles and tendons at forearm level**

**S57 Crushing injury of forearm**

***Excludes:*** crushing injury of wrist and hand (S67-)

**S57.0 Crushing injury of elbow**

**S57.8 Crushing injury of other parts of forearm**

**S57.9 Crushing injury of forearm, part unspecified**

**S58 Traumatic amputation of forearm**

**Excludes:** traumatic amputation of wrist and hand (S68-)

**S58.0 Traumatic amputation at elbow level**

**S58.1 Traumatic amputation at level between elbow and wrist**

**S58.9 Traumatic amputation of forearm, level unspecified**

**S59 Other and unspecified injuries of forearm**

**Excludes:** other and unspecified injuries of wrist and hand (S69-)

**S59.7 Multiple injuries of forearm**

Injuries classifiable to more than one of the categories S50-S58

**S59.8 Other specified injuries of forearm**

**S59.9 Unspecified injury of forearm**

**Injuries to the wrist and hand (S60-S69)**

**Excludes:** bilateral involvement of wrist and hand (T00-T07)  
burns and corrosions (T20-T32)  
frostbite (T33-T35)  
injuries of arm, level unspecified (T10-T11)  
insect bite or sting, venomous (T63.4)

**S60 Superficial injury of wrist and hand**

**S60.0 Contusion of finger(s) without damage to nail**

Contusion of finger(s) NOS

*Excludes:* contusion involving nail (matrix) (S60.1)

**S60.1 Contusion of finger(s) with damage to nail**

**S60.2 Contusion of other parts of wrist and hand**

**S60.7 Multiple superficial injuries of wrist and hand**

**S60.8 Other superficial injuries of wrist and hand**

**S60.9 Superficial injury of wrist and hand, unspecified**

**S61 Open wound of wrist and hand**

*Excludes:* traumatic amputation of wrist and hand (S68-)

**S61.0 Open wound of finger(s) without damage to nail**

Open wound of finger(s) NOS

*Excludes:* open wound involving nail (matrix) (S61.1)

**S61.1 Open wound of finger(s) with damage to nail**

**S61.7 Multiple open wounds of wrist and hand**

**S61.8 Open wound of other parts of wrist and hand**

**S61.9 Open wound of wrist and hand, part unspecified**

**S62 Fracture at wrist and hand level**

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

**Excludes:** fracture of distal parts of ulna and radius (S52-)

**S62.0 Fracture of navicular [scaphoid] bone of hand**

**S62.1 Fracture of other carpal bone(s)**

Capitate [os magnum]

Hamate [unciform]

Lunate [semilunar]

Pisiform

Trapezium [greater multangular]

Trapezoid [lesser multangular]

Triquetrum [cuneiform of carpus]

**S62.2 Fracture of first metacarpal bone**

Bennett fracture

**S62.3 Fracture of other metacarpal bone**

**S62.4 Multiple fractures of metacarpal bones**

**S62.5 Fracture of thumb**

**S62.6 Fracture of other finger**

**S62.7 Multiple fractures of fingers**

**S62.8 Fracture of other and unspecified parts of wrist and hand**

**S63 Dislocation, sprain and strain of joints and ligaments at wrist and hand level**

**S63.0 Dislocation of wrist**

Carpal (bone)  
Carpometacarpal (joint)  
Metacarpal (bone), proximal end  
Midcarpal (joint)  
Radiocarpal (joint)  
Radioulnar (joint), distal  
Radius, distal end  
Ulna, distal end

**S63.1 Dislocation of finger**

Interphalangeal (joint), hand  
Metacarpal (bone), distal end  
Metacarpophalangeal (joint)  
Phalanx, hand  
Thumb

**S63.2 Multiple dislocations of fingers**

**S63.3 Traumatic rupture of ligament of wrist and carpus**

Collateral, wrist  
Radiocarpal (ligament)  
Ulnocarpal (palmar)

**S63.4 Traumatic rupture of ligament of finger at metacarpophalangeal and interphalangeal joint(s)**

Collateral  
Palmar

Volar plate

**S63.5 Sprain and strain of wrist**

Carpal (joint)

Radiocarpal (joint) (ligament)

**S63.6 Sprain and strain of finger(s)**

Interphalangeal (joint), hand

Metacarpophalangeal (joint)

Phalanx, hand

Thumb

**S63.7 Sprain and strain of other and unspecified parts of hand**

**S64 Injury of nerves at wrist and hand level**

**S64.0 Injury of ulnar nerve at wrist and hand level**

**S64.1 Injury of median nerve at wrist and hand level**

**S64.2 Injury of radial nerve at wrist and hand level**

**S64.3 Injury of digital nerve of thumb**

**S64.4 Injury of digital nerve of other finger**

**S64.7 Injury of multiple nerves at wrist and hand level**

**S64.8 Injury of other nerves at wrist and hand level**

**S64.9 Injury of unspecified nerve at wrist and hand level**

**S65 Injury of blood vessels at wrist and hand level**

**S65.0 Injury of ulnar artery at wrist and hand level**

**S65.1 Injury of radial artery at wrist and hand level**

**S65.2 Injury of superficial palmar arch**

**S65.3 Injury of deep palmar arch**

**S65.4 Injury of blood vessel(s) of thumb**

**S65.5 Injury of blood vessel(s) of other finger**

**S65.7 Injury of multiple blood vessels at wrist and hand level**

**S65.8 Injury of other blood vessels at wrist and hand level**

**S65.9 Injury of unspecified blood vessel at wrist and hand level**

**S66 Injury of muscle and tendon at wrist and hand level**

**S66.0 Injury of long flexor muscle and tendon of thumb at wrist and hand level**

**S66.1 Injury of flexor muscle and tendon of other finger at wrist and hand level**

**S66.2 Injury of extensor muscle and tendon of thumb at wrist and hand level**

**S66.3 Injury of extensor muscle and tendon of other finger at wrist and hand level**

**S66.4 Injury of intrinsic muscle and tendon of thumb at wrist and hand level**

**S66.5 Injury of intrinsic muscle and tendon of other finger at wrist and hand level**

**S66.6 Injury of multiple flexor muscles and tendons at wrist and hand level**

**S66.7 Injury of multiple extensor muscles and tendons at wrist and hand level**

**S66.8 Injury of other muscles and tendons at wrist and hand level**

**S66.9 Injury of unspecified muscle and tendon at wrist and hand level**

**S67 Crushing injury of wrist and hand**

**S67.0 Crushing injury of thumb and other finger(s)**



**S67.8 Crushing injury of other and unspecified parts of wrist and hand**

**S68 Traumatic amputation of wrist and hand**

**S68.0 Traumatic amputation of thumb (complete)(partial)**

**S68.1 Traumatic amputation of other single finger (complete)(partial)**

**S68.2 Traumatic amputation of two or more fingers alone (complete)(partial)**

**S68.3 Combined traumatic amputation of (part of) finger(s) with other parts of wrist and hand**

**S68.4 Traumatic amputation of hand at wrist level**

**S68.8 Traumatic amputation of other parts of wrist and hand**

**S68.9 Traumatic amputation of wrist and hand, level unspecified**

**S69 Other and unspecified injuries of wrist and hand**

**S69.7 Multiple injuries of wrist and hand**

Injuries classifiable to more than one of the categories S60-S68

**S69.8 Other specified injuries of wrist and hand**

**S69.9 Unspecified injury of wrist and hand**

**Injuries to the hip and thigh (S70-S79)**

**Excludes:** bilateral involvement of hip and thigh (T00-T07)  
burns and corrosions (T20-T32)  
frostbite (T33-T35)  
injuries of leg, level unspecified (T12-T13)  
insect bite or sting, venomous (T63.4)

**S70 Superficial injury of hip and thigh**

**S70.0 Contusion of hip**

**S70.1 Contusion of thigh**

**S70.7 Multiple superficial injuries of hip and thigh**

**S70.8 Other superficial injuries of hip and thigh**

**S70.9 Superficial injury of hip and thigh, unspecified**

**S71 Open wound of hip and thigh**

**Excludes:** traumatic amputation of hip and thigh (S78-)

**S71.0 Open wound of hip**

**S71.1 Open wound of thigh**

**S71.7 Multiple open wounds of hip and thigh**

**S71.8 Open wound of other and unspecified parts of pelvic girdle**

**S72 Fracture of femur**

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

**S72.0 Fracture of neck of femur**

Fracture of hip NOS

**S72.1 Pertrochanteric fracture**

Intertrochanteric fracture

Trochanteric fracture

**S72.2 Subtrochanteric fracture**

**S72.3 Fracture of shaft of femur**

**S72.4 Fracture of lower end of femur**

**S72.7 Multiple fractures of femur**

**S72.8 Fractures of other parts of femur**

**S72.9 Fracture of femur, part unspecified**

**S73 Dislocation, sprain and strain of joint and ligaments of hip**

**S73.0 Dislocation of hip**

**S73.1 Sprain and strain of hip**

**S74 Injury of nerves at hip and thigh level**

**S74.0 Injury of sciatic nerve at hip and thigh level**

**S74.1 Injury of femoral nerve at hip and thigh level**

**S74.2 Injury of cutaneous sensory nerve at hip and thigh level**

**S74.7 Injury of multiple nerves at hip and thigh level**

**S74.8 Injury of other nerves at hip and thigh level**

**S74.9 Injury of unspecified nerve at hip and thigh level**

**S75 Injury of blood vessels at hip and thigh level**

**Excludes:** popliteal artery (S85.0)

**S75.0 Injury of femoral artery**

**S75.1 Injury of femoral vein at hip and thigh level**

**S75.2 Injury of greater saphenous vein at hip and thigh level**

*Excludes:* greater saphenous vein NOS (S85.3)

**S75.7 Injury of multiple blood vessels at hip and thigh level**

**S75.8 Injury of other blood vessels at hip and thigh level**

**S75.9 Injury of unspecified blood vessel at hip and thigh level**

**S76 Injury of muscle and tendon at hip and thigh level**

**S76.0 Injury of muscle and tendon of hip**

**S76.1 Injury of quadriceps muscle and tendon**  
Patellar ligament (tendon)

**S76.2 Injury of adductor muscle and tendon of thigh**

**S76.3 Injury of muscle and tendon of the posterior muscle group at thigh level**

**S76.4 Injury of other and unspecified muscles and tendons at thigh level**

**S76.7 Injury of multiple muscles and tendons at hip and thigh level**

**S77 Crushing injury of hip and thigh**

**S77.0 Crushing injury of hip**

**S77.1 Crushing injury of thigh**

**S77.2 Crushing injury of hip with thigh**

**S78 Traumatic amputation of hip and thigh**

**Excludes:** traumatic amputation of lower limb, level unspecified (T13.6)

**S78.0 Traumatic amputation at hip joint**

**S78.1 Traumatic amputation at level between hip and knee**

**S78.9 Traumatic amputation of hip and thigh, level unspecified**

**S79 Other and unspecified injuries of hip and thigh**

**S79.7 Multiple injuries of hip and thigh**

Injuries classifiable to more than one of the categories S70-S78

**S79.8 Other specified injuries of hip and thigh**

**S79.9 Unspecified injury of hip and thigh**

**Injuries to the knee and lower leg (S80-S89)**

**Includes:** fracture of ankle and malleolus

**Excludes:** bilateral involvement of knee and lower leg (T00-T07)  
burns and corrosions (T20-T32)  
frostbite (T33-T35)  
injuries of:  
• ankle and foot, except fracture of ankle and malleolus (S90-S99)  
• leg, level unspecified (T12-T13)  
insect bite or sting, venomous (T63.4)

**S80 Superficial injury of lower leg**

**Excludes:** superficial injury of ankle and foot (S90-)

**S80.0 Contusion of knee**

**S80.1 Contusion of other and unspecified parts of lower leg**

**S80.7 Multiple superficial injuries of lower leg**

**S80.8 Other superficial injuries of lower leg**

**S80.9 Superficial injury of lower leg, unspecified**

**S81 Open wound of lower leg**

**Excludes:** open wound of ankle and foot (S91-)  
traumatic amputation of lower leg (S88-)

**S81.0 Open wound of knee**

**S81.7 Multiple open wounds of lower leg**

**S81.8 Open wound of other parts of lower leg**

**S81.9 Open wound of lower leg, part unspecified**

**S82 Fracture of lower leg, including ankle**

**Includes:** malleolus

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

**Excludes:** fracture of foot, except ankle (S92-)

**S82.0 Fracture of patella**

Knee cap

**S82.1 Fracture of upper end of tibia**

Tibial:

- condyles
- head
- plateau
- proximal end
- tuberosity

with or without mention of fracture of fibula

**S82.2 Fracture of shaft of tibia**

With or without mention of fracture of fibula

**S82.3 Fracture of lower end of tibia**

With or without mention of fracture of fibula

**Excludes:** medial malleolus (S82.5)

**S82.4 Fracture of fibula alone**

**Excludes:** lateral malleolus (S82.6)

**S82.5 Fracture of medial malleolus**

Tibia involving:



- ankle
- malleolus

**S82.6 Fracture of lateral malleolus**

Fibula involving:

- ankle
- malleolus

**S82.7 Multiple fractures of lower leg**

**Excludes:** fractures of both tibia and fibula:

- lower end (S82.3)
- shafts (S82.2)
- upper end (S82.1)

**S82.8 Fractures of other parts of lower leg**

Fracture (of):

- ankle NOS
- bimalleolar
- trimalleolar

**S82.9 Fracture of lower leg, part unspecified**

**S83 Dislocation, sprain and strain of joints and ligaments of knee**

**Excludes:** derangement of:

- knee, internal (M23-)
- patella (M22.0-M22.3)

dislocation of knee:

- old (M24.3)
- pathological (M24.3)
- recurrent (M24.4)

**S83.0 Dislocation of patella**

**S83.1 Dislocation of knee**

Tibiofibular (joint)

**S83.2 Tear of meniscus, current**

Bucket-handle tear (of):

- NOS
- lateral meniscus
- medial meniscus

*Excludes:* old bucket-handle tear (M23.2)

**S83.3 Tear of articular cartilage of knee, current**

**S83.4 Sprain and strain involving (fibular)(tibial) collateral ligament of knee**

**S83.5 Sprain and strain involving (anterior)(posterior) cruciate ligament of knee**

**S83.6 Sprain and strain of other and unspecified parts of knee**

Tibiofibular joint and ligament, superior

*Excludes:* sprain of patellar ligament (S76.1)

**S83.7 Injury to multiple structures of knee**

Injury to (lateral)(medial) meniscus in combination with (collateral)(cruciate) ligaments

**S84 Injury of nerves at lower leg level**

*Excludes:* injury of nerves at ankle and foot level (S94-)

**S84.0 Injury of tibial nerve at lower leg level**

**S84.1 Injury of peroneal nerve at lower leg level**

**S84.2 Injury of cutaneous sensory nerve at lower leg level**

**S84.7 Injury of multiple nerves at lower leg level**

**S84.8 Injury of other nerves at lower leg level**

**S84.9 Injury of unspecified nerve at lower leg level**

**S85 Injury of blood vessels at lower leg level**

***Excludes:*** injury of blood vessels at ankle and foot level (S95-)

**S85.0 Injury of popliteal artery**

**S85.1 Injury of (anterior)(posterior) tibial artery**

**S85.2 Injury of peroneal artery**

**S85.3 Injury of greater saphenous vein at lower leg level**

Greater saphenous vein NOS

**S85.4 Injury of lesser saphenous vein at lower leg level**

**S85.5 Injury of popliteal vein**

**S85.7 Injury of multiple blood vessels at lower leg level**

**S85.8 Injury of other blood vessels at lower leg level**

**S85.9 Injury of unspecified blood vessel at lower leg level**

**S86 Injury of muscle and tendon at lower leg level**

- Excludes:** injury of:
- muscle and tendon at or below ankle (S96-)
  - patellar ligament (S76.1)

**S86.0 Injury of Achilles tendon**

**S86.1 Injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level**

**S86.2 Injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level**

**S86.3 Injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level**

**S86.7 Injury of multiple muscles and tendons at lower leg level**

**S86.8 Injury of other muscles and tendons at lower leg level**

**S86.9 Injury of unspecified muscle and tendon at lower leg level**

**S87 Crushing injury of lower leg**

- Excludes:** crushing injury of ankle and foot (S97-)

**S87.0 Crushing injury of knee**

**S87.8 Crushing injury of other and unspecified parts of lower leg**

**S88 Traumatic amputation of lower leg**

- Excludes:** traumatic amputation of:
- ankle and foot (S98-)
  - leg, level unspecified (T13.6)

**S88.0 Traumatic amputation at knee level**

**S88.1 Traumatic amputation at level between knee and ankle**

**S88.9 Traumatic amputation of lower leg, level unspecified**

**S89 Other and unspecified injuries of lower leg**

- Excludes:** other and unspecified injuries of ankle and foot (S99-)

**S89.7 Multiple injuries of lower leg**

Injuries classifiable to more than one of the categories S80-S88

**S89.8 Other specified injuries of lower leg**

**S89.9 Unspecified injury of lower leg**

**Injuries to the ankle and foot (S90-S99)**

- Excludes:** bilateral involvement of ankle and foot (T00-T07)  
burns and corrosions (T20-T32)  
fracture of ankle and malleolus (S82-)  
frostbite (T33-T35)  
injuries of leg, level unspecified (T12-T13)  
insect bite or sting, venomous (T63.4)

**S90 Superficial injury of ankle and foot**

**S90.0 Contusion of ankle**

**S90.1 Contusion of toe(s) without damage to nail**

Contusion of toe(s) NOS

**S90.2 Contusion of toe(s) with damage to nail**

**S90.3 Contusion of other and unspecified parts of foot**

**S90.7 Multiple superficial injuries of ankle and foot**

**S90.8 Other superficial injuries of ankle and foot**

**S90.9 Superficial injury of ankle and foot, unspecified**

**S91 Open wound of ankle and foot**

**Excludes:** traumatic amputation of ankle and foot (S98-)

**S91.0 Open wound of ankle**

**S91.1 Open wound of toe(s) without damage to nail**

Open wound of toe(s) NOS

**S91.2 Open wound of toe(s) with damage to nail**

**S91.3 Open wound of other parts of foot**

Open wound of foot NOS

**S91.7 Multiple open wounds of ankle and foot**

**S92 Fracture of foot, except ankle**

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple cause coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

**Excludes:** ankle (S82-)  
malleolus (S82-)

**S92.0 Fracture of calcaneus**

Heel bone

Os calcis

**S92.1 Fracture of talus**

Astragalus

**S92.2 Fracture of other tarsal bone(s)**

Cuboid

Cuneiform, foot (intermediate)(lateral)(medial)

Navicular, foot

**S92.3 Fracture of metatarsal bone**

**S92.4 Fracture of great toe**

**S92.5 Fracture of other toe**

**S92.7 Multiple fractures of foot**

**S92.9 Fracture of foot, unspecified**

**S93 Dislocation, sprain and strain of joints and ligaments at ankle and foot level**

**S93.0 Dislocation of ankle joint**

Astragalus

Fibula, lower end

Talus

Tibia, lower end

**S93.1 Dislocation of toe(s)**

Interphalangeal (joint(s))

Metatarsophalangeal (joint(s))

**S93.2 Rupture of ligaments at ankle and foot level**

**S93.3 Dislocation of other and unspecified parts of foot**

Navicular, foot

Tarsal (joint(s))

Tarsometatarsal (joint(s))

**S93.4 Sprain and strain of ankle**

Calcaneofibular (ligament)

Deltoid (ligament)

Internal collateral (ligament)

Talofibular (ligament)

Tibiofibular (ligament), distal

**Excludes:** injury of Achilles tendon (S86.0)

**S93.5 Sprain and strain of toe(s)**

Interphalangeal (joint(s))

Metatarsophalangeal (joint(s))



**S93.6 Sprain and strain of other and unspecified parts of foot**

Tarsal (ligament)

Tarsometatarsal (ligament)

**S94 Injury of nerves at ankle and foot level**

**S94.0 Injury of lateral plantar nerve**

**S94.1 Injury of medial plantar nerve**

**S94.2 Injury of deep peroneal nerve at ankle and foot level**

Terminal, lateral branch of deep peroneal nerve

**S94.3 Injury of cutaneous sensory nerve at ankle and foot level**

**S94.7 Injury of multiple nerves at ankle and foot level**

**S94.8 Injury of other nerves at ankle and foot level**

**S94.9 Injury of unspecified nerve at ankle and foot level**

**S95 Injury of blood vessels at ankle and foot level**

**Excludes:** injury of posterior tibial artery and vein (S85-)

**S95.0 Injury of dorsal artery of foot**

**S95.1 Injury of plantar artery of foot**

**S95.2 Injury of dorsal vein of foot**

**S95.7 Injury of multiple blood vessels at ankle and foot level**

**S95.8 Injury of other blood vessels at ankle and foot level**

**S95.9 Injury of unspecified blood vessel at ankle and foot level**

**S96 Injury of muscle and tendon at ankle and foot level**

***Excludes:*** injury of Achilles tendon (S86.0)

**S96.0 Injury of muscle and tendon of long flexor muscle of toe at ankle and foot level**

**S96.1 Injury of muscle and tendon of long extensor muscle of toe at ankle and foot level**

**S96.2 Injury of intrinsic muscle and tendon at ankle and foot level**

**S96.7 Injury of multiple muscles and tendons at ankle and foot level**

**S96.8 Injury of other muscles and tendons at ankle and foot level**

**S96.9 Injury of unspecified muscle and tendon at ankle and foot level**

**S97 Crushing injury of ankle and foot**

**S97.0 Crushing injury of ankle**

**S97.1 Crushing injury of toe(s)**

**S97.8 Crushing injury of other parts of ankle and foot**  
Crushing injury of foot NOS

**S98 Traumatic amputation of ankle and foot**

**S98.0 Traumatic amputation of foot at ankle level**

**S98.1 Traumatic amputation of one toe**

**S98.2 Traumatic amputation of two or more toes**

**S98.3 Traumatic amputation of other parts of foot**  
Combined traumatic amputation of toe(s) and other parts of foot

**S98.4 Traumatic amputation of foot, level unspecified**

**S99 Other and unspecified injuries of ankle and foot**

**S99.7 Multiple injuries of ankle and foot**  
Injuries classifiable to more than one of the categories S90-S98

**S99.8 Other specified injuries of ankle and foot**

## **S99.9 Unspecified injury of ankle and foot**

### **Injuries involving multiple body regions (T00-T07)**

**Includes:** bilateral involvement of limbs of the same body region  
injuries by type involving two or more body regions classifiable within  
S00-S99

**Excludes:** burns and corrosions (T20-T32)  
frostbite (T33-T35)  
insect bite or sting, venomous (T63.4)  
multiple injuries involving only one body region - see S-section  
sunburn (L55-)

## **T00 Superficial injuries involving multiple body regions**

### **T00.0 Superficial injuries involving head with neck**

Superficial injuries of sites classifiable to S00- and S10-

**Excludes:** with involvement of other body region(s) (T00.8)

### **T00.1 Superficial injuries involving thorax with abdomen, lower back and pelvis**

Superficial injuries of sites classifiable to S20-, S30- and T09.0

**Excludes:** with involvement of other body region(s) (T00.8)

### **T00.2 Superficial injuries involving multiple regions of upper limb(s)**

Superficial injuries of sites classifiable to S40-, S50-, S60- and T11.0

**Excludes:** with involvement of:  
• lower limb(s) (T00.6)  
• thorax, abdomen, lower back and pelvis (T00.8)

**T00.3 Superficial injuries involving multiple regions of lower limb(s)**

Superficial injuries of sites classifiable to S70-, S80-, S90- and T13.0

**Excludes:** with involvement of:

- thorax, abdomen, lower back and pelvis (T00.8)
- upper limb(s) (T00.6)

**T00.6 Superficial injuries involving multiple regions of upper limb(s) with lower limb(s)**

Superficial injuries of sites classifiable to T00.2 and T00.3

**Excludes:** with involvement of thorax, abdomen, lower back and pelvis (T00.8)

**T00.8 Superficial injuries involving other combinations of body regions**

**T00.9 Multiple superficial injuries, unspecified**

Multiple:

|                                                                                                                                                                                              |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <ul style="list-style-type: none"><li>• abrasions</li><li>• blisters (nonthermal)</li><li>• bruises</li><li>• contusions</li><li>• haematomas</li><li>• insect bites (nonvenomous)</li></ul> | NOS |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

**T01 Open wounds involving multiple body regions**

**Excludes:** traumatic amputations involving multiple body regions (T05-)

**T01.0 Open wounds involving head with neck**

Open wounds of sites classifiable to S01- and S11-

**Excludes:** with involvement of other body region(s) (T01.8)

**T01.1 Open wounds involving thorax with abdomen, lower back and pelvis**

Open wounds of sites classifiable to S21-, S31- and T09.1

**Excludes:** with involvement of other body region(s) (T01.8)

**T01.2 Open wounds involving multiple regions of upper limb(s)**

Open wounds of sites classifiable to S41-, S51-, S61- and T11.1

**Excludes:** with involvement of:

- lower limb(s) (T01.6)
- thorax, abdomen, lower back and pelvis (T01.8)

**T01.3 Open wounds involving multiple regions of lower limb(s)**

Open wounds of sites classifiable to S71-, S81-, S91- and T13.1

**Excludes:** with involvement of:

- thorax, abdomen, lower back and pelvis (T01.8)
- upper limb(s) (T01.6)

**T01.6 Open wounds involving multiple regions of upper limb(s) with lower limb(s)**

Open wounds of sites classifiable to T01.2 and T01.3

**Excludes:** with involvement of thorax, abdomen, lower back and pelvis (T01.8)

**T01.8 Open wounds involving other combinations of body regions**

**T01.9 Multiple open wounds, unspecified**

Multiple:

- |                                                                                                     |     |
|-----------------------------------------------------------------------------------------------------|-----|
| <ul style="list-style-type: none"><li>• animal bites</li><li>• cuts</li><li>• lacerations</li></ul> | NOS |
|-----------------------------------------------------------------------------------------------------|-----|

- puncture wounds |

## **T02 Fractures involving multiple body regions**

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

### **T02.0 Fractures involving head with neck**

Fractures of sites classifiable to S02- and S12-

**Excludes:** with involvement of other body region(s) (T02.8)

### **T02.1 Fractures involving thorax with lower back and pelvis**

Fractures of sites classifiable to S22-, S32- and T08

**Excludes:** when combined with fractures of:

- limb(s) (T02.7)
- other body region(s) (T02.8)

### **T02.2 Fractures involving multiple regions of one upper limb**

Fractures of sites classifiable to S42-, S52-, S62- and T10 of one upper limb

**Excludes:** when combined with fractures of:

- lower limb(s) (T02.6)
- other upper limb (T02.4)
- thorax, lower back and pelvis (T02.7)

### **T02.3 Fractures involving multiple regions of one lower limb**

Fractures of sites classifiable to S72-, S82-, S92- and T12 of one lower limb

- Excludes:** when combined with fractures of:
- other lower limb (T02.5)
  - thorax, lower back and pelvis (T02.7)
  - upper limb(s) (T02.6)

**T02.4 Fractures involving multiple regions of both upper limbs**

Fractures of sites classifiable to S42-, S52-, S62- and T10 specified as bilateral

- Excludes:** when combined with fractures of:
- lower limb(s) (T02.6)
  - thorax, lower back and pelvis (T02.7)

**T02.5 Fractures involving multiple regions of both lower limbs**

Fractures of sites classifiable to S72-, S82-, S92- and T12 specified as bilateral

- Excludes:** when combined with fractures of:
- thorax, lower back and pelvis (T02.7)
  - upper limb(s) (T02.6)

**T02.6 Fractures involving multiple regions of upper limb(s) with lower limb(s)**

- Excludes:** when combined with fractures of thorax, lower back and pelvis (T02.7)

**T02.7 Fractures involving thorax with lower back and pelvis with limb(s)**

**T02.8 Fractures involving other combinations of body regions**

**T02.9 Multiple fractures, unspecified**



**T03 Dislocations, sprains and strains involving multiple body regions**

**T03.0 Dislocations, sprains and strains involving head with neck**

Dislocations, sprains and strains of sites classifiable to S03- and S13-

**Excludes:** when combined with dislocations, sprains and strains of other body region(s) (T03.8)

**T03.1 Dislocations, sprains and strains involving thorax with lower back and pelvis**

Dislocations, sprains and strains of sites classifiable to S23-, S33- and T09.2

**Excludes:** when combined with dislocations, sprains and strains of other body region(s) (T03.8)

**T03.2 Dislocations, sprains and strains involving multiple regions of upper limb(s)**

Dislocations, sprains and strains of sites classifiable to S43-, S53-, S63- and T11.2

**Excludes:** when combined with dislocations, sprains and strains of:

- lower limb(s) (T03.4)
- thorax, lower back and pelvis (T03.8)

**T03.3 Dislocations, sprains and strains involving multiple regions of lower limb(s)**

Dislocations, sprains and strains of sites classifiable to S73-, S83-, S93- and T13.2

**Excludes:** when combined with dislocations, sprains and strains of:

- thorax, lower back and pelvis (T03.8)
- upper limb(s) (T03.4)

**T03.4 Dislocations, sprains and strains involving multiple regions of upper limb(s) with lower limb(s)**

**Excludes:** when combined with dislocations, sprains and strains of thorax, lower back and pelvis (T03.8)

**T03.8 Dislocations, sprains and strains involving other combinations of body regions**

**T03.9 Multiple dislocations, sprains and strains, unspecified**

**T04 Crushing injuries involving multiple body regions**

**T04.0 Crushing injuries involving head with neck**

Crushing injuries of sites classifiable to S07- and S17-

**Excludes:** with involvement of other body region(s) (T04.8)

**T04.1 Crushing injuries involving thorax with abdomen, lower back and pelvis**

Crushing injury of:

- sites classifiable to S28- and S38-
- trunk NOS

**Excludes:** with involvement of:

- limbs (T04.7)
- other body regions (T04.8)

**T04.2 Crushing injuries involving multiple regions of upper limb(s)**

Crushing injury of:

- sites classifiable to S47-, S57- and S67-
- upper limb NOS

**Excludes:** with involvement of:

- lower limb(s) (T04.4)
- thorax, abdomen, lower back and pelvis (T04.7)

**T04.3 Crushing injuries involving multiple regions of lower limb(s)**

Crushing injury of:

- lower limb NOS
- sites classifiable to S77-, S87- and S97-

**Excludes:** with involvement of:

- thorax, abdomen, lower back and pelvis (T04.7)
- upper limb(s) (T04.4)

**T04.4 Crushing injuries involving multiple regions of upper limb(s) with lower limb(s)**

**Excludes:** with involvement of thorax, abdomen, lower back and pelvis (T04.7)

**T04.7 Crushing injuries of thorax with abdomen, lower back and pelvis with limb(s)**

**T04.8 Crushing injuries involving other combinations of body regions**

**T04.9 Multiple crushing injuries, unspecified**

**T05 Traumatic amputations involving multiple body regions**

**Includes:** avulsion involving multiple body regions

**Excludes:** decapitation (S18)  
open wounds involving multiple body regions (T01-)  
traumatic amputation of:

- arm NOS (T11.6)
- leg NOS (T13.6)
- trunk NOS (T09.6)

**T05.0 Traumatic amputation of both hands**

- T05.1 Traumatic amputation of one hand and other arm [any level, except hand]**
- T05.2 Traumatic amputation of both arms [any level]**
- T05.3 Traumatic amputation of both feet**
- T05.4 Traumatic amputation of one foot and other leg [any level, except foot]**
- T05.5 Traumatic amputation of both legs [any level]**
- T05.6 Traumatic amputation of upper and lower limbs, any combination [any level]**
- T05.8 Traumatic amputations involving other combinations of body regions**
  - Transection of:
    - abdomen
    - thorax
- T05.9 Multiple traumatic amputations, unspecified**
- T06 Other injuries involving multiple body regions, not elsewhere classified**
  - T06.0 Injuries of brain and cranial nerves with injuries of nerves and spinal cord at neck level**
    - Injuries classifiable to S04- and S06- with injuries classifiable to S14-

**T06.1 Injuries of nerves and spinal cord involving other multiple body regions**

**T06.2 Injuries of nerves involving multiple body regions**

Multiple injuries of nerves NOS

*Excludes:* with spinal cord involvement (T06.0-T06.1)

**T06.3 Injuries of blood vessels involving multiple body regions**

**T06.4 Injuries of muscles and tendons involving multiple body regions**

**T06.5 Injuries of intrathoracic organs with intra-abdominal and pelvic organs**

**T06.8 Other specified injuries involving multiple body regions**

**T07 Unspecified multiple injuries**

*Excludes:* injury NOS (T14.9)

## Injuries to unspecified part of trunk, limb or body region (T08-T14)

*Excludes:* burns and corrosions (T20-T32)  
frostbite (T33-T35)  
injuries involving multiple body regions (T00-T07)  
insect bite or sting, venomous (T63.4)

**T08 Fracture of spine, level unspecified**

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

**Excludes:** multiple fractures of spine, level unspecified (T02.1)

**T09 Other injuries of spine and trunk, level unspecified**

**Excludes:** crushing injury of trunk NOS (T04.1)  
multiple injuries of trunk (T00-T06)  
transection of trunk (T05.8)

**T09.0 Superficial injury of trunk, level unspecified**

**T09.1 Open wound of trunk, level unspecified**

**T09.2 Dislocation, sprain and strain of unspecified joint and ligament of trunk**

**T09.3 Injury of spinal cord, level unspecified**

**T09.4 Injury of unspecified nerve, spinal nerve root and plexus of trunk**

**T09.5 Injury of unspecified muscle and tendon of trunk**

**T09.6 Traumatic amputation of trunk, level unspecified**

**T09.8 Other specified injuries of trunk, level unspecified**

**T09.9 Unspecified injury of trunk, level unspecified**

**T10 Fracture of upper limb, level unspecified**

Broken arm NOS

Fracture of arm NOS

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

**Excludes:** multiple fractures of arm, level unspecified (T02-)

**T11 Other injuries of upper limb, level unspecified**

**Excludes:** crushing injury of upper limb NOS (T04.2)  
fracture of upper limb, level unspecified (T10)  
injuries involving multiple body regions (T00-T06)

**T11.0 Superficial injury of upper limb, level unspecified**

**T11.1 Open wound of upper limb, level unspecified**

**T11.2 Dislocation, sprain and strain of unspecified joint and ligament of upper limb, level unspecified**

**T11.3 Injury of unspecified nerve of upper limb, level unspecified**

**T11.4 Injury of unspecified blood vessel of upper limb, level unspecified**

**T11.5 Injury of unspecified muscle and tendon of upper limb, level unspecified**

**T11.6 Traumatic amputation of upper limb, level unspecified**

Traumatic amputation of arm NOS

**T11.8 Other specified injuries of upper limb, level unspecified**

**T11.9 Unspecified injury of upper limb, level unspecified**

Injury of arm NOS

**T12 Fracture of lower limb, level unspecified**

Broken leg NOS

Fracture of leg NOS

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

**Excludes:** multiple fractures of leg, level unspecified (T02-)

**T13 Other injuries of lower limb, level unspecified**

**Excludes:** crushing injury of lower limb NOS (T04.3)  
fracture of lower limb, level unspecified (T12)  
injuries involving multiple body regions (T00-T06)

**T13.0 Superficial injury of lower limb, level unspecified**

**T13.1 Open wound of lower limb, level unspecified**



**T13.2 Dislocation, sprain and strain of unspecified joint and ligament of lower limb, level unspecified**

**T13.3 Injury of unspecified nerve of lower limb, level unspecified**

**T13.4 Injury of unspecified blood vessel of lower limb, level unspecified**

**T13.5 Injury of unspecified muscle and tendon of lower limb, level unspecified**

**T13.6 Traumatic amputation of lower limb, level unspecified**

Traumatic amputation of leg NOS

**T13.8 Other specified injuries of lower limb, level unspecified**

**T13.9 Unspecified injury of lower limb, level unspecified**

Injury of leg NOS

**T14 Injury of unspecified body region**

**Excludes:** injuries involving multiple body regions (T00-T07)

**T14.0 Superficial injury of unspecified body region**

Abrasion

Blister (nonthermal)

Bruise

Contusion

Haematoma

Injury from superficial foreign body

(splinter) without major open wound

Insect bite (nonvenomous)

NOS

Superficial injury

**Excludes:** multiple superficial injuries NOS (T00.9)

### T14.1 Open wound of unspecified body region

Animal bite

Cut

Laceration

Open wound

Puncture wound with (penetrating) foreign body

NOS

**Excludes:** multiple:  
 • open wounds NOS (T01.9)  
 • traumatic amputations NOS (T05.9)  
 traumatic amputation NOS (T14.7)

### T14.2 Fracture of unspecified body region

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed

1 open

Fracture:

- NOS
- closed NOS
- dislocated NOS
- displaced NOS
- open NOS

**Excludes:** multiple fractures NOS (T02.9)

### T14.3 Dislocation, sprain and strain of unspecified body region

Avulsion

Laceration

Sprain

of

joint (capsule)  
ligament

NOS

|                 |  |
|-----------------|--|
| Strain          |  |
| Traumatic:      |  |
| • haemarthrosis |  |
| • rupture       |  |
| • subluxation   |  |
| • tear          |  |

**Excludes:** multiple dislocations, sprains and strains NOS (T03.9)

#### T14.4 Injury of nerve(s) of unspecified body region

|                         |     |
|-------------------------|-----|
| Injury of nerve         |     |
| Traumatic:              |     |
| • division of nerve     | NOS |
| • haematomyelia         |     |
| • paralysis (transient) |     |

**Excludes:** multiple injuries of nerves NOS (T06.2)

#### T14.5 Injury of blood vessel(s) of unspecified body region

|                                       |                        |
|---------------------------------------|------------------------|
| Avulsion                              |                        |
| Cut                                   |                        |
| Injury                                |                        |
| Laceration                            |                        |
| Traumatic:                            |                        |
| • aneurysm or fistula (arteriovenous) | of blood vessel(s) NOS |
| • arterial haematoma                  |                        |
| • rupture                             |                        |

**Excludes:** multiple injuries of blood vessels NOS (T06.3)

#### T14.6 Injury of muscles and tendons of unspecified body region

|                   |                                    |
|-------------------|------------------------------------|
| Avulsion          |                                    |
| Cut               |                                    |
| Injury            |                                    |
| Laceration        |                                    |
| Sprain            |                                    |
| Strain            |                                    |
| Traumatic rupture | of muscle(s) NOS and tendon(s) NOS |

**Excludes:** multiple injuries of tendons and muscles NOS (T06.4)

**T14.7 Crushing injury and traumatic amputation of unspecified body region**

Crushing injury NOS

Traumatic amputation NOS

**Excludes:** multiple:

- crushing injuries NOS (T04.9)
- traumatic amputations NOS (T05.9)

**T14.8 Other injuries of unspecified body region**

**T14.9 Injury, unspecified**

**Excludes:** multiple injuries NOS (T07)

**Effects of foreign body entering through natural orifice  
(T15-T19)**

**Excludes:** foreign body:

- accidentally left in operation wound (T81.5)
- in puncture wound - see open wound by body region
- residual, in soft tissue (M79.5)

splinter, without major open wound - see superficial injury by body region

**T15 Foreign body on external eye**

**Excludes:** foreign body in penetrating wound of:

- orbit and eyeball (S05.4-S05.5)
- retained (old) (H05.5, H44.6-H44.7)

retained foreign body in eyelid (H02.8)

**T15.0 Foreign body in cornea**

**T15.1 Foreign body in conjunctival sac**

**T15.8 Foreign body in other and multiple parts of external eye**

Foreign body in lacrimal punctum

**T15.9 Foreign body on external eye, part unspecified**

**T16 Foreign body in ear**

Auditory canal

**T17 Foreign body in respiratory tract**

***Includes:*** asphyxia due to foreign body  
choked on:  
• food (regurgitated)  
• phlegm  
inhalation of liquid or vomitus NOS

**T17.0 Foreign body in nasal sinus**

**T17.1 Foreign body in nostril**

Nose NOS

**T17.2 Foreign body in pharynx**

Nasopharynx

Throat NOS

**T17.3 Foreign body in larynx**

**T17.4 Foreign body in trachea**

**T17.5 Foreign body in bronchus**

**T17.8 Foreign body in other and multiple parts of respiratory tract**

Bronchioles

Lung

**T17.9 Foreign body in respiratory tract, part unspecified**

**T18 Foreign body in alimentary tract**

*Excludes:* foreign body in pharynx (T17.2)

**T18.0 Foreign body in mouth**

**T18.1 Foreign body in oesophagus**

**T18.2 Foreign body in stomach**

**T18.3 Foreign body in small intestine**

**T18.4 Foreign body in colon**

**T18.5 Foreign body in anus and rectum**

Rectosigmoid (junction)

**T18.8 Foreign body in other and multiple parts of alimentary tract**

**T18.9 Foreign body in alimentary tract, part unspecified**

Digestive system NOS

Swallowed foreign body NOS

**T19 Foreign body in genitourinary tract**

- Excludes:** contraceptive device (intrauterine)(vaginal):
- mechanical complication of (T83.3)
  - presence of (cxiiiZ97.5)

**T19.0 Foreign body in urethra**

**T19.1 Foreign body in bladder**

**T19.2 Foreign body in vulva and vagina**

**T19.3 Foreign body in uterus [any part]**

**T19.8 Foreign body in other and multiple parts of genitourinary tract**

**T19.9 Foreign body in genitourinary tract, part unspecified**

**Burns and corrosions (T20-T32)**

- Includes:** burns (thermal) from:
- electrical heating appliances
  - electricity
  - flame
  - friction
  - hot air and hot gases
  - hot objects
  - lightning
  - radiation
- chemical burns [corrosions] (external)(internal)  
scalds

- Excludes:** erythema [dermatitis] ab igne (L59.0)  
radiation-related disorders of the skin and subcutaneous tissue (L55-L59)

sunburn (L55-)

## Burns and corrosions of external body surface, specified by site (T20-T25)

**Includes:** burns and corrosions of:

- first degree [erythema]
- second degree [blisters] [epidermal loss]
- third degree [deep necrosis of underlying tissue] [full-thickness skin loss]

### **T20 Burn and corrosion of head and neck**

**Includes:** ear [any part]  
eye with other parts of face, head and neck  
lip  
nose (septum)  
scalp [any part]  
temple (region)

**Excludes:** burn and corrosion (of):

- confined to eye and adnexa (T26-)
- mouth and pharynx (T28-)

### **T20.0 Burn of unspecified degree of head and neck**

### **T20.1 Burn of first degree of head and neck**

### **T20.2 Burn of second degree of head and neck**

### **T20.3 Burn of third degree of head and neck**

### **T20.4 Corrosion of unspecified degree of head and neck**



**T20.5 Corrosion of first degree of head and neck**

**T20.6 Corrosion of second degree of head and neck**

**T20.7 Corrosion of third degree of head and neck**

**T21 Burn and corrosion of trunk**

***Includes:*** abdominal wall  
anus  
back [any part]  
breast  
buttock  
chest wall  
flank  
groin  
interscapular region  
labium (majus)(minus)  
penis  
perineum  
scrotum  
testis  
vulva

***Excludes:*** burn and corrosion of:  
• axilla (T22-)  
• scapular region (T22-)

**T21.0 Burn of unspecified degree of trunk**

**T21.1 Burn of first degree of trunk**

**T21.2 Burn of second degree of trunk**

**T21.3 Burn of third degree of trunk**

**T21.4 Corrosion of unspecified degree of trunk**

**T21.5 Corrosion of first degree of trunk**

**T21.6 Corrosion of second degree of trunk**

**T21.7 Corrosion of third degree of trunk**

**T22 Burn and corrosion of shoulder and upper limb, except wrist and hand**

***Includes:*** arm [any part, except wrist and hand alone]  
axilla  
scapular region

***Excludes:*** burn and corrosion of:  
• interscapular region (T21-)  
• wrist and hand alone (T23-)

**T22.0 Burn of unspecified degree of shoulder and upper limb, except wrist and hand**

**T22.1 Burn of first degree of shoulder and upper limb, except wrist and hand**

**T22.2 Burn of second degree of shoulder and upper limb, except wrist and hand**

**T22.3 Burn of third degree of shoulder and upper limb, except wrist and hand**

**T22.4 Corrosion of unspecified degree of shoulder and upper limb, except wrist and hand**

**T22.5 Corrosion of first degree of shoulder and upper limb, except wrist and hand**

**T22.6 Corrosion of second degree of shoulder and upper limb, except wrist and hand**

**T22.7 Corrosion of third degree of shoulder and upper limb, except wrist and hand**

**T23 Burn and corrosion of wrist and hand**

***Includes:*** finger (nail)  
palm  
thumb (nail)

**T23.0 Burn of unspecified degree of wrist and hand**

**T23.1 Burn of first degree of wrist and hand**

**T23.2 Burn of second degree of wrist and hand**

**T23.3 Burn of third degree of wrist and hand**

**T23.4 Corrosion of unspecified degree of wrist and hand**

**T23.5 Corrosion of first degree of wrist and hand**

**T23.6 Corrosion of second degree of wrist and hand**

**T23.7 Corrosion of third degree of wrist and hand**

**T24 Burn and corrosion of hip and lower limb, except ankle and foot**

***Includes:*** leg [any part, except ankle and foot alone]

***Excludes:*** burn and corrosion of ankle and foot alone (T25-)

**T24.0 Burn of unspecified degree of hip and lower limb, except ankle and foot**

**T24.1 Burn of first degree of hip and lower limb, except ankle and foot**

**T24.2 Burn of second degree of hip and lower limb, except ankle and foot**

**T24.3 Burn of third degree of hip and lower limb, except ankle and foot**

**T24.4 Corrosion of unspecified degree of hip and lower limb, except ankle and foot**

**T24.5 Corrosion of first degree of hip and lower limb, except ankle and foot**

**T24.6 Corrosion of second degree of hip and lower limb, except ankle and foot**

**T24.7 Corrosion of third degree of hip and lower limb, except ankle and foot**

**T25 Burn and corrosion of ankle and foot**

***Includes:*** toe(s)

**T25.0 Burn of unspecified degree of ankle and foot**

**T25.1 Burn of first degree of ankle and foot**

**T25.2 Burn of second degree of ankle and foot**

**T25.3 Burn of third degree of ankle and foot**

**T25.4 Corrosion of unspecified degree of ankle and foot**

**T25.5 Corrosion of first degree of ankle and foot**

**T25.6 Corrosion of second degree of ankle and foot**

**T25.7 Corrosion of third degree of ankle and foot**

**Burns and corrosions confined to eye and internal organs  
(T26-T28)**

**T26 Burn and corrosion confined to eye and adnexa**

**T26.0 Burn of eyelid and periocular area**

**T26.1 Burn of cornea and conjunctival sac**

**T26.2 Burn with resulting rupture and destruction of  
eyeball**

- T26.3 Burn of other parts of eye and adnexa**
- T26.4 Burn of eye and adnexa, part unspecified**
- T26.5 Corrosion of eyelid and periocular area**
- T26.6 Corrosion of cornea and conjunctival sac**
- T26.7 Corrosion with resulting rupture and destruction of eyeball**
- T26.8 Corrosion of other parts of eye and adnexa**
- T26.9 Corrosion of eye and adnexa, part unspecified**
- T27 Burn and corrosion of respiratory tract**
  - T27.0 Burn of larynx and trachea**
  - T27.1 Burn involving larynx and trachea with lung**  
*Excludes:* blast injury syndrome (T70.8)
  - T27.2 Burn of other parts of respiratory tract**  
Thoracic cavity
  - T27.3 Burn of respiratory tract, part unspecified**
  - T27.4 Corrosion of larynx and trachea**
  - T27.5 Corrosion involving larynx and trachea with lung**

**T27.6 Corrosion of other parts of respiratory tract**

**T27.7 Corrosion of respiratory tract, part unspecified**

**T28 Burn and corrosion of other internal organs**

**T28.0 Burn of mouth and pharynx**

**T28.1 Burn of oesophagus**

**T28.2 Burn of other parts of alimentary tract**

**T28.3 Burn of internal genitourinary organs**

**T28.4 Burn of other and unspecified internal organs**

**T28.5 Corrosion of mouth and pharynx**

**T28.6 Corrosion of oesophagus**

**T28.7 Corrosion of other parts of alimentary tract**

**T28.8 Corrosion of internal genitourinary organs**

**T28.9 Corrosion of other and unspecified internal organs**

## Burns and corrosions of multiple and unspecified body regions (T29-T32)

### **T29 Burns and corrosions of multiple body regions**

***Includes:*** burns and corrosions classifiable to more than one of the categories T20-T28

#### **T29.0 Burns of multiple regions, unspecified degree**

Multiple burns NOS

#### **T29.1 Burns of multiple regions, no more than first-degree burns mentioned**

#### **T29.2 Burns of multiple regions, no more than second-degree burns mentioned**

#### **T29.3 Burns of multiple regions, at least one burn of third degree mentioned**

#### **T29.4 Corrosions of multiple regions, unspecified degree**

Multiple corrosions NOS

#### **T29.5 Corrosions of multiple regions, no more than first-degree corrosions mentioned**

#### **T29.6 Corrosions of multiple regions, no more than second-degree corrosions mentioned**

#### **T29.7 Corrosions of multiple regions, at least one corrosion of third degree mentioned**



**T30 Burn and corrosion, body region unspecified**

**Excludes:** burn and corrosion with statement of the extent of body surface involved (T31-T32)

**T30.0 Burn of unspecified body region, unspecified degree**

Burn NOS

**T30.1 Burn of first degree, body region unspecified**

First-degree burn NOS

**T30.2 Burn of second degree, body region unspecified**

Second-degree burn NOS

**T30.3 Burn of third degree, body region unspecified**

Third-degree burn NOS

**T30.4 Corrosion of unspecified body region, unspecified degree**

Corrosion NOS

**T30.5 Corrosion of first degree, body region unspecified**

First-degree corrosion NOS

**T30.6 Corrosion of second degree, body region unspecified**

Second-degree corrosion NOS

**T30.7 Corrosion of third degree, body region unspecified**

Third-degree corrosion NOS

**T31 Burns classified according to extent of body surface involved**

**Note:** This category is to be used as the primary code only when the site of the burn is unspecified. It may be used as a supplementary

code, if desired, with categories (T20-T25, T29) when the site is specified.

**T31.0 Burns involving less than 10% of body surface**

**T31.1 Burns involving 10-19% of body surface**

**T31.2 Burns involving 20-29% of body surface**

**T31.3 Burns involving 30-39% of body surface**

**T31.4 Burns involving 40-49% of body surface**

**T31.5 Burns involving 50-59% of body surface**

**T31.6 Burns involving 60-69% of body surface**

**T31.7 Burns involving 70-79% of body surface**

**T31.8 Burns involving 80-89% of body surface**

**T31.9 Burns involving 90% or more of body surface**

**T32 Corrosions classified according to extent of body surface involved**

**Note:**

This category is to be used as the primary code only when the site of the corrosion is unspecified. It may be used as a supplementary code, if desired, with categories (T20-T25, T29) when the site is specified.

**T32.0 Corrosions involving less than 10% of body surface**

- T32.1 Corrosions involving 10-19% of body surface**
- T32.2 Corrosions involving 20-29% of body surface**
- T32.3 Corrosions involving 30-39% of body surface**
- T32.4 Corrosions involving 40-49% of body surface**
- T32.5 Corrosions involving 50-59% of body surface**
- T32.6 Corrosions involving 60-69% of body surface**
- T32.7 Corrosions involving 70-79% of body surface**
- T32.8 Corrosions involving 80-89% of body surface**
- T32.9 Corrosions involving 90% or more of body surface**

## Frostbite (T33-T35)

**Excludes:** hypothermia and other effects of reduced temperature (T68-T69)

### **T33 Superficial frostbite**

**Includes:** frostbite with partial-thickness skin loss

**Excludes:** superficial frostbite involving multiple body regions (T35.0)

#### **T33.0 Superficial frostbite of head**

**T33.1 Superficial frostbite of neck**

**T33.2 Superficial frostbite of thorax**

**T33.3 Superficial frostbite of abdominal wall, lower back and pelvis**

**T33.4 Superficial frostbite of arm**

*Excludes:* superficial frostbite of wrist and hand alone (T33.5)

**T33.5 Superficial frostbite of wrist and hand**

**T33.6 Superficial frostbite of hip and thigh**

**T33.7 Superficial frostbite of knee and lower leg**

*Excludes:* superficial frostbite of ankle and foot alone (T33.8)

**T33.8 Superficial frostbite of ankle and foot**

**T33.9 Superficial frostbite of other and unspecified sites**

Superficial frostbite (of):

- NOS
- leg NOS
- trunk NOS

**T34 Frostbite with tissue necrosis**

*Excludes:* frostbite with tissue necrosis involving multiple body regions (T35.1)

**T34.0 Frostbite with tissue necrosis of head**

**T34.1 Frostbite with tissue necrosis of neck**

**T34.2 Frostbite with tissue necrosis of thorax**

**T34.3 Frostbite with tissue necrosis of abdominal wall,  
lower back and pelvis**

**T34.4 Frostbite with tissue necrosis of arm**

*Excludes:* frostbite with tissue necrosis of wrist and hand alone  
(T34.5)

**T34.5 Frostbite with tissue necrosis of wrist and hand**

**T34.6 Frostbite with tissue necrosis of hip and thigh**

**T34.7 Frostbite with tissue necrosis of knee and lower leg**

*Excludes:* frostbite with tissue necrosis of ankle and foot alone  
(T34.8)

**T34.8 Frostbite with tissue necrosis of ankle and foot**

**T34.9 Frostbite with tissue necrosis of other and  
unspecified sites**

Frostbite with tissue necrosis (of):

- NOS
- leg NOS
- trunk NOS

**T35 Frostbite involving multiple body regions and unspecified  
frostbite**

**T35.0 Superficial frostbite involving multiple body regions**

Multiple superficial frostbite NOS

**T35.1 Frostbite with tissue necrosis involving multiple body regions**

Multiple frostbite with tissue necrosis NOS

**T35.2 Unspecified frostbite of head and neck**

**T35.3 Unspecified frostbite of thorax, abdomen, lower back and pelvis**

Frostbite of trunk NOS

**T35.4 Unspecified frostbite of upper limb**

**T35.5 Unspecified frostbite of lower limb**

**T35.6 Unspecified frostbite involving multiple body regions**

Multiple frostbite NOS

**T35.7 Unspecified frostbite of unspecified site**

Frostbite NOS

**Poisoning by drugs, medicaments and biological substances (T36-T50)**

**Includes:** overdose of these substances  
wrong substance given or taken in error

**Excludes:** abuse of non-dependence-producing substances (F55)  
adverse effects ["hypersensitivity", "reaction", etc.] of correct substance properly administered; such cases are to be classified according to the nature of the adverse effect, such as:

- aspirin gastritis (K29-)
  - blood disorders (D50-D76)
  - dermatitis:
    - contact (L23-L25)
    - due to substances taken internally (L27-)
  - nephropathy (N14.0-N14.2)
  - unspecified adverse effect of drug (T88.7)
- drug reaction and poisoning affecting the fetus and newborn (P00-P96)
- intoxication meaning inebriation (F10-F19)
- pathological drug intoxication (F10-F19)

## **T36 Poisoning by systemic antibiotics**

- Excludes:** antibiotics:
- antineoplastic (T45.1)
  - locally applied NEC (T49.0)
  - topically used for:
    - ear, nose and throat (T49.6)
    - eye (T49.5)

### **T36.0 Penicillins**

### **T36.1 Cefalosporins and other $\beta$ -lactam antibiotics**

### **T36.2 Chloramphenicol group**

### **T36.3 Macrolides**

### **T36.4 Tetracyclines**

### **T36.5 Aminoglycosides**

Streptomycin

### **T36.6 Rifamycins**

**T36.7 Antifungal antibiotics, systemically used**

**T36.8 Other systemic antibiotics**

**T36.9 Systemic antibiotic, unspecified**

**T37 Poisoning by other systemic anti-infectives and antiparasitics**

- Excludes:** anti-infectives:
- locally applied NEC (T49.0)
  - topically used (for):
    - ear, nose and throat (T49.6)
    - eye (T49.5)

**T37.0 Sulfonamides**

**T37.1 Antimycobacterial drugs**

- Excludes:** rifamycins (T36.6)  
streptomycin (T36.5)

**T37.2 Antimalarials and drugs acting on other blood protozoa**

- Excludes:** hydroxyquinoline derivatives (T37.8)

**T37.3 Other antiprotozoal drugs**

**T37.4 Anthelminthics**

**T37.5 Antiviral drugs**

- Excludes:** amantadine (T42.8)  
cytarabine (T45.1)

**T37.8 Other specified systemic anti-infectives and antiparasitics**



Hydroxyquinoline derivatives

**Excludes:** antimalarial drugs (T37.2)

**T37.9 Systemic anti-infective and antiparasitic, unspecified**

**T38 Poisoning by hormones and their synthetic substitutes and antagonists, not elsewhere classified**

**Excludes:** mineralocorticoids and their antagonists (T50.0)  
oxytocic hormones (T48.0)  
parathyroid hormones and derivatives (T50.9)

**T38.0 Glucocorticoids and synthetic analogues**

**Excludes:** glucocorticoids, topically used (T49-)

**T38.1 Thyroid hormones and substitutes**

**T38.2 Antithyroid drugs**

**T38.3 Insulin and oral hypoglycaemic [antidiabetic] drugs**

**T38.4 Oral contraceptives**

Multiple-and single-ingredient preparations

**T38.5 Other estrogens and progestogens**

Mixtures and substitutes

**T38.6 Antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified**

Tamoxifen

**T38.7 Androgens and anabolic congeners**

**T38.8 Other and unspecified hormones and their synthetic substitutes**

Anterior pituitary [adenohypophyseal] hormones

**T38.9 Other and unspecified hormone antagonists**

**T39 Poisoning by nonopioid analgesics, antipyretics and antirheumatics**

**T39.0 Salicylates**

**T39.1 4-Aminophenol derivatives**

**T39.2 Pyrazolone derivatives**

**T39.3 Other nonsteroidal anti-inflammatory drugs [NSAID]**

**T39.4 Antirheumatics, not elsewhere classified**

**Excludes:** glucocorticoids (T38.0)  
salicylates (T39.0)

**T39.8 Other nonopioid analgesics and antipyretics, not elsewhere classified**

**T39.9 Nonopioid analgesic, antipyretic and antirheumatic, unspecified**

**T40 Poisoning by narcotics and psychodysleptics [hallucinogens]**

**Excludes:** intoxication meaning inebriation (F10-F19)

**T40.0 Opium**

**T40.1 Heroin**

**T40.2 Other opioids**

Codeine

Morphine

**T40.3 Methadone**

**T40.4 Other synthetic narcotics**

Pethidine

**T40.5 Cocaine**

**T40.6 Other and unspecified narcotics**

**T40.7 Cannabis (derivatives)**

**T40.8 Lysergide [LSD]**

**T40.9 Other and unspecified psychodysleptics  
[hallucinogens]**

Mescaline

Psilocin

Psilocybine

**T41 Poisoning by anaesthetics and therapeutic gases**

**Excludes:** benzodiazepines (T42.4)  
cocaine (T40.5)  
opioids (T40.0-T40.2)

**T41.0 Inhaled anaesthetics**

**Excludes:** oxygen (T41.5)

**T41.1 Intravenous anaesthetics**

Thiobarbiturates

**T41.2 Other and unspecified general anaesthetics**

**T41.3 Local anaesthetics**

**T41.4 Anaesthetic, unspecified**

**T41.5 Therapeutic gases**

Carbon dioxide

Oxygen

**T42 Poisoning by antiepileptic, sedative-hypnotic and antiparkinsonism drugs**

**Excludes:** intoxication meaning inebriation (F10-F19)

**T42.0 Hydantoin derivatives**

**T42.1 Iminostilbenes**

Carbamazepine

**T42.2 Succinimides and oxazolidinediones**

**T42.3 Barbiturates**

**Excludes:** thiobarbiturates (T41.1)

**T42.4 Benzodiazepines**

**T42.5 Mixed antiepileptics, not elsewhere classified**

**T42.6 Other antiepileptic and sedative-hypnotic drugs**

Methaqualone

Valproic acid

**Excludes:** carbamazepine (T42.1)

**T42.7 Antiepileptic and sedative-hypnotic drugs, unspecified**

Sleeping:

- |                                                                                           |     |
|-------------------------------------------------------------------------------------------|-----|
| <ul style="list-style-type: none"><li>• draught</li><li>• drug</li><li>• tablet</li></ul> | NOS |
|-------------------------------------------------------------------------------------------|-----|

**T42.8 Antiparkinsonism drugs and other central muscle-tone depressants**

Amantadine

**T43 Poisoning by psychotropic drugs, not elsewhere classified**

**Excludes:** appetite depressants (T50.5)  
barbiturates (T42.3)  
benzodiazepines (T42.4)  
intoxication meaning inebriation (F10-F19)  
methaqualone (T42.6)  
psychodysleptics [hallucinogens] (T40.7-T40.9)

**T43.0 Tricyclic and tetracyclic antidepressants**

**T43.1 Monoamine-oxidase-inhibitor antidepressants**

**T43.2 Other and unspecified antidepressants**

**T43.3 Phenothiazine antipsychotics and neuroleptics**

**T43.4 Butyrophenone and thioxanthene neuroleptics**

**T43.5 Other and unspecified antipsychotics and neuroleptics**

*Excludes:* rauwolfia (T46.5)

**T43.6 Psychostimulants with abuse potential**

*Excludes:* cocaine (T40.5)

**T43.8 Other psychotropic drugs, not elsewhere classified**

**T43.9 Psychotropic drug, unspecified**

**T44 Poisoning by drugs primarily affecting the autonomic nervous system**

**T44.0 Anticholinesterase agents**

**T44.1 Other parasympathomimetics [cholinergics]**

**T44.2 Ganglionic blocking drugs, not elsewhere classified**

**T44.3 Other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, not elsewhere classified**

Papaverine

**T44.4 Predominantly  $\alpha$ -adrenoreceptor agonists, not elsewhere classified**

Metaraminol

**T44.5 Predominantly  $\beta$ -adrenoreceptor agonists, not elsewhere classified**

**Excludes:**  $\beta$ -adrenoreceptor agonists used in asthma therapy (T48.6)

**T44.6  $\alpha$ -Adrenoreceptor antagonists, not elsewhere classified**

**Excludes:** ergot alkaloids (T48.0)

**T44.7  $\beta$ -Adrenoreceptor antagonists, not elsewhere classified**

**T44.8 Centrally acting and adrenergic-neuron-blocking agents, not elsewhere classified**

**Excludes:** clonidine (T46.5)  
guanethidine (T46.5)

**T44.9 Other and unspecified drugs primarily affecting the autonomic nervous system**

Drug stimulating both  $\alpha$ - and  $\beta$ -adrenoreceptors

**T45 Poisoning by primarily systemic and haematological agents, not elsewhere classified**

**T45.0 Antiallergic and antiemetic drugs**

**Excludes:** phenothiazine-based neuroleptics (T43.3)

**T45.1 Antineoplastic and immunosuppressive drugs**

Antineoplastic antibiotics  
Cytarabine

**Excludes:** tamoxifen (T38.6)

**T45.2 Vitamins, not elsewhere classified**

**Excludes:** nicotinic acid (derivatives) (T46.7)  
vitamin K (T45.7)

**T45.3 Enzymes, not elsewhere classified**

**T45.4 Iron and its compounds**

**T45.5 Anticoagulants**

**T45.6 Fibrinolysis-affecting drugs**

**T45.7 Anticoagulant antagonists, vitamin K and other coagulants**

**T45.8 Other primarily systemic and haematological agents**

Liver preparations and other antianaemic agents

Natural blood and blood products

Plasma substitute

**Excludes:** immunoglobulin (T50.9)  
iron (T45.4)

**T45.9 Primarily systemic and haematological agent, unspecified**

**T46 Poisoning by agents primarily affecting the cardiovascular system**

**Excludes:** metaraminol (T44.4)

**T46.0 Cardiac-stimulant glycosides and drugs of similar action**



**T46.1 Calcium-channel blockers**

**T46.2 Other antidysrhythmic drugs, not elsewhere classified**

*Excludes:*  $\beta$ -adrenoreceptor antagonists (T44.7)

**T46.3 Coronary vasodilators, not elsewhere classified**

Dipyridamole

*Excludes:*  $\beta$ -adrenoreceptor antagonists (T44.7)  
calcium-channel blockers (T46.1)

**T46.4 Angiotensin-converting-enzyme inhibitors**

**T46.5 Other antihypertensive drugs, not elsewhere classified**

Clonidine

Guanethidine

Rauwolfia

*Excludes:*  $\beta$ -adrenoreceptor antagonists (T44.7)  
calcium-channel blockers (T46.1)  
diuretics (T50.0-T50.2)

**T46.6 Antihyperlipidaemic and antiarteriosclerotic drugs**

**T46.7 Peripheral vasodilators**

Nicotinic acid (derivatives)

*Excludes:* papaverine (T44.3)

**T46.8 Antivaricose drugs, including sclerosing agents**

**T46.9 Other and unspecified agents primarily affecting the cardiovascular system**

**T47 Poisoning by agents primarily affecting the gastrointestinal system**

**T47.0 Histamine H<sub>2</sub>-receptor antagonists**

**T47.1 Other antacids and anti-gastric-secretion drugs**

**T47.2 Stimulant laxatives**

**T47.3 Saline and osmotic laxatives**

**T47.4 Other laxatives**  
Intestinal atonia drugs

**T47.5 Digestants**

**T47.6 Antidiarrhoeal drugs**  
*Excludes:* systemic antibiotics and other anti-infectives (T36-T37)

**T47.7 Emetics**

**T47.8 Other agents primarily affecting the gastrointestinal system**

**T47.9 Agent primarily affecting the gastrointestinal system, unspecified**

**T48 Poisoning by agents primarily acting on smooth and skeletal muscles and the respiratory system**

**T48.0 Oxytocic drugs**

*Excludes:* estrogens, progestogens and antagonists (T38.4-T38.6)

**T48.1 Skeletal muscle relaxants [neuromuscular blocking agents]**

**T48.2 Other and unspecified agents primarily acting on muscles**

**T48.3 Antitussives**

**T48.4 Expectorants**

**T48.5 Anti-common-cold drugs**

**T48.6 Antiasthmatics, not elsewhere classified**

$\beta$ -adrenoreceptor agonists used in asthma therapy  
Salbutamol

*Excludes:*  $\beta$ -adrenoreceptor agonists not used in asthma therapy (T44.5)  
anterior pituitary [adenohypophyseal] hormones (T38.8)

**T48.7 Other and unspecified agents primarily acting on the respiratory system**

**T49 Poisoning by topical agents primarily affecting skin and mucous membrane and by ophthalmological, otorhinolaryngological and dental drugs**

*Includes:* glucocorticoids, topically used

**T49.0 Local antifungal, anti-infective and anti-inflammatory drugs, not elsewhere classified**

**T49.1 Antipruritics**

**T49.2 Local astringents and local detergents**

**T49.3 Emollients, demulcents and protectants**

**T49.4 Keratolytics, keratoplastics and other hair treatment drugs and preparations**

**T49.5 Ophthalmological drugs and preparations**  
Eye anti-infectives

**T49.6 Otorhinolaryngological drugs and preparations**  
Ear, nose and throat anti-infectives

**T49.7 Dental drugs, topically applied**

**T49.8 Other topical agents**  
Spermicides

**T49.9 Topical agent, unspecified**

**T50 Poisoning by diuretics and other and unspecified drugs, medicaments and biological substances**

**T50.0 Mineralocorticoids and their antagonists**

**T50.1 Loop [high-ceiling] diuretics**

**T50.2 Carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics**

Acetazolamide

**T50.3 Electrolytic, caloric and water-balance agents**

Oral rehydration salts

**T50.4 Drugs affecting uric acid metabolism**

**T50.5 Appetite depressants**

**T50.6 Antidotes and chelating agents, not elsewhere classified**

Alcohol deterrents

**T50.7 Analeptics and opioid receptor antagonists**

**T50.8 Diagnostic agents**

**T50.9 Other and unspecified drugs, medicaments and biological substances**

Acidifying agents

Alkalizing agents

Immunoglobulin

Immunologicals

Lipotropic drugs

Parathyroid hormones and derivatives

## Toxic effects of substances chiefly nonmedicinal as to source (T51-T65)

**Excludes:** corrosions (T20-T32)  
localized toxic effects classified elsewhere (A00-R99)  
respiratory conditions due to external agents (J60-J70)

### T51 Toxic effect of alcohol

#### **T51.0 Ethanol** Ethyl alcohol

**Excludes:** acute alcohol intoxication or "hangover" effects (F10.0)  
drunkenness (F10.0)  
pathological alcohol intoxication (F10.0)

#### **T51.1 Methanol** Methyl alcohol

#### **T51.2 2-Propanol** Isopropyl alcohol

#### **T51.3 Fusel oil** Alcohol: - amyl - butyl [1-butanol] - propyl [1-propanol]

#### **T51.8 Other alcohols**

#### **T51.9 Alcohol, unspecified**

### T52 Toxic effect of organic solvents

**Excludes:** halogen derivatives of aliphatic and aromatic hydrocarbons (T53-)

**T52.0 Petroleum products**

Gasoline [petrol]

Kerosine [paraffin oil]

Paraffin wax

Petroleum:

- ether
- naphtha
- spirits

**T52.1 Benzene**

**Excludes:** homologues of benzene (T52.2)  
nitroderivatives and aminoderivatives of benzene and its  
homologues (T65.3)

**T52.2 Homologues of benzene**

Toluene [methylbenzene]

Xylene [dimethylbenzene]

**T52.3 Glycols**

**T52.4 Ketones**

**T52.8 Other organic solvents**

**T52.9 Organic solvent, unspecified**

**T53 Toxic effect of halogen derivatives of aliphatic and aromatic hydrocarbons**

**T53.0 Carbon tetrachloride**

Tetrachloromethane

**T53.1 Chloroform**

Trichloromethane

**T53.2 Trichloroethylene**

Trichloroethene

**T53.3 Tetrachloroethylene**

Perchloroethylene

Tetrachloroethene

**T53.4 Dichloromethane**

Methylene chloride

**T53.5 Chlorofluorocarbons**

**T53.6 Other halogen derivatives of aliphatic hydrocarbons**

**T53.7 Other halogen derivatives of aromatic hydrocarbons**

**T53.9 Halogen derivative of aliphatic and aromatic hydrocarbons, unspecified**

**T54 Toxic effect of corrosive substances**

**T54.0 Phenol and phenol homologues**

**T54.1 Other corrosive organic compounds**

**T54.2 Corrosive acids and acid-like substances**

Acid:

- hydrochloric



- sulfuric

**T54.3 Corrosive alkalis and alkali-like substances**

Potassium hydroxide

Sodium hydroxide

**T54.9 Corrosive substance, unspecified**

**T55 Toxic effect of soaps and detergents**

**T56 Toxic effect of metals**

***Includes:*** fumes and vapours of metals  
metals from all sources, except medicinal substances

***Excludes:*** arsenic and its compounds (T57.0)  
manganese and its compounds (T57.2)

**T56.0 Lead and its compounds**

**T56.1 Mercury and its compounds**

**T56.2 Chromium and its compounds**

**T56.3 Cadmium and its compounds**

**T56.4 Copper and its compounds**

**T56.5 Zinc and its compounds**

**T56.6 Tin and its compounds**

**T56.7 Beryllium and its compounds**

**T56.8 Other metals**

Thallium

**T56.9 Metal, unspecified**

**T57 Toxic effect of other inorganic substances**

**T57.0 Arsenic and its compounds**

**T57.1 Phosphorus and its compounds**

*Excludes:* organophosphate insecticides (T60.0)

**T57.2 Manganese and its compounds**

**T57.3 Hydrogen cyanide**

**T57.8 Other specified inorganic substances**

**T57.9 Inorganic substance, unspecified**

**T58 Toxic effect of carbon monoxide**

From all sources

**T59 Toxic effect of other gases, fumes and vapours**

*Includes:* aerosol propellants

*Excludes:* chlorofluorocarbons (T53.5)

**T59.0 Nitrogen oxides**

**T59.1 Sulfur dioxide**

**T59.2 Formaldehyde**

**T59.3 Lacrimogenic gas**  
Tear gas

**T59.4 Chlorine gas**

**T59.5 Fluorine gas and hydrogen fluoride**

**T59.6 Hydrogen sulfide**

**T59.7 Carbon dioxide**

**T59.8 Other specified gases, fumes and vapours**

**T59.9 Gases, fumes and vapours, unspecified**

**T60 Toxic effect of pesticides**  
*Includes:* wood preservatives

**T60.0 Organophosphate and carbamate insecticides**

**T60.1 Halogenated insecticides**  
*Excludes:* chlorinated hydrocarbons (T53-)

**T60.2 Other and unspecified insecticides**

**T60.3 Herbicides and fungicides**

**T60.4 Rodenticides**

*Excludes:* strychnine and its salts (T65.1)

**T60.8 Other pesticides**

**T60.9 Pesticide, unspecified**

**T61 Toxic effect of noxious substances eaten as seafood**

*Excludes:* allergic reaction to food, such as:

- anaphylactic shock due to adverse food reaction (T78.0)
- dermatitis (L23.6, L25.4, L27.2)
- gastroenteritis (noninfective) (K52-)

bacterial foodborne intoxications (A05-)

toxic effect of food contaminants, such as:

- aflatoxin and other mycotoxins (T64)
- cyanides (T65.0)
- hydrogen cyanide (T57.3)
- mercury (T56.1)

**T61.0 Ciguatera fish poisoning**

**T61.1 Scombroid fish poisoning**

Histamine-like syndrome

**T61.2 Other fish and shellfish poisoning**

**T61.8 Toxic effect of other seafoods**

**T61.9 Toxic effect of unspecified seafood**

**T62 Toxic effect of other noxious substances eaten as food**

- Excludes:** allergic reaction to food, such as:
- anaphylactic shock due to adverse food reaction (T78.0)
  - dermatitis (L23.6, L25.4, L27.2)
  - gastroenteritis (noninfective) (K52-)
  - bacterial foodborne intoxications (A05-)
- toxic effect of food contaminants, such as:
- aflatoxin and other mycotoxins (T64)
  - cyanides (T65.0)
  - hydrogen cyanide (T57.3)
  - mercury (T56.1)

**T62.0 Ingested mushrooms**

**T62.1 Ingested berries**

**T62.2 Other ingested (parts of) plant(s)**

**T62.8 Other specified noxious substances eaten as food**

**T62.9 Noxious substance eaten as food, unspecified**

**T63 Toxic effect of contact with venomous animals**

**T63.0 Snake venom**

Sea-snake venom

**T63.1 Venom of other reptiles**

Lizard venom

**T63.2 Venom of scorpion**

**T63.3 Venom of spider**

**T63.4 Venom of other arthropods**

Insect bite or sting, venomous

**T63.5 Toxic effect of contact with fish**

*Excludes:* poisoning by ingestion of fish (T61.0-T61.2)

**T63.6 Toxic effect of contact with other marine animals**

Jellyfish

Sea anemone

Shellfish

Starfish

*Excludes:* poisoning by ingestion of shellfish (T61.2)  
sea-snake venom (T63.0)

**T63.8 Toxic effect of contact with other venomous animals**

Venom of amphibian

**T63.9 Toxic effect of contact with unspecified venomous animal**

**T64 Toxic effect of aflatoxin and other mycotoxin food contaminants**

**T65 Toxic effect of other and unspecified substances**

**T65.0 Cyanides**

*Excludes:* hydrogen cyanide (T57.3)

**T65.1 Strychnine and its salts**

**T65.2 Tobacco and nicotine**

**T65.3 Nitroderivatives and aminoderivatives of benzene and its homologues**

Aniline [benzenamine]

Nitrobenzene

Trinitrotoluene

**T65.4 Carbon disulfide**

**T65.5 Nitroglycerin and other nitric acids and esters**

1,2,3-Propanetriol trinitrate

**T65.6 Paints and dyes, not elsewhere classified**

**T65.8 Toxic effect of other specified substances**

**T65.9 Toxic effect of unspecified substance**

Poisoning NOS

Other and unspecified effects of external causes  
(T66-T78)

**T66 Unspecified effects of radiation**

Radiation sickness

- Excludes:** specified adverse effects of radiation, such as:
- burns (T20-T31)
  - leukaemia (C91-C95)
  - radiation:
  - gastroenteritis and colitis (K52.0)
  - pneumonitis (J70.0)
  - related disorders of the skin and subcutaneous tissue (L55-L59)

- sunburn (L55-)

**T67 Effects of heat and light**

**Excludes:** burns (T20-T31)  
erythema [dermatitis] ab igne (L59.0)  
malignant hyperthermia due to anaesthesia (T88.3)  
radiation-related disorders of the skin and subcutaneous tissue (L55-L59)  
sunburn (L55-)  
sweat disorders due to heat (L74-L75)

**T67.0 Heatstroke and sunstroke**

Heat:

- apoplexy
- pyrexia

Siriasis

Thermoplegia

**T67.1 Heat syncope**

Heat collapse

**T67.2 Heat cramp**

**T67.3 Heat exhaustion, anhydrotic**

Heat prostration due to water depletion

**Excludes:** heat exhaustion due to salt depletion (T67.4)

**T67.4 Heat exhaustion due to salt depletion**

Heat prostration due to salt (and water) depletion

**T67.5 Heat exhaustion, unspecified**

Heat prostration NOS



**T67.6 Heat fatigue, transient**

**T67.7 Heat oedema**

**T67.8 Other effects of heat and light**

**T67.9 Effect of heat and light, unspecified**

**T68 Hypothermia**

Accidental hypothermia

**Excludes:** frostbite (T33-T35)  
hypothermia (of):

- following anaesthesia (T88.5)
- newborn (P80-)
- not associated with low environmental temperature (R68.0)

**T69 Other effects of reduced temperature**

**Excludes:** frostbite (T33-T35)

**T69.0 Immersion hand and foot**

Trench foot

**T69.1 Chilblains**

**T69.8 Other specified effects of reduced temperature**

**T69.9 Effect of reduced temperature, unspecified**

**T70 Effects of air pressure and water pressure**

**T70.0 Otitic barotrauma**

Aero-otitis media

Effects of change in ambient atmospheric pressure or water pressure  
on ears

**T70.1 Sinus barotrauma**

Aerosinusitis

Effects of change in ambient atmospheric pressure on sinuses

**T70.2 Other and unspecified effects of high altitude**

Alpine sickness

Anoxia due to high altitude

Barotrauma NOS

Hypobaropathy

Mountain sickness

*Excludes:* polycythaemia due to high altitude (D75.1)

**T70.3 Caisson disease [decompression sickness]**

Compressed-air disease

Diver palsy or paralysis

**T70.4 Effects of high-pressure fluids**

Traumatic jet injection (industrial)

**T70.8 Other effects of air pressure and water pressure**

Blast injury syndrome

**T70.9 Effect of air pressure and water pressure, unspecified**

**T71 Asphyxiation**

Suffocation (by strangulation)

Systemic oxygen deficiency due to:

- low oxygen content in ambient air

- mechanical threat to breathing

**Excludes:** anoxia due to high altitude (T70.2)  
asphyxia from:

- carbon monoxide (T58)
- inhalation of food or foreign body ((T17-)
- other gases, fumes and vapours (T59-)

respiratory:

- distress:
  - syndrome in adult (J80)
  - in newborn (P22-)

## **T73 Effects of other deprivation**

### **T73.0 Effects of hunger**

Deprivation of food

Starvation

### **T73.1 Effects of thirst**

Deprivation of water

### **T73.2 Exhaustion due to exposure**

### **T73.3 Exhaustion due to excessive exertion**

Overexertion

### **T73.8 Other effects of deprivation**

### **T73.9 Effect of deprivation, unspecified**

## **T74 Maltreatment syndromes**

Use additional code, if desired, to identify current injury.

**T74.0 Neglect or abandonment**

**T74.1 Physical abuse**

Battered:

- baby or child syndrome NOS
- spouse syndrome NOS

**T74.2 Sexual abuse**

**T74.3 Psychological abuse**

**T74.8 Other maltreatment syndromes**

Mixed forms

**T74.9 Maltreatment syndrome, unspecified**

Effects of:

- abuse of adult NOS
- child abuse NOS

**T75 Effects of other external causes**

**Excludes:** adverse effects NEC (T78-)  
burns (electric) (T20-T31)

**T75.0 Effects of lightning**

Shock from lightning

Struck by lightning NOS

**T75.1 Drowning and nonfatal submersion**

Immersion

Swimmer cramp

**T75.2 Effects of vibration**

Pneumatic hammer syndrome  
Traumatic vasospastic syndrome  
Vertigo from infrasound

**T75.3 Motion sickness**

Airsickness  
Seasickness  
Travel sickness

**T75.4 Effects of electric current**

Electrocution  
Shock from electric current

**T75.8 Other specified effects of external causes**

Effects of:

- abnormal gravitation [G] forces
- weightlessness

**T78 Adverse effects, not elsewhere classified**

**Note:** This category is to be used as the primary code to identify the effects, not elsewhere classifiable, of unknown, undetermined or ill-defined causes. For multiple coding purposes this category may be used as an additional code to identify the effects of conditions classified elsewhere.

**Excludes:** complications of surgical and medical care NEC (T80-T88)

**T78.0 Anaphylactic shock due to adverse food reaction**

**T78.1 Other adverse food reactions, not elsewhere classified**

**Excludes:** bacterial foodborne intoxications (A05-)  
dermatitis due to food (L27.2)

- in contact with the skin (L23.6, L24.6, L25.4)

**T78.2 Anaphylactic shock, unspecified**

|                       |     |
|-----------------------|-----|
| Allergic shock        | NOS |
| Anaphylactic reaction |     |
| Anaphylaxis           |     |

- Excludes:** anaphylactic shock due to:
- adverse effect of correct medicinal substance properly administered (T88.6)
  - adverse food reaction (T78.0)
  - serum (T80.5)

**T78.3 Angioneurotic oedema**

Giant urticaria  
Quincke oedema

- Excludes:** urticaria (L50-)
- serum (T80.6)

**T78.4 Allergy, unspecified**

Allergic reaction NOS  
Hypersensitivity NOS  
Idiosyncrasy NOS

- Excludes:** allergic reaction NOS to correct medicinal substance properly administered (T88.7)  
specified types of allergic reaction such as:
- allergic gastroenteritis and colitis (K52.2)
  - dermatitis (L23-L25, L27-)
  - hay fever (J30.1)

**T78.8 Other adverse effects, not elsewhere classified**

**T78.9 Adverse effect, unspecified**

- Excludes:** adverse effect of surgical and medical care NOS (T88.9)

## Certain early complications of trauma (T79)

### **T79 Certain early complications of trauma, not elsewhere classified**

**Excludes:** complications of surgical and medical care NEC (T80-T88)  
respiratory:  
• distress  
• syndrome of adult (J80)  
• in newborn (P22-)  
when occurring during or following medical procedures (T80-T88)

#### **T79.0 Air embolism (traumatic)**

**Excludes:** air embolism complicating:  
• abortion or ectopic or molar pregnancy (O00-O07, O08.2)  
• pregnancy, childbirth and the puerperium (O88.0)

#### **T79.1 Fat embolism (traumatic)**

**Excludes:** fat embolism complicating:  
• abortion or ectopic or molar pregnancy (O00-O07, O08.2)  
• pregnancy, childbirth and the puerperium (O88.8)

#### **T79.2 Traumatic secondary and recurrent haemorrhage**

#### **T79.3 Post-traumatic wound infection, not elsewhere classified**

Use additional code (B95-B97), if desired, to identify infectious agent.

#### **T79.4 Traumatic shock**

Shock (immediate)(delayed) following injury

**Excludes:** shock:  
• anaesthetic (T88.2)  
• anaphylactic:  
• NOS (T78.2)

- due to:
  - adverse food reaction (T78.0)
  - correct medicinal substance properly administered (T88.6)
  - serum (T80.5)
- complicating abortion or ectopic or molar pregnancy (O00-O07, O08.3)
- electric (T75.4)
- lightning (T75.0)
- nontraumatic NEC (R57-)
- obstetric (O75.1)
- postoperative (T81.1)

**T79.5 Traumatic anuria**

Crush syndrome

Renal failure following crushing

**T79.6 Traumatic ischaemia of muscle**

Compartment syndrome

Volkmann ischaemic contracture

*Excludes:* anterior tibial syndrome (M76.8)

**T79.7 Traumatic subcutaneous emphysema**

*Excludes:* emphysema (subcutaneous) resulting from a procedure (T81.8)

**T79.8 Other early complications of trauma**

**T79.9 Unspecified early complication of trauma**



## Complications of surgical and medical care, not elsewhere classified (T80-T88)

Use additional external cause code (Chapter XX), if desired, to identify devices involved and details of circumstances.

Use additional code (B95-B97), if desired, to identify infectious agent.

**Excludes:** adverse effects of drugs and medicaments (A00-R99, T78-)  
any encounters with medical care for postoperative conditions in which no complications are present, such as:

- artificial opening status (<sup>cxiv</sup>Z93.-)
- closure of external stoma (<sup>cxv</sup>Z43.-)
- fitting and adjustment of external prosthetic device (<sup>cxvi</sup>Z44.-)

burns and corrosions from local applications and irradiation (T20-T32)  
complications of surgical procedures during pregnancy, childbirth and the puerperium (O00-O99)  
poisoning and toxic effects of drugs and chemicals (T36-T65)  
specified complications classified elsewhere, such as:

- cerebrospinal fluid leak from spinal puncture (G97.0)
- colostomy malfunction (K91.4)
- disorders of fluid and electrolyte balance (E86-E87)
- functional disturbances following cardiac surgery (I97.0-I97.1)
- postgastric surgery syndromes (K91.1)
- postlaminectomy syndrome NEC (M96.1)
- postmastectomy lymphoedema syndrome (I97.2)
- postsurgical blind-loop syndrome (K91.2)

### **T80 Complications following infusion, transfusion and therapeutic injection**

**Includes:** perfusion

**Excludes:** bone-marrow transplant rejection (T86.0)

#### **T80.0 Air embolism following infusion, transfusion and therapeutic injection**

#### **T80.1 Vascular complications following infusion, transfusion and therapeutic injection**

|                                                  |                                                              |
|--------------------------------------------------|--------------------------------------------------------------|
| Phlebitis<br>Thromboembolism<br>Thrombophlebitis | following infusion, transfusion and<br>therapeutic injection |
|--------------------------------------------------|--------------------------------------------------------------|

- Excludes:** the listed conditions when specified as:
- due to prosthetic devices, implants and grafts (T82.8, T83.8, T84.8, T85.8)
  - postprocedural (T81.7)

## **T80.2 Infections following infusion, transfusion and therapeutic injection**

|                                                    |                                                              |
|----------------------------------------------------|--------------------------------------------------------------|
| Infection<br>Sepsis<br>Septicaemia<br>Septic shock | following infusion, transfusion and therapeutic<br>injection |
|----------------------------------------------------|--------------------------------------------------------------|

- Excludes:** the listed conditions when specified as:
- due to prosthetic devices, implants and grafts (T82.6-T82.7, T83.5-T83.6, T84.5-T84.7, T85.7)
  - postprocedural (T81.4)

## **T80.3 ABO incompatibility reaction**

Incompatible blood transfusion  
Reaction to blood-group incompatibility in infusion or transfusion

## **T80.4 Rh incompatibility reaction**

Reaction due to Rh factor in infusion or transfusion

## **T80.5 Anaphylactic shock due to serum**

- Excludes:** shock:
- allergic NOS (T78.2)
  - anaphylactic:
    - NOS (T78.2)
  - due to adverse effect of correct medicinal substance properly administered (T88.6)

## **T80.6 Other serum reactions**

Intoxication by serum

Protein sickness

Serum:

- rash
- sickness
- urticaria

**Excludes:** serum hepatitis (B16-)

**T80.8 Other complications following infusion, transfusion and therapeutic injection**

**T80.9 Unspecified complication following infusion, transfusion and therapeutic injection**

Transfusion reaction NOS

**T81 Complications of procedures, not elsewhere classified**

**Excludes:** adverse effect of drug NOS (T88.7)  
complication following:

- immunization (T88.0-T88.1)
- infusion, transfusion and therapeutic injection (T80-)

specified complications classified elsewhere, such as:

- complications of prosthetic devices, implants and grafts (T82-T85)
- dermatitis due to drugs and medicaments (L23.3, L24.4, L25.1, L27.0-L27.1)
- failure and rejection of transplanted organs and tissues (T86)
- poisoning and toxic effects of drugs and chemicals (T36-T65)

**T81.0 Haemorrhage and haematoma complicating a procedure, not elsewhere classified**

Haemorrhage at any site resulting from a procedure

**Excludes:** haematoma of obstetric wound (O90.2)  
haemorrhage due to prosthetic devices, implants and grafts (T82.8, T83.8, T84.8, T85.8)

### T81.1 Shock during or resulting from a procedure, not elsewhere classified

|                                                                                         |                                 |
|-----------------------------------------------------------------------------------------|---------------------------------|
| Collapse NOS<br>Shock (endotoxic)<br>(hypovolaemic) (septic)<br>Postoperative shock NOS | during or following a procedure |
|-----------------------------------------------------------------------------------------|---------------------------------|

- Excludes:** shock:
- anaesthetic (T88.2)
  - anaphylactic:
    - NOS (T78.2)
    - due to:
      - correct medicinal substance properly administered (T88.6)
      - serum (T80.5)
  - electric (T75.4)
  - following abortion or ectopic or molar pregnancy (O00-O07, O08.3)
  - obstetric (O75.1)
  - traumatic (T79.4)

### T81.2 Accidental puncture and laceration during a procedure, not elsewhere classified

Accidental perforation of:

|                                                                                                    |    |                                              |                    |
|----------------------------------------------------------------------------------------------------|----|----------------------------------------------|--------------------|
| <ul style="list-style-type: none"> <li>• blood vessel</li> <li>• nerve</li> <li>• organ</li> </ul> | by | catheter<br>endoscope<br>instrument<br>probe | during a procedure |
|----------------------------------------------------------------------------------------------------|----|----------------------------------------------|--------------------|

- Excludes:** damage from instruments during delivery (O70-O71) perforation, puncture or laceration caused by device or implant intentionally left in operation wound (T82-T85)  
specified complications classified elsewhere, such as broad ligament laceration syndrome [Allen-Masters] (N83.8)

### T81.3 Disruption of operation wound, not elsewhere classified

|                       |                    |
|-----------------------|--------------------|
| Dehiscence<br>Rupture | of operation wound |
|-----------------------|--------------------|

- Excludes:** disruption of:
- caesarean-section wound (O90.0)
  - perineal obstetric wound (O90.1)

#### **T81.4 Infection following a procedure, not elsewhere classified**

Abscess:

intra-abdominal

- stitch
- subphrenic
- wound

Septicaemia

postprocedural

Use additional code, if desired, to identify other manifestations of infection, such as sepsis or abscess.

- Excludes:** infection due to:
- infusion, transfusion and therapeutic injection (T80.2)
  - prosthetic devices, implants and grafts (T82.6-T82.7, T83.5-T83.6, T84.5-T84.7, T85.7)
  - obstetric surgical wound infection (O86.0)

#### **T81.5 Foreign body accidentally left in body cavity or operation wound following a procedure**

Adhesions

Obstruction

Perforation

due to foreign body accidentally left in operation wound or body cavity

- Excludes:** obstruction or perforation due to prosthetic devices and implants left in body (T82.0-T82.5, T83.0-T83.4, T84.0-T84.4, T85.0-T85.6)

#### **T81.6 Acute reaction to foreign substance accidentally left during a procedure**

Peritonitis:

- aseptic
- chemical

**T81.7 Vascular complications following a procedure, not elsewhere classified**

Air embolism following procedure NEC

- Excludes:**
- embolism:
    - complicating:
      - abortion or ectopic or molar pregnancy (O00-O07, O08.2)
      - pregnancy, childbirth and the puerperium (O88-)
    - due to prosthetic devices, implants and grafts (T82.8, T83.8, T84.8, T85.8)
    - following infusion, transfusion and therapeutic injection (T80.0)
    - traumatic (T79.0)

**T81.8 Other complications of procedures, not elsewhere classified**

Complication of inhalation therapy

Emphysema (subcutaneous) resulting from a procedure

Persistent postoperative fistula

- Excludes:**
- hypothermia following anaesthesia (T88.5)
  - malignant hyperthermia due to anaesthesia (T88.3)

**T81.9 Unspecified complication of procedure**

**T82 Complications of cardiac and vascular prosthetic devices, implants and grafts**

- Excludes:** failure and rejection of transplanted organs and tissues (T86-)

**T82.0 Mechanical complication of heart valve prosthesis**

Breakdown (mechanical)

Displacement

Failure

Leakage

Malposition

Obstruction, mechanical

Perforation

due to heart valve prosthesis

Protrusion  
Rupture

**T82.1 Mechanical complication of cardiac electronic device**

Conditions listed in T82.0 due to:

- electrodes
- pulse generator (battery)

**T82.2 Mechanical complication of coronary artery bypass and valve grafts**

Conditions listed in T82.0 due to coronary artery bypass and valve grafts

**T82.3 Mechanical complication of other vascular grafts**

Conditions listed in T82.0 due to:

- aortic (bifurcation) graft (replacement)
- arterial (carotid) (femoral) graft (bypass)

**T82.4 Mechanical complication of vascular dialysis catheter**

Conditions listed in T82.0 due to vascular dialysis catheter

**Excludes:** mechanical complication of intraperitoneal dialysis catheter (T85.6)

**T82.5 Mechanical complication of other cardiac and vascular devices and implants**

Conditions listed in T82.0 due to:

- arteriovenous:
  - fistula
  - shuntsurgically created
- artificial heart
- balloon (counterpulsation) device
- infusion catheter
- umbrella device

**Excludes:** mechanical complication of epidural and subdural infusion catheter (T85.6)

**T82.6 Infection and inflammatory reaction due to cardiac valve prosthesis**

**T82.7 Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts**

**T82.8 Other complications of cardiac and vascular prosthetic devices, implants and grafts**

|              |                                                                     |
|--------------|---------------------------------------------------------------------|
| Complication | due to cardiac and vascular prosthetic devices, implants and grafts |
| Embolism     |                                                                     |
| Fibrosis     |                                                                     |
| Haemorrhage  |                                                                     |
| Pain         |                                                                     |
| Stenosis     |                                                                     |
| Thrombosis   |                                                                     |

**T82.9 Unspecified complication of cardiac and vascular prosthetic device, implant and graft**

**T83 Complications of genitourinary prosthetic devices, implants and grafts**

**Excludes:** failure and rejection of transplanted organs and tissues (T86-)

**T83.0 Mechanical complication of urinary (indwelling) catheter**

Conditions listed in T82.0 due to:

- catheter:
  - cystostomy
  - urethral, indwelling



**T83.1 Mechanical complication of other urinary devices and implants**

Conditions listed in T82.0 due to:

- urinary:
  - electronic stimulator device
  - sphincter implant
  - stent

**T83.2 Mechanical complication of graft of urinary organ**

Conditions listed in T82.0 due to graft of urinary organ

**T83.3 Mechanical complication of intrauterine contraceptive device**

Conditions listed in T82.0 due to intrauterine contraceptive device

**T83.4 Mechanical complication of other prosthetic devices, implants and grafts in genital tract**

Conditions listed in T82.0 due to (implanted) penile prosthesis

**T83.5 Infection and inflammatory reaction due to prosthetic device, implant and graft in urinary system**

**T83.6 Infection and inflammatory reaction due to prosthetic device, implant and graft in genital tract**

**T83.8 Other complications of genitourinary prosthetic devices, implants and grafts**

Conditions listed in T82.8 due to genitourinary prosthetic devices, implants and grafts

**T83.9 Unspecified complication of genitourinary prosthetic device, implant and graft**

**T84 Complications of internal orthopaedic prosthetic devices, implants and grafts**

**Excludes:** failure and rejection of transplanted organs and tissues (T86-)  
fracture of bone following insertion of orthopaedic implant, joint prosthesis or bone plate (M96.6)

**T84.0 Mechanical complication of internal joint prosthesis**

Conditions listed in T82.0 due to joint prosthesis

**T84.1 Mechanical complication of internal fixation device of bones of limb**

Conditions listed in T82.0 due to internal fixation device of bones of limb

**T84.2 Mechanical complication of internal fixation device of other bones**

Conditions listed in T82.0 due to internal fixation device of other bones

**T84.3 Mechanical complication of other bone devices, implants and grafts**

Conditions listed in T82.0 due to:

- bone graft
- electronic bone stimulator

**T84.4 Mechanical complication of other internal orthopaedic devices, implants and grafts**

Conditions listed in T82.0 due to muscle and tendon graft

**T84.5 Infection and inflammatory reaction due to internal joint prosthesis**

**T84.6 Infection and inflammatory reaction due to internal fixation device [any site]**

**T84.7 Infection and inflammatory reaction due to other internal orthopaedic prosthetic devices, implants and grafts**

**T84.8 Other complications of internal orthopaedic prosthetic devices, implants and grafts**

Conditions listed in T82.8 due to internal orthopaedic prosthetic devices, implants and grafts

**T84.9 Unspecified complication of internal orthopaedic prosthetic device, implant and graft**

**T85 Complications of other internal prosthetic devices, implants and grafts**

**Excludes:** failure and rejection of transplanted organs and tissues (T86-)

**T85.0 Mechanical complication of ventricular intracranial (communicating) shunt**

Conditions listed in T82.0 due to ventricular intracranial (communicating) shunt

**T85.1 Mechanical complication of implanted electronic stimulator of nervous system**

Conditions listed in T82.0 due to electronic neurostimulator (electrode) of:

- brain
- peripheral nerve
- spinal cord

**T85.2 Mechanical complication of intraocular lens**

Conditions listed in T82.0 due to intraocular lens

**T85.3 Mechanical complication of other ocular prosthetic devices, implants and grafts**

Conditions listed in T82.0 due to:

- corneal graft
- prosthetic orbit of eye

**T85.4 Mechanical complication of breast prosthesis and implant**

Conditions listed in T82.0 due to breast prosthesis and implant

**T85.5 Mechanical complication of gastrointestinal prosthetic devices, implants and grafts**

Conditions listed in T82.0 due to:

- bile-duct prosthesis
- oesophageal anti-reflux device

**T85.6 Mechanical complication of other specified internal prosthetic devices, implants and grafts**

Conditions listed in T82.0 due to:

- epidural and subdural infusion catheter
- intraperitoneal dialysis catheter
- nonabsorbable surgical material NOS
- permanent sutures

**Excludes:** mechanical complication of permanent (wire) suture used in bone repair (T84.1-T84.2)

**T85.7 Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts**

**T85.8 Other complications of internal prosthetic devices, implants and grafts, not elsewhere classified**

Conditions listed in T82.8 due to internal prosthetic devices, implants and grafts NEC

**T85.9 Unspecified complication of internal prosthetic device, implant and graft**

Complication of internal prosthetic device, implant and graft NOS

**T86 Failure and rejection of transplanted organs and tissues**

**T86.0 Bone-marrow transplant rejection**

Graft-versus-host reaction or disease

**T86.1 Kidney transplant failure and rejection**

**T86.2 Heart transplant failure and rejection**

**Excludes:** complication of:

- artificial heart device (T82.5)
- heart-lung transplant (T86.3)

**T86.3 Heart-lung transplant failure and rejection**

**T86.4 Liver transplant failure and rejection**

**T86.8 Failure and rejection of other transplanted organs and tissues**

Transplant failure or rejection of:

- bone
- intestine
- lung
- pancreas
- skin (allograft) (autograft)

**T86.9 Failure and rejection of unspecified transplanted organ and tissue**

**T87 Complications peculiar to reattachment and amputation**

**T87.0 Complications of reattached (part of) upper extremity**

**T87.1 Complications of reattached (part of) lower extremity**

**T87.2 Complications of other reattached body part**

**T87.3 Neuroma of amputation stump**

**T87.4 Infection of amputation stump**

**T87.5 Necrosis of amputation stump**

**T87.6 Other and unspecified complications of amputation stump**

Amputation stump:

- contracture (flexion)(of next proximal joint)
- haematoma
- oedema

**Excludes:** phantom limb syndrome (G54.6-G54.7)

**T88 Other complications of surgical and medical care, not elsewhere classified**

**Excludes:** accidental puncture or laceration during a procedure (T81.2)  
complications following:

- infusion, transfusion and therapeutic injection (T80-)
  - procedure NEC (T81-)
- specified complications classified elsewhere, such as:
- complications of:
    - anaesthesia in:
      - labour and delivery (O74-)

- pregnancy (O29-)
- puerperium (O89-)
- devices, implants and grafts (T82-T85)
- obstetric surgery and procedures (O75.4)
- dermatitis due to drugs and medicaments (L23.3, L24.4, L25.1, L27.0-L27.1)
- poisoning and toxic effects of drugs and chemicals (T36-T65)

## **T88.0 Infection following immunization**

|             |                        |
|-------------|------------------------|
| Sepsis      | following immunization |
| Septicaemia |                        |

## **T88.1 Other complications following immunization, not elsewhere classified**

Rash following immunization

**Excludes:** anaphylactic shock due to serum (T80.5)  
other serum reactions (T80.6)  
postimmunization:

- arthropathy (M02.2)
- encephalitis (G04.0)

## **T88.2 Shock due to anaesthesia**

Shock due to anaesthesia in which the correct substance was properly administered

**Excludes:** complications of anaesthesia (in):

- from overdose or wrong substance given (T36-T50)
- labour and delivery (O74-)
- pregnancy (O29-)
- puerperium (O89-)

postoperative shock NOS (T81.1)

## **T88.3 Malignant hyperthermia due to anaesthesia**

## **T88.4 Failed or difficult intubation**

**T88.5 Other complications of anaesthesia**

Hypothermia following anaesthesia

**T88.6 Anaphylactic shock due to adverse effect of correct drug or medicament properly administered**

**Excludes:** anaphylactic shock due to serum (T80.5)

**T88.7 Unspecified adverse effect of drug or medicament**

Adverse effect of  
Allergic reaction to  
Hypersensitivity to  
Idiosyncrasy to

correct drug or medicament properly  
administered

Drug:

- hypersensitivity NOS
- reaction NOS

**Excludes:** specified adverse effects of drugs and medicaments  
(A00-R99, T80-T88.6, T88.8)

**T88.8 Other specified complications of surgical and medical care, not elsewhere classified**

**T88.9 Complication of surgical and medical care, unspecified**

**Excludes:** adverse effect NOS (T88.9)

**Sequelae of injuries, of poisoning and of other consequences of external causes (T90-T98)**

**Note:**

Categories T90-T98 are to be used to indicate conditions in S00-S99 and T00-T88 as the cause of late effects, which are themselves classified elsewhere. The "sequelae" include those specified as such, or as late effects, and those present one year or more after the acute injury.



Not to be used for chronic poisoning and harmful exposure. Code these to current poisoning and harmful exposure.

**T90 Sequelae of injuries of head**

**T90.0 Sequelae of superficial injury of head**

Sequelae of injury classified to S00-

**T90.1 Sequelae of open wound of head**

Sequelae of injury classifiable to S01-

**T90.2 Sequelae of fracture of skull and facial bones**

Sequelae of injury classifiable to S02-

**T90.3 Sequelae of injury of cranial nerves**

Sequelae of injury classifiable to S04-

**T90.4 Sequelae of injury of eye and orbit**

Sequelae of injury classifiable to S05-

**T90.5 Sequelae of intracranial injury**

Sequelae of injury classifiable to S06-

**T90.8 Sequelae of other specified injuries of head**

Sequelae of injury classifiable to S03-, S07-S08 and S09.0-S09.8

**T90.9 Sequelae of unspecified injury of head**

Sequelae of injury classifiable to S09.9

**T91 Sequelae of injuries of neck and trunk**

**T91.0 Sequelae of superficial injury and open wound of neck and trunk**

Sequelae of injury classifiable to S10-S11, S20-S21, S30-S31 and T09.0-T09.1

**T91.1 Sequelae of fracture of spine**

Sequelae of injury classifiable to S12-, S22.0-S22.1, S32.0, S32.7 and T08

**T91.2 Sequelae of other fracture of thorax and pelvis**

Sequelae of injury classifiable to S22.2-S22.9, S32.1-S32.5 and S32.8

**T91.3 Sequelae of injury of spinal cord**

Sequelae of injury classifiable to S14.0-S14.1, S24.0-S24.1, S34.0-S34.1 and T09.3

**T91.4 Sequelae of injury of intrathoracic organs**

Sequelae of injury classifiable to S26-S27

**T91.5 Sequelae of injury of intra-abdominal and pelvic organs**

Sequelae of injury classifiable to S36-S37

**T91.8 Sequelae of other specified injuries of neck and trunk**

Sequelae of injury classifiable to S13-, S14.2-S14.6, S15-S18, S19.7-S19.8, S23-, S24.2-S24.6, S25-, S28-, S29.0-S29.8, S33-, S34.2-S34.8, S35-, S38-, S39.0-S39.8, T09.2 and T09.4 -T09.8

**T91.9 Sequelae of unspecified injury of neck and trunk**

Sequelae of injury classifiable to S19.9, S29.9, S39.9 and T09.9

**T92 Sequelae of injuries of upper limb**

**T92.0 Sequelae of open wound of upper limb**

Sequelae of injury classifiable to S41-, S51-, S61- and T11.1

**T92.1 Sequelae of fracture of arm**

Sequelae of injury classifiable to S42-, S52- and T10

**T92.2 Sequelae of fracture at wrist and hand level**

Sequelae of injury classifiable to S62-

**T92.3 Sequelae of dislocation, sprain and strain of upper limb**

Sequelae of injury classifiable to S43-, S53-, S63- and T11.2

**T92.4 Sequelae of injury of nerve of upper limb**

Sequelae of injury classifiable to S44-, S54-, S64- and T11.3

**T92.5 Sequelae of injury of muscle and tendon of upper limb**

Sequelae of injury classifiable to S46-, S56-, S66- and T11.5

**T92.6 Sequelae of crushing injury and traumatic amputation of upper limb**

Sequelae of injury classifiable to S47-S48, S57-S58, S67-S68 and T11.6

**T92.8 Sequelae of other specified injuries of upper limb**

Sequelae of injury classifiable to S40-, S45-, S49.7-S49.8, S50-, S55-, S59.7-S59.8, S60-, S65-, S69.7-S69.8, T11.0, T11.4 and T11.8

**T92.9 Sequelae of unspecified injury of upper limb**

Sequelae of injury classifiable to S49.9, S59.9, S69.9 and T11.9

**T93 Sequelae of injuries of lower limb**

**T93.0 Sequelae of open wound of lower limb**

Sequelae of injury classifiable to S71-, S81-, S91- and T13.1

**T93.1 Sequelae of fracture of femur**

Sequelae of injury classifiable to S72-

**T93.2 Sequelae of other fractures of lower limb**

Sequelae of injury classifiable to S82-, S92- and T12

**T93.3 Sequelae of dislocation, sprain and strain of lower limb**

Sequelae of injury classifiable to S73-, S83-, S93- and T13.2

**T93.4 Sequelae of injury of nerve of lower limb**

Sequelae of injury classifiable to S74-, S84-, S94- and T13.3

**T93.5 Sequelae of injury of muscle and tendon of lower limb**

Sequelae of injury classifiable to S76-, S86-, S96- and T13.5

**T93.6 Sequelae of crushing injury and traumatic amputation of lower limb**

Sequelae of injury classifiable to S77-S78, S87-S88, S97-S98 and T13.6

**T93.8 Sequelae of other specified injuries of lower limb**

Sequelae of injury classifiable to S70-, S75-, S79.7-S79.8, S80-, S85-, S89.7-S89.8, S90-, S95-, S99.7-S99.8, T13.0, T13.4 and T13.8

**T93.9 Sequelae of unspecified injury of lower limb**

Sequelae of injury classifiable to S79.9, S89.9, S99.9 and T13.9

**T94 Sequelae of injuries involving multiple and unspecified body regions**

**T94.0 Sequelae of injuries involving multiple body regions**

Sequelae of injury classifiable to T00-T07

**T94.1 Sequelae of injuries, not specified by body regions**

Sequelae of injury classifiable to T14-

**T95 Sequelae of burns, corrosions and frostbite**

**T95.0 Sequelae of burn, corrosion and frostbite of head and neck**

Sequelae of injury classifiable to T20-, T33.0-.1, T34.0-.1 and T35.2

**T95.1 Sequelae of burn, corrosion and frostbite of trunk**

Sequelae of injury classifiable to T21-, T33.2-.3, T34.2-.3 and T35.3

**T95.2 Sequelae of burn, corrosion and frostbite of upper limb**

Sequelae of injury classifiable to T22-T23, T33.4-.5, T34.4-.5 and T35.4

**T95.3 Sequelae of burn, corrosion and frostbite of lower limb**

Sequelae of injury classifiable to T24-T25, T33.6-.8, T34.6-.8 and T35.5

**T95.4 Sequelae of burn and corrosion classifiable only according to extent of body surface involved**

Sequelae of injury classifiable to T31-T32

**T95.8 Sequelae of other specified burn, corrosion and frostbite**

Sequelae of injury classifiable T26-T29, T35.0-T35.1 and T35.6

**T95.9 Sequelae of unspecified burn, corrosion and frostbite**

Sequelae of injury classifiable to T30-, T33.9, T34.9 and T35.7

**T96 Sequelae of poisoning by drugs, medicaments and biological substances**

Sequelae of poisoning classifiable to T36-T50

**T97 Sequelae of toxic effects of substances chiefly nonmedicinal as to source**

Sequelae of toxic effects classifiable to T51-T65

**T98 Sequelae of other and unspecified effects of external causes**

**T98.0 Sequelae of effects of foreign body entering through natural orifice**

Sequelae of effects classifiable to T15-T19

**T98.1 Sequelae of other and unspecified effects of external causes**

Sequelae of effects classifiable to T66-T78

**T98.2 Sequelae of certain early complications of trauma**

Sequelae of complications classifiable to T79-

**T98.3 Sequelae of complications of surgical and medical care, not elsewhere classified**

Sequelae of complications classifiable to T80-T88

## CHAPTER XX - External causes of morbidity and mortality (V01-Y89)

This chapter, which in previous revisions of ICD constituted a supplementary classification, permits the classification of environmental events and circumstances as the cause of injury, poisoning and other adverse effects. Where a code from this section is applicable, it is intended that it shall be used in addition to a code from another chapter of the Classification indicating the nature of the condition. Most often, the condition will be classifiable to Chapter XIX, Injury, poisoning and certain other consequences of external causes (S00-T98). Causes of death should preferably be tabulated according to both Chapter XIX and Chapter XX, but if only one code is tabulated then the code from Chapter XX should be used in preference. Other conditions that may be stated to be due to external causes are classified in Chapters I to XVIII. For these conditions, codes from Chapter XX should be used to provide additional information for multiple-condition analysis only.

Categories for sequelae of external causes of morbidity and mortality are included at Y85-Y89.

### **This chapter contains the following blocks:**

- V01-X59      Accidents
  - V01-V99      Transport accidents
    - V01-V09      Pedestrian injured in transport accident
    - V10-V19      Pedal cyclist injured in transport accident
    - V20-V29      Motorcycle rider injured in transport accident
    - V30-V39      Occupant of three-wheeled motor vehicle injured in transport accident
    - V40-V49      Car occupant injured in transport accident
    - V50-V59      Occupant of pick-up truck or van injured in transport accident
    - V60-V69      Occupant of heavy transport vehicle injured in transport accident
    - V70-V79      Bus occupant injured in transport accident
    - V80-V89      Other land transport accidents
    - V90-V94      Water transport accidents
    - V95-V97      Air and space transport accidents
    - V98-V99      Other and unspecified transport accidents
  - W00-X59      Other external causes of accidental injury

## ICD-10-Mortality 2e-Volume1 - 2017

|         |                                                                                                                                                                                        |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | W00-W19 Falls                                                                                                                                                                          |
|         | W20-W49 Exposure to inanimate mechanical forces                                                                                                                                        |
|         | W50-W64 Exposure to animate mechanical forces                                                                                                                                          |
|         | W65-W74 Accidental drowning and submersion                                                                                                                                             |
|         | W75-W84 Other accidental threats to breathing                                                                                                                                          |
|         | W85-W99 Exposure to electric current, radiation and extreme ambient air temperature and pressure                                                                                       |
|         | X00-X09 Exposure to smoke, fire and flames                                                                                                                                             |
|         | X10-X19 Contact with heat and hot substances                                                                                                                                           |
|         | X20-X29 Contact with venomous animals and plants                                                                                                                                       |
|         | X30-X39 Exposure to forces of nature                                                                                                                                                   |
|         | X40-X49 Accidental poisoning by and exposure to noxious substances                                                                                                                     |
|         | X50-X57 Overexertion, travel and privation                                                                                                                                             |
|         | X58-X59 Accidental exposure to other and unspecified factors                                                                                                                           |
| X60-X84 | Intentional self-harm                                                                                                                                                                  |
| X85-Y09 | Assault                                                                                                                                                                                |
| Y10-Y34 | Event of undetermined intent                                                                                                                                                           |
| Y35-Y36 | Legal intervention and operations of war                                                                                                                                               |
| Y40-Y84 | Complications of medical and surgical care                                                                                                                                             |
|         | Y40-Y59 Drugs, medicaments and biological substances causing adverse effects in therapeutic use                                                                                        |
|         | Y60-Y69 Misadventures to patients during surgical and medical care                                                                                                                     |
|         | Y70-Y82 Medical devices associated with adverse incidents in diagnostic and therapeutic use                                                                                            |
|         | Y83-Y84 Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure |
| Y85-Y89 | Sequelae of external causes of morbidity and mortality                                                                                                                                 |

### Place of occurrence code

The following fourth-character subdivisions are for use with categories W00-Y34 except Y06- and Y07- to identify the place of occurrence of the external cause where relevant:

#### **.0 Home**

Apartment  
Boarding-house  
Caravan [trailer] park, residential  
Farmhouse  
Home premises  
House (residential)  
Noninstitutional place of residence



## ICD-10-Mortality 2e-Volume1 - 2017

Private:

- driveway to home
- garage
- garden to home
- yard to home

Swimming-pool in private house or garden

**Excludes:** abandoned or derelict house (.8)  
home under construction but not yet occupied (.6)  
institutional place of residence (.1)

### **.1 Residential institution**

Children's home  
Dormitory  
Home for the sick  
Hospice  
Military camp  
Nursing home  
Old people's home  
Orphanage  
Pensioner's home  
Prison  
Reform school

### **.2 School, other institution and public administrative area**

Building (including adjacent grounds) used by the general public or by a particular group of the public such as:

- assembly hall
- campus
- church
- cinema
- clubhouse
- college
- court-house
- dancehall
- day nursery
- gallery
- hospital
- institute for higher education
- kindergarten
- library
- movie-house
- museum
- music-hall

## ICD-10-Mortality 2e-Volume1 - 2017

- opera-house
- post office
- public hall
- school (private) (public) (state)
- theatre
- university
- youth centre

**Excludes:** building under construction (.6)  
residential institution (.1)  
sports and athletics area (.3)

### **.3 Sports and athletics area**

Baseball field  
Basketball-court  
Cricket ground  
Football field  
Golf-course  
Gymnasium  
Hockey field  
Riding-school  
Skating-rink  
Squash-court  
Stadium  
Swimming-pool, public  
Tennis-court

**Excludes:** swimming-pool or tennis-court in private home or garden (.0)

### **.4 Street and highway**

Freeway  
Motorway  
Pavement  
Road  
Sidewalk

### **.5 Trade and service area**

Airport  
Bank  
Café  
Casino  
Garage (commercial)  
Gas station  
Hotel

## ICD-10-Mortality 2e-Volume1 - 2017

Market  
Office building  
Petrol station  
Radio or television station  
Restaurant  
Service station  
Shop (commercial)  
Shopping mall  
Station (bus)(railway)  
Store  
Supermarket  
Warehouse

**Excludes:** garage in private home (.0)

### **.6 Industrial and construction area**

Building [any] under construction  
Dockyard  
Dry dock  
Factory:  
• building  
• premises  
Gasworks  
Industrial yard  
Mine  
Oil rig and other offshore installations  
Pit (coal)(gravel)(sand)  
Power-station (coal)(nuclear)(oil)  
Shipyard  
Tunnel under construction  
Workshop

### **.7 Farm**

Farm:  
• buildings  
• land under cultivation  
Ranch

**Excludes:** farmhouse and home premises of farm (.0)

### **.8 Other specified places**

Beach  
Campsite  
Canal

## ICD-10-Mortality 2e-Volume1 - 2017

Caravan site NOS  
Derelict house  
Desert  
Dock NOS  
Forest  
Harbour  
Hill  
Lake  
Marsh  
Military training ground  
Mountain  
Park (amusement) (public)  
Parking-lot and parking-place  
Pond or pool  
Prairie  
Public place NOS  
Railway line  
River  
Sea  
Seashore  
Stream  
Swamp  
Water reservoir  
Zoo

### **.9 Unspecified place**

### **Activity code**

The following subclassification is provided for optional use in a supplementary character position with categories V01-Y34 to indicate the activity of the injured person at the time the event occurred. This subclassification should not be confused with, or be used instead of, the recommended fourth-character subdivisions provided to indicate the place of occurrence of events classifiable to W00-Y34.

### **0 While engaged in sports activity**

Physical exercise with a described functional element such as:

- golf
- jogging
- riding
- school athletics
- skiing
- swimming

## ICD-10-Mortality 2e-Volume1 - 2017

- trekking
- water-skiing

### **1 While engaged in leisure activity**

Hobby activities

Leisure-time activities with an entertainment element such as going to the cinema, to a dance  
or to a party

Participation in sessions and activities of voluntary organizations

**Excludes:** sports activities (0)

### **2 While working for income**

Paid work (manual)(professional)

Transportation (time) to and from such activities

Work for salary, bonus and other types of income

### **3 While engaged in other types of work**

Domestic duties such as:

- caring for children and relatives
- cleaning
- cooking
- gardening
- household maintenance

Duties for which one would not normally gain an income

Learning activities, e.g. attending school session or lesson

Undergoing education

### **4 While resting, sleeping, eating or engaging in other vital activities**

Personal hygiene

### **8 While engaged in other specified activities**

### **9 During unspecified activity**

## Accidents (V01-X59)

### Transport accidents (V01-V99)

**Note:** This section is structured in 12 groups. Those relating to land transport accidents (V01-V89) reflect the victim's mode of transport and are subdivided to identify the victim's "counterpart" or the type of event. The vehicle of which the injured person is an occupant is identified in the first two characters since it is seen as the most important factor to identify for prevention purposes.

**Excludes:** accidents to persons engaged in the maintenance or repair of transport equipment or vehicle not in motion unless injured by another vehicle in motion (W00-X59)  
accidents involving vehicles, but unrelated to the hazards associated with the means of transportation [e.g., injuries received in a fight on board ship; transport vehicle involved in a cataclysm; finger crushed when shutting car door] (W00-X59)  
assault by crashing of motor vehicle (Y03-)  
event of undetermined intent (Y31-Y33)  
intentional self-harm (X81-X83)

#### Definitions related to transport accidents

- (a) A *transport accident* (V01-V99) is any accident involving a device designed primarily for, or being used at the time primarily for, conveying persons or goods from one place to another. Any object such as a coaster, skateboard, sled, trailer, or wagon being towed by any such device is considered a part of the specified device.
- (b) A *public highway* [trafficway] or *street* is the entire width between property lines (or other boundary lines) of land open to the public as a matter of right or custom for purposes of moving persons or property from one place to another. A *roadway* is that part of the public highway designed, improved and customarily used for vehicular traffic.
- (c) A *traffic accident* is any vehicle accident occurring on the public highway [i.e. originating on, terminating on, or involving a vehicle partially on the highway]. A vehicle accident is assumed to have

occurred on the public highway unless another place is specified, except in the case of accidents involving only off-road motor vehicles, which are classified as nontraffic accidents unless the contrary is stated.

- (d) A *nontraffic accident* is any vehicle accident that occurs entirely in any place other than a public highway.
- (e) A *pedestrian* is any person involved in an accident who was not at the time of the accident riding in or on a motor vehicle, railway train, streetcar or animal-drawn or other vehicle, or on a pedal cycle or animal.

**Includes:** person:

- changing tire of vehicle
- making adjustment to motor of vehicle
- on foot

user of a pedestrian conveyance such as:

- baby carriage
- ice-skates
- perambulator
- push-cart
- push-chair
- roller-skates
- scooter (motorized)
- skateboard
- skis
- sled
- wheelchair (powered)

- (f) A *driver* is an occupant of a transport vehicle who is operating or intending to operate it.
- (g) A *passenger* is any occupant of a transport vehicle other than the driver.

**Excludes:** person travelling on outside of vehicle -see definition

(h)

- (h) A *person on outside of vehicle* is any person being transported by a vehicle but not occupying the space normally reserved for the

driver or passengers, or the space intended for the transport of property.

**Includes:** person (travelling on):

- bodywork
- bumper [fender]
- hanging on outside
- roof (rack)
- running-board
- step

- (i) A *pedal cycle* is any land transport vehicle operated solely by pedals.

**Includes:** bicycle  
tricycle

**Excludes:** motorized bicycle - see definition (k)

- (j) A *pedal cyclist* is any person riding on a pedal cycle or in a sidecar or trailer attached to such a vehicle.

- (k) A *motorcycle* is a two-wheeled motor vehicle with one or two riding saddles and sometimes with a third wheel for the support of a sidecar. The sidecar is considered part of the motorcycle.

**Includes:** moped  
motor scooter  
motorcycle:

- NOS
- combination
- with sidecar

motorized bicycle  
speed-limited motor-driven cycle

**Excludes:** motor-driven tricycle - see definition (n)  
motorized scooter - see definition (e)

- (l) A *motorcycle rider* is any person riding on a motorcycle or in a sidecar or trailer attached to such a vehicle.

- (m) A *motorcyclist* is the driver of a motorcycle.



- (n) A *three-wheeled motor vehicle* is a motorized tricycle designed primarily for on-road use.

**Includes:** motor-driven tricycle  
motorized rickshaw  
three-wheeled motor car

**Excludes:** motorcycle with sidecar - see definition (k)  
special all-terrain vehicle - see definition (y)

- (o) A *car* [*automobile*] is a four-wheeled motor vehicle designed primarily for carrying up to 10 persons. A trailer or caravan being towed by a car is considered a part of the car.

**Includes:** minibus

- (p) A *motor vehicle* may refer to various transport vehicles. The local usage of the terms should be established to determine the appropriate code. If the terms are used ambiguously, use the code for "unspecified". A trailer or caravan being towed by a vehicle is considered a part of the vehicle.

- (q) A *pick-up truck* or *van* is a four- or six-wheeled motor vehicle designed primarily for carrying property, weighing less than the local limit for classification as a heavy goods vehicle, and not requiring a special driver's license.

- (r) A *heavy transport vehicle* is a motor vehicle designed primarily for carrying property, meeting local criteria for classification as a heavy goods vehicle in terms of curbside weight (usually above 3500 kg), and requiring a special driver's license.

- (s) A *bus* is a motor vehicle designed or adapted primarily for carrying more than 10 persons, and requiring a special driver's license.

**Includes:** coach

- (t) A *railway train* or *railway vehicle* is any device, with or without cars coupled to it, designed for traffic on a railway.

**Includes:** interurban:  
• electric car  
• streetcar

|  |                                                                          |
|--|--------------------------------------------------------------------------|
|  | (operated chiefly on its own right-of-way,<br>not open to other traffic) |
|--|--------------------------------------------------------------------------|

railway train, any power [diesel] [electric] [steam]:

- funicular
  - monorail or two-rail
  - subterranean or elevated
- other vehicle designed to run on a railway track

**Excludes:** interurban electric cars [streetcars] specified to be operating on a right-of-way that forms part of the public street or highway - *see* definition (u)

- (u) A *streetcar* is a device designed and used primarily for transporting persons within a municipality, running on rails, usually subject to normal traffic control signals, and operated principally on a right-of-way that forms part of the roadway. A trailer being towed by a streetcar is considered a part of the streetcar.

**Includes:** interurban electric car or streetcar, when specified to be operating on a street or public highway  
tram (car)  
trolley (car)

- (v) A *special vehicle mainly used on industrial premises* is a motor vehicle designed primarily for use within the buildings and premises of industrial or commercial establishments.

**Includes:** battery-powered:  
• airport passenger vehicle  
• truck (baggage) (mail)  
coal-car in mine  
forklift (truck)  
logging car  
self-propelled truck, industrial  
station baggage truck (powered)  
tram, truck or tub (powered) in mine or quarry

**Excludes:** accident(s) not occurring on highway (W31)

- (w) A *special vehicle mainly used in agriculture* is a motor vehicle designed specifically for use in farming and agriculture (horticulture), for example to work the land, tend and harvest crops and transport materials on the farm.

**Includes:** combine harvester

self-propelled farm machinery  
tractor (and trailer)

**Excludes:** accident(s) not occurring on highway (W30)

- (x) A *special construction vehicle* is a motor vehicle designed specifically for use in the construction (and demolition) of roads, buildings and other structures.

**Includes:** bulldozer  
digger  
dumper truck  
earth-leveller  
mechanical shovel  
road-roller

**Excludes:** accident(s) not occurring on highway (W31)

- (y) A *special all-terrain vehicle* is a motor vehicle of special design to enable it to negotiate rough or soft terrain or snow. Examples of special design are high construction, special wheels and tires, tracks, and support on a cushion of air.

**Includes:** hovercraft on land or swamp  
snowmobile

**Excludes:** hovercraft on open water - see definition (aa)

- (z) A vehicle is considered to be a motor vehicle when accident occurred on a public highway [i.e., originating, terminating or involving vehicle partially on the highway].

- (aa) A *watercraft* is any device for transporting passengers or goods on water.

**Includes:** hovercraft NOS

- (bb) An *aircraft* is any device for transporting passengers or goods in the air.

## Classification and coding instructions for transport accidents

## ICD-10-Mortality 2e-Volume1 - 2017

1. If an event is unspecified as to whether it was a traffic or a nontraffic accident, it is assumed to be:
  - (a) A traffic accident when the event is classifiable to categories V02-V04, V10-V82 and V87
  - (b) A nontraffic accident when the event is classifiable to categories V83-V86. For these categories the victim is either a pedestrian, or an occupant of a vehicle designed primarily for off-road use.

2. When accidents involving more than one kind of transport are reported, the following order of precedence should be used:

aircraft and spacecraft (V95-V97)

watercraft (V90-V94)

other modes of transport (V01-V89, V98-V99)

3. Where transport accident descriptions do not specify the victim as being a vehicle occupant and the victim is described as:

crushed  
dragged  
hit  
injured  
killed  
knocked down  
  
run over  
struck

by any vehicle including

animal being ridden  
animal-drawn vehicle  
bicycle  
bulldozer  
  
bus  
car  
motorcycle  
motorized tricycle  
pick-up (truck)  
recreational vehicle  
streetcar  
tractor  
  
train  
tram  
truck  
van

classify the victim as a pedestrian (categories V01-V09).

4. Where transport accident descriptions do not indicate the victim's role, such as:
 

|          |         |          |     |
|----------|---------|----------|-----|
| airplane | bicycle | accident | NOS |
|----------|---------|----------|-----|

## ICD-10-Mortality 2e-Volume1 - 2017

|                      |           |  |
|----------------------|-----------|--|
| boat                 | collision |  |
| bulldozer            | crash     |  |
| bus                  | wreck     |  |
| car                  |           |  |
| motorcycle           |           |  |
| motorized tricycle   |           |  |
| pick-up (truck)      |           |  |
| recreational vehicle |           |  |
| spacecraft           |           |  |
| streetcar            |           |  |
| tractor              |           |  |
| train                |           |  |
| tram                 |           |  |
| truck                |           |  |
| van                  |           |  |
| watercraft           |           |  |

classify the victim as an occupant or rider of the vehicle mentioned.

If more than one vehicle is mentioned, do not make any assumption as to which vehicle was occupied by the victim unless the vehicles are the same. Instead, code to the appropriate categories V87-V88, V90-V94, V95-V97, taking into account the order of precedence given in note 2.

5. Where a transport accident, such as:  
vehicle (motor) (nonmotor):

- failing to make curve
- going out of control (due to):
  - burst tire [blowout]
  - driver falling asleep
  - driver inattention
  - excessive speed
  - failure of mechanical part

resulted in a subsequent collision, classify the accident as a collision. If an accident other than a collision resulted, classify it as a noncollision accident according to the vehicle type involved.

6. Where a transport accident involving a vehicle in motion for these listed conditions:
 

|                                                                                                           |                      |
|-----------------------------------------------------------------------------------------------------------|----------------------|
| accidental poisoning from exhaust gas generated by<br>breakage of any part of<br>explosion of any part of | vehicle in<br>motion |
|-----------------------------------------------------------------------------------------------------------|----------------------|

## ICD-10-Mortality 2e-Volume1 - 2017

fall, jump, thrown, or being accidentally pushed from  
fire starting in  
hit by object thrown into or onto  
injured by being thrown against some part of, or object in  
injury from moving part of  
object falling in or on

resulted in a subsequent collision, classify the accident as a collision. If an accident other than a collision resulted, classify it as a noncollision accident according to the vehicle type involved.

If victim was thrown from vehicle and struck, classify victim as occupant of the vehicle type involved.

### 7. Land transport accidents described as:

collision (due to loss of control) (on highway) between vehicle and:

abutment (bridge) (overpass)

fallen stone

guard rail or boundary fence

inter-highway divider

landslide (not moving)

object thrown in front of motor vehicle

safety island

tree

traffic sign or marker (temporary)

utility pole

wall of cut made for road

other object, fixed, movable or moving

are included in V17-, V27-, V37-,  
V47-, V57-, V67- and V77-

overturning (without collision) are included in V18-, V28-, V38-, V48-, V58-,  
V68-, and V78-

collision with animal (herded) (unattended) are included in V10-, V20-, V30-,  
V40-, V50-, V60-, and V70-

collision with animal-drawn vehicle or animal being ridden are included in V16-,  
V26-, V36-, V46-, V56-, V66-, and V76-.

## Pedestrian injured in transport accident (V01-V09)

- Excludes:** collision of pedestrian (conveyance) with other pedestrian (conveyance) (W51-)
- with subsequent fall (W03-)

The following fourth-character subdivisions are for use with categories V01-V06:

- .0 Nontraffic accident**
- .1 Traffic accident**
- .9 Unspecified whether traffic or nontraffic accident**

**V01 Pedestrian injured in collision with pedal cycle**

**V02 Pedestrian injured in collision with two- or three-wheeled motor vehicle**

**V03 Pedestrian injured in collision with car, pick-up truck or van**

**V04 Pedestrian injured in collision with heavy transport vehicle or bus**

**V05 Pedestrian injured in collision with railway train or railway vehicle**

**V06 Pedestrian injured in collision with other nonmotor vehicle**

**Includes:** collision with animal-drawn vehicle, animal being ridden, streetcar

**V09 Pedestrian injured in other and unspecified transport accidents**

**Includes:** pedestrian injured by special vehicle

**V09.0 Pedestrian injured in nontraffic accident involving other and unspecified motor vehicles**

**V09.1 Pedestrian injured in unspecified nontraffic accident**

**V09.2 Pedestrian injured in traffic accident involving other and unspecified motor vehicles**

**V09.3 Pedestrian injured in unspecified traffic accident**

**V09.9 Pedestrian injured in unspecified transport accident**

### **Pedal cyclist injured in transport accident (V10-V19)**

The following fourth-character subdivisions are for use with categories V10-V18:

- .0 Driver injured in nontraffic accident**
- .1 Passenger injured in nontraffic accident**
- .2 Unspecified pedal cyclist injured in nontraffic accident**
- .3 Person injured while boarding or alighting**
- .4 Driver injured in traffic accident**
- .5 Passenger injured in traffic accident**
- .9 Unspecified pedal cyclist injured in traffic accident**

**V10 Pedal cyclist injured in collision with pedestrian or animal**  
*Excludes:* collision with animal-drawn vehicle or animal being ridden (V16-)

**V11 Pedal cyclist injured in collision with other pedal cycle**



**V12 Pedal cyclist injured in collision with two- or three-wheeled motor vehicle**

**V13 Pedal cyclist injured in collision with car, pick-up truck or van**

**V14 Pedal cyclist injured in collision with heavy transport vehicle or bus**

**V15 Pedal cyclist injured in collision with railway train or railway vehicle**

**V16 Pedal cyclist injured in collision with other nonmotor vehicle**  
*Includes:* collision with animal-drawn vehicle, animal being ridden, streetcar

**V17 Pedal cyclist injured in collision with fixed or stationary object**

**V18 Pedal cyclist injured in noncollision transport accident**  
*Includes:* fall or thrown from pedal cycle (without antecedent collision)  
overturning:  
• NOS  
• without collision

**V19 Pedal cyclist injured in other and unspecified transport accidents**

**V19.0 Driver injured in collision with other and unspecified motor vehicles in nontraffic accident**

**V19.1 Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident**

**V19.2 Unspecified pedal cyclist injured in collision with other and unspecified motor vehicles in nontraffic accident**

Pedal cycle collision NOS, nontraffic

**V19.3 Pedal cyclist [any] injured in unspecified nontraffic accident**

Pedal cycle accident NOS, nontraffic

Pedal cyclist injured in nontraffic accident NOS

**V19.4 Driver injured in collision with other and unspecified motor vehicles in traffic accident**

**V19.5 Passenger injured in collision with other and unspecified motor vehicles in traffic accident**

**V19.6 Unspecified pedal cyclist injured in collision with other and unspecified motor vehicles in traffic accident**

Pedal cycle collision NOS (traffic)

**V19.8 Pedal cyclist [any] injured in other specified transport accidents**

Trapped by part of pedal cycle

**V19.9 Pedal cyclist [any] injured in unspecified traffic accident**

Pedal cycle accident NOS

Motorcycle rider injured in transport accident (V20-V29)

**Includes:** moped

## ICD-10-Mortality 2e-Volume1 - 2017

motorcycle with sidecar  
motorized bicycle  
motor scooter

**Excludes:** three-wheeled motor vehicle (V30-V39)

The following fourth-character subdivisions are for use with categories V20-V28:

- .0 Driver injured in nontraffic accident**
- .1 Passenger injured in nontraffic accident**
- .2 Unspecified motorcycle rider injured in nontraffic accident**
- .3 Person injured while boarding or alighting**
- .4 Driver injured in traffic accident**
- .5 Passenger injured in traffic accident**
- .9 Unspecified motorcycle rider injured in traffic accident**

**V20 Motorcycle rider injured in collision with pedestrian or animal**

**Excludes:** collision with animal-drawn vehicle or animal being ridden (V26-)

**V21 Motorcycle rider injured in collision with pedal cycle**

**V22 Motorcycle rider injured in collision with two- or three-wheeled motor vehicle**

**V23 Motorcycle rider injured in collision with car, pick-up truck or van**

**V24 Motorcycle rider injured in collision with heavy transport vehicle or bus**

**V25 Motorcycle rider injured in collision with railway train or railway vehicle**

**V26 Motorcycle rider injured in collision with other nonmotor vehicle**  
*Includes:* collision with animal-drawn vehicle, animal being ridden, streetcar

**V27 Motorcycle rider injured in collision with fixed or stationary object**

**V28 Motorcycle rider injured in noncollision transport accident**  
*Includes:* fall or thrown from motorcycle (without antecedent collision)  
                  overturning:  
                  • NOS  
                  • without collision

**V29 Motorcycle rider injured in other and unspecified transport accidents**

**V29.0 Driver injured in collision with other and unspecified motor vehicles in nontraffic accident**

**V29.1 Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident**

**V29.2 Unspecified motorcycle rider injured in collision with other and unspecified motor vehicles in nontraffic accident**  
Motorcycle collision NOS, nontraffic

**V29.3 Motorcycle rider [any] injured in unspecified nontraffic accident**  
Motorcycle accident NOS, nontraffic

Motorcycle rider injured in nontraffic accident NOS

**V29.4 Driver injured in collision with other and unspecified motor vehicles in traffic accident**

**V29.5 Passenger injured in collision with other and unspecified motor vehicles in traffic accident**

**V29.6 Unspecified motorcycle rider injured in collision with other and unspecified motor vehicles in traffic accident**

Motorcycle collision NOS (traffic)

**V29.8 Motorcycle rider [any] injured in other specified transport accidents**

Trapped by part of motorcycle

**V29.9 Motorcycle rider [any] injured in unspecified traffic accident**

Motorcycle accident NOS

### Occupant of three-wheeled motor vehicle injured in transport accident (V30-V39)

**Includes:** motorized tricycle

**Excludes:** motorcycle with sidecar (V20-V29)  
vehicle designed primarily for off-road use (V86-)

The following fourth-character subdivisions are for use with categories V30-V38:

**.0 Driver injured in nontraffic accident**

**.1 Passenger injured in nontraffic accident**

## ICD-10-Mortality 2e-Volume1 - 2017

- .2 Person on outside of vehicle injured in nontraffic accident**
- .3 Unspecified occupant of three-wheeled motor vehicle injured in nontraffic accident**
- .4 Person injured while boarding or alighting**
- .5 Driver injured in traffic accident**
- .6 Passenger injured in traffic accident**
- .7 Person on outside of vehicle injured in traffic accident**
- .9 Unspecified occupant of three-wheeled motor vehicle injured in traffic accident**

**V30 Occupant of three-wheeled motor vehicle injured in collision with pedestrian or animal**

***Excludes:*** collision with animal-drawn vehicle or animal being ridden (V36-)

**V31 Occupant of three-wheeled motor vehicle injured in collision with pedal cycle**

**V32 Occupant of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle**

**V33 Occupant of three-wheeled motor vehicle injured in collision with car, pick-up truck or van**

**V34 Occupant of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus**

**V35 Occupant of three-wheeled motor vehicle injured in collision with railway train or railway vehicle**

**V36 Occupant of three-wheeled motor vehicle injured in collision with other nonmotor vehicle**

***Includes:*** collision with animal-drawn vehicle, animal being ridden, streetcar

**V37 Occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object**

**V38 Occupant of three-wheeled motor vehicle injured in noncollision transport accident**

***Includes:*** fall or thrown from three-wheeled motor vehicle overturning:

- NOS
- without collision

**V39 Occupant of three-wheeled motor vehicle injured in other and unspecified transport accidents**

**V39.0 Driver injured in collision with other and unspecified motor vehicles in nontraffic accident**

**V39.1 Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident**

**V39.2 Unspecified occupant of three-wheeled motor vehicle injured in collision with other and unspecified motor vehicles in nontraffic accident**

Collision NOS involving three-wheeled motor vehicle, nontraffic

**V39.3 Occupant [any] of three-wheeled motor vehicle injured in unspecified nontraffic accident**

Accident NOS involving three-wheeled motor vehicle, nontraffic

Occupant of three-wheeled motor vehicle injured in nontraffic accident  
NOS

**V39.4 Driver injured in collision with other and unspecified motor vehicles in traffic accident**

**V39.5 Passenger injured in collision with other and unspecified motor vehicles in traffic accident**

**V39.6 Unspecified occupant of three-wheeled motor vehicle injured in collision with other and unspecified motor vehicles in traffic accident**

Collision NOS involving three-wheeled motor vehicle (traffic)

**V39.8 Occupant [any] of three-wheeled motor vehicle injured in other specified transport accidents**

Trapped by door or other part of three-wheeled motor vehicle

**V39.9 Occupant [any] of three-wheeled motor vehicle injured in unspecified traffic accident**

Accident NOS involving three-wheeled motor vehicle

## Car occupant injured in transport accident (V40-V49)

**Includes:** minibus

The following fourth-character subdivisions are for use with categories V40-V48:

**.0 Driver injured in nontraffic accident**

**.1 Passenger injured in nontraffic accident**

**.2 Person on outside of vehicle injured in nontraffic accident**

**.3 Unspecified car occupant injured in nontraffic accident**

**.4 Person injured while boarding or alighting**

**.5 Driver injured in traffic accident**

**.6 Passenger injured in traffic accident**



## ICD-10-Mortality 2e-Volume1 - 2017

**.7 Person on outside of vehicle injured in traffic accident**

**.9 Unspecified car occupant injured in traffic accident**

**V40 Car occupant injured in collision with pedestrian or animal**

***Excludes:*** collision with animal-drawn vehicle or animal being ridden (V46-)

**V41 Car occupant injured in collision with pedal cycle**

**V42 Car occupant injured in collision with two- or three-wheeled motor vehicle**

**V43 Car occupant injured in collision with car, pick-up truck or van**

**V44 Car occupant injured in collision with heavy transport vehicle or bus**

**V45 Car occupant injured in collision with railway train or railway vehicle**

**V46 Car occupant injured in collision with other nonmotor vehicle**

***Includes:*** collision with animal-drawn vehicle, animal being ridden, streetcar

**V47 Car occupant injured in collision with fixed or stationary object**

**V48 Car occupant injured in noncollision transport accident**

***Includes:*** overturning:  
• NOS  
• without collision

**V49 Car occupant injured in other and unspecified transport accidents**

**V49.0 Driver injured in collision with other and unspecified motor vehicles in nontraffic accident**

**V49.1 Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident**

**V49.2 Unspecified car occupant injured in collision with other and unspecified motor vehicles in nontraffic accident**

Car collision NOS, nontraffic

**V49.3 Car occupant [any] injured in unspecified nontraffic accident**

Car accident NOS, nontraffic

Car occupant injured in nontraffic accident NOS

**V49.4 Driver injured in collision with other and unspecified motor vehicles in traffic accident**

**V49.5 Passenger injured in collision with other and unspecified motor vehicles in traffic accident**

**V49.6 Unspecified car occupant injured in collision with other and unspecified motor vehicles in traffic accident**

Car collision NOS (traffic)

**V49.8 Car occupant [any] injured in other specified transport accidents**

Trapped by door or other part of car

**V49.9 Car occupant [any] injured in unspecified traffic accident**

Car accident NOS

**Occupant of pick-up truck or van injured in transport accident (V50-V59)**

**Excludes:** heavy transport vehicle (V60-V69)

The following fourth-character subdivisions are for use with categories V50-V58:

- .0 Driver injured in nontraffic accident**
- .1 Passenger injured in nontraffic accident**
- .2 Person on outside of vehicle injured in nontraffic accident**
- .3 Unspecified occupant of pick-up truck or van injured in nontraffic accident**
- .4 Person injured while boarding or alighting**
- .5 Driver injured in traffic accident**
- .6 Passenger injured in traffic accident**
- .7 Person on outside of vehicle injured in traffic accident**
- .9 Unspecified occupant of pick-up truck or van injured in traffic accident**

**V50 Occupant of pick-up truck or van injured in collision with pedestrian or animal**

**Excludes:** collision with animal-drawn vehicle or animal being ridden (V56-)

**V51 Occupant of pick-up truck or van injured in collision with pedal cycle**

**V52 Occupant of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle**

**V53 Occupant of pick-up truck or van injured in collision with car, pick-up truck or van**

**V54 Occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus**

**V55 Occupant of pick-up truck or van injured in collision with railway train or railway vehicle**

**V56 Occupant of pick-up truck or van injured in collision with other nonmotor vehicle**

***Includes:*** collision with animal-drawn vehicle, animal being ridden, streetcar

**V57 Occupant of pick-up truck or van injured in collision with fixed or stationary object**

**V58 Occupant of pick-up truck or van injured in noncollision transport accident**

***Includes:*** overturning:  
• NOS  
• without collision

**V59 Occupant of pick-up truck or van injured in other and unspecified transport accidents**

**V59.0 Driver injured in collision with other and unspecified motor vehicles in nontraffic accident**

**V59.1 Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident**

**V59.2 Unspecified occupant of pick-up truck or van injured in collision with other and unspecified motor vehicles in nontraffic accident**

Collision NOS involving pick-up truck or van, nontraffic

**V59.3 Occupant [any] of pick-up truck or van injured in unspecified nontraffic accident**

Accident NOS involving pick-up truck or van, nontraffic

Occupant of pick-up truck or van injured in nontraffic accident NOS

**V59.4 Driver injured in collision with other and unspecified motor vehicles in traffic accident**

**V59.5 Passenger injured in collision with other and unspecified motor vehicles in traffic accident**

**V59.6 Unspecified occupant of pick-up truck or van injured in collision with other and unspecified motor vehicles in traffic accident**

Collision NOS involving pick-up truck or van (traffic)

**V59.8 Occupant [any] of pick-up truck or van injured in other specified transport accidents**

Trapped by door or other part of pick-up truck or van

**V59.9 Occupant [any] of pick-up truck or van injured in unspecified traffic accident**

Accident NOS involving pick-up truck or van

## Occupant of heavy transport vehicle injured in transport accident (V60-V69)

The following fourth-character subdivisions are for use with categories V60-V68:

- .0 Driver injured in nontraffic accident**
- .1 Passenger injured in nontraffic accident**
- .2 Person on outside of vehicle injured in nontraffic accident**
- .3 Unspecified occupant of heavy transport vehicle injured in nontraffic accident**
- .4 Person injured while boarding or alighting**
- .5 Driver injured in traffic accident**
- .6 Passenger injured in traffic accident**
- .7 Person on outside of vehicle injured in traffic accident**
- .9 Unspecified occupant of heavy transport vehicle injured in traffic accident**

**V60 Occupant of heavy transport vehicle injured in collision with pedestrian or animal**

***Excludes:*** collision with animal-drawn vehicle or animal being ridden (V66-)

**V61 Occupant of heavy transport vehicle injured in collision with pedal cycle**

**V62 Occupant of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle**

**V63 Occupant of heavy transport vehicle injured in collision with car, pick-up truck or van**

**V64 Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus**

**V65 Occupant of heavy transport vehicle injured in collision with railway train or railway vehicle**

**V66 Occupant of heavy transport vehicle injured in collision with other nonmotor vehicle**

***Includes:*** collision with animal-drawn vehicle, animal being ridden, streetcar

**V67 Occupant of heavy transport vehicle injured in collision with fixed or stationary object**

**V68 Occupant of heavy transport vehicle injured in noncollision transport accident**

***Includes:*** overturning:  
• NOS  
• without collision

**V69 Occupant of heavy transport vehicle injured in other and unspecified transport accidents**

**V69.0 Driver injured in collision with other and unspecified motor vehicles in nontraffic accident**

**V69.1 Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident**

**V69.2 Unspecified occupant of heavy transport vehicle injured in collision with other and unspecified motor vehicles in nontraffic accident**

Collision NOS involving heavy transport vehicle, nontraffic

**V69.3 Occupant [any] of heavy transport vehicle injured in unspecified nontraffic accident**

Accident NOS involving heavy transport vehicle, nontraffic

Occupant of heavy transport vehicle injured in nontraffic accident NOS

**V69.4 Driver injured in collision with other and unspecified motor vehicles in traffic accident**

**V69.5 Passenger injured in collision with other and unspecified motor vehicles in traffic accident**

**V69.6 Unspecified occupant of heavy transport vehicle injured in collision with other and unspecified motor vehicles in traffic accident**

Collision NOS involving heavy transport vehicle (traffic)

**V69.8 Occupant [any] of heavy transport vehicle injured in other specified transport accidents**

Trapped by door or other part of heavy transport vehicle

**V69.9 Occupant [any] of heavy transport vehicle injured in unspecified traffic accident**

Accident NOS involving heavy transport vehicle

**Bus occupant injured in transport accident (V70-V79)**

**Excludes:** minibus (V40-V49)

The following fourth-character subdivisions are for use with categories V70-V78:

**.0 Driver injured in nontraffic accident**

**.1 Passenger injured in nontraffic accident**

**.2 Person on outside of vehicle injured in nontraffic accident**



**ICD-10-Mortality 2e-Volume1 - 2017**

**.3 Unspecified bus occupant injured in nontraffic accident**

**.4 Person injured while boarding or alighting**

**.5 Driver injured in traffic accident**

**.6 Passenger injured in traffic accident**

**.7 Person on outside of vehicle injured in traffic accident**

**.9 Unspecified bus occupant injured in traffic accident**

**V70 Bus occupant injured in collision with pedestrian or animal**

***Excludes:*** collision with animal-drawn vehicle or animal being ridden (V76-)

**V71 Bus occupant injured in collision with pedal cycle**

**V72 Bus occupant injured in collision with two- or three-wheeled motor vehicle**

**V73 Bus occupant injured in collision with car, pick-up truck or van**

**V74 Bus occupant injured in collision with heavy transport vehicle or bus**

**V75 Bus occupant injured in collision with railway train or railway vehicle**

**V76 Bus occupant injured in collision with other nonmotor vehicle**

***Includes:*** collision with animal-drawn vehicle, animal being ridden, streetcar

**V77 Bus occupant injured in collision with fixed or stationary object**

**V78 Bus occupant injured in noncollision transport accident**

- Includes:*** overturning:
- NOS
  - without collision

**V79 Bus occupant injured in other and unspecified transport accidents**

**V79.0 Driver injured in collision with other and unspecified motor vehicles in nontraffic accident**

**V79.1 Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident**

**V79.2 Unspecified bus occupant injured in collision with other and unspecified motor vehicles in nontraffic accident**

Bus collision NOS, nontraffic

**V79.3 Bus occupant [any] injured in unspecified nontraffic accident**

Bus accident NOS, nontraffic

Bus occupant injured in nontraffic accident NOS

**V79.4 Driver injured in collision with other and unspecified motor vehicles in traffic accident**

**V79.5 Passenger injured in collision with other and unspecified motor vehicles in traffic accident**

**V79.6 Unspecified bus occupant injured in collision with other and unspecified motor vehicles in traffic accident**

Bus collision NOS (traffic)

**V79.8 Bus occupant [any] injured in other specified transport accidents**

Trapped by door or other part of bus

**V79.9 Bus occupant [any] injured in unspecified traffic accident**

Bus accident NOS

Other land transport accidents (V80-V89)

**V80 Animal-rider or occupant of animal-drawn vehicle injured in transport accident**

**V80.0 Rider or occupant injured by fall from or being thrown from animal or animal-drawn vehicle in noncollision accident**

Overturning:

- NOS
- without collision

**V80.1 Rider or occupant injured in collision with pedestrian or animal**

**Excludes:** collision with animal-drawn vehicle or animal being ridden (V80.7)

**V80.2 Rider or occupant injured in collision with pedal cycle**

**V80.3 Rider or occupant injured in collision with two-or three-wheeled motor vehicle**

**V80.4 Rider or occupant injured in collision with car, pick-up truck, van, heavy transport vehicle or bus**

**V80.5 Rider or occupant injured in collision with other specified motor vehicle**

**V80.6 Rider or occupant injured in collision with railway train or railway vehicle**

**V80.7 Rider or occupant injured in collision with other nonmotor vehicle**

Collision with:

- animal being ridden
- animal-drawn vehicle
- streetcar

**V80.8 Rider or occupant injured in collision with fixed or stationary object**

**V80.9 Rider or occupant injured in other and unspecified transport accidents**

Animal-drawn vehicle accident NOS

Animal-rider accident NOS

**V81 Occupant of railway train or railway vehicle injured in transport accident**

***Includes:*** person on outside of train

**V81.0 Occupant of railway train or railway vehicle injured in collision with motor vehicle in nontraffic accident**

**V81.1 Occupant of railway train or railway vehicle injured in collision with motor vehicle in traffic accident**

**V81.2 Occupant of railway train or railway vehicle injured in collision with or hit by rolling stock**

**V81.3 Occupant of railway train or railway vehicle injured in collision with other object**

Railway collision NOS

**V81.4 Person injured while boarding or alighting from railway train or railway vehicle**

**V81.5 Occupant of railway train or railway vehicle injured by fall in railway train or railway vehicle**

**Excludes:** fall:

- during derailment:
  - with antecedent collision (V81.0-V81.3)
  - without antecedent collision (V81.7)
- while boarding or alighting (V81.4)

**V81.6 Occupant of railway train or railway vehicle injured by fall from railway train or railway vehicle**

**Excludes:** fall:

- during derailment:
  - with antecedent collision (V81.0-V81.3)
  - without antecedent collision (V81.7)
- while boarding or alighting (V81.4)

**V81.7 Occupant of railway train or railway vehicle injured in derailment without antecedent collision**

**V81.8 Occupant of railway train or railway vehicle injured in other specified railway accidents**

Explosion or fire

Hit by falling:

- earth
- rock
- tree

**Excludes:** derailment:

- with antecedent collision (V81.0-V81.3)
- without antecedent collision (V81.7)

**V81.9 Occupant of railway train or railway vehicle injured in unspecified railway accident**

Railway accident NOS

**V82 Occupant of streetcar injured in transport accident**

**Includes:** person on outside of streetcar

**V82.0 Occupant of streetcar injured in collision with motor vehicle in nontraffic accident**

**V82.1 Occupant of streetcar injured in collision with motor vehicle in traffic accident**

**V82.2 Occupant of streetcar injured in collision with or hit by rolling stock**

**V82.3 Occupant of streetcar injured in collision with other object**

**Excludes:** collision with animal-drawn vehicle or animal being ridden (V82.8)

**V82.4 Person injured while boarding or alighting from streetcar**

**V82.5 Occupant of streetcar injured by fall in streetcar**

- Excludes:** fall:
- while boarding or alighting (V82.4)
  - with antecedent collision (V82.0-V82.3)

**V82.6 Occupant of streetcar injured by fall from streetcar**

- Excludes:** fall:
- while boarding or alighting (V82.4)
  - with antecedent collision (V82.0-V82.3)

**V82.7 Occupant of streetcar injured in derailment without antecedent collision**

**V82.8 Occupant of streetcar injured in other specified transport accidents**

Collision with train or other nonmotor vehicle

**V82.9 Occupant of streetcar injured in unspecified traffic accident**

Streetcar accident NOS

**V83 Occupant of special vehicle mainly used on industrial premises injured in transport accident**

- Excludes:** vehicle in stationary use or maintenance (W31-)

**V83.0 Driver of special industrial vehicle injured in traffic accident**

**V83.1 Passenger of special industrial vehicle injured in traffic accident**

**V83.2 Person on outside of special industrial vehicle injured in traffic accident**

- V83.3 Unspecified occupant of special industrial vehicle injured in traffic accident**
- V83.4 Person injured while boarding or alighting from special industrial vehicle**
- V83.5 Driver of special industrial vehicle injured in nontraffic accident**
- V83.6 Passenger of special industrial vehicle injured in nontraffic accident**
- V83.7 Person on outside of special industrial vehicle injured in nontraffic accident**
- V83.9 Unspecified occupant of special industrial vehicle injured in nontraffic accident**  
Special-industrial-vehicle accident NOS
- V84 Occupant of special vehicle mainly used in agriculture injured in transport accident**  
*Excludes:* vehicle in stationary use or maintenance (W30-)
- V84.0 Driver of special agricultural vehicle injured in traffic accident**
- V84.1 Passenger of special agricultural vehicle injured in traffic accident**
- V84.2 Person on outside of special agricultural vehicle injured in traffic accident**



- V84.3 Unspecified occupant of special agricultural vehicle injured in traffic accident**
- V84.4 Person injured while boarding or alighting from special agricultural vehicle**
- V84.5 Driver of special agricultural vehicle injured in nontraffic accident**
- V84.6 Passenger of special agricultural vehicle injured in nontraffic accident**
- V84.7 Person on outside of special agricultural vehicle injured in nontraffic accident**
- V84.9 Unspecified occupant of special agricultural vehicle injured in nontraffic accident**  
Special-agricultural-vehicle accident NOS
- V85 Occupant of special construction vehicle injured in transport accident**  
*Excludes:* vehicle in stationary use or maintenance (W31-)
- V85.0 Driver of special construction vehicle injured in traffic accident**
- V85.1 Passenger of special construction vehicle injured in traffic accident**
- V85.2 Person on outside of special construction vehicle injured in traffic accident**

- V85.3 Unspecified occupant of special construction vehicle injured in traffic accident**
- V85.4 Person injured while boarding or alighting from special construction vehicle**
- V85.5 Driver of special construction vehicle injured in nontraffic accident**
- V85.6 Passenger of special construction vehicle injured in nontraffic accident**
- V85.7 Person on outside of special construction vehicle injured in nontraffic accident**
- V85.9 Unspecified occupant of special construction vehicle injured in nontraffic accident**  
Special-construction-vehicle accident NOS
- V86 Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident**  
*Excludes:* vehicle in stationary use or maintenance (W31-)
- V86.0 Driver of all-terrain or other off-road motor vehicle injured in traffic accident**
- V86.1 Passenger of all-terrain or other off-road motor vehicle injured in traffic accident**
- V86.2 Person on outside of all-terrain or other off-road motor vehicle injured in traffic accident**

- V86.3 Unspecified occupant of all-terrain or other off-road motor vehicle injured in traffic accident**
- V86.4 Person injured while boarding or alighting from all-terrain or other off-road motor vehicle**
- V86.5 Driver of all-terrain or other off-road motor vehicle injured in nontraffic accident**
- V86.6 Passenger of all-terrain or other off-road motor vehicle injured in nontraffic accident**
- V86.7 Person on outside of all-terrain or other off-road motor vehicle injured in nontraffic accident**
- V86.9 Unspecified occupant of all-terrain or other off-road motor vehicle injured in nontraffic accident**  
All-terrain motor-vehicle accident NOS  
Off-road motor-vehicle accident NOS
- V87 Traffic accident of specified type but victim's mode of transport unknown**  
*Excludes:* collision involving:  
• pedal cyclist (V10-V19)  
• pedestrian (V01-V09)
- V87.0 Person injured in collision between car and two- or three-wheeled motor vehicle (traffic)**
- V87.1 Person injured in collision between other motor vehicle and two-or three-wheeled motor vehicle (traffic)**

- V87.2 Person injured in collision between car and pick-up truck or van (traffic)**
  - V87.3 Person injured in collision between car and bus (traffic)**
  - V87.4 Person injured in collision between car and heavy transport vehicle (traffic)**
  - V87.5 Person injured in collision between heavy transport vehicle and bus (traffic)**
  - V87.6 Person injured in collision between railway train or railway vehicle and car (traffic)**
  - V87.7 Person injured in collision between other specified motor vehicles (traffic)**
  - V87.8 Person injured in other specified noncollision transport accidents involving motor vehicle (traffic)**
  - V87.9 Person injured in other specified (collision)(noncollision) transport accidents involving nonmotor vehicle (traffic)**
- V88 Nontraffic accident of specified type but victim's mode of transport unknown**
- Excludes:** collision involving:
- pedal cyclist (V10-V19)
  - pedestrian (V01-V09)

- V88.0 Person injured in collision between car and two- or three-wheeled motor vehicle, nontraffic**
- V88.1 Person injured in collision between other motor vehicle and two- or three-wheeled motor vehicle, nontraffic**
- V88.2 Person injured in collision between car and pick-up truck or van, nontraffic**
- V88.3 Person injured in collision between car and bus, nontraffic**
- V88.4 Person injured in collision between car and heavy transport vehicle, nontraffic**
- V88.5 Person injured in collision between heavy transport vehicle and bus, nontraffic**
- V88.6 Person injured in collision between railway train or railway vehicle and car, nontraffic**
- V88.7 Person injured in collision between other specified motor vehicles, nontraffic**
- V88.8 Person injured in other specified noncollision transport accidents involving motor vehicle, nontraffic**
- V88.9 Person injured in other specified (collision)(noncollision) transport accidents involving nonmotor vehicle, nontraffic**

**V89 Motor- or nonmotor-vehicle accident, type of vehicle unspecified**

**V89.0 Person injured in unspecified motor-vehicle accident, nontraffic**

Motor-vehicle accident NOS, nontraffic

**V89.1 Person injured in unspecified nonmotor-vehicle accident, nontraffic**

Nonmotor-vehicle accident NOS (nontraffic)

**V89.2 Person injured in unspecified motor-vehicle accident, traffic**

Motor-vehicle accident [MVA] NOS

Road (traffic) accident [RTA] NOS

**V89.3 Person injured in unspecified nonmotor-vehicle accident, traffic**

Nonmotor-vehicle traffic accident NOS

**V89.9 Person injured in unspecified vehicle accident**

Collision NOS

**Water transport accidents (V90-V94)**

**Includes:** watercraft accidents in the course of recreational activities

The following fourth-character subdivisions are for use with categories V90-V94:

**.0 Merchant ship**

**.1 Passenger ship**

Ferry-boat

Liner

**.2 Fishing boat**

## ICD-10-Mortality 2e-Volume1 - 2017

### **.3 Other powered watercraft**

Hovercraft (on open water)

Jet skis

### **.4 Sailboat**

Yacht

### **.5 Canoe or kayak**

### **.6 Inflatable craft (nonpowered)**

### **.7 Water-skis**

### **.8 Other unpowered watercraft**

Surf-board

Windsurfer

### **.9 Unspecified watercraft**

Boat (motor) (powered) NOS

Ship NOS

Watercraft NOS

## **V90 Accident to watercraft causing drowning and submersion**

**Includes:** drowning and submersion due to:

- boat:
  - overturning
  - sinking
- falling or jumping from:
  - burning ship
  - crushed watercraft
- other accident to watercraft

**Excludes:** water-transport-related drowning or submersion without accident to watercraft (V92-)

## **V91 Accident to watercraft causing other injury**

**Includes:** any injury except drowning and submersion as a result of an  
accident to watercraft  
burned while ship on fire  
crushed between ships by collision  
crushed by lifeboat after abandoning ship  
fall due to collision or other accident to watercraft

hit by falling object due to accident to watercraft  
injured in watercraft accident involving collision of watercraft  
struck by boat or part thereof after fall or jump from damaged boat

**Excludes:** burns from localized fire or explosion on board ship (V93-)

**V92 Water-transport-related drowning and submersion without accident to watercraft**

**Includes:** drowning and submersion as a result of an accident, such as:

- fall:
  - from gangplank
  - from ship
  - overboard
- thrown overboard by motion of ship
- washed overboard

**Excludes:** drowning or submersion of swimmer or diver who voluntarily jumps from boat not involved in an accident (W69-, W73-)

**V93 Accident on board watercraft without accident to watercraft, not causing drowning and submersion**

**Includes:** accidental poisoning by gases or fumes on ship  
atomic reactor malfunction in watercraft  
crushed by falling object on ship  
excessive heat in:

- boiler room
- engine room
- evaporator room
- fire room

explosion of boiler on steamship  
fall from one level to another in watercraft  
fall on stairs or ladders in watercraft  
injuries in watercraft caused by:

- deck
- engine room
- galley
- laundry
- loading

machinery



localized fire on ship  
machinery accident in watercraft

**V94 Other and unspecified water transport accidents**

***Includes:*** accident to nonoccupant of watercraft  
hit by boat while water-skiing

**Air and space transport accidents (V95-V97)**

**V95 Accident to powered aircraft causing injury to occupant**

|                                                                                                                                |                             |
|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| <b><i>Includes:</i></b> collision with any object, fixed,<br>movable or moving<br>crash<br>explosion<br>fire<br>forced landing | of or on (powered) aircraft |
|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------|

**V95.0 Helicopter accident injuring occupant**

**V95.1 Ultralight, microlight or powered-glider accident  
injuring occupant**

**V95.2 Accident to other private fixed-wing aircraft, injuring  
occupant**

**V95.3 Accident to commercial fixed-wing aircraft, injuring  
occupant**

**V95.4 Spacecraft accident injuring occupant**

**V95.8 Other aircraft accidents injuring occupant**

**V95.9 Unspecified aircraft accident injuring occupant**

Aircraft accident NOS

Air transport accident NOS

**V96 Accident to nonpowered aircraft causing injury to occupant**

|                  |                                                                                                           |                              |
|------------------|-----------------------------------------------------------------------------------------------------------|------------------------------|
| <b>Includes:</b> | collision with any object,<br>fixed, movable or<br>moving<br>crash<br>explosion<br>fire<br>forced landing | of or on nonpowered aircraft |
|------------------|-----------------------------------------------------------------------------------------------------------|------------------------------|

**V96.0 Balloon accident injuring occupant**

**V96.1 Hang-glider accident injuring occupant**

**V96.2 Glider (nonpowered) accident injuring occupant**

**V96.8 Other nonpowered-aircraft accidents injuring occupant**

Kite carrying a person

**V96.9 Unspecified nonpowered-aircraft accident injuring occupant**

Nonpowered-aircraft accident NOS

**V97 Other specified air transport accidents**

**Includes:** accidents to nonoccupants of aircraft

**V97.0 Occupant of aircraft injured in other specified air transport accidents**

Fall in, on or from aircraft in air transport accident

**Excludes:** accident while boarding or alighting (V97.1)

**V97.1 Person injured while boarding or alighting from aircraft**

**V97.2 Parachutist injured in air transport accident**

**Excludes:** person making descent after accident to aircraft (V95-V96)

**V97.3 Person on ground injured in air transport accident**

Hit by object falling from aircraft

Injured by rotating propeller

Sucked into jet

**V97.8 Other air transport accidents, not elsewhere classified**

Injury from machinery on aircraft

**Excludes:** aircraft accident NOS (V95.9)

exposure to changes in air pressure during ascent or descent (W94-)

**Other and unspecified transport accidents (V98-V99)**

**Excludes:** vehicle accident, type of vehicle unspecified (V89-)

**V98 Other specified transport accidents**

**Includes:** accident to, on or involving:

- cable-car, not on rails
- ice-yacht

- land-yacht
  - ski chair-lift
  - ski-lift with gondola caught or dragged by fall or jump from object thrown from or in
- cable-car, not on rails

## V99 Unspecified transport accident

### Other external causes of accidental injury (W00-X59)

#### Falls (W00-W19)

[See beginning of Chapter XX for fourth-character place of occurrence codes]

- Excludes:**
- assault (Y01-Y02)
  - fall (in)(from):
    - animal (V80-)
    - burning building (X00-)
    - into fire (X00-X04, X08-X09)
    - into water (with drowning or submersion) (W65-W74)
    - machinery (in operation) (W28-W31)
    - repeated falls not resulting from accident (R29.6)
    - transport vehicle (V01-V99)
  - intentional self-harm (X80-X81)

## W00 Fall on same level involving ice and snow

- Excludes:**
- fall with mention of:
    - ice-skates and skis (W02-)
    - stairs and steps (W10-)

## ICD-10-Mortality 2e-Volume1 - 2017

### **W01 Fall on same level from slipping, tripping and stumbling**

**Excludes:** fall involving ice or snow (W00-)

### **W02 Fall involving ice-skates, skis, roller-skates or skateboards**

### **W03 Other fall on same level due to collision with, or pushing by, another person**

**Includes:** fall due to collision of pedestrian (conveyance) with another pedestrian (conveyance)

**Excludes:** crushed or pushed by crowd or human stampede (W52-)  
fall involving ice or snow (W00-)

### **W04 Fall while being carried or supported by other persons**

**Includes:** accidentally dropped while being carried

### **W05 Fall involving wheelchair**

### **W06 Fall involving bed**

### **W07 Fall involving chair**

### **W08 Fall involving other furniture**

### **W09 Fall involving playground equipment**

**Excludes:** fall involving recreational machinery (W31-)

### **W10 Fall on and from stairs and steps**

**Includes:** fall (on)(from):  
• escalator

- incline
- involving ice or snow on stairs and steps
- ramp

**W11 Fall on and from ladder**

**W12 Fall on and from scaffolding**

**W13 Fall from, out of or through building or structure**

***Includes:*** fall from, out of or through:

- balcony
- bridge
- building
- flag-pole
- floor
- railing
- roof
- tower
- turret
- viaduct
- wall
- window

***Excludes:*** collapse of a building or structure (W20-)  
fall or jump from burning building or structure (X00-)

**W14 Fall from tree**

**W15 Fall from cliff**

**W16 Diving or jumping into water causing injury other than drowning or submersion**

***Includes:*** striking or hitting:

- against bottom when jumping or diving into shallow water
- wall or diving board of swimming-pool

- water surface

**Excludes:** accidental drowning and submersion (W65-W74)  
diving with insufficient air supply (W81-)  
effects of air pressure from diving (W94-)

**W17 Other fall from one level to another**

**Includes:** fall from or into:

- cavity
- dock
- haystack
- hole
- pit
- quarry
- shaft
- tank
- well

**W18 Other fall on same level**

**Includes:** fall:

- from bumping against object
- from or off toilet
- on same level NOS

**W19 Unspecified fall**

**Includes:** accidental fall NOS

**Exposure to inanimate mechanical forces (W20-W49)**

[See beginning of Chapter XX for fourth-character place of occurrence codes]

**Excludes:** assault (X85-Y09)  
contact or collision with animals or persons (W50-W64)  
intentional self-harm (X60-X84)

**W20 Struck by thrown, projected or falling object**

**Includes:** cave-in without asphyxiation or suffocation  
collapse of building, except on fire  
falling:  
• rock  
• stone  
• tree

**Excludes:** collapse or burning building (X00-)  
falling object in:  
• cataclysm (X34-X39)  
• machinery accident (W24-, W28-W31)  
• transport accident (V01-V99)  
object set in motion by:  
• explosion (W35-W40)  
• firearm (W32-W34)  
sports equipment (W21-)

**W21 Striking against or struck by sports equipment**

**Includes:** struck by:  
• hit or thrown ball  
• hockey stick or puck

**W22 Striking against or struck by other objects**

**Includes:** walked into wall

**W23 Caught, crushed, jammed or pinched in or between objects**

|                                                      |         |                                                                                                |
|------------------------------------------------------|---------|------------------------------------------------------------------------------------------------|
| <b>Includes:</b> caught, crushed, jammed or pinched: |         |                                                                                                |
| • between:                                           |         |                                                                                                |
| • moving objects                                     |         |                                                                                                |
| • stationary and<br>moving objects                   | such as | folding object<br>sliding door and door-frame<br>packing crate and floor, after<br>losing grip |
| • in object                                          |         | washing-machine wringer                                                                        |

**Excludes:** injury caused by:  
• cutting or piercing instruments (W25-W27)  
• lifting and transmission devices (W24-)  
• machinery (W28-W31)  
• nonpowered hand tools (W27-)



- transport vehicle being used as a means of transportation (V01-V99)  
struck by thrown, projected or falling object (W20-)

**W24 Contact with lifting and transmission devices, not elsewhere classified**

***Includes:*** chain hoist  
drive belt  
pulley (block)  
rope  
transmission belt or cable  
winch  
wire

***Excludes:*** transport accidents (V01-V99)

**W25 Contact with sharp glass**

***Excludes:*** fall involving glass (W00-W19)  
flying glass due to explosion or firearm discharge (W32-W40)

**W26 Contact with knife, sword or dagger**

**W27 Contact with nonpowered hand tool**

***Includes:*** axe  
can-opener NOS  
chisel  
fork  
handsaw  
hoe  
ice-pick  
needle  
paper-cutter  
pitchfork  
rake  
scissors  
screwdriver  
sewing-machine, nonpowered  
shovel

**Excludes:** hypodermic needle (W46-)

**W28 Contact with powered lawnmower**

**Excludes:** exposure to electric current (W86-)

**W29 Contact with other powered hand tools and household machinery**

**Includes:** blender  
powered:  
• can-opener  
• chain-saw  
• do-it-yourself tool  
• garden tool  
• hedge-trimmer  
• knife  
• sewing-machine  
• spin-drier  
washing-machine

**Excludes:** exposure to electric current (W86-)

**W30 Contact with agricultural machinery**

**Includes:** animal-powered farm machine  
combine harvester  
derrick, hay  
farm machinery NOS  
reaper  
thresher

**Excludes:** accident(s) involving agricultural machinery occurring on highway (V01-V99)  
exposure to electric current (W86-)

**W31 Contact with other and unspecified machinery**

**Includes:** machine NOS  
recreational machinery

## ICD-10-Mortality 2e-Volume1 - 2017

**Excludes:** accident(s) involving machinery occurring on highway (V01-V99)  
exposure to electric current (W86-)

### W32 Handgun discharge

**Includes:** gun for single hand use  
pistol  
revolver

**Excludes:** Very pistol (W34-)

### W33 Rifle, shotgun and larger firearm discharge

**Includes:** army rifle  
hunting rifle  
machine gun

**Excludes:** airgun (W34-)

### W34 Discharge from other and unspecified firearms

**Includes:** airgun  
BB gun  
gunshot wound NOS  
shot NOS  
Very pistol [flare]

### W35 Explosion and rupture of boiler

### W36 Explosion and rupture of gas cylinder

**Includes:** aerosol can  
air tank  
pressurized-gas tank

### W37 Explosion and rupture of pressurized tire, pipe or hose

**W38 Explosion and rupture of other specified pressurized devices**

**W39 Discharge of firework**

**W40 Explosion of other materials**

***Includes:*** blasting material  
explosion (in):

- NOS
- dump
- factory
- grain store
- munitions

explosive gas

**W41 Exposure to high-pressure jet**

***Includes:*** hydraulic jet  
pneumatic jet

**W42 Exposure to noise**

***Includes:*** sound waves  
supersonic waves

**W43 Exposure to vibration**

***Includes:*** infrasound waves

**W44 Foreign body entering into or through eye or natural orifice**

***Excludes:*** corrosive fluid (X49-)  
inhalation or ingestion of foreign body with obstruction of  
respiratory tract (W78-W80)

**W45 Foreign body or object entering through skin**

***Includes:*** edge of stiff paper  
nail

splinter  
tin-can lid

- Excludes:** contact with:
- hand tools (nonpowered)(powered) (W27-W29)
  - hypodermic needle (W46-)
  - knife, sword or dagger (W26-)
  - sharp glass (W25-)
- struck by objects (W20-W22)

**W46 Contact with hypodermic needle**

**W49 Exposure to other and unspecified inanimate mechanical forces**

**Includes:** abnormal gravitational [G] forces

**Exposure to animate mechanical forces (W50-W64)**

[See beginning of Chapter XX for fourth-character place of occurrence codes]

**Excludes:** bites, venomous (X20-X29)  
stings (venomous) (X20-X29)

**W50 Hit, struck, kicked, twisted, bitten or scratched by another person**

**Excludes:** assault (X85-Y09)  
struck by objects (W20-W22)

**W51 Striking against or bumped into by another person**

**Excludes:** fall due to collision of pedestrian (conveyance) with another  
pedestrian (conveyance) (W03-)

**W52 Crushed, pushed or stepped on by crowd or human stampede**

**W53 Bitten by rat**

**W54 Bitten or struck by dog**

**W55 Bitten or struck by other mammals**

***Excludes:*** contact with marine mammal (W56-)

**W56 Contact with marine animal**

Bitten or struck by marine animal

**W57 Bitten or stung by nonvenomous insect and other nonvenomous arthropods**

**W58 Bitten or struck by crocodile or alligator**

**W59 Bitten or crushed by other reptiles**

***Includes:*** lizard  
snake, nonvenomous

**W60 Contact with plant thorns and spines and sharp leaves**

**W64 Exposure to other and unspecified animate mechanical forces**

## Accidental drowning and submersion (W65-W74)

[See beginning of Chapter XX for fourth-character place of occurrence codes]

***Excludes:*** drowning and submersion due to:

## ICD-10-Mortality 2e-Volume1 - 2017

- cataclysm (X34-X39)
- transport accidents (V01-V99)
- water transport accident (V90-, V92-)

**W65 Drowning and submersion while in bath-tub**

**W66 Drowning and submersion following fall into bath-tub**

**W67 Drowning and submersion while in swimming-pool**

**W68 Drowning and submersion following fall into swimming-pool**

**W69 Drowning and submersion while in natural water**

***Includes:*** lake  
open sea  
river  
stream

**W70 Drowning and submersion following fall into natural water**

**W73 Other specified drowning and submersion**

***Includes:*** quenching tank  
reservoir

**W74 Unspecified drowning and submersion**

***Includes:*** drowning NOS  
fall into water NOS

## Other accidental threats to breathing (W75-W84)

[See beginning of Chapter XX for fourth-character place of occurrence codes]

### W75 Accidental suffocation and strangulation in bed

**Includes:** suffocation and strangulation due to:

- bed linen
- mother's body
- pillow

### W76 Other accidental hanging and strangulation

### W77 Threat to breathing due to cave-in, falling earth and other substances

**Includes:** cave-in NOS

**Excludes:** cave-in caused by cataclysm (X34-X39)  
cave-in without asphyxiation or suffocation (W20-)

### W78 Inhalation of gastric contents

|                              |                             |
|------------------------------|-----------------------------|
| <b>Includes:</b> asphyxia by | vomitus [regurgitated food] |
| choked on                    |                             |
| suffocation by               |                             |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| aspiration and inhalation of vomitus (into respiratory tract) NOS | by vomitus in oesophagus |
| compression of trachea                                            |                          |
| interruption of respiration                                       |                          |
| obstruction of respiration                                        |                          |

**Excludes:** injury, except asphyxia or obstruction of respiratory tract, caused by vomitus (W44-)  
obstruction of oesophagus by vomitus without mention of asphyxia or obstruction of respiratory tract (W44-)



**W79 Inhalation and ingestion of food causing obstruction of respiratory tract**

- Includes:** asphyxia by  
                  choked on  
                  suffocation by
- |  |  |                               |
|--|--|-------------------------------|
|  |  | food [including bone or seed] |
|--|--|-------------------------------|
- aspiration and inhalation of food [any] (into respiratory tract) NOS  
compression of trachea  
interruption of respiration  
obstruction of respiration
- |  |  |                       |
|--|--|-----------------------|
|  |  | by food in oesophagus |
|--|--|-----------------------|
- obstruction of pharynx by food (bolus)
- Excludes:** inhalation of vomitus (W78-)  
                  injury, except asphyxia or obstruction of respiratory tract, caused  
                                  by food (W44-)  
                  obstruction of oesophagus by food without mention of asphyxia or  
                                  obstruction of respiratory tract (W44-)

**W80 Inhalation and ingestion of other objects causing obstruction of respiratory tract**

- Includes:** asphyxia by  
                  choked on  
                  suffocation by
- |  |  |                                                                 |
|--|--|-----------------------------------------------------------------|
|  |  | any object, except food or vomitus<br>entering by nose or mouth |
|--|--|-----------------------------------------------------------------|
- aspiration NOS  
aspiration and inhalation of foreign body, except food or vomitus  
                  (into respiratory tract), NOS  
compression of trachea  
interruption of respiration  
obstruction of respiration
- |  |  |                               |
|--|--|-------------------------------|
|  |  | by foreign body in oesophagus |
|--|--|-------------------------------|
- foreign object in nose  
obstruction of pharynx by foreign body
- Excludes:** inhalation of vomitus or food (W78-W79)  
                  injury, except asphyxia or obstruction of respiratory tract, caused  
                                  by foreign body (W44-)  
                  obstruction of oesophagus by foreign body without mention of  
                                  asphyxia or obstruction of respiratory tract (W44-)

**W81 Confined to or trapped in a low-oxygen environment**

***Includes:*** accidentally shut in refrigerator or other airtight space  
diving with insufficient air supply

***Excludes:*** suffocation by plastic bag (W83-)

**W83 Other specified threats to breathing**

***Includes:*** suffocation by plastic bag

**W84 Unspecified threat to breathing**

***Includes:*** asphyxiation NOS  
suffocation NOS

**Exposure to electric current, radiation and extreme ambient air temperature and pressure (W85-W99)**

[See beginning of Chapter XX for fourth-character place of occurrence codes]

***Excludes:*** abnormal reaction to a complication of treatment, without mention of  
misadventure (Y84.2)  
exposure to:  
• natural:  
• cold (X31-)  
• heat (X30-)  
• radiation NOS (X39-)  
• sunlight (X32-)  
misadventure to patient in surgical and medical procedures (Y63.2-Y63.5)  
victim of lightning (X33-)

**W85 Exposure to electric transmission lines**

**W86 Exposure to other specified electric current**

**W87 Exposure to unspecified electric current**

***Includes:*** burns or other injury from electric current NOS  
electric shock NOS  
electrocution NOS

**W88 Exposure to ionizing radiation**

***Includes:*** radioactive isotopes  
X-rays

**W89 Exposure to man-made visible and ultraviolet light**

***Includes:*** welding light (arc)

**W90 Exposure to other nonionizing radiation**

|                                  |           |
|----------------------------------|-----------|
| <b><i>Includes:</i></b> infrared | radiation |
| laser                            |           |
| radiofrequency                   |           |

**W91 Exposure to unspecified type of radiation**

**W92 Exposure to excessive heat of man-made origin**

**W93 Exposure to excessive cold of man-made origin**

***Includes:*** contact with or inhalation of:

- dry ice
- liquid:
  - air
  - hydrogen
  - nitrogen
- prolonged exposure in deep-freeze unit

**W94 Exposure to high and low air pressure and changes in air pressure**

- Includes:** high air pressure from rapid descent in water  
reduction in atmospheric pressure while surfacing from:
- deep-water diving
  - underground residence or prolonged visit at high altitude as the cause of:
  - anoxia
  - barodontalgia
  - barotitis
  - hypoxia
  - mountain sickness
- sudden change in air pressure in aircraft during ascent or descent

## W99 Exposure to other and unspecified man-made environmental factors

### Exposure to smoke, fire and flames (X00-X09)

[See beginning of Chapter XX for fourth-character place of occurrence codes]

**Includes:** fire caused by lightning

**Excludes:** arson (X97-)  
secondary fire resulting from explosion (W35-W40)  
transport accidents (V01-V99)

## X00 Exposure to uncontrolled fire in building or structure

|                            |    |                               |
|----------------------------|----|-------------------------------|
| collapse of                |    |                               |
| fall from                  |    |                               |
| hit by object falling from |    | burning building or structure |
| jump from                  |    |                               |
| conflagration              |    |                               |
| fire                       |    |                               |
| melting                    | of | fittings                      |
| smoldering                 |    | furniture                     |

## ICD-10-Mortality 2e-Volume1 - 2017

### **X01 Exposure to uncontrolled fire, not in building or structure**

***Includes:*** forest fire

### **X02 Exposure to controlled fire in building or structure**

***Includes:*** fire in:  
• fireplace  
• stove

### **X03 Exposure to controlled fire, not in building or structure**

***Includes:*** camp-fire

### **X04 Exposure to ignition of highly flammable material**

***Includes:*** ignition of:  
• gasoline  
• kerosene  
• petrol

### **X05 Exposure to ignition or melting of nightwear**

### **X06 Exposure to ignition or melting of other clothing and apparel**

***Includes:*** ignition | of plastic jewelry  
melting

### **X08 Exposure to other specified smoke, fire and flames**

### **X09 Exposure to unspecified smoke, fire and flames**

***Includes:*** burning NOS  
incineration NOS

## Contact with heat and hot substances (X10-X19)

[See beginning of Chapter XX for fourth-character place of occurrence codes]

- Excludes:** exposure to:
- excessive natural heat (X30-)
  - fire and flames (X00-X09)

### X10 Contact with hot drinks, food, fats and cooking oils

### X11 Contact with hot tap-water

- Includes:** hot water in:
- bath
  - bucket
  - tub
- hot water running out of:
- hose
  - tap

### X12 Contact with other hot fluids

- Includes:** water heated on stove

- Excludes:** hot (liquid) metals (X18-)

### X13 Contact with steam and hot vapours

### X14 Contact with hot air and gases

- Includes:** inhalation of hot air and gases

### X15 Contact with hot household appliances

- Includes:** cooker  
hotplate  
kettle  
saucepan (glass)(metal)

stove (kitchen)  
toaster

**Excludes:** heating appliances (X16-)

**X16 Contact with hot heating appliances, radiators and pipes**

**X17 Contact with hot engines, machinery and tools**

**Excludes:** hot heating appliances, radiators and pipes (X16-)  
hot household appliances (X15-)

**X18 Contact with other hot metals**

**Includes:** liquid metal

**X19 Contact with other and unspecified heat and hot substances**

**Excludes:** objects that are not normally hot, e.g., an object made hot by a house fire (X00-X09)

**Contact with venomous animals and plants (X20-X29)**

[See beginning of Chapter XX for fourth-character place of occurrence codes]

**Includes:** chemical released by:

- animal
- insect

release of venom through fangs, hairs, spines, tentacles and other venom apparatus  
venomous bites and stings

**Excludes:** ingestion of poisonous animals or plants (X49-)

**X20 Contact with venomous snakes and lizards**

**Includes:** cobra

fer de lance  
Gila monster  
krait  
rattlesnake  
sea snake  
snake (venomous)  
viper

**Excludes:** lizard (nonvenomous) (W59-)  
snake, nonvenomous (W59-)

**X21 Contact with venomous spiders**

**Includes:** black widow spider  
tarantula

**X22 Contact with scorpions**

**X23 Contact with hornets, wasps and bees**

**Includes:** yellow jacket

**X24 Contact with centipedes and venomous millipedes (tropical)**

**X25 Contact with other venomous arthropods**

**Includes:** ant  
caterpillar

**X26 Contact with venomous marine animals and plants**

**Includes:** coral  
jellyfish  
nematocysts  
sea:  
• anemone  
• cucumber  
• urchin



***Excludes:*** nonvenomous marine animals (W56-)  
sea snakes (X20-)

**X27 Contact with other specified venomous animals**

**X28 Contact with other specified venomous plants**

***Includes:*** injection of poisons or toxins into or through skin by plant thorns, spines or other mechanisms

***Excludes:*** ingestion of poisonous plants (X49-)  
puncture wound NOS caused by plant thorns or spines (W60-)

**X29 Contact with unspecified venomous animal or plant**

***Includes:*** sting (venomous) NOS  
venomous bite NOS

**Exposure to forces of nature (X30-X39)**

[See beginning of Chapter XX for fourth-character place of occurrence codes]

**X30 Exposure to excessive natural heat**

***Includes:*** excessive heat as the cause of sunstroke  
exposure to heat NOS

***Excludes:*** excessive heat of man-made origin (W92-)

**X31 Exposure to excessive natural cold**

***Includes:*** excessive cold as the cause of:  
• chilblains NOS  
• immersion foot or hand  
exposure to:  
• cold NOS  
• weather conditions

**Excludes:** cold of man-made origin (W93-)  
contact with or inhalation of:  
• dry ice (W93-)  
• liquefied gas (W93-)

**X32 Exposure to sunlight**

**X33 Victim of lightning**

**Excludes:** fire caused by lightning (X00-X09)  
injury from fall of tree or other object caused by lightning (W20-)

**X34 Victim of earthquake**

**X34.0 Victim of cataclysmic earth movements caused by earthquake**

**Includes:** trapped in or injured by collapsing building or other structure

**X34.1 Victim of tsunami**

**X34.8 Victim of other specified effects of earthquake**

**X34.9 Victim of unspecified effect of earthquake**

**X35 Victim of volcanic eruption**

**X36 Victim of avalanche, landslide and other earth movements**

**Includes:** mudslide of cataclysmic nature

**Excludes:** earthquake (X34-)

transport accident involving collision with avalanche or landslide not in motion (V01-V99)

**X37 Victim of cataclysmic storm**

**Includes:** blizzard  
cloudburst  
cyclone  
hurricane  
tidal wave caused by storm  
tornado  
torrential rain  
transport vehicle washed off road by storm

**Excludes:** collapse of dam or man-made structure causing earth movement (X36-)  
transport accident occurring after storm (V01-V99)

**X38 Victim of flood**

**Includes:** flood:  
• arising from remote storm  
• of cataclysmic nature arising from melting snow  
• resulting directly from storm

**Excludes:** collapse of dam or man-made structure causing earth movement (X36-)  
tidal wave:  
• NOS (X39-)  
• caused by storm (X37-)

**X39 Exposure to other and unspecified forces of nature**

**Includes:** natural radiation NOS  
tidal wave NOS

**Excludes:** exposure NOS X59.9  
tsunami (X34.1)

## Accidental poisoning by and exposure to noxious substances (X40-X49)

[See beginning of Chapter XX for fourth-character place of occurrence codes]

**Note:** For list of specific drugs and other substances classified under the three-character categories, see Table of drugs and chemicals in Alphabetical Index.

**Includes:** accidental overdose of drug, wrong drug given or taken in error, and drug taken inadvertently  
accidents in the use of drugs, medicaments and biological substances in medical and surgical procedures  
(self-inflicted) poisoning, when not specified whether accidental or with intent to harm. Follow legal rulings when available (see note following "Event of undetermined intent (Y10-Y34)")

**Excludes:** administration with suicidal or homicidal intent, or intent to harm, or in other circumstances classifiable to X60-X69, X85-X90, Y10-Y19  
correct drug properly administered in therapeutic or prophylactic dosage as the cause of any adverse effect (Y40-Y59)

### **X40 Accidental poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics**

**Includes:** 4-aminophenol derivatives  
nonsteroidal anti-inflammatory drugs [NSAID]  
pyrazolone derivatives  
salicylates

### **X41 Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified**

**Includes:** antidepressants  
barbiturates  
hydantoin derivatives  
iminostilbenes  
methaqualone compounds  
neuroleptics  
psychostimulants

succinimides and oxazolidinediones  
tranquillizers

**X42 Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified**

***Includes:*** cannabis (derivatives)  
cocaine  
codeine  
heroin  
lysergide [LSD]  
mescaline  
methadone  
morphine  
opium (alkaloids)

**X43 Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system**

***Includes:*** parasympatholytics [anticholinergics and antimuscarinics] and  
spasmolytics  
parasympathomimetics [cholinergics]  
sympatholytics [antiadrenergics]  
sympathomimetics [adrenergics]

**X44 Accidental poisoning by and exposure to other and unspecified drugs, medicaments and biological substances**

***Includes:*** agents primarily acting on smooth and skeletal muscles and the  
respiratory system anaesthetics (general)(local)  
drugs affecting the:  
• cardiovascular system  
• gastrointestinal system  
hormones and synthetic substitutes  
systemic and haematological agents  
systemic antibiotics and other anti-infectives  
therapeutic gases  
topical preparations  
vaccines  
water-balance agents and drugs affecting mineral and uric acid  
metabolism

**X45 Accidental poisoning by and exposure to alcohol**

**Includes:** alcohol:  
• NOS  
• butyl [1-butanol]  
• ethyl [ethanol]  
• isopropyl [2-propanol]  
• methyl [methanol]  
• propyl [1-propanol]  
fusel oil

**X46 Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapours**

**Includes:** benzene and homologues  
carbon tetrachloride [tetrachloromethane]  
chlorofluorocarbons  
petroleum (derivatives)

**X47 Accidental poisoning by and exposure to other gases and vapours**

**Includes:** carbon monoxide  
lacrimogenic gas [tear gas]  
motor (vehicle) exhaust gas  
nitrogen oxides  
sulfur dioxide  
utility gas

**Excludes:** metal fumes and vapours (X49-)

**X48 Accidental poisoning by and exposure to pesticides**

**Includes:** fumigants  
fungicides  
herbicides  
insecticides  
rodenticides  
wood preservatives

**Excludes:** plant foods and fertilizers (X49-)

**X49 Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances**

**Includes:** corrosive aromatics, acids and caustic alkalis  
glues and adhesives  
metals including fumes and vapours  
paints and dyes  
plant foods and fertilizers  
poisoning NOS  
poisonous foodstuffs and poisonous plants  
soaps and detergents

**Excludes:** contact with venomous animals and plants (X20-X29)

**Overexertion, travel and privation (X50-X57)**

[See beginning of Chapter XX for fourth-character place of occurrence codes]

**Excludes:** assault (X85-Y09)  
transport accidents (V01-V99)

**X50 Overexertion and strenuous or repetitive movements**

**Includes:** lifting:  
• heavy objects  
• weights  
marathon running  
rowing

**X51 Travel and motion**

**X52 Prolonged stay in weightless environment**

**Includes:** weightlessness in spacecraft (simulator)

**X53 Lack of food**

**Includes:** lack of food as the cause of:

- inanition
- insufficient nourishment
- starvation

**Excludes:** insufficient intake of food and water (due to self neglect) (R63.6)  
neglect or abandonment by others (Y06-)  
self neglect NOS (R46.8)

**X54 Lack of water**

**Includes:** lack of water as the cause of:  
• dehydration  
• inanition

**Excludes:** neglect or abandonment (Y06-)

**X57 Unspecified privation**

**Includes:** destitution

**Accidental exposure to other and unspecified factors  
(X58-X59)**

[See beginning of Chapter XX for fourth-character place of occurrence codes]

**X58 Exposure to other specified factors**

**X59 Exposure to unspecified factor**

**X59.0 Exposure to unspecified factor causing fracture**

**X59.9 Exposure to unspecified factor causing other and unspecified injury**

**Includes:** accident NOS



exposure NOS

## Intentional self-harm (X60-X84)

[See beginning of Chapter XX for fourth-character place of occurrence codes]

**Includes:** purposely self-inflicted poisoning or injury  
suicide (attempted)

### **X60 Intentional self-poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics**

**Includes:** 4-aminophenol derivatives  
nonsteroidal anti-inflammatory drugs [NSAID]  
pyrazolone derivatives  
salicylates

### **X61 Intentional self-poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified**

**Includes:** antidepressants  
barbiturates  
hydantoin derivatives  
iminostilbenes  
methaqualone compounds  
neuroleptics  
psychostimulants  
succinimides and oxazolidinediones  
tranquillizers

### **X62 Intentional self-poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified**

**Includes:** cannabis (derivatives)  
cocaine  
codeine  
heroin

lysergide [LSD]  
mescaline  
methadone  
morphine  
opium (alkaloids)

**X63 Intentional self-poisoning by and exposure to other drugs acting on the autonomic nervous system**

**Includes:** parasympatholytics [anticholinergics] and antimuscarinics] and  
spasmolytics  
parasympathomimetics [cholinergics]  
sympatholytics [antiadrenergics]  
sympathomimetics [adrenergics]

**X64 Intentional self-poisoning by and exposure to other and unspecified drugs, medicaments and biological substances**

**Includes:** agents primarily acting on smooth and skeletal muscles and the  
respiratory system anaesthetics (general)(local)  
drugs affecting the:  
• cardiovascular system  
• gastrointestinal system  
hormones and synthetic substitutes  
systemic and haematological agents  
systemic antibiotics and other anti-infectives  
therapeutic gases  
topical preparations  
vaccines  
water-balance agents and drugs affecting mineral and uric acid  
metabolism

**X65 Intentional self-poisoning by and exposure to alcohol**

**Includes:** alcohol:  
• NOS  
• butyl [1-butanol]  
• ethyl [ethanol]  
• isopropyl [2-propanol]  
• methyl [methanol]  
• propyl [1-propanol]  
fusel oil

**X66 Intentional self-poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapours**

**Includes:** benzene and homologues  
carbon tetrachloride [tetrachloromethane]  
chlorofluorocarbons  
petroleum (derivatives)

**X67 Intentional self-poisoning by and exposure to other gases and vapours**

**Includes:** carbon monoxide  
lacrimogenic gas [tear gas]  
motor (vehicle) exhaust gas  
nitrogen oxides  
sulfur dioxide  
utility gas

**Excludes:** metal fumes and vapours (X69-)

**X68 Intentional self-poisoning by and exposure to pesticides**

**Includes:** fumigants  
fungicides  
herbicides  
insecticides  
rodenticides  
wood preservatives

**Excludes:** plant foods and fertilizers (X69-)

**X69 Intentional self-poisoning by and exposure to other and unspecified chemicals and noxious substances**

**Includes:** corrosive aromatics, acids and caustic alkalis  
glues and adhesives  
metals including fumes and vapours  
paints and dyes  
plant foods and fertilizers  
poisonous foodstuffs and poisonous plants  
soaps and detergents

**X70 Intentional self-harm by hanging, strangulation and suffocation**

**X71 Intentional self-harm by drowning and submersion**

**X72 Intentional self-harm by handgun discharge**

**X73 Intentional self-harm by rifle, shotgun and larger firearm discharge**

**X74 Intentional self-harm by other and unspecified firearm discharge**

**X75 Intentional self-harm by explosive material**

**X76 Intentional self-harm by smoke, fire and flames**

**X77 Intentional self-harm by steam, hot vapours and hot objects**

**X78 Intentional self-harm by sharp object**

**X79 Intentional self-harm by blunt object**

**X80 Intentional self-harm by jumping from a high place**

***Includes:*** intentional fall from one level to another

**X81 Intentional self-harm by jumping or lying before moving object**

**X82 Intentional self-harm by crashing of motor vehicle**

- Includes:** intentional collision with:
- motor vehicle
  - train
  - tram (streetcar)

**Excludes:** crashing of aircraft (X83-)

**X83 Intentional self-harm by other specified means**

- Includes:** intentional self-harm by:
- caustic substances, except poisoning
  - crashing of aircraft
  - electrocution

**X84 Intentional self-harm by unspecified means**

**Assault (X85-Y09)**

[See beginning of Chapter XX for fourth-character place of occurrence codes]

- Includes:** homicide  
injuries inflicted by another person with intent to injure or kill, by any means

- Excludes:** injuries due to:
- legal intervention (Y35-)
  - operations of war (Y36-)

**X85 Assault by drugs, medicaments and biological substances**

- Includes:** homicidal poisoning by (any):
- biological substance
  - drug
  - medicament

## ICD-10-Mortality 2e-Volume1 - 2017

### **X86 Assault by corrosive substance**

***Excludes:*** corrosive gas (X88-)

### **X87 Assault by pesticides**

***Includes:*** wood preservatives

***Excludes:*** plant food and fertilizers (X89-)

### **X88 Assault by gases and vapours**

### **X89 Assault by other specified chemicals and noxious substances**

***Includes:*** plant food and fertilizers

### **X90 Assault by unspecified chemical or noxious substance**

***Includes:*** homicidal poisoning NOS

### **X91 Assault by hanging, strangulation and suffocation**

### **X92 Assault by drowning and submersion**

### **X93 Assault by handgun discharge**

### **X94 Assault by rifle, shotgun and larger firearm discharge**

### **X95 Assault by other and unspecified firearm discharge**

### **X96 Assault by explosive material**

***Excludes:*** incendiary device (X97-)

**X97 Assault by smoke, fire and flames**

***Includes:*** arson  
cigarettes  
incendiary device

**X98 Assault by steam, hot vapours and hot objects**

**X99 Assault by sharp object**

***Includes:*** stabbed NOS

**Y00 Assault by blunt object**

**Y01 Assault by pushing from high place**

**Y02 Assault by pushing or placing victim before moving object**

**Y03 Assault by crashing of motor vehicle**

***Includes:*** deliberately hitting or running over with motor vehicle

**Y04 Assault by bodily force**

***Includes:*** unarmed brawl or fight

***Excludes:*** assault by:  
• strangulation (X91-)  
• submersion (X92-)  
• use of weapon (X93-X95, X99-, Y00-)  
sexual assault by bodily force (Y05-)

**Y05 Sexual assault by bodily force**

***Includes:*** rape (attempted)  
sodomy (attempted)

**Y06 Neglect and abandonment**

**Y06.0 By spouse or partner**

**Y06.1 By parent**

**Y06.2 By acquaintance or friend**

**Y06.8 By other specified persons**

**Y06.9 By unspecified person**

**Y07 Other maltreatment**

***Includes:*** mental cruelty  
physical abuse  
sexual abuse  
torture

***Excludes:*** neglect and abandonment (Y06-)  
sexual assault by bodily force (Y05-)

**Y07.0 By spouse or partner**

**Y07.1 By parent**

**Y07.2 By acquaintance or friend**

**Y07.3 By official authorities**

**Y07.8 By other specified persons**



**Y07.9 By unspecified person**

**Y08 Assault by other specified means**

**Y09 Assault by unspecified means**

***Includes:*** assassination (attempt) NOS  
homicide (attempt) NOS  
manslaughter (nonaccidental)  
murder (attempt) NOS

**Event of undetermined intent (Y10-Y34)**

[See beginning of Chapter XX for fourth-character place of occurrence codes]

***Note:*** This section covers events where available information is insufficient to enable a medical or legal authority to make a distinction between accident, self-harm and assault. It includes self-inflicted injuries, but not poisoning, when not specified whether accidental or with intent to harm (X40-X49). Follow legal rulings when available.

**Y10 Poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics, undetermined intent**

***Includes:*** 4-aminophenol derivatives  
nonsteroidal anti-inflammatory drugs [NSAID]  
pyrazolone derivatives  
salicylates

**Y11 Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified, undetermined intent**

***Includes:*** antidepressants  
barbiturates  
hydantoin derivatives

iminostilbenes  
methaqualone compounds  
neuroleptics  
psychostimulants  
succinimides and oxazolidinediones  
tranquillizers

**Y12 Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent**

***Includes:*** cannabis (derivatives)  
cocaine  
codeine  
heroin  
lysergide [LSD]  
mescaline  
methadone  
morphine  
opium (alkaloids)

**Y13 Poisoning by and exposure to other drugs acting on the autonomic nervous system, undetermined intent**

***Includes:*** parasympatholytics [anticholinergics and antimuscarinics]  
spasmolytics  
parasympathomimetics [cholinergics]  
sympatholytics [antiadrenergics]  
sympathomimetics [adrenergics]

**Y14 Poisoning by and exposure to other and unspecified drugs, medicaments and biological substances, undetermined intent**

***Includes:*** agents primarily acting on smooth and skeletal muscles and the respiratory system anaesthetics (general)(local)  
drugs affecting the:  
• cardiovascular system  
• gastrointestinal system  
hormones and synthetic substitutes  
systemic and haematological agents  
systemic antibiotics and other anti-infectives  
therapeutic gases  
topical preparations

vaccines  
water-balance agents and drugs affecting mineral and uric acid  
metabolism

**Y15 Poisoning by and exposure to alcohol, undetermined intent**

***Includes:*** alcohol:  
• NOS  
• butyl [1-butanol]  
• ethyl [ethanol]  
• isopropyl [2-propanol]  
• methyl [methanol]  
• propyl [1-propanol]  
fusel oil

**Y16 Poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapours, undetermined intent**

***Includes:*** benzene and homologues  
carbon tetrachloride [tetrachloromethane]  
chlorofluorocarbons  
petroleum (derivatives)

**Y17 Poisoning by and exposure to other gases and vapours, undetermined intent**

***Includes:*** carbon monoxide  
lacrimogenic gas [tear gas]  
motor (vehicle) exhaust gas  
nitrogen oxides  
sulfur dioxide  
utility gas

***Excludes:*** metal fumes and vapours (Y19-)

**Y18 Poisoning by and exposure to pesticides, undetermined intent**

***Includes:*** fumigants  
fungicides  
herbicides  
insecticides  
rodenticides

wood preservatives

***Excludes:*** plant foods and fertilizers (Y19-)

**Y19 Poisoning by and exposure to other and unspecified chemicals and noxious substances, undetermined intent**

***Includes:*** corrosive aromatics, acids and caustic alkalis  
glues and adhesives  
metals including fumes and vapours  
paints and dyes  
plant foods and fertilizers  
poisonous foodstuffs and poisonous plants  
soaps and detergents

**Y20 Hanging, strangulation and suffocation, undetermined intent**

**Y21 Drowning and submersion, undetermined intent**

**Y22 Handgun discharge, undetermined intent**

**Y23 Rifle, shotgun and larger firearm discharge, undetermined intent**

**Y24 Other and unspecified firearm discharge, undetermined intent**

**Y25 Contact with explosive material, undetermined intent**

**Y26 Exposure to smoke, fire and flames, undetermined intent**

**Y27 Contact with steam, hot vapours and hot objects, undetermined intent**

**Y28 Contact with sharp object, undetermined intent**

**Y29 Contact with blunt object, undetermined intent**

**Y30 Falling, jumping or pushed from a high place, undetermined intent**

***Includes:*** victim falling from one level to another, undetermined intent

**Y31 Falling, lying or running before or into moving object, undetermined intent**

**Y32 Crashing of motor vehicle, undetermined intent**

**Y33 Other specified events, undetermined intent**

**Y34 Unspecified event, undetermined intent**

## Legal intervention and operations of war (Y35-Y36)

**Y35 Legal intervention**

***Includes:*** injuries inflicted by the police or other law-enforcing agents, including military on duty, in the course of arresting or attempting to arrest lawbreakers, suppressing disturbances, maintaining order, and other legal action  
legal execution

***Excludes:*** injuries to military personnel and civilians caused by war and civil insurrection (Y36.0-Y36.9)

**Y35.0 Legal intervention involving firearm discharge**

Legal intervention with:

- machine gun
- revolver
- rifle pellet or rubber bullet

**Y35.1 Legal intervention involving explosives**

Legal intervention with:

- dynamite
- explosive shell
- grenade
- mortar bomb

**Y35.2 Legal intervention involving gas**

|                     |                           |
|---------------------|---------------------------|
| Asphyxiation by gas | due to legal intervention |
| Injury by tear gas  |                           |
| Poisoning by gas    |                           |

**Y35.3 Legal intervention involving blunt objects**

|                 |                           |
|-----------------|---------------------------|
| Hit, struck by: | due to legal intervention |
| • baton         |                           |
| • blunt object  |                           |
| • stave         |                           |

**Y35.4 Legal intervention involving sharp objects**

|                    |                           |
|--------------------|---------------------------|
| Cut                | due to legal intervention |
| Injured by bayonet |                           |
| Stabbed            |                           |
|                    |                           |

**Y35.5 Legal execution**

Any execution performed at the behest of the judiciary or ruling

authority [whether permanent or temporary], such as:

- asphyxiation by gas
- beheading, decapitation (by guillotine)
- capital punishment
- electrocution
- hanging
- poisoning
- shooting

**Y35.6 Legal intervention involving other specified means**  
Manhandling

**Y35.7 Legal intervention, means unspecified**

**Y36 Operations of war**

**Note:** Injuries due to operations of war occurring after cessation of hostilities are classified to Y36.8.

**Includes:** injuries to military personnel and civilians caused by war and civil insurrection

**Y36.0 War operations involving explosion of marine weapons**

Depth-charge

Marine mine

Mine NOS, at sea or in harbour

Sea-based artillery shell

Torpedo

Underwater blast

**Y36.1 War operations involving destruction of aircraft**

Aircraft:

- burned
- exploded
- shot down

Crushed by falling aircraft

### Y36.2 War operations involving other explosions and fragments

Accidental explosion of:

- munitions being used in war
- own weapons

Antipersonnel bomb (fragments)

Explosion (of):

- artillery shell
- breech-block
- cannon block
- mortar bomb

Fragments from:

- artillery shell
- bomb
- grenade
- guided missile
- land-mine
- rocket
- shell
- shrapnel

Mine NOS

during war operations

### Y36.3 War operations involving fires, conflagrations and hot substances

Asphyxia

originating from fire caused directly

Burns

by a fire-producing device or

Other injury

indirectly by any conventional

Petrol bomb

weapon

### Y36.4 War operations involving firearm discharge and other forms of conventional warfare

Battle wounds

Bayonet injury

Bullet:

- carbine
- machine gun
- pistol



- rifle
  - rubber (rifle)
- Drowned in war operations NOS  
Pellets (shotgun)

**Y36.5 War operations involving nuclear weapons**

Blast effects  
Exposure to ionizing radiation from nuclear weapon  
Fireball effects  
Heat  
Other direct and secondary effects of nuclear weapons

**Y36.6 War operations involving biological weapons**

**Y36.7 War operations involving chemical weapons and other forms of unconventional warfare**

Gases, fumes and chemicals  
Lasers

**Y36.8 War operations occurring after cessation of hostilities**

Injuries by explosion of bombs or mines placed in the course of operations of war, if the explosion occurred after cessation of hostilities  
Injuries due to operations of war and classifiable to Y36.0-Y36.7 or Y36.9 but occurring after cessation of hostilities

**Y36.9 War operations, unspecified**

**Complications of medical and surgical care (Y40-Y84)**

**Includes:** complications of medical devices  
correct drug properly administered in therapeutic or prophylactic dosage  
as the cause of any adverse effect

misadventures to patients during surgical and medical care  
surgical and medical procedures as the cause of abnormal reaction of the  
patient, or of later complication, without mention of misadventure at  
the time of the procedure

**Excludes:** accidental overdose of drug or wrong drug given or taken in error  
(X40-X44)

## Drugs, medicaments and biological substances causing adverse effects in therapeutic use (Y40-Y59)

**Note:** For list of specific drugs classified under the fourth-character place of  
occurrence codes, see Table of drugs and chemicals in Alphabetical Index.

**Excludes:** accidents in the technique of administration of drugs, medicaments and  
biological substances in medical and surgical procedures (Y60-Y69)

### **Y40 Systemic antibiotics**

**Excludes:** antibiotics, topically used (Y56-)  
antineoplastic antibiotics (Y43.3)

#### **Y40.0 Penicillins**

#### **Y40.1 Cefalosporins and other $\beta$ -lactam antibiotics**

#### **Y40.2 Chloramphenicol group**

#### **Y40.3 Macrolides**

#### **Y40.4 Tetracyclines**

#### **Y40.5 Aminoglycosides**

Streptomycin

**Y40.6 Rifamycins**

**Y40.7 Antifungal antibiotics, systemically used**

**Y40.8 Other systemic antibiotics**

**Y40.9 Systemic antibiotic, unspecified**

**Y41 Other systemic anti-infectives and antiparasitics**

**Excludes:** anti-infectives, topically used (Y56-)

**Y41.0 Sulfonamides**

**Y41.1 Antimycobacterial drugs**

**Excludes:** rifamycins (Y40.6)  
streptomycin (Y40.5)

**Y41.2 Antimalarials and drugs acting on other blood protozoa**

**Excludes:** hydroxyquinoline derivatives (Y41.8)

**Y41.3 Other antiprotozoal drugs**

**Y41.4 Anthelminthics**

**Y41.5 Antiviral drugs**

**Excludes:** amantadine (Y46.7)  
cytarabine (Y43.1)

**Y41.8 Other specified systemic anti-infectives and antiparasitics**

Hydroxyquinoline derivatives

*Excludes:* antimalarial drugs (Y41.2)

**Y41.9 Systemic anti-infective and antiparasitic, unspecified**

**Y42 Hormones and their synthetic substitutes and antagonists, not elsewhere classified**

*Excludes:* mineralocorticoids and their antagonists (Y54.0-Y54.1)  
oxytocic hormones (Y55.0)  
parathyroid hormones and derivatives (Y54.7)

**Y42.0 Glucocorticoids and synthetic analogues**

*Excludes:* glucocorticoids, topically used (Y56-)

**Y42.1 Thyroid hormones and substitutes**

**Y42.2 Antithyroid drugs**

**Y42.3 Insulin and oral hypoglycaemic [antidiabetic] drugs**

**Y42.4 Oral contraceptives**

Multiple- and single-ingredient preparations

**Y42.5 Other estrogens and progestogens**

Mixtures and substitutes

**Y42.6 Antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified**

Tamoxifen

**Y42.7 Androgens and anabolic congeners**

**Y42.8 Other and unspecified hormones and their synthetic substitutes**

Anterior pituitary [adenohypophyseal] hormones

**Y42.9 Other and unspecified hormone antagonists**

**Y43 Primarily systemic agents**

*Excludes:* vitamins NEC (Y57.7)

**Y43.0 Antiallergic and antiemetic drugs**

*Excludes:* phenothiazine-based neuroleptics (Y49.3)

**Y43.1 Antineoplastic antimetabolites**

Cytarabine

**Y43.2 Antineoplastic natural products**

**Y43.3 Other antineoplastic drugs**

Antineoplastic antibiotics

*Excludes:* tamoxifen (Y42.6)

**Y43.4 Immunosuppressive agents**

**Y43.5 Acidifying and alkalizing agents**

**Y43.6 Enzymes, not elsewhere classified**

**Y43.8 Other primarily systemic agents, not elsewhere classified**

Heavy-metal antagonists

**Y43.9 Primarily systemic agent, unspecified**

**Y44 Agents primarily affecting blood constituents**

**Y44.0 Iron preparations and other anti-hypochromic-anaemia preparations**

**Y44.1 Vitamin B<sub>12</sub>, folic acid and other anti-megaloblastic-anaemia preparations**

**Y44.2 Anticoagulants**

**Y44.3 Anticoagulant antagonists, vitamin K and other coagulants**

**Y44.4 Antithrombotic drugs [platelet-aggregation inhibitors]**

**Excludes:** acetylsalicylic acid (Y45.1)  
dipyridamole (Y52.3)

**Y44.5 Thrombolytic drugs**

**Y44.6 Natural blood and blood products**

**Excludes:** immunoglobulin (Y59.3)

**Y44.7 Plasma substitutes**

**Y44.9 Other and unspecified agents affecting blood constituents**

**Y45 Analgesics, antipyretics and anti-inflammatory drugs**

**Y45.0 Opioids and related analgesics**

**Y45.1 Salicylates**

**Y45.2 Propionic acid derivatives**

Propanoic acid derivatives

**Y45.3 Other nonsteroidal anti-inflammatory drugs [NSAID]**

**Y45.4 Antirheumatics**

**Excludes:** chloroquine (Y41.2)  
glucocorticoids (Y42.0)  
salicylates (Y45.1)

**Y45.5 4-Aminophenol derivatives**

**Y45.8 Other analgesics and antipyretics**

**Y45.9 Analgesic, antipyretic and anti-inflammatory drug, unspecified**

**Y46 Antiepileptics and antiparkinsonism drugs**

**Excludes:** acetazolamide (Y54.2)  
barbiturates NEC (Y47.0)  
benzodiazepines (Y47.1)  
paraldehyde (Y47.3)

**Y46.0 Succinimides**

**Y46.1 Oxazolidinediones**

**Y46.2 Hydantoin derivatives**

**Y46.3 Deoxybarbiturates**

**Y46.4 Iminostilbenes**

Carbamazepine

**Y46.5 Valproic acid**

**Y46.6 Other and unspecified antiepileptics**

**Y46.7 Antiparkinsonism drugs**

Amantadine

**Y46.8 Antispasticity drugs**

*Excludes:* benzodiazepines (Y47.1)

**Y47 Sedatives, hypnotics and antianxiety drugs**

**Y47.0 Barbiturates, not elsewhere classified**

*Excludes:* deoxybarbiturates (Y46.3)  
thiobarbiturates (Y48.1)

**Y47.1 Benzodiazepines**

**Y47.2 Cloral derivatives**



**Y47.3 Paraldehyde**

**Y47.4 Bromine compounds**

**Y47.5 Mixed sedatives and hypnotics, not elsewhere classified**

**Y47.8 Other sedatives, hypnotics and antianxiety drugs**  
Methaqualone

**Y47.9 Sedative, hypnotic and antianxiety drug, unspecified**

Sleeping:

- |                                                                                           |     |
|-------------------------------------------------------------------------------------------|-----|
| <ul style="list-style-type: none"><li>• draught</li><li>• drug</li><li>• tablet</li></ul> | NOS |
|-------------------------------------------------------------------------------------------|-----|

**Y48 Anaesthetics and therapeutic gases**

**Y48.0 Inhaled anaesthetics**

**Y48.1 Parenteral anaesthetics**  
Thiobarbiturates

**Y48.2 Other and unspecified general anaesthetics**

**Y48.3 Local anaesthetics**

**Y48.4 Anaesthetic, unspecified**

**Y48.5 Therapeutic gases**

**Y49 Psychotropic drugs, not elsewhere classified**

**Excludes:** appetite depressants [anorectics] (Y57.0)  
barbiturates NEC (Y47.0)  
benzodiazepines (Y47.1)  
caffeine (Y50.2)  
cocaine (Y48.3)  
methaqualone (Y47.8)

**Y49.0 Tricyclic and tetracyclic antidepressants**

**Y49.1 Monoamine-oxidase-inhibitor antidepressants**

**Y49.2 Other and unspecified antidepressants**

**Y49.3 Phenothiazine antipsychotics and neuroleptics**

**Y49.4 Butyrophenone and thioxanthene neuroleptics**

**Y49.5 Other antipsychotics and neuroleptics**

**Excludes:** rauwolfia (Y52.5)

**Y49.6 Psychodysleptics [hallucinogens]**

**Y49.7 Psychostimulants with abuse potential**

**Y49.8 Other psychotropic drugs, not elsewhere classified**

**Y49.9 Psychotropic drug, unspecified**

**Y50 Central nervous system stimulants, not elsewhere classified**

**Y50.0 Analeptics**

**Y50.1 Opioid receptor antagonists**

**Y50.2 Methylxanthines, not elsewhere classified**

Caffeine

**Excludes:** aminophylline (Y55.6)  
theobromine (Y55.6)  
theophylline (Y55.6)

**Y50.8 Other central nervous system stimulants**

**Y50.9 Central nervous system stimulant, unspecified**

**Y51 Drugs primarily affecting the autonomic nervous system**

**Y51.0 Anticholinesterase agents**

**Y51.1 Other parasympathomimetics [cholinergics]**

**Y51.2 Ganglionic blocking drugs, not elsewhere classified**

**Y51.3 Other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, not elsewhere classified**

Papaverine

**Y51.4 Predominantly  $\alpha$ -adrenoreceptor agonists, not elsewhere classified**

Metaraminol

**Y51.5 Predominantly  $\beta$ -adrenoreceptor agonists, not elsewhere classified**

*Excludes:* salbutamol (Y55.6)

**Y51.6  $\alpha$ -Adrenoreceptor antagonists, not elsewhere classified**

*Excludes:* ergot alkaloids (Y55.0)

**Y51.7  $\beta$ -Adrenoreceptor antagonists, not elsewhere classified**

**Y51.8 Centrally acting and adrenergic-neuron-blocking agents, not elsewhere classified**

*Excludes:* clonidine (Y52.5)  
guanethidine (Y52.5)

**Y51.9 Other and unspecified drugs primarily affecting the autonomic nervous system**

Drugs stimulating both  $\alpha$ - and  $\beta$ -adrenoreceptors

**Y52 Agents primarily affecting the cardiovascular system**

*Excludes:* metaraminol (Y51.4)

**Y52.0 Cardiac-stimulant glycosides and drugs of similar action**

**Y52.1 Calcium-channel blockers**

**Y52.2 Other antidysrhythmic drugs, not elsewhere classified**

*Excludes:*  $\beta$ -adrenoreceptor antagonists (Y51.7)

**Y52.3 Coronary vasodilators, not elsewhere classified**

Dipyridamole

**Excludes:**  $\beta$ -adrenoreceptor antagonists (Y51.7)  
calcium-channel blockers (Y52.1)

**Y52.4 Angiotensin-converting-enzyme inhibitors**

**Y52.5 Other antihypertensive drugs, not elsewhere classified**

Clonidine

Guanethidine

Rauwolfia

**Excludes:**  $\beta$ -adrenoreceptor antagonists (Y51.7)  
calcium-channel blockers (Y52.1)  
diuretics (Y54.0-Y54.5)

**Y52.6 Antihyperlipidaemic and antiarteriosclerotic drugs**

**Y52.7 Peripheral vasodilators**

Nicotinic acid (derivatives)

**Excludes:** papaverine (Y51.3)

**Y52.8 Antivaricose drugs, including sclerosing agents**

**Y52.9 Other and unspecified agents primarily affecting the cardiovascular system**

**Y53 Agents primarily affecting the gastrointestinal system**

**Y53.0 Histamine H<sub>2</sub>-receptor antagonists**

**Y53.1 Other antacids and anti-gastric-secretion drugs**

**Y53.2 Stimulant laxatives**

**Y53.3 Saline and osmotic laxatives**

**Y53.4 Other laxatives**

Intestinal atonia drugs

**Y53.5 Digestants**

**Y53.6 Antidiarrhoeal drugs**

*Excludes:* systemic antibiotics and other anti-infectives (Y40-Y41)

**Y53.7 Emetics**

**Y53.8 Other agents primarily affecting the gastrointestinal system**

**Y53.9 Agent primarily affecting the gastrointestinal system, unspecified**

**Y54 Agents primarily affecting water-balance and mineral and uric acid metabolism**

**Y54.0 Mineralocorticoids**

**Y54.1 Mineralocorticoid antagonists [aldosterone antagonists]**

**Y54.2 Carbonic-anhydrase inhibitors**

Acetazolamide

**Y54.3 Benzothiadiazine derivatives**

**Y54.4 Loop [high-ceiling] diuretics**

**Y54.5 Other diuretics**

**Y54.6 Electrolytic, caloric and water-balance agents**

Oral rehydration salts

**Y54.7 Agents affecting calcification**

Parathyroid hormones and derivatives

Vitamin D group

**Y54.8 Agents affecting uric acid metabolism**

**Y54.9 Mineral salts, not elsewhere classified**

**Y55 Agents primarily acting on smooth and skeletal muscles and the respiratory system**

**Y55.0 Oxytocic drugs**

Ergot alkaloids

*Excludes:* estrogens, progestogens and antagonists (Y42.5-Y42.6)

**Y55.1 Skeletal muscle relaxants [neuromuscular blocking agents]**

*Excludes:* antispasticity drugs (Y46.8)

**Y55.2 Other and unspecified agents primarily acting on muscles**

**Y55.3 Antitussives**

**Y55.4 Expectorants**

**Y55.5 Anti-common-cold drugs**

**Y55.6 Antiasthmatics, not elsewhere classified**

Aminophylline

Salbutamol

Theobromine

Theophylline

**Excludes:**  $\beta$ -adrenoreceptor agonists (Y51.5)  
anterior pituitary [adenohypophyseal] hormones (Y42.8)

**Y55.7 Other and unspecified agents primarily acting on the respiratory system**

**Y56 Topical agents primarily affecting skin and mucous membrane and ophthalmological, otorhinolaryngological and dental drugs**

**Includes:** glucocorticoids, topically used

**Y56.0 Local antifungal, anti-infective and anti-inflammatory drugs, not elsewhere classified**

**Y56.1 Antipruritics**

**Y56.2 Local astringents and local detergents**



**Y56.3 Emollients, demulcents and protectants**

**Y56.4 Keratolytics, keratoplastics and other hair treatment drugs and preparations**

**Y56.5 Ophthalmological drugs and preparations**

**Y56.6 Otorhinolaryngological drugs and preparations**

**Y56.7 Dental drugs, topically applied**

**Y56.8 Other topical agents**  
Spermicides

**Y56.9 Topical agent, unspecified**

**Y57 Other and unspecified drugs and medicaments**

**Y57.0 Appetite depressants [anorectics]**

**Y57.1 Lipotropic drugs**

**Y57.2 Antidotes and chelating agents, not elsewhere classified**

**Y57.3 Alcohol deterrents**

**Y57.4 Pharmaceutical excipients**

**Y57.5 X-ray contrast media**

**Y57.6 Other diagnostic agents**

**Y57.7 Vitamins, not elsewhere classified**

**Excludes:** nicotinic acid (Y52.7)  
vitamin B<sub>12</sub> (Y44.1)  
vitamin D (Y54.7)  
vitamin K (Y44.3)

**Y57.8 Other drugs and medicaments**

**Y57.9 Drug or medicament, unspecified**

**Y58 Bacterial vaccines**

**Y58.0 BCG vaccine**

**Y58.1 Typhoid and paratyphoid vaccine**

**Y58.2 Cholera vaccine**

**Y58.3 Plague vaccine**

**Y58.4 Tetanus vaccine**

**Y58.5 Diphtheria vaccine**

**Y58.6 Pertussis vaccine, including combinations with a pertussis component**

**Y58.8 Mixed bacterial vaccines, except combinations with a pertussis component**

**Y58.9 Other and unspecified bacterial vaccines**

**Y59 Other and unspecified vaccines and biological substances**

**Y59.0 Viral vaccines**

**Y59.1 Rickettsial vaccines**

**Y59.2 Protozoal vaccines**

**Y59.3 Immunoglobulin**

**Y59.8 Other specified vaccines and biological substances**

**Y59.9 Vaccine or biological substance, unspecified**

## Misadventures to patients during surgical and medical care (Y60-Y69)

**Excludes:** breakdown or malfunctioning of medical device (during procedure) (after implantation) (ongoing use) (Y70-Y82)  
surgical and medical procedures as the cause of abnormal reaction of the patient, without mention of misadventure at the time of the procedure (Y83-Y84)

**Y60 Unintentional cut, puncture, perforation or haemorrhage during surgical and medical care**

**Y60.0 During surgical operation**

**Y60.1 During infusion or transfusion**

**Y60.2 During kidney dialysis or other perfusion**

**Y60.3 During injection or immunization**

**Y60.4 During endoscopic examination**

**Y60.5 During heart catheterization**

**Y60.6 During aspiration, puncture and other catheterization**

**Y60.7 During administration of enema**

**Y60.8 During other surgical and medical care**

**Y60.9 During unspecified surgical and medical care**

**Y61 Foreign object accidentally left in body during surgical and medical care**

**Y61.0 During surgical operation**

**Y61.1 During infusion or transfusion**

**Y61.2 During kidney dialysis or other perfusion**

**Y61.3 During injection or immunization**

**Y61.4 During endoscopic examination**

**Y61.5 During heart catheterization**

**Y61.6 During aspiration, puncture and other catheterization**

**Y61.7 During removal of catheter or packing**

**Y61.8 During other surgical and medical care**

**Y61.9 During unspecified surgical and medical care**

**Y62 Failure of sterile precautions during surgical and medical care**

**Y62.0 During surgical operation**

**Y62.1 During infusion or transfusion**

**Y62.2 During kidney dialysis or other perfusion**

**Y62.3 During injection or immunization**

**Y62.4 During endoscopic examination**

**Y62.5 During heart catheterization**

**Y62.6 During aspiration, puncture and other catheterization**

**Y62.8 During other surgical and medical care**

**Y62.9 During unspecified surgical and medical care**

**Y63 Failure in dosage during surgical and medical care**

***Excludes:*** accidental overdose of drug or wrong drug given in error (X40-X44)

**Y63.0 Excessive amount of blood or other fluid given during transfusion or infusion**

**Y63.1 Incorrect dilution of fluid used during infusion**

**Y63.2 Overdose of radiation given during therapy**

**Y63.3 Inadvertent exposure of patient to radiation during medical care**

**Y63.4 Failure in dosage in electroshock or insulin-shock therapy**

**Y63.5 Inappropriate temperature in local application and packing**

**Y63.6 Nonadministration of necessary drug, medicament or biological substance**

**Y63.8 Failure in dosage during other surgical and medical care**

**Y63.9 Failure in dosage during unspecified surgical and medical care**

**Y64 Contaminated medical or biological substances**

**Y64.0 Contaminated medical or biological substance, transfused or infused**

**Y64.1 Contaminated medical or biological substance, injected or used for immunization**

**Y64.8 Contaminated medical or biological substance administered by other means**

**Y64.9 Contaminated medical or biological substance administered by unspecified means**  
Administered contaminated medical or biological substance NOS

**Y65 Other misadventures during surgical and medical care**

**Y65.0 Mismatched blood used in transfusion**

**Y65.1 Wrong fluid used in infusion**

**Y65.2 Failure in suture or ligature during surgical operation**

**Y65.3 Endotracheal tube wrongly placed during anaesthetic procedure**

**Y65.4 Failure to introduce or to remove other tube or instrument**

**Y65.5 Performance of inappropriate operation**

**Y65.8 Other specified misadventures during surgical and medical care**

**Y66 Nonadministration of surgical and medical care**

Premature cessation of surgical and medical care

**Y69 Unspecified misadventure during surgical and medical care**

**Medical devices associated with adverse incidents in diagnostic and therapeutic use (Y70-Y82)**

***Includes:*** breakdown or malfunctioning of medical device (during procedure) (after implantation) (ongoing use)

***Excludes:*** misadventures to patients during surgical and medical care, classifiable to Y60-Y69 (Y60-Y69)  
later complications following use of medical devices without mention of breakdown or malfunctioning of medical device (Y83-Y84)

The following fourth-character place of occurrence codes are for use with categories Y70-Y82:

- .0 Diagnostic and monitoring devices**
- .1 Therapeutic (nonsurgical) and rehabilitative devices**
- .2 Prosthetic and other implants, materials and accessory devices**
- .3 Surgical instruments, materials and devices (including sutures)**
- .8 Miscellaneous devices, not elsewhere classified**

**Y70 Anaesthesiology devices associated with adverse incidents**

**Y71 Cardiovascular devices associated with adverse incidents**



- Y72 Otorhinolaryngological devices associated with adverse incidents**
- Y73 Gastroenterology and urology devices associated with adverse incidents**
- Y74 General hospital and personal-use devices associated with adverse incidents**
- Y75 Neurological devices associated with adverse incidents**
- Y76 Obstetric and gynaecological devices associated with adverse incidents**
- Y77 Ophthalmic devices associated with adverse incidents**
- Y78 Radiological devices associated with adverse incidents**
- Y79 Orthopaedic devices associated with adverse incidents**
- Y80 Physical medicine devices associated with adverse incidents**
- Y81 General- and plastic-surgery devices associated with adverse incidents**
- Y82 Other and unspecified medical devices associated with adverse incidents**

Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y83-Y84)

**Excludes:** misadventures to patients during surgical and medical care, classifiable to Y60-Y69 (Y60-Y69)  
breakdown or malfunctioning of medical device (during procedure) (after implantation) (ongoing use) (Y70-Y82)

**Y83 Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure**

**Y83.0 Surgical operation with transplant of whole organ**

**Y83.1 Surgical operation with implant of artificial internal device**

**Y83.2 Surgical operation with anastomosis, bypass or graft**

**Y83.3 Surgical operation with formation of external stoma**

**Y83.4 Other reconstructive surgery**

**Y83.5 Amputation of limb(s)**

**Y83.6 Removal of other organ (partial) (total)**

**Y83.8 Other surgical procedures**

**Y83.9 Surgical procedure, unspecified**

**Y84 Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure**

**Y84.0 Cardiac catheterization**

**Y84.1 Kidney dialysis**

**Y84.2 Radiological procedure and radiotherapy**

**Y84.3 Shock therapy**

**Y84.4 Aspiration of fluid**

**Y84.5 Insertion of gastric or duodenal sound**

**Y84.6 Urinary catheterization**

**Y84.7 Blood-sampling**

**Y84.8 Other medical procedures**

**Y84.9 Medical procedure, unspecified**

## Sequelae of external causes of morbidity and mortality (Y85-Y89)

**Note:** Categories Y85-Y89 are to be used to indicate circumstances as the cause of death, impairment or disability from sequelae or "late effects", which are themselves classified elsewhere. The sequelae include conditions reported as such, or occurring as "late effects" one year or more after the originating event.

Not to be used for chronic poisoning and harmful exposure. Code these to current poisoning and harmful exposure.

### **Y85 Sequelae of transport accidents**

#### **Y85.0 Sequelae of motor-vehicle accident (V01-V89)**

#### **Y85.9 Sequelae of other and unspecified transport accidents (V90-V99)**

### **Y86 Sequelae of other accidents**

### **Y87 Sequelae of intentional self-harm, assault and events of undetermined intent**

#### **Y87.0 Sequelae of intentional self-harm (X60-X84)**

#### **Y87.1 Sequelae of assault (X85-Y09)**

#### **Y87.2 Sequelae of events of undetermined intent (Y10-Y34)**

### **Y88 Sequelae with surgical and medical care as external cause**

- Y88.0    Sequelae of adverse effects caused by drugs, medicaments and biological substances in therapeutic use (Y40-Y59)**
- Y88.1    Sequelae of misadventures to patients during surgical and medical procedures (Y60-Y69)**
- Y88.2    Sequelae of adverse incidents associated with medical devices in diagnostic and therapeutic use (Y70-Y82)**
- Y88.3    Sequelae of surgical and medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y83-Y84)**

**Y89    Sequelae of other external causes**

- Y89.0    Sequelae of legal intervention**
- Y89.1    Sequelae of war operations**
- Y89.9    Sequelae of unspecified external cause**

## MORPHOLOGY OF NEOPLASMS

The second edition of the International Classification of Diseases for Oncology (ICD-O) was published in 1990. It contains a coded nomenclature for the morphology of neoplasms, which is reproduced here for those who wish to use it in conjunction with Chapter II.

The morphology code numbers consist of five digits; the first four identify the histological type of the neoplasm and the fifth, following a slash or solidus, indicates its behaviour. The one-digit behaviour code is as follows:

- /0 Benign**
- /1 Uncertain whether benign or malignant**
  - Borderline malignancy<sup>1</sup>
  - Low malignant potential<sup>1</sup>
- /2 Carcinoma in situ**
  - Intraepithelial
  - Noninfiltrating
  - Noninvasive
- /3 Malignant, primary site**
- /6 Malignant, metastatic site**
  - Malignant, secondary site
- /9 Malignant, uncertain whether primary or metastatic site**

In the nomenclature given here, the morphology code numbers include the behaviour code appropriate to the histological type of neoplasm; this behaviour code should be changed if the other reported information makes this appropriate. For example, chordoma is assumed to be malignant and is therefore assigned the code number

## ICD-10-Mortality 2e-Volume1 - 2017

M9370; the term "benign chordoma" should, however, be coded M9370. Similarly, superficial spreading adenocarcinoma (M8143) should be coded M8143 when described as "noninvasive", and melanoma (M8720), when described as "secondary", should be coded M8720.

<sup>1</sup>Except cystadenomas of ovary in M844-M849, which are considered to be malignant.

The following table shows the correspondence between the behaviour code and the different sections of Chapter II:

| Behaviour code |                                                         | Chapter II categories |
|----------------|---------------------------------------------------------|-----------------------|
| /0             | Benign neoplasms                                        | D10-D36               |
| /1             | Neoplasms of uncertain and unknown behaviour            | D37-D48               |
| /2             | In situ neoplasms                                       | D00-D09               |
| /3             | Malignant neoplasms, stated or presumed to be primary   | C00-C76<br>C80-C97    |
| /6             | Malignant neoplasms, stated or presumed to be secondary | C77-C79               |

The ICD-O behaviour digit /9 is not applicable in the ICD context, since all malignant neoplasms are presumed to be primary (/3) or secondary (/6), according to other information on the medical record.

Only the first-listed term of the full ICD-O morphology nomenclature appears against each code number in the list given here. The Alphabetical Index (Volume 3), however, includes all the ICD-O synonyms as well as a number of other morphological descriptions still likely to be encountered on medical records but omitted from ICD-O as outdated or otherwise undesirable.

Some types of neoplasm are specific to certain sites or types of tissue. For example, nephroblastoma (M8960), by definition, always arises in the kidney; hepatocellular carcinoma (M8170) is always primary in the liver; and basal cell carcinoma (M8090) usually arises in the skin. For such terms the appropriate code from Chapter II has been added in parentheses in the nomenclature. Thus nephroblastoma is followed by the code for malignant neoplasm of kidney (C64). For basal cell carcinoma the code for malignant neoplasm of skin (C44-) is given with the fourth character left open. The appropriate fourth character for the reported site should be used. The Chapter II codes assigned to the morphologic terms should be used when the site of the neoplasm is not given in the diagnosis. Chapter II codes have not been assigned to many of the morphology terms because the histologic types can arise in more than one organ or type of tissue. For example, "Adenocarcinoma NOS" (M8140) has no assigned Chapter II code because it can be primary in many different organs.

Occasionally a problem arises when a site given in a diagnosis is different from the site indicated by the site-specific code. In such instances, the given Chapter II code should be ignored and the appropriate code for the site included in the diagnosis should be used. For example, C50- (breast) is added to the morphologic term Infiltrating duct carcinoma (M8500), because this type of carcinoma usually arises in the breast. However, if the term "Infiltrating duct carcinoma" is used for a primary carcinoma arising in the pancreas, the correct code would be C25.9 (Pancreas, unspecified). For neoplasms of lymphoid, haematopoietic and related tissue (M959-M998), the relevant codes from C81-C96 and D45-D47 are given. These Chapter II codes should be used irrespective of the stated site of the neoplasm.

A coding difficulty sometimes arises where a morphological diagnosis contains two qualifying adjectives that have different code numbers. An example is "transitional cell epidermoid carcinoma". "Transitional cell carcinoma NOS" is M8120 and "epidermoid carcinoma NOS" is M8070. In such circumstances, the higher number (M8120 in this example) should be used, as it is usually more specific. For other information about the coding of morphology see Part 2a Instruction Manual (NCHS).

## **Coded nomenclature for morphology of neoplasms**



**M800      Neoplasms NOS**

|         |                                                     |
|---------|-----------------------------------------------------|
| M8000/0 | Neoplasm, benign                                    |
| M8000/1 | Neoplasm, uncertain whether benign or malignant     |
| M8000/3 | Neoplasm, malignant                                 |
| M8000/6 | Neoplasm, metastatic                                |
| M8001/0 | Tumour cells, benign                                |
| M8001/1 | Tumour cells, uncertain whether benign or malignant |
| M8001/3 | Tumour cells, malignant                             |
| M8002/3 | Malignant tumour, small cell type                   |
| M8003/3 | Malignant tumour, giant cell type                   |
| M8004/3 | Malignant tumour, fusiform cell type                |

## **M801-M804      Epithelial neoplasms NOS**

|         |                                                |
|---------|------------------------------------------------|
| M8010/0 | Epithelial tumour, benign                      |
| M8010/2 | Carcinoma in situ NOS                          |
| M8010/3 | Carcinoma NOS                                  |
| M8010/6 | Carcinoma, metastatic NOS                      |
| M8011/0 | Epithelioma, benign                            |
| M8011/3 | Epithelioma, malignant                         |
| M8012/3 | Large cell carcinoma NOS                       |
| M8020/3 | Carcinoma, undifferentiated NOS                |
| M8021/3 | Carcinoma, anaplastic NOS                      |
| M8022/3 | Pleomorphic carcinoma                          |
| M8030/3 | Giant cell and spindle cell carcinoma          |
| M8031/3 | Giant cell carcinoma                           |
| M8032/3 | Spindle cell carcinoma                         |
| M8033/3 | Pseudosarcomatous carcinoma                    |
| M8034/3 | Polygonal cell carcinoma                       |
| M8040/1 | Tumorlet                                       |
| M8041/3 | Small cell carcinoma NOS                       |
| M8042/3 | Oat cell carcinoma (C34-)                      |
| M8043/3 | Small cell carcinoma, fusiform cell (C34-)     |
| M8044/3 | Small cell carcinoma, intermediate cell (C34-) |
| M8045/3 | Small cell-large cell carcinoma (C34-)         |

## **M805-M808      Squamous cell neoplasms**

|         |                                                                           |
|---------|---------------------------------------------------------------------------|
| M8050/0 | Papilloma NOS (except Papilloma of urinary bladder M8120)                 |
| M8050/2 | Papillary carcinoma in situ                                               |
| M8050/3 | Papillary carcinoma NOS                                                   |
| M8051/0 | Verrucous papilloma                                                       |
| M8051/3 | Verrucous carcinoma NOS                                                   |
| M8052/0 | Squamous cell papilloma                                                   |
| M8052/3 | Papillary squamous cell carcinoma                                         |
| M8053/0 | Inverted papilloma                                                        |
| M8060/0 | Papillomatosis NOS                                                        |
| M8070/2 | Squamous cell carcinoma in situ NOS                                       |
| M8070/3 | Squamous cell carcinoma NOS                                               |
| M8070/6 | Squamous cell carcinoma, metastatic NOS                                   |
| M8071/3 | Squamous cell carcinoma, keratinizing NOS                                 |
| M8072/3 | Squamous cell carcinoma, large cell, nonkeratinizing                      |
| M8073/3 | Squamous cell carcinoma, small cell, nonkeratinizing                      |
| M8074/3 | Squamous cell carcinoma, spindle cell                                     |
| M8075/3 | Adenoid squamous cell carcinoma                                           |
| M8076/2 | Squamous cell carcinoma in situ with questionable stromal invasion (D06-) |
| M8076/3 | Squamous cell carcinoma, microinvasive (C53-)                             |
| M8077/2 | Intraepithelial neoplasia, grade III, of cervix, vulva and vagina         |
| M8080/2 | Queyrat erythroplasia (D07.4)                                             |
| M8081/2 | Bowen disease                                                             |
| M8082/3 | Lymphoepithelial carcinoma                                                |

**M809-M811      Basal cell neoplasms**

|         |                                                |
|---------|------------------------------------------------|
| M8090/1 | Basal cell tumour (D48.5)                      |
| M8090/3 | Basal cell carcinoma NOS (C44-)                |
| M8091/3 | Multicentric basal cell carcinoma (C44-)       |
| M8092/3 | Basal cell carcinoma, morphoea (C44-)          |
| M8093/3 | Basal cell carcinoma, fibroepithelial (C44-)   |
| M8094/3 | Basosquamous carcinoma (C44-)                  |
| M8095/3 | Metatypical carcinoma (C44-)                   |
| M8096/0 | Intraepidermal epithelioma of Jadassohn (D23-) |
| M8100/0 | Trichoepithelioma (D23-)                       |
| M8101/0 | Trichofolliculoma (D23-)                       |
| M8102/0 | Tricholemmoma (D23-)                           |
| M8110/0 | Pilomatrixoma NOS (D23-)                       |
| M8110/3 | Pilomatrix carcinoma (C44-)                    |

## **M812-M813      Transitional cell papillomas and carcinomas**

|         |                                           |
|---------|-------------------------------------------|
| M8120/0 | Transitional cell papilloma NOS           |
| M8120/1 | Urothelial papilloma                      |
| M8120/2 | Transitional cell carcinoma in situ       |
| M8120/3 | Transitional cell carcinoma NOS           |
| M8121/0 | Schneiderian papilloma                    |
| M8121/1 | Transitional cell papilloma, inverted     |
| M8121/3 | Schneiderian carcinoma                    |
| M8122/3 | Transitional cell carcinoma, spindle cell |
| M8123/3 | Basaloid carcinoma (C21.1)                |
| M8124/3 | Cloacogenic carcinoma (C21.2)             |
| M8130/3 | Papillary transitional cell carcinoma     |

## **M814-M838      Adenomas and adenocarcinomas**

|         |                                                                  |
|---------|------------------------------------------------------------------|
| M8140/0 | Adenoma NOS                                                      |
| M8140/1 | Bronchial adenoma NOS (D38.1)                                    |
| M8140/2 | Adenocarcinoma in situ NOS                                       |
| M8140/3 | Adenocarcinoma NOS                                               |
| M8140/6 | Adenocarcinoma, metastatic NOS                                   |
| M8141/3 | Scirrhou adenocarcinoma                                          |
| M8142/3 | Linitis plastica (C16-)                                          |
| M8143/3 | Superficial spreading adenocarcinoma                             |
| M8144/3 | Adenocarcinoma, intestinal type (C16-)                           |
| M8145/3 | Carcinoma, diffuse type (C16-)                                   |
| M8146/0 | Monomorphic adenoma                                              |
| M8147/0 | Basal cell adenoma (D11-)                                        |
| M8147/3 | Basal cell adenocarcinoma (C07-, C08-)                           |
| M8150/0 | Islet cell adenoma (D13.7)                                       |
| M8150/3 | Islet cell carcinoma (C25.4)                                     |
| M8151/0 | Insulinoma NOS (D13.7)                                           |
| M8151/3 | Insulinoma, malignant (C25.4)                                    |
| M8152/0 | Glucagonoma NOS (D13.7)                                          |
| M8152/3 | Glucagonoma, malignant (C25.4)                                   |
| M8153/1 | Gastrinoma NOS                                                   |
| M8153/3 | Gastrinoma, malignant                                            |
| M8154/3 | Mixed islet cell and exocrine adenocarcinoma (C25-)              |
| M8155/3 | Vipoma                                                           |
| M8160/0 | Bile duct adenoma (D13.4, D13.5)                                 |
| M8160/3 | Cholangiocarcinoma (C22.1)                                       |
| M8161/0 | Bile duct cystadenoma                                            |
| M8161/3 | Bile duct cystadenocarcinoma                                     |
| M8162/3 | Klatskin tumour (C22.1)                                          |
| M8170/0 | Liver cell adenoma (D13.4)                                       |
| M8170/3 | Hepatocellular carcinoma NOS (C22.0)                             |
| M8171/3 | Hepatocellular carcinoma, fibrolamellar (C22.0)                  |
| M8180/3 | Combined hepatocellular carcinoma and cholangiocarcinoma (C22.0) |
| M8190/0 | Trabecular adenoma                                               |
| M8190/3 | Trabecular adenocarcinoma                                        |
| M8191/0 | Embryonal adenoma                                                |
| M8200/0 | Eccrine dermal cylindroma (D23-)                                 |
| M8200/3 | Adenoid cystic carcinoma                                         |

## ICD-10-Mortality 2e-Volume1 - 2017

|         |                                                     |
|---------|-----------------------------------------------------|
| M8201/3 | Cribriform carcinoma                                |
| M8202/0 | Microcystic adenoma (D13.7)                         |
| M8210/0 | Adenomatous polyp NOS                               |
| M8210/2 | Adenocarcinoma in situ in adenomatous polyp         |
| M8210/3 | Adenocarcinoma in adenomatous polyp                 |
| M8211/0 | Tubular adenoma NOS                                 |
| M8211/3 | Tubular adenocarcinoma                              |
| M8220/0 | Adenomatous polyposis coli (D12-)                   |
| M8220/3 | Adenocarcinoma in adenomatous polyposis coli (C18-) |
| M8221/0 | Multiple adenomatous polyps                         |
| M8221/3 | Adenocarcinoma in multiple adenomatous polyps       |
| M8230/3 | Solid carcinoma NOS                                 |
| M8231/3 | Carcinoma simplex                                   |
| M8240/1 | Carcinoid tumour NOS, of appendix (D37.3)           |
| M8240/3 | Carcinoid tumour NOS (except of appendix M8240)     |
| M8241/1 | Carcinoid tumour, argentaffin NOS                   |
| M8241/3 | Carcinoid tumour, argentaffin, malignant            |
| M8243/3 | Goblet cell carcinoid (C18.1)                       |
| M8244/3 | Composite carcinoid                                 |
| M8245/3 | Adenocarcinoid tumour                               |
| M8246/3 | Neuroendocrine carcinoma                            |
| M8247/3 | Merkel cell carcinoma (C44-)                        |
| M8248/1 | Apudoma                                             |
| M8250/1 | Pulmonary adenomatosis (D38.1)                      |
| M8250/3 | Bronchiolo-alveolar adenocarcinoma (C34-)           |
| M8251/0 | Alveolar adenoma (D14.3)                            |
| M8251/3 | Alveolar adenocarcinoma (C34-)                      |
| M8260/0 | Papillary adenoma NOS                               |
| M8260/3 | Papillary adenocarcinoma NOS                        |
| M8261/1 | Villous adenoma NOS                                 |
| M8261/2 | Adenocarcinoma in situ in villous adenoma           |
| M8261/3 | Adenocarcinoma in villous adenoma                   |
| M8262/3 | Villous adenocarcinoma                              |
| M8263/0 | Tubulovillous adenoma NOS                           |
| M8263/2 | Adenocarcinoma in situ in tubulovillous adenoma     |
| M8263/3 | Adenocarcinoma in tubulovillous adenoma             |
| M8270/0 | Chromophobe adenoma (D35.2)                         |
| M8270/3 | Chromophobe carcinoma (C75.1)                       |
| M8271/0 | Prolactinoma (D35.2)                                |
| M8280/0 | Acidophil adenoma (D35.2)                           |
| M8280/3 | Acidophil carcinoma (C75.1)                         |
| M8281/0 | Mixed acidophil-basophil adenoma (D35.2)            |
| M8281/3 | Mixed acidophil-basophil carcinoma (C75.1)          |
| M8290/0 | Oxyphilic adenoma                                   |

## ICD-10-Mortality 2e-Volume1 - 2017

|         |                                                             |
|---------|-------------------------------------------------------------|
| M8290/3 | Oxyphilic adenocarcinoma                                    |
| M8300/0 | Basophil adenoma (D35.2)                                    |
| M8300/3 | Basophil carcinoma (C75.1)                                  |
| M8310/0 | Clear cell adenoma                                          |
| M8310/3 | Clear cell adenocarcinoma NOS                               |
| M8311/1 | Hypernephroid tumour                                        |
| M8312/3 | Renal cell carcinoma (C64)                                  |
| M8313/0 | Clear cell adenofibroma                                     |
| M8314/3 | Lipid-rich carcinoma (C50-)                                 |
| M8315/3 | Glycogen-rich carcinoma (C50-)                              |
| M8320/3 | Granular cell carcinoma                                     |
| M8321/0 | Chief cell adenoma (D35.1)                                  |
| M8322/0 | Water-clear cell adenoma (D35.1)                            |
| M8322/3 | Water-clear cell adenocarcinoma (C75.0)                     |
| M8323/0 | Mixed cell adenoma                                          |
| M8323/3 | Mixed cell adenocarcinoma                                   |
| M8324/0 | Lipoadenoma                                                 |
| M8330/0 | Follicular adenoma (D34)                                    |
| M8330/3 | Follicular adenocarcinoma NOS (C73)                         |
| M8331/3 | Follicular adenocarcinoma, well differentiated (C73)        |
| M8332/3 | Follicular adenocarcinoma, trabecular (C73)                 |
| M8333/0 | Microfollicular adenoma (D34)                               |
| M8334/0 | Macrofollicular adenoma (D34)                               |
| M8340/3 | Papillary carcinoma, follicular variant (C73)               |
| M8350/3 | Nonencapsulated sclerosing carcinoma (C73)                  |
| M8360/1 | Multiple endocrine adenomas                                 |
| M8361/1 | Juxtaglomerular tumour (D41.0)                              |
| M8370/0 | Adrenal cortical adenoma NOS (D35.0)                        |
| M8370/3 | Adrenal cortical carcinoma (C74.0)                          |
| M8371/0 | Adrenal cortical adenoma, compact cell (D35.0)              |
| M8372/0 | Adrenal cortical adenoma, heavily pigmented variant (D35.0) |
| M8373/0 | Adrenal cortical adenoma, clear cell (D35.0)                |
| M8374/0 | Adrenal cortical adenoma, glomerulosa cell (D35.0)          |
| M8375/0 | Adrenal cortical adenoma, mixed cell (D35.0)                |
| M8380/0 | Endometrioid adenoma NOS (D27)                              |
| M8380/1 | Endometrioid adenoma, borderline malignancy (D39.1)         |
| M8380/3 | Endometrioid carcinoma (C56)                                |
| M8381/0 | Endometrioid adenofibroma NOS (D27)                         |
| M8381/1 | Endometrioid adenofibroma, borderline malignancy (D39.1)    |
| M8381/3 | Endometrioid adenofibroma, malignant (C56)                  |



## **M839-M842      Adnexal and skin appendage neoplasms**

|         |                                   |
|---------|-----------------------------------|
| M8390/0 | Skin appendage adenoma (D23-)     |
| M8390/3 | Skin appendage carcinoma (C44-)   |
| M8400/0 | Sweat gland adenoma (D23-)        |
| M8400/1 | Sweat gland tumour NOS (D48.5)    |
| M8400/3 | Sweat gland adenocarcinoma (C44-) |
| M8401/0 | Apocrine adenoma                  |
| M8401/3 | Apocrine adenocarcinoma           |
| M8402/0 | Eccrine acrospiroma (D23-)        |
| M8403/0 | Eccrine spiradenoma (D23-)        |
| M8404/0 | Hidrocystoma (D23-)               |
| M8405/0 | Papillary hidradenoma (D23-)      |
| M8406/0 | Papillary syringadenoma (D23-)    |
| M8407/0 | Syringoma NOS (D23-)              |
| M8408/0 | Eccrine papillary adenoma (D23-)  |
| M8410/0 | Sebaceous adenoma (D23-)          |
| M8410/3 | Sebaceous adenocarcinoma (C44-)   |
| M8420/0 | Ceruminous adenoma (D23.2)        |
| M8420/3 | Ceruminous adenocarcinoma (C44.2) |

**M843 Mucoepidermoid neoplasms**

|         |                          |
|---------|--------------------------|
| M8430/1 | Mucoepidermoid tumour    |
| M8430/3 | Mucoepidermoid carcinoma |

## **M844-M849      Cystic, mucinous and serous neoplasms**

|         |                                                             |
|---------|-------------------------------------------------------------|
| M8440/0 | Cystadenoma NOS                                             |
| M8440/3 | Cystadenocarcinoma NOS                                      |
| M8441/0 | Serous cystadenoma NOS (D27)                                |
| M8441/3 | Serous cystadenocarcinoma NOS (C56)                         |
| M8442/3 | Serous cystadenoma, borderline malignancy (C56)             |
| M8450/0 | Papillary cystadenoma NOS (D27)                             |
| M8450/3 | Papillary cystadenocarcinoma NOS (C56)                      |
| M8451/3 | Papillary cystadenoma, borderline malignancy (C56)          |
| M8452/1 | Papillary cystic tumour (D37.7)                             |
| M8460/0 | Papillary serous cystadenoma NOS (D27)                      |
| M8460/3 | Papillary serous cystadenocarcinoma (C56)                   |
| M8461/0 | Serous surface papilloma (D27)                              |
| M8461/3 | Serous surface papillary carcinoma (C56)                    |
| M8462/3 | Papillary serous cystadenoma, borderline malignancy (C56)   |
| M8470/0 | Mucinous cystadenoma NOS (D27)                              |
| M8470/3 | Mucinous cystadenocarcinoma NOS (C56)                       |
| M8471/0 | Papillary mucinous cystadenoma NOS (D27)                    |
| M8471/3 | Papillary mucinous cystadenocarcinoma (C56)                 |
| M8472/3 | Mucinous cystadenoma, borderline malignancy (C56)           |
| M8473/3 | Papillary mucinous cystadenoma, borderline malignancy (C56) |
| M8480/0 | Mucinous adenoma                                            |
| M8480/3 | Mucinous adenocarcinoma                                     |
| M8480/6 | Pseudomyxoma peritonei (C78.6)                              |
| M8481/3 | Mucin-producing adenocarcinoma                              |
| M8490/3 | Signet ring cell carcinoma                                  |
| M8490/6 | Metastatic signet ring cell carcinoma                       |

## **M850-M854      Ductal, lobular and medullary neoplasms**

|         |                                                                |
|---------|----------------------------------------------------------------|
| M8500/2 | Intraductal carcinoma, noninfiltrating NOS                     |
| M8500/3 | Infiltrating duct carcinoma (C50-)                             |
| M8501/2 | Comedocarcinoma, noninfiltrating (D05-)                        |
| M8501/3 | Comedocarcinoma NOS (C50-)                                     |
| M8502/3 | Juvenile carcinoma of breast (C50-)                            |
| M8503/0 | Intraductal papilloma                                          |
| M8503/2 | Noninfiltrating intraductal papillary adenocarcinoma (D05-)    |
| M8503/3 | Intraductal papillary adenocarcinoma with invasion (C50-)      |
| M8504/0 | Intracystic papillary adenoma                                  |
| M8504/2 | Noninfiltrating intracystic carcinoma                          |
| M8504/3 | Intracystic carcinoma NOS                                      |
| M8505/0 | Intraductal papillomatosis NOS                                 |
| M8506/0 | Adenoma of nipple (D24)                                        |
| M8510/3 | Medullary carcinoma NOS                                        |
| M8511/3 | Medullary carcinoma with amyloid stroma (C73)                  |
| M8512/3 | Medullary carcinoma with lymphoid stroma (C50-)                |
| M8520/2 | Lobular carcinoma in situ (D05.0)                              |
| M8520/3 | Lobular carcinoma NOS (C50-)                                   |
| M8521/3 | Infiltrating ductular carcinoma (C50-)                         |
| M8522/2 | Intraductal carcinoma and lobular carcinoma in situ (D05.7)    |
| M8522/3 | Infiltrating duct and lobular carcinoma (C50-)                 |
| M8530/3 | Inflammatory carcinoma (C50-)                                  |
| M8540/3 | Paget disease, mammary (C50-)                                  |
| M8541/3 | Paget disease and infiltrating duct carcinoma of breast (C50-) |
| M8542/3 | Paget disease, extramammary (except Paget disease of bone)     |
| M8543/3 | Paget disease and intraductal carcinoma of breast (C50-)       |

**M855      Acinar cell neoplasms**

|         |                       |
|---------|-----------------------|
| M8550/0 | Acinar cell adenoma   |
| M8550/1 | Acinar cell tumour    |
| M8550/3 | Acinar cell carcinoma |

**M856-M858      Complex epithelial neoplasms**

|         |                                                          |
|---------|----------------------------------------------------------|
| M8560/3 | Adenosquamous carcinoma                                  |
| M8561/0 | Adenolymphoma (D11-)                                     |
| M8562/3 | Epithelial-myoepithelial carcinoma                       |
| M8570/3 | Adenocarcinoma with squamous metaplasia                  |
| M8571/3 | Adenocarcinoma with cartilaginous and osseous metaplasia |
| M8572/3 | Adenocarcinoma with spindle cell metaplasia              |
| M8573/3 | Adenocarcinoma with apocrine metaplasia                  |
| M8580/0 | Thymoma, benign (D15.0)                                  |
| M8580/3 | Thymoma, malignant (C37)                                 |

## **M859-M867      Specialized gonadal neoplasms**

|         |                                              |
|---------|----------------------------------------------|
| M8590/1 | Sex cord-stromal tumour                      |
| M8600/0 | Thecoma NOS (D27)                            |
| M8600/3 | Thecoma, malignant (C56)                     |
| M8601/0 | Thecoma, luteinized (D27)                    |
| M8602/0 | Sclerosing stromal tumour (D27)              |
| M8610/0 | Luteoma NOS (D27)                            |
| M8620/1 | Granulosa cell tumour NOS (D39.1)            |
| M8620/3 | Granulosa cell tumour, malignant (C56)       |
| M8621/1 | Granulosa cell-theca cell tumour (D39.1)     |
| M8622/1 | Juvenile granulosa cell tumour (D39.1)       |
| M8623/1 | Sex cord tumour with annular tubules (D39.1) |
| M8630/0 | Androblastoma, benign                        |
| M8630/1 | Androblastoma NOS                            |
| M8630/3 | Androblastoma, malignant                     |
| M8631/0 | Sertoli-Leydig cell tumour                   |
| M8632/1 | Gynandroblastoma (D39.1)                     |
| M8640/0 | Sertoli cell tumour NOS                      |
| M8640/3 | Sertoli cell carcinoma (C62-)                |
| M8641/0 | Sertoli cell tumour with lipid storage (D27) |
| M8650/0 | Leydig cell tumour, benign (D29.2)           |
| M8650/1 | Leydig cell tumour NOS (D40.1)               |
| M8650/3 | Leydig cell tumour, malignant (C62-)         |
| M8660/0 | Hilus cell tumour (D27)                      |
| M8670/0 | Lipid cell tumour of ovary (D27)             |
| M8671/0 | Adrenal rest tumour                          |

## **M868-M871      Paragangliomas and glomus tumours**

|         |                                        |
|---------|----------------------------------------|
| M8680/1 | Paraganglioma NOS                      |
| M8680/3 | Paraganglioma, malignant               |
| M8681/1 | Sympathetic paraganglioma              |
| M8682/1 | Parasympathetic paraganglioma          |
| M8683/0 | Gangliocytic paraganglioma (D13.2)     |
| M8690/1 | Glomus jugulare tumour (D44.7)         |
| M8691/1 | Aortic body tumour (D44.7)             |
| M8692/1 | Carotid body tumour (D44.6)            |
| M8693/1 | Extra-adrenal paraganglioma NOS        |
| M8693/3 | Extra-adrenal paraganglioma, malignant |
| M8700/0 | Phaeochromocytoma NOS (D35.0)          |
| M8700/3 | Phaeochromocytoma, malignant (C74.1)   |
| M8710/3 | Glomangiosarcoma                       |
| M8711/0 | Glomus tumour                          |
| M8712/0 | Glomangioma                            |
| M8713/0 | Glomangiomyoma                         |



## **M872-M879 Naevi and melanomas**

|         |                                                           |
|---------|-----------------------------------------------------------|
| M8720/0 | Pigmented naevus NOS (D22-)                               |
| M8720/2 | Melanoma in situ (D03-)                                   |
| M8720/3 | Malignant melanoma NOS                                    |
| M8721/3 | Nodular melanoma (C43-)                                   |
| M8722/0 | Balloon cell naevus (D22-)                                |
| M8722/3 | Balloon cell melanoma (C43-)                              |
| M8723/0 | Halo naevus (D22-)                                        |
| M8723/3 | Malignant melanoma, regressing (C43-)                     |
| M8724/0 | Fibrous papule of nose (D22.3)                            |
| M8725/0 | Neuronaevus (D22-)                                        |
| M8726/0 | Magnocellular naevus (D31.4)                              |
| M8727/0 | Dysplastic naevus (D22-)                                  |
| M8730/0 | Nonpigmented naevus (D22-)                                |
| M8730/3 | Amelanotic melanoma (C43-)                                |
| M8740/0 | Junctional naevus NOS (D22-)                              |
| M8740/3 | Malignant melanoma in junctional naevus (C43-)            |
| M8741/2 | Precancerous melanosis NOS (D03-)                         |
| M8741/3 | Malignant melanoma in precancerous melanosis (C43-)       |
| M8742/2 | Hutchinson melanotic freckle NOS (D03-)                   |
| M8742/3 | Malignant melanoma in Hutchinson melanotic freckle (C43-) |
| M8743/3 | Superficial spreading melanoma (C43-)                     |
| M8744/3 | Acral lentiginous melanoma, malignant (C43-)              |
| M8745/3 | Desmoplastic melanoma, malignant (C43-)                   |
| M8750/0 | Intradermal naevus (D22-)                                 |
| M8760/0 | Compound naevus (D22-)                                    |
| M8761/1 | Giant pigmented naevus NOS (D48.5)                        |
| M8761/3 | Malignant melanoma in giant pigmented naevus (C43-)       |
| M8770/0 | Epithelioid and spindle cell naevus (D22-)                |
| M8770/3 | Mixed epithelioid and spindle cell melanoma               |
| M8771/0 | Epithelioid cell naevus (D22-)                            |
| M8771/3 | Epithelioid cell melanoma                                 |
| M8772/0 | Spindle cell naevus (D22-)                                |
| M8772/3 | Spindle cell melanoma NOS                                 |
| M8773/3 | Spindle cell melanoma, type A (C69.4)                     |
| M8774/3 | Spindle cell melanoma, type B (C69.4)                     |
| M8780/0 | Blue naevus NOS (D22-)                                    |
| M8780/3 | Blue naevus, malignant (C43-)                             |

## **ICD-10-Mortality 2e-Volume1 - 2017**

M8790/0      Cellular blue naevus (D22-)

**M880 Soft tissue tumours and sarcomas NOS**

|         |                                           |
|---------|-------------------------------------------|
| M8800/0 | Soft tissue tumour, benign                |
| M8800/3 | Sarcoma NOS                               |
| M8800/6 | Sarcomatosis NOS                          |
| M8801/3 | Spindle cell sarcoma                      |
| M8802/3 | Giant cell sarcoma (except of bone M9250) |
| M8803/3 | Small cell sarcoma                        |
| M8804/3 | Epithelioid sarcoma                       |

## **M881-M883      Fibromatous neoplasms**

|         |                                           |
|---------|-------------------------------------------|
| M8810/0 | Fibroma NOS                               |
| M8810/3 | Fibrosarcoma NOS                          |
| M8811/0 | Fibromyxoma                               |
| M8811/3 | Fibromyxosarcoma                          |
| M8812/0 | Periosteal fibroma (D16-)                 |
| M8812/3 | Periosteal fibrosarcoma (C40-, C41-)      |
| M8813/0 | Fascial fibroma                           |
| M8813/3 | Fascial fibrosarcoma                      |
| M8814/3 | Infantile fibrosarcoma                    |
| M8820/0 | Elastofibroma                             |
| M8821/1 | Aggressive fibromatosis                   |
| M8822/1 | Abdominal fibromatosis                    |
| M8823/1 | Desmoplastic fibroma                      |
| M8824/1 | Myofibromatosis                           |
| M8830/0 | Fibrous histiocyoma NOS                   |
| M8830/1 | Atypical fibrous histiocyoma              |
| M8830/3 | Fibrous histiocyoma, malignant            |
| M8832/0 | Dermatofibroma NOS (D23-)                 |
| M8832/3 | Dermatofibrosarcoma NOS (C44-)            |
| M8833/3 | Pigmented dermatofibrosarcoma protuberans |

**M884 Myxomatous neoplasms**

|         |             |
|---------|-------------|
| M8840/0 | Myxoma NOS  |
| M8840/3 | Myxosarcoma |
| M8841/1 | Angiomyxoma |

**M885-M888      Lipomatous neoplasms**

|         |                                  |
|---------|----------------------------------|
| M8850/0 | Lipoma NOS (D17-)                |
| M8850/3 | Liposarcoma NOS                  |
| M8851/0 | Fibrolipoma (D17-)               |
| M8851/3 | Liposarcoma, well differentiated |
| M8852/0 | Fibromyxolipoma (D17-)           |
| M8852/3 | Myxoid liposarcoma               |
| M8853/3 | Round cell liposarcoma           |
| M8854/0 | Pleomorphic lipoma (D17-)        |
| M8854/3 | Pleomorphic liposarcoma          |
| M8855/3 | Mixed liposarcoma                |
| M8856/0 | Intramuscular lipoma (D17-)      |
| M8857/0 | Spindle cell lipoma (D17-)       |
| M8858/3 | Dedifferentiated liposarcoma     |
| M8860/0 | Angiomyolipoma (D17-)            |
| M8861/0 | Angiolipoma NOS (D17-)           |
| M8870/0 | Myelolipoma (D17-)               |
| M8880/0 | Hibernoma (D17-)                 |
| M8881/0 | Lipoblastomatosis (D17-)         |

## **M889-M892      Myomatous neoplasms**

|         |                              |
|---------|------------------------------|
| M8890/0 | Leiomyoma NOS                |
| M8890/1 | Leiomyomatosis NOS           |
| M8890/3 | Leiomyosarcoma NOS           |
| M8891/0 | Epithelioid leiomyoma        |
| M8891/3 | Epithelioid leiomyosarcoma   |
| M8892/0 | Cellular leiomyoma           |
| M8893/0 | Bizarre leiomyoma            |
| M8894/0 | Angiomyoma                   |
| M8894/3 | Angiomyosarcoma              |
| M8895/0 | Myoma                        |
| M8895/3 | Myosarcoma                   |
| M8896/3 | Myxoid leiomyosarcoma        |
| M8897/1 | Smooth muscle tumour NOS     |
| M8900/0 | Rhabdomyoma NOS              |
| M8900/3 | Rhabdomyosarcoma NOS         |
| M8901/3 | Pleomorphic rhabdomyosarcoma |
| M8902/3 | Mixed type rhabdomyosarcoma  |
| M8903/0 | Fetal rhabdomyoma            |
| M8904/0 | Adult rhabdomyoma            |
| M8910/3 | Embryonal rhabdomyosarcoma   |
| M8920/3 | Alveolar rhabdomyosarcoma    |

## **M893-M899      Complex mixed and stromal neoplasms**

|         |                                              |
|---------|----------------------------------------------|
| M8930/0 | Endometrial stromal nodule (D26.1)           |
| M8930/3 | Endometrial stromal sarcoma (C54-)           |
| M8931/1 | Endolymphatic stromal myosis (D39.0)         |
| M8932/0 | Adenomyoma                                   |
| M8933/3 | Adenosarcoma                                 |
| M8940/0 | Pleomorphic adenoma                          |
| M8940/3 | Mixed tumour, malignant NOS                  |
| M8941/3 | Carcinoma in pleomorphic adenoma (C07, C08-) |
| M8950/3 | Müllerian mixed tumour (C54-)                |
| M8951/3 | Mesodermal mixed tumour                      |
| M8960/1 | Mesoblastic nephroma                         |
| M8960/3 | Nephroblastoma NOS (C64)                     |
| M8963/3 | Rhabdoid sarcoma                             |
| M8964/3 | Clear cell sarcoma of kidney (C64)           |
| M8970/3 | Hepatoblastoma (C22.0)                       |
| M8971/3 | Pancreatoblastoma (C25-)                     |
| M8972/3 | Pulmonary blastoma (C34-)                    |
| M8980/3 | Carcinosarcoma NOS                           |
| M8981/3 | Carcinosarcoma, embryonal                    |
| M8982/0 | Myoepithelioma                               |
| M8990/0 | Mesenchymoma, benign                         |
| M8990/1 | Mesenchymoma NOS                             |
| M8990/3 | Mesenchymoma, malignant                      |
| M8991/3 | Embryonal sarcoma                            |



## **M900-M903      Fibroepithelial neoplasms**

|         |                                               |
|---------|-----------------------------------------------|
| M9000/0 | Brenner tumour NOS (D27)                      |
| M9000/1 | Brenner tumour, borderline malignancy (D39.1) |
| M9000/3 | Brenner tumour, malignant (C56)               |
| M9010/0 | Fibroadenoma NOS (D24)                        |
| M9011/0 | Intracanalicular fibroadenoma (D24)           |
| M9012/0 | Pericanalicular fibroadenoma (D24)            |
| M9013/0 | Adenofibroma NOS (D27)                        |
| M9014/0 | Serous adenofibroma (D27)                     |
| M9015/0 | Mucinous adenofibroma (D27)                   |
| M9016/0 | Giant fibroadenoma (D24)                      |
| M9020/0 | Phyllodes tumour, benign (D24)                |
| M9020/1 | Phyllodes tumour NOS (D48.6)                  |
| M9020/3 | Phyllodes tumour, malignant (C50-)            |
| M9030/0 | Juvenile fibroadenoma (D24)                   |

**M904      Synovial-like neoplasms**

|         |                                             |
|---------|---------------------------------------------|
| M9040/0 | Synovioma, benign                           |
| M9040/3 | Synovial sarcoma NOS                        |
| M9041/3 | Synovial sarcoma, spindle cell              |
| M9042/3 | Synovial sarcoma, epithelioid cell          |
| M9043/3 | Synovial sarcoma, biphasic                  |
| M9044/3 | Clear cell sarcoma (except of kidney M8964) |

**M905 Mesothelial neoplasms**

|         |                                            |
|---------|--------------------------------------------|
| M9050/0 | Mesothelioma, benign (D19-)                |
| M9050/3 | Mesothelioma, malignant (C45-)             |
| M9051/0 | Fibrous mesothelioma, benign (D19-)        |
| M9051/3 | Fibrous mesothelioma, malignant (C45-)     |
| M9052/0 | Epithelioid mesothelioma, benign (D19-)    |
| M9052/3 | Epithelioid mesothelioma, malignant (C45-) |
| M9053/0 | Mesothelioma, biphasic, benign (D19-)      |
| M9053/3 | Mesothelioma, biphasic, malignant (C45-)   |
| M9054/0 | Adenomatoid tumour NOS (D19-)              |
| M9055/1 | Cystic mesothelioma                        |

**M906-M909      Germ cell neoplasms**

|         |                                        |
|---------|----------------------------------------|
| M9060/3 | Dysgerminoma                           |
| M9061/3 | Seminoma NOS (C62-)                    |
| M9062/3 | Seminoma, anaplastic (C62-)            |
| M9063/3 | Spermatocytic seminoma (C62-)          |
| M9064/3 | Germinoma                              |
| M9070/3 | Embryonal carcinoma NOS                |
| M9071/3 | Endodermal sinus tumour                |
| M9072/3 | Polyembryoma                           |
| M9073/1 | Gonadoblastoma                         |
| M9080/0 | Teratoma, benign                       |
| M9080/1 | Teratoma NOS                           |
| M9080/3 | Teratoma, malignant NOS                |
| M9081/3 | Teratocarcinoma                        |
| M9082/3 | Malignant teratoma, undifferentiated   |
| M9083/3 | Malignant teratoma, intermediate       |
| M9084/0 | Dermoid cyst NOS                       |
| M9084/3 | Teratoma with malignant transformation |
| M9085/3 | Mixed germ cell tumour                 |
| M9090/0 | Struma ovarii NOS (D27)                |
| M9090/3 | Struma ovarii, malignant (C56)         |
| M9091/1 | Strumal carcinoid (D39.1)              |

**M910      Trophoblastic neoplasms**

|         |                                                        |
|---------|--------------------------------------------------------|
| M9100/0 | Hydatidiform mole NOS (O01.9)                          |
| M9100/1 | Invasive hydatidiform mole (D39.2)                     |
| M9100/3 | Choriocarcinoma NOS                                    |
| M9101/3 | Choriocarcinoma combined with other germ cell elements |
| M9102/3 | Malignant teratoma, trophoblastic (C62-)               |
| M9103/0 | Partial hydatidiform mole (O01.1)                      |
| M9104/1 | Placental site trophoblastic tumour (D39.2)            |

**M911 Mesonephromas**

|         |                         |
|---------|-------------------------|
| M9110/0 | Mesonephroma, benign    |
| M9110/1 | Mesonephric tumour      |
| M9110/3 | Mesonephroma, malignant |

## **M912-M916      Blood vessel tumours**

|         |                                                 |
|---------|-------------------------------------------------|
| M9120/0 | Haemangioma NOS (D18.0)                         |
| M9120/3 | Haemangiosarcoma                                |
| M9121/0 | Cavernous haemangioma (D18.0)                   |
| M9122/0 | Venous haemangioma (D18.0)                      |
| M9123/0 | Racemose haemangioma (D18.0)                    |
| M9124/3 | Kupffer cell sarcoma (C22.3)                    |
| M9125/0 | Epithelioid haemangioma (D18.0)                 |
| M9126/0 | Histiocytoid haemangioma (D18.0)                |
| M9130/0 | Haemangioendothelioma, benign (D18.0)           |
| M9130/1 | Haemangioendothelioma NOS                       |
| M9130/3 | Haemangioendothelioma, malignant                |
| M9131/0 | Capillary haemangioma (D18.0)                   |
| M9132/0 | Intramuscular haemangioma (D18.0)               |
| M9133/1 | Epithelioid haemangioendothelioma NOS           |
| M9133/3 | Epithelioid haemangioendothelioma, malignant    |
| M9134/1 | Intravascular bronchial alveolar tumour (D38.1) |
| M9140/3 | Kaposi sarcoma (C46-)                           |
| M9141/0 | Angiokeratoma                                   |
| M9142/0 | Verrucous keratotic haemangioma (D18.0)         |
| M9150/0 | Haemangiopericytoma, benign                     |
| M9150/1 | Haemangiopericytoma NOS                         |
| M9150/3 | Haemangiopericytoma, malignant                  |
| M9160/0 | Angiofibroma NOS                                |
| M9161/1 | Haemangioblastoma                               |

**M917      Lymphatic vessel tumours**

|         |                                |
|---------|--------------------------------|
| M9170/0 | Lymphangioma NOS (D18.1)       |
| M9170/3 | Lymphangiosarcoma              |
| M9171/0 | Capillary lymphangioma (D18.1) |
| M9172/0 | Cavernous lymphangioma (D18.1) |
| M9173/0 | Cystic lymphangioma (D18.1)    |
| M9174/0 | Lymphangiomyoma (D18.1)        |
| M9174/1 | Lymphangiomyomatosis           |
| M9175/0 | Haemolymphangioma (D18.1)      |



## **M918-M924      Osseous and chondromatous neoplasms**

|         |                                                    |
|---------|----------------------------------------------------|
| M9180/0 | Osteoma NOS (D16-)                                 |
| M9180/3 | Osteosarcoma NOS (C40-, C41-)                      |
| M9181/3 | Chondroblastic osteosarcoma (C40-, C41-)           |
| M9182/3 | Fibroblastic osteosarcoma (C40-, C41-)             |
| M9183/3 | Telangiectatic osteosarcoma (C40-, C41-)           |
| M9184/3 | Osteosarcoma in Paget disease of bone (C40-, C41-) |
| M9185/3 | Small cell osteosarcoma (C40-, C41-)               |
| M9190/3 | Juxtacortical osteosarcoma (C40-, C41-)            |
| M9191/0 | Osteoid osteoma NOS (D16-)                         |
| M9200/0 | Osteoblastoma NOS (D16-)                           |
| M9200/1 | Aggressive osteoblastoma (D48.0)                   |
| M9210/0 | Osteochondroma (D16-)                              |
| M9210/1 | Osteochondromatosis NOS (D48.0)                    |
| M9220/0 | Chondroma NOS (D16-)                               |
| M9220/1 | Chondromatosis NOS                                 |
| M9220/3 | Chondrosarcoma NOS (C40-, C41-)                    |
| M9221/0 | Juxtacortical chondroma (D16-)                     |
| M9221/3 | Juxtacortical chondrosarcoma (C40-, C41-)          |
| M9230/0 | Chondroblastoma NOS (D16-)                         |
| M9230/3 | Chondroblastoma, malignant (C40-, C41-)            |
| M9231/3 | Myxoid chondrosarcoma                              |
| M9240/3 | Mesenchymal chondrosarcoma                         |
| M9241/0 | Chondromyxoid fibroma (D16-)                       |

**M925 Giant cell tumours**

|         |                                                   |
|---------|---------------------------------------------------|
| M9250/1 | Giant cell tumour of bone NOS (D48.0)             |
| M9250/3 | Giant cell tumour of bone, malignant (C40-, C41-) |
| M9251/1 | Giant cell tumour of soft parts NOS               |
| M9251/3 | Malignant giant cell tumour of soft parts         |

**M926      Miscellaneous bone tumours**

|         |                                   |
|---------|-----------------------------------|
| M9260/3 | Ewing sarcoma (C40-, C41-)        |
| M9261/3 | Adamantinoma of long bones (C40-) |
| M9262/0 | Ossifying fibroma (D16-)          |

## **M927-M934      Odontogenic tumours**

|         |                                                         |
|---------|---------------------------------------------------------|
| M9270/0 | Odontogenic tumour, benign (D16.4, D16.5)               |
| M9270/1 | Odontogenic tumour, NOS (D48.0)                         |
| M9270/3 | Odontogenic tumour, malignant (C41.0, C41.1)            |
| M9271/0 | Dentinoma (D16.4, D16.5)                                |
| M9272/0 | Cementoma NOS (D16.4, D16.5)                            |
| M9273/0 | Cementoblastoma, benign (D16.4, D16.5)                  |
| M9274/0 | Cementifying fibroma (D16.4, D16.5)                     |
| M9275/0 | Gigantiform cementoma (D16.4, D16.5)                    |
| M9280/0 | Odontoma NOS (D16.4, D16.5)                             |
| M9281/0 | Compound odontoma (D16.4, D16.5)                        |
| M9282/0 | Complex odontoma (D16.4, D16.5)                         |
| M9290/0 | Ameloblastic fibro-odontoma (D16.4, D16.5)              |
| M9290/3 | Ameloblastic odontosarcoma (C41.0, C41.1)               |
| M9300/0 | Adenomatoid odontogenic tumour (D16.4, D16.5)           |
| M9301/0 | Calcifying odontogenic cyst (D16.4, D16.5)              |
| M9302/0 | Odontogenic ghost cell tumour (D16.4, D16.5)            |
| M9310/0 | Ameloblastoma NOS (D16.4, D16.5)                        |
| M9310/3 | Ameloblastoma, malignant (C41.0, C41.1)                 |
| M9311/0 | Odontoameloblastoma (D16.4, D16.5)                      |
| M9312/0 | Squamous odontogenic tumour (D16.4, D16.5)              |
| M9320/0 | Odontogenic myxoma (D16.4, D16.5)                       |
| M9321/0 | Central odontogenic fibroma (D16.4, D16.5)              |
| M9322/0 | Peripheral odontogenic fibroma (D16.4, D16.5)           |
| M9330/0 | Ameloblastic fibroma (D16.4, D16.5)                     |
| M9330/3 | Ameloblastic fibrosarcoma (C41.0, C41.1)                |
| M9340/0 | Calcifying epithelial odontogenic tumour (D16.4, D16.5) |

**M935-M937      Miscellaneous tumours**

|         |                                   |
|---------|-----------------------------------|
| M9350/1 | Craniopharyngioma (D44.3, D44.4)  |
| M9360/1 | Pinealoma (D44.5)                 |
| M9361/1 | Pineocytoma (D44.5)               |
| M9362/3 | Pineoblastoma (C75.3)             |
| M9363/0 | Melanotic neuroectodermal tumour  |
| M9364/3 | Peripheral neuroectodermal tumour |
| M9370/3 | Chordoma                          |

## **M938-M948      Gliomas**

|         |                                             |
|---------|---------------------------------------------|
| M9380/3 | Glioma, malignant (C71-)                    |
| M9381/3 | Gliomatosis cerebri (C71-)                  |
| M9382/3 | Mixed glioma (C71-)                         |
| M9383/1 | Subependymal glioma (D43-)                  |
| M9384/1 | Subependymal giant cell astrocytoma (D43-)  |
| M9390/0 | Choroid plexus papilloma NOS (D33.0)        |
| M9390/3 | Choroid plexus papilloma, malignant (C71.5) |
| M9391/3 | Ependymoma NOS (C71-)                       |
| M9392/3 | Ependymoma, anaplastic (C71-)               |
| M9393/1 | Papillary ependymoma (D43-)                 |
| M9394/1 | Myxopapillary ependymoma (D43-)             |
| M9400/3 | Astrocytoma NOS (C71-)                      |
| M9401/3 | Astrocytoma, anaplastic (C71-)              |
| M9410/3 | Protoplasmic astrocytoma (C71-)             |
| M9411/3 | Gemistocytic astrocytoma (C71-)             |
| M9420/3 | Fibrillary astrocytoma (C71-)               |
| M9421/3 | Pilocytic astrocytoma (C71-)                |
| M9422/3 | Spongioblastoma NOS (C71-)                  |
| M9423/3 | Spongioblastoma polare (C71-)               |
| M9424/3 | Pleomorphic xanthoastrocytoma (C71-)        |
| M9430/3 | Astroblastoma (C71-)                        |
| M9440/3 | Glioblastoma NOS (C71-)                     |
| M9441/3 | Giant cell glioblastoma (C71-)              |
| M9442/3 | Gliosarcoma (C71-)                          |
| M9443/3 | Primitive polar spongioblastoma (C71-)      |
| M9450/3 | Oligodendroglioma NOS (C71-)                |
| M9451/3 | Oligodendroglioma, anaplastic (C71-)        |
| M9460/3 | Oligodendroblastoma (C71-)                  |
| M9470/3 | Medulloblastoma NOS (C71.6)                 |
| M9471/3 | Desmoplastic medulloblastoma (C71.6)        |
| M9472/3 | Medullomyoblastoma (C71.6)                  |
| M9473/3 | Primitive neuroectodermal tumour (C71-)     |
| M9480/3 | Cerebellar sarcoma NOS (C71.6)              |
| M9481/3 | Monstrocellular sarcoma (C71-)              |

**M949-M952      Neuroepitheliomatous neoplasms**

|         |                                          |
|---------|------------------------------------------|
| M9490/0 | Ganglioneuroma                           |
| M9490/3 | Ganglioneuroblastoma                     |
| M9491/0 | Ganglioneuromatosis                      |
| M9500/3 | Neuroblastoma NOS                        |
| M9501/3 | Medulloepithelioma NOS                   |
| M9502/3 | Teratoid medulloepithelioma              |
| M9503/3 | Neuroepithelioma NOS                     |
| M9504/3 | Spongioneuroblastoma                     |
| M9505/1 | Ganglioglioma                            |
| M9506/0 | Neurocytoma                              |
| M9507/0 | Pacinian tumour                          |
| M9510/3 | Retinoblastoma NOS (C69.2)               |
| M9511/3 | Retinoblastoma, differentiated (C69.2)   |
| M9512/3 | Retinoblastoma, undifferentiated (C69.2) |
| M9520/3 | Olfactory neurogenic tumour              |
| M9521/3 | Esthesioneurocytoma (C30.0)              |
| M9522/3 | Esthesioneuroblastoma (C30.0)            |
| M9523/3 | Esthesioneuroepithelioma (C30.0)         |

**M953 Meningiomas**

|         |                                       |
|---------|---------------------------------------|
| M9530/0 | Meningioma NOS (D32-)                 |
| M9530/1 | Meningiomatosis NOS (D42-)            |
| M9530/3 | Meningioma, malignant (C70-)          |
| M9531/0 | Meningotheliomatous meningioma (D32-) |
| M9532/0 | Fibrous meningioma (D32-)             |
| M9533/0 | Psammomatous meningioma (D32-)        |
| M9534/0 | Angiomatous meningioma (D32-)         |
| M9535/0 | Haemangioblastic meningioma (D32-)    |
| M9536/0 | Haemangiopericytic meningioma (D32-)  |
| M9537/0 | Transitional meningioma (D32-)        |
| M9538/1 | Papillary meningioma (D42-)           |
| M9539/3 | Meningeal sarcomatosis (C70-)         |



**M954-M957      Nerve sheath tumours**

|         |                               |
|---------|-------------------------------|
| M9540/0 | Neurofibroma NOS              |
| M9540/1 | Neurofibromatosis NOS (Q85.0) |
| M9540/3 | Neurofibrosarcoma             |
| M9541/0 | Melanotic neurofibroma        |
| M9550/0 | Plexiform neurofibroma        |
| M9560/0 | Neurilemmoma NOS              |
| M9560/1 | Neurinomatosis                |
| M9560/3 | Neurilemmoma, malignant       |
| M9561/3 | Triton tumour, malignant      |
| M9562/0 | Neurothekeoma                 |
| M9570/0 | Neuroma NOS                   |

**M958 Granular cell tumours and alveolar soft part sarcoma**

|         |                                 |
|---------|---------------------------------|
| M9580/0 | Granular cell tumour NOS        |
| M9580/3 | Granular cell tumour, malignant |
| M9581/3 | Alveolar soft part sarcoma      |

## **M959-M971      Hodgkin and non-Hodgkin lymphoma**

### *M959 Malignant lymphomas NOS or diffuse*

|         |                                             |
|---------|---------------------------------------------|
| M9590/3 | Malignant lymphoma NOS (C84.5, C85.9)       |
| M9591/3 | Malignant lymphoma, non-Hodgkin NOS (C85.9) |
| M9592/3 | Lymphosarcoma NOS (C85.0)                   |
| M9593/3 | Reticulosarcoma NOS (C83.3, C83.9)          |
| M9594/3 | Microglioma (C85.7)                         |
| M9595/3 | Malignant lymphoma, diffuse NOS (C83.9)     |

### *M965-M966 Hodgkin disease*

|         |                                                                      |
|---------|----------------------------------------------------------------------|
| M9650/3 | Hodgkin disease NOS (C81.9)                                          |
| M9652/3 | Hodgkin disease, mixed cellularity NOS (C81.2)                       |
| M9653/3 | Hodgkin disease, lymphocytic depletion NOS (C81.3)                   |
| M9654/3 | Hodgkin disease, lymphocytic depletion, diffuse fibrosis (C81.3)     |
| M9655/3 | Hodgkin disease, lymphocytic depletion, reticular (C81.3)            |
| M9657/3 | Hodgkin disease, lymphocytic predominance NOS (C81.0)                |
| M9658/3 | Hodgkin disease, lymphocytic predominance, diffuse (C81.0)           |
| M9659/3 | Hodgkin disease, lymphocytic predominance, nodular (C81.0)           |
| M9660/3 | Hodgkin paraganuloma NOS (C81.7)                                     |
| M9661/3 | Hodgkin granuloma (C81.7)                                            |
| M9662/3 | Hodgkin sarcoma (C81.7)                                              |
| M9663/3 | Hodgkin disease, nodular sclerosis NOS (C81.1)                       |
| M9664/3 | Hodgkin disease, nodular sclerosis, cellular phase (C81.1)           |
| M9665/3 | Hodgkin disease, nodular sclerosis, lymphocytic predominance (C81.1) |
| M9666/3 | Hodgkin disease, nodular sclerosis, mixed cellularity (C81.1)        |
| M9667/3 | Hodgkin disease, nodular sclerosis, lymphocytic depletion (C81.1)    |

### *M967-M968 Malignant lymphoma, diffuse or NOS, specified type*

|         |                                                                                |
|---------|--------------------------------------------------------------------------------|
| M9670/3 | Malignant lymphoma, small lymphocytic NOS (C83.0)                              |
| M9671/3 | Malignant lymphoma, lymphoplasmacytic (C83.8)                                  |
| M9672/3 | Malignant lymphoma, small cleaved cell, diffuse (C83.1)                        |
| M9673/3 | Malignant lymphoma, lymphocytic, intermediate differentiation, diffuse (C83.8) |
| M9674/3 | Malignant lymphoma, centrocytic (C83.8)                                        |
| M9675/3 | Malignant lymphoma, mixed small and large cell, diffuse (C83.2)                |

## ICD-10-Mortality 2e-Volume1 - 2017

|         |                                                                    |
|---------|--------------------------------------------------------------------|
| M9676/3 | Malignant lymphoma, centroblastic-centrocytic, diffuse (C83.8)     |
| M9677/3 | Malignant lymphomatous polyposis (C83.8)                           |
| M9680/3 | Malignant lymphoma, large cell, diffuse NOS (C83.3)                |
| M9681/3 | Malignant lymphoma, large cell, cleaved, diffuse (C83.3)           |
| M9682/3 | Malignant lymphoma, large cell, noncleaved, diffuse (C83.3)        |
| M9683/3 | Malignant lymphoma, centroblastic, diffuse (C83.8)                 |
| M9684/3 | Malignant lymphoma, immunoblastic NOS (C83.4)                      |
| M9685/3 | Malignant lymphoma, lymphoblastic (C83.5)                          |
| M9686/3 | Malignant lymphoma, small cell, noncleaved, diffuse (C83.0, C83.6) |
| M9687/3 | Burkitt lymphoma NOS (C83.7)                                       |

### *M969 Malignant lymphoma, follicular or nodular, with or without diffuse areas*

|         |                                                                                |
|---------|--------------------------------------------------------------------------------|
| M9690/3 | Malignant lymphoma, follicular NOS (C82.9)                                     |
| M9691/3 | Malignant lymphoma, mixed small cleaved and large cell, follicular (C82.1)     |
| M9692/3 | Malignant lymphoma, centroblastic-centrocytic, follicular (C82.7)              |
| M9693/3 | Malignant lymphoma, lymphocytic, well differentiated, nodular (C82.7)          |
| M9694/3 | Malignant lymphoma, lymphocytic, intermediate differentiation, nodular (C82.7) |
| M9695/3 | Malignant lymphoma, small cleaved cell, follicular (C82.0)                     |
| M9696/3 | Malignant lymphoma, lymphocytic, poorly differentiated, nodular (C82.7)        |
| M9697/3 | Malignant lymphoma, centroblastic, follicular (C82.7)                          |
| M9698/3 | Malignant lymphoma, large cell, follicular NOS (C82.2)                         |

### *M970 Specified cutaneous and peripheral T-cell lymphomas*

|         |                                                                                                    |
|---------|----------------------------------------------------------------------------------------------------|
| M9700/3 | Mycosis fungoides (C84.0)                                                                          |
| M9701/3 | Sézary disease (C84.1)                                                                             |
| M9702/3 | Peripheral T-cell lymphoma NOS (C84.4)                                                             |
| M9703/3 | T-zone lymphoma (C84.2)                                                                            |
| M9704/3 | Lymphoepithelioid lymphoma (C84.3)                                                                 |
| M9705/3 | Peripheral T-cell lymphoma, AILD (angioimmunoblastic lymphadenopathy with dysproteinaemia) (C84.4) |
| M9706/3 | Peripheral T-cell lymphoma, pleomorphic small cell (C84.4)                                         |
| M9707/3 | Peripheral T-cell lymphoma, pleomorphic medium and large cell (C84.4)                              |
| M9709/3 | Cutaneous lymphoma (C84.5)                                                                         |

### *M971 Other specified non-Hodgkin lymphomas*

|         |                                      |
|---------|--------------------------------------|
| M9711/3 | Monocytoid B-cell lymphoma (C85.7)   |
| M9712/3 | Angioendotheliomatosis (C85.7)       |
| M9713/3 | Angiocentric T-cell lymphoma (C85.7) |
| M9714/3 | Large cell (Ki-1+) lymphoma (C85.7)  |

**M972 Other lymphoreticular neoplasms**

|         |                                   |
|---------|-----------------------------------|
| M9720/3 | Malignant histiocytosis (C96.1)   |
| M9722/3 | Letterer-Siwe disease (C96.0)     |
| M9723/3 | True histiocytic lymphoma (C96.3) |

**M973 Plasma cell tumours**

M9731/3 Plasmacytoma NOS (C90.2)

M9732/3 Multiple myeloma (C90.0)

**M974 Mast cell tumours**

|         |                                |
|---------|--------------------------------|
| M9740/1 | Mastocytoma NOS (D47.0)        |
| M9740/3 | Mast cell sarcoma (C96.2)      |
| M9741/3 | Malignant mastocytosis (C96.2) |

**M976 Immunoproliferative diseases**

|         |                                                      |
|---------|------------------------------------------------------|
| M9760/3 | Immunoproliferative disease NOS (C88.9)              |
| M9761/3 | Waldenström macroglobulinaemia (C88.0)               |
| M9762/3 | Alpha heavy chain disease (C88.1)                    |
| M9763/3 | Gamma heavy chain disease (C88.2)                    |
| M9764/3 | Immunoproliferative small intestinal disease (C88.3) |
| M9765/1 | Monoclonal gammopathy (D47.2)                        |
| M9766/1 | Angiocentric immunoproliferative lesion (D47.7)      |
| M9767/1 | Angioimmunoblastic lymphadenopathy (D47.7)           |
| M9768/1 | T-gamma lymphoproliferative disease (D47.7)          |



## **M980-M994      Leukaemias**

### *M980 Leukaemias NOS*

|         |                                  |
|---------|----------------------------------|
| M9800/3 | Leukaemia NOS (C95.9)            |
| M9801/3 | Acute leukaemia NOS (C95.0)      |
| M9802/3 | Subacute leukaemia NOS (C95.2)   |
| M9803/3 | Chronic leukaemia NOS (C95.1)    |
| M9804/3 | Aleukaemic leukaemia NOS (C95.7) |

### *M982 Lymphoid leukaemias*

|         |                                           |
|---------|-------------------------------------------|
| M9820/3 | Lymphoid leukaemia NOS (C91.9)            |
| M9821/3 | Acute lymphoblastic leukaemia NOS (C91.0) |
| M9822/3 | Subacute lymphoid leukaemia (C91.2)       |
| M9823/3 | Chronic lymphocytic leukaemia (C91.1)     |
| M9824/3 | Aleukaemic lymphoid leukaemia (C91.7)     |
| M9825/3 | Prolymphocytic leukaemia (C91.3)          |
| M9826/3 | Burkitt cell leukaemia (C91.7)            |
| M9827/3 | Adult T-cell leukaemia/lymphoma (C91.5)   |

### *M983 Plasma cell leukaemia*

|         |                               |
|---------|-------------------------------|
| M9830/3 | Plasma cell leukaemia (C90.1) |
|---------|-------------------------------|

### *M984 Erythroleukaemias*

|         |                             |
|---------|-----------------------------|
| M9840/3 | Erythroleukaemia (C94.0)    |
| M9841/3 | Acute erythraemia (C94.0)   |
| M9842/3 | Chronic erythraemia (C94.1) |

### *M985 Lymphosarcoma cell leukaemia*

|         |                                      |
|---------|--------------------------------------|
| M9850/3 | Lymphosarcoma cell leukaemia (C94.7) |
|---------|--------------------------------------|

### *M986 Myeloid (granulocytic) leukaemias*

|         |                                      |
|---------|--------------------------------------|
| M9860/3 | Myeloid leukaemia NOS (C92.9)        |
| M9861/3 | Acute myeloid leukaemia (C92.0)      |
| M9862/3 | Subacute myeloid leukaemia (C92.2)   |
| M9863/3 | Chronic myeloid leukaemia (C92.1)    |
| M9864/3 | Aleukaemic myeloid leukaemia (C92.7) |

## ICD-10-Mortality 2e-Volume1 - 2017

M9866/3 Acute promyelocytic leukaemia (C92.4)  
M9867/3 Acute myelomonocytic leukaemia (C92.5)  
M9868/3 Chronic myelomonocytic leukaemia (C92.7)

### *M987 Basophilic leukaemia*

M9870/3 Basophilic leukaemia (C92-)

### *M988 Eosinophilic leukaemia*

M9880/3 Eosinophilic leukaemia (C92-)

### *M989 Monocytic leukaemias*

M9890/3 Monocytic leukaemia NOS (C93.9)  
M9891/3 Acute monocytic leukaemia (C93.0)  
M9892/3 Subacute monocytic leukaemia (C93.2)  
M9893/3 Chronic monocytic leukaemia (C93.1)  
M9894/3 Aleukaemic monocytic leukaemia (C93.7)

### *M990-M994 Other leukaemias*

M9900/3 Mast cell leukaemia (C94.3)  
M9910/3 Acute megakaryoblastic leukaemia (C94.2)  
M9930/3 Myeloid sarcoma (C92.3)  
M9931/3 Acute panmyelosis (C94.4)  
M9932/3 Acute myelofibrosis (C94.5)  
M9940/3 Hairy cell leukaemia (C91.4)  
M9941/3 Leukaemic reticuloendotheliosis (C91.4)

**M995-M997      Miscellaneous myeloproliferative  
and lymphoproliferative disorders**

|         |                                                |
|---------|------------------------------------------------|
| M9950/1 | Polycythaemia vera (D45)                       |
| M9960/1 | Chronic myeloproliferative disease (D47.1)     |
| M9961/1 | Myelosclerosis with myeloid metaplasia (D47.1) |
| M9962/1 | Idiopathic thrombocythaemia (D47.3)            |
| M9970/1 | Lymphoproliferative disease NOS (D47.9)        |

**M998      Myelodysplastic syndrome**

|         |                                                                      |
|---------|----------------------------------------------------------------------|
| M9980/1 | Refractory anaemia NOS (D46.4)                                       |
| M9981/1 | Refractory anaemia without sideroblasts (D46.0)                      |
| M9982/1 | Refractory anaemia with sideroblasts (D46.1)                         |
| M9983/1 | Refractory anaemia with excess of blasts (D46.2)                     |
| M9984/1 | Refractory anaemia with excess of blasts with transformation (D46.3) |
| M9989/1 | Myelodysplastic syndrome NOS (D46.9)                                 |

---