

Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, and *standard error*, by selected first-listed diagnostic categories: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

Category of first-listed diagnosis and ICD-9-CM code	Discharges		Days of care		Average length of stay in days	
	Number in thousands	Rate per 10,000 population \1	Number in thousands	Rate per 10,000 population \1		
All conditions \2	36,120	1,181.2	175,767	5,748.1	4.9	
Females with deliveries	V27	4,005	131.0	10,858	355.1	2.7
Heart disease	391-392.0,393-398,402,404,410-416,420-429	3,993	130.6	18,500	605.0	4.6
Acute myocardial infarction	410	634	20.7	3,196	104.5	5.0
Coronary atherosclerosis	414.0,414.2,414.3	766	25.1	2,674	87.4	3.5
Other ischemic heart disease	411-413,414.1,414.8-414.9	136	4.5	*	*	3.4
Cardiac dysrhythmias	427	790	25.8	3,064	100.2	3.9
Congestive heart failure	428.0,428.2-428.4	1,089	35.6	5,698	186.4	5.2
Psychoses	290-299	1,559	51.0	11,664	381.5	7.5
Schizophrenic disorders	295	292	9.5	3,271	107.0	11.2
Major depressive disorder	296.2-296.3	383	12.5	2,617	85.6	6.8
Malignant neoplasms	140-209.30,230-234	1,336	43.7	8,380	274.0	6.3
Malignant neoplasm of large intestine and rectum	153-154,197.5,209.1	169	5.5	1,289	42.2	7.6
Malignant neoplasm of trachea, bronchus, and lung	162,176.4,197.0,197.3,209.21	194	6.4	1,204	39.4	6.2
Pneumonia	480-486	1,145	37.4	5,960	194.9	5.2
Fractures, all sites \3	800-829	1,057	34.6	5,577	182.4	5.3
Fracture of neck of femur	820	279	9.1	1,751	57.3	6.3
Certain complications of surgical and medical care	996-999	1,044	34.2	6,199	202.7	5.9
Cerebrovascular disease	430-438	971	31.8	5,148	168.4	5.3
Osteoarthritis and allied disorders	715	959	31.4	3,398	111.1	3.5
Septicemia	038	718	23.5	6,500	212.6	9.0
Diabetes mellitus	249,250	691	22.6	3,459	113.1	5.0
Cellulitis and abscess	681-682	628	20.5	2,766	90.5	4.4
Chronic bronchitis	491	620	20.3	2,939	96.1	4.7
Urinary tract infection	599.0	575	18.8	2,749	89.9	4.8
Asthma	493	479	15.7	2,038	66.6	4.3
Anemias	280-285	429	14.0	1,862	60.9	4.3
Essential hypertension	401	372	12.2	1,045	34.2	2.8
Cholelithiasis	574	370	12.1	1,510	49.4	4.1
Intervertebral disc disorders	722	358	11.7	1,186	38.8	3.3
Benign neoplasms	209.4-209.6,210-229	337	11.0	1,076	35.2	3.2
Benign neoplasm of uterus	218-219	178	5.8	407	13.3	2.3
Intestinal obstruction	560	331	10.8	1,958	64.0	5.9
Volume depletion	276.5	318	10.4	1,122	36.7	3.5
Noninfectious enteritis and colitis	555-558	316	10.3	1,439	47.1	4.6
Appendicitis	540-543	296	9.7	814	26.6	2.8
Poisonings	960-989	292	9.5	855	28.0	2.9
Diverticula of intestine	562	283	9.2	1,323	43.3	4.7
Acute pancreatitis	577.0	279	9.1	1,575	51.5	5.6
Acute bronchitis and bronchiolitis	466	159	5.2	539	17.6	3.4
Calculus of kidney and ureter	592	146	4.8	354	11.6	2.4

Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, and *standard error*, by selected first-listed diagnostic categories: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM)]

Category of first-listed diagnosis and ICD-9-CM code	Discharges		Days of care		Average length of stay in days	
	Number in thousands	Rate per 10,000 population \1	Number in thousands	Rate per 10,000 population \1		
			<i>Standard error</i>			
All conditions \2	3,772	123.3	18,502	605.1	0.13	
Females with deliveries	V27	464	15.2	1,225	40.1	0.05
Heart disease	391-392.0,393-398,402,404,410-416,420-429	428	14.0	2,093	68.5	0.13
Acute myocardial infarction	410	76	2.5	397	13.0	0.20
Coronary atherosclerosis	414.0,414.2,414.3	97	3.2	377	12.3	0.18
Other ischemic heart disease	411-413,414.1,414.8-414.9	23	0.8	*	*	0.62
Cardiac dysrhythmias	427	89	2.9	412	13.5	0.24
Congestive heart failure	428.0,428.2-428.4	121	4.0	654	21.4	0.19
Psychoses	290-299	253	8.3	2,076	67.9	0.41
Schizophrenic disorders	295	52	1.7	620	20.3	0.75
Major depressive disorder	296.2-296.3	73	2.4	574	18.8	0.54
Malignant neoplasms	140-209.30,230-234	159	5.2	986	32.3	0.21
Malignant neoplasm of large intestine and rectum	153-154,197.5,209.1	23	0.7	178	5.8	0.41
Malignant neoplasm of trachea, bronchus, and lung	162,176.4,197.0,197.3,209.21	27	0.9	162	5.3	0.32
Pneumonia	480-486	138	4.5	677	22.2	0.16
Fractures, all sites \3	800-829	122	4.0	646	21.1	0.16
Fracture of neck of femur	820	33	1.1	207	6.8	0.30
Certain complications of surgical and medical care	996-999	126	4.1	797	26.1	0.18
Cerebrovascular disease	430-438	119	3.9	822	26.9	0.55
Osteoarthritis and allied disorders	715	127	4.2	451	14.8	0.11
Septicemia	038	77	2.5	681	22.3	0.36
Diabetes mellitus	249,250	80	2.6	484	15.8	0.37
Cellulitis and abscess	681-682	69	2.3	294	9.6	0.17
Chronic bronchitis	491	79	2.6	374	12.2	0.20
Urinary tract infection	599.0	70	2.3	373	12.2	0.20
Asthma	493	69	2.3	372	12.2	0.66
Anemias	280-285	52	1.7	306	10.0	0.38
Essential hypertension	401	54	1.8	236	7.7	0.50
Cholelithiasis	574	41	1.3	171	5.6	0.16
Intervertebral disc disorders	722	56	1.8	216	7.0	0.28
Benign neoplasms	209.4-209.6,210-229	41	1.3	139	4.5	0.14
Benign neoplasm of uterus	218-219	22	0.7	48	1.6	0.09
Intestinal obstruction	560	37	1.2	213	7.0	0.28
Volume depletion	276.5	42	1.4	154	5.0	0.28
Noninfectious enteritis and colitis	555-558	37	1.2	177	5.8	0.25
Appendicitis	540-543	40	1.3	120	3.9	0.18

Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, and *standard error*, by selected first-listed diagnostic categories: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM)]

Category of first-listed diagnosis and ICD-9-CM code	Discharges		Days of care		Average length of stay in days	
	Number in thousands	Rate per 10,000 population \1	Number in thousands	Rate per 10,000 population \1		
<i>Poisonings</i>	960-989	36	1.2	98	3.2	0.17
<i>Diverticula of intestine</i>	562	38	1.2	177	5.8	0.17
<i>Acute pancreatitis</i>	577.0	38	1.2	265	8.7	0.51
<i>Acute bronchitis and bronchiolitis</i>	466	28	0.9	86	2.8	0.28
<i>Calculus of kidney and ureter</i>	592	21	0.7	61	2.0	0.17

* Figure does not meet standard of reliability or precision.

\1 Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as July 1, 2009.

\2 Includes data for diagnostic conditions not shown in table.

\3 Excludes fractures coded as 733.1, pathologic fracture.