

Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of selected* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending December 9, 2017 (49th week)[†] (Export data)

Disease	Current week	Cum 2017	5-year weekly average [§]	Total cases reported for previous years					States reporting cases during current week (No.)
				2016	2015	2014	2013	2012	
Anthrax	—	—	—	—	—	—	—	—	
Arboviral diseases neuroinvasive and nonneuroinvasive ^{¶,**,†} :									
Chikungunya virus disease	1	103	2	247	896	NN	NN	NN	AZ (1)
Eastern equine encephalitis virus disease	—	1	—	7	6	8	8	15	
Jamestown Canyon virus disease	—	63	0	15	11	11	22	2	
La Crosse virus disease	—	44	—	35	55	80	85	78	
Powassan virus disease	—	28	0	22	7	8	12	7	
St. Louis encephalitis virus disease	—	7	—	8	23	10	1	3	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Botulism, total	1	134	4	201	195	161	152	168	
foodborne	—	18	0	31	37	15	4	27	
infant	—	99	3	144	138	127	136	123	
other (wound and unspecified)	1	17	0	26	20	19	12	18	WA (1)
Brucellosis	1	119	2	127	126	92	99	114	TX (1)
Chancroid	—	7	0	7	11	—	—	15	
Cholera	—	4	0	15	5	5	14	17	
Cyclosporiasis**	3	1,079	2	535	645	388	784	123	LA (2), AZ (1)
Diphtheria	—	—	—	—	—	1	—	1	
<i>Haemophilus influenzae</i> invasive disease (age <5 yrs) ^{††} :									
serotype b	—	21	1	30	29	40	31	30	
nontypeable	—	106	5	196	175	128	141	115	
non-b serotype	—	132	2	159	135	266	233	263	
unknown serotype	3	221	4	187	167	39	34	37	OH (2), OK (1)
Hansen's disease**	—	51	2	78	89	88	81	82	
Hantavirus**:									
Hantavirus infection (non-HPS)	—	—	0	6	3	NN	NN	NN	
Hantavirus Pulmonary Syndrome (HPS)	—	11	0	31	21	32	21	30	
Hemolytic uremic syndrome, postdiarrheal**	1	273	4	307	274	250	329	274	NYC (1)
Hepatitis B, perinatal virus infection ^{§§}	—	21	1	32	37	47	48	40	
Influenza-associated pediatric mortality ^{**,¶¶}	1	122	1	82	130	141	160	52	IN (1)
Leptospirosis**	—	53	1	78	40	38	NN	NN	
Listeriosis	5	674	13	786	768	769	735	727	CT (1), NYC (1), OH (1), FL (1), OK (1)
Measles***	—	122	1	85	188	667	187	55	
Meningococcal disease (<i>Neisseria meningitidis</i>) ^{†††} :									
serogroup ACWY	—	63	3	126	120	123	142	161	
serogroup B	—	64	2	86	111	89	99	110	
other serogroup	—	13	0	21	21	25	17	20	
unknown serogroup	3	175	3	142	120	196	298	260	PA (2), CO (1)
Novel influenza A virus infections ^{§§§}	—	20	0	23	7	3	21	313	
Plague	—	1	—	4	16	10	4	4	
Poliomyelitis, paralytic	—	—	—	—	—	—	1	—	
Polio virus infection, nonparalytic**	—	—	—	—	—	—	—	—	
Psittacosis**	—	4	0	12	4	8	6	2	
Q fever, total**	—	152	2	164	156	168	170	135	
acute	—	123	1	132	122	132	137	113	
chronic	—	29	0	32	34	36	33	22	
Rabies, human	—	—	—	—	2	1	2	1	
SARS-CoV	—	—	—	—	—	—	—	—	
Smallpox	—	—	—	—	—	—	—	—	
Streptococcal toxic shock syndrome**	4	274	5	283	335	259	224	194	PA (1), MO (2), KY (1)
Syphilis, congenital ^{¶¶¶}	—	540	10	633	493	458	348	322	
Toxic shock syndrome (other than streptococcal)**	—	24	1	40	64	59	71	65	
Trichinellosis**	—	13	0	26	14	14	22	18	
Tularemia	—	210	2	230	314	180	203	149	
Typhoid fever (casued by <i>Salmonella typhi</i>)	5	335	5	376	367	349	338	354	NY (1), NYC (4)
Vancomycin-intermediate <i>Staphylococcus aureus</i> **	—	85	3	108	183	212	248	134	
Vancomycin-resistant <i>Staphylococcus aureus</i> **	—	—	0	—	3	—	—	2	

See Table I footnotes on next page.

TABLE I. (Continued) Provisional cases of selected* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending December 9, 2017 (49th week)[†] (Export data)

Disease	Current week	Cum 2017	5-year weekly average [§]	Total cases reported for previous years					States reporting cases during current week (No.)
				2016	2015	2014	2013	2012	
Viral hemorrhagic fevers****.									
Crimean-Congo hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Ebola hemorrhagic fever	—	—	—	—	—	4	NP	NP	
Guanarito hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Junin hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Lassa fever	—	—	—	—	1	1	NP	NP	
Lujo virus	—	—	—	—	—	NP	NP	NP	
Machupo hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Marburg fever	—	—	—	—	—	NP	NP	NP	
Sabia-associated hemorrhagic fever	—	—	—	—	—	NP	NP	NP	
Yellow fever	—	—	—	—	—	—	—	—	
Zika virus disease, non-congenital ^{††††}	—	429	15	5,132	NN	NN	NN	NN	

—: No reported cases. N: Not reportable. NA: Not available. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts.

* Case counts for reporting year 2017 are provisional and subject to change. Data for years 2012 through 2016 are finalized. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.

[†] This table does not include cases from the U.S. territories. Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[§] Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.

[¶] Updated weekly reports from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.

** Not reportable in all jurisdictions. Data from states where the condition is not reportable are excluded from this table, except for the arboviral diseases and influenza-associated pediatric mortality. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.

^{††} Data for *Haemophilus influenzae* (all ages, all serotypes) are available in Table II.

^{§§} In 2016, the nationally notifiable condition 'Hepatitis B Perinatal Infection' was renamed to 'Perinatal Hepatitis B Virus Infection' and reflects updates in the 2016 CSTE position statement for Perinatal Hepatitis B Virus Infection.

^{¶¶} Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since October 1, 2017, eight influenza-associated pediatric deaths occurring during the 2017-18 season have been reported.

*** No measles cases were reported for the current week.

^{†††} Data for meningococcal disease (all serogroups) are available in Table II.


^{§§§} Novel influenza A virus infections are human infections with influenza A viruses that are different from currently circulating human seasonal influenza viruses. With the exception of one avian lineage influenza A (H7N2) virus, all novel influenza A virus infections reported to CDC since 2012 have been variant influenza viruses. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).

^{¶¶¶} Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.

**** Prior to 2015, CDC's National Notifiable Diseases Surveillance System (NNDSS) did not receive electronic data about incident cases of specific viral hemorrhagic fevers; instead data were collected in aggregate as "viral hemorrhagic fevers". Beginning in 2015, NNDSS has been updated to receive data for each of the viral hemorrhagic fevers listed below. In addition to the four cases of Ebola diagnosed in the United States to date in 2014, six residents of the United States have been medically evacuated to the United States for care after developing Ebola in West Africa. Ten of the 11 VHF cases reported for 2014 are confirmed as Ebola and one as Lassa fever.

^{††††} The Council of State and Territorial Epidemiologists approved position statement 16-ID-01 in June 2016, which modifies the previous case definition and naming convention from "Zika virus congenital infection" to "Zika virus disease, non-congenital".

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals December 9, 2017, with historical data



* No measles cases were reported for the current 4-week period yielding a ratio for week 49 of zero (0).

[†] Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

National Notifiable Diseases Data Team

Yvette D. Dominique
 Deborah A. Adams Willie J. Anderson
 Diana Harris Onweh Alan W. Schley

Data presented by the National Notifiable Diseases Data Team in the weekly MMWR are provisional, based on weekly reports to CDC by state health departments. Readers who have difficulty accessing this PDF file may access the HTML file at <https://www.cdc.gov/mmwr/volumes/66/wr/mm6649md.htm>. Address all inquiries about the MMWR Series, including material to be considered for publication, to Editor, MMWR Series, Mailstop E-90, CDC, 1600 Clifton Rd., N.E., Atlanta, GA 30329-4027 or to mmwrq@cdc.gov.

Morbidity and Mortality Weekly Report

TABLE II. Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	Babesiosis					Campylobacteriosis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	10	15	152	1,710	1,768	431	1,124	3,079	57,040	55,234
New England	4	4	88	819	1,091	15	53	106	2,722	2,804
Connecticut	—	0	6	32	318	—	11	31	592	627
Maine	4	1	11	100	81	1	3	9	187	249
Massachusetts	—	1	69	460	514	10	25	50	1,314	1,305
New Hampshire	—	1	8	66	13	4	5	12	258	213
Rhode Island	—	1	16	142	152	—	4	15	215	202
Vermont	—	0	3	19	13	—	3	9	156	208
Mid. Atlantic	6	7	119	781	531	100	141	243	7,544	7,386
New Jersey	—	1	26	172	173	—	30	81	1,493	1,814
New York (Upstate)	6	5	118	513	307	36	33	84	1,760	1,740
New York City	—	1	13	96	51	44	40	61	1,984	1,604
Pennsylvania	N	0	0	N	N	20	44	93	2,307	2,228
E.N. Central	—	1	9	83	69	43	137	284	7,824	7,969
Illinois	—	0	1	1	2	—	35	81	1,891	1,916
Indiana	—	0	1	1	—	—	18	44	921	988
Michigan	—	0	2	2	2	2	26	62	1,481	1,567
Ohio	—	0	1	1	—	26	38	66	1,997	1,921
Wisconsin	—	1	8	78	65	15	29	64	1,534	1,577
W.N. Central	—	0	1	2	53	15	81	159	4,080	5,774
Iowa	—	0	1	2	1	—	20	46	1,029	1,022
Kansas	N	0	0	N	N	—	13	25	617	749
Minnesota	—	0	1	—	49	—	0	17	—	1,477
Missouri	—	0	0	—	1	13	25	51	1,341	1,316
Nebraska	—	0	0	—	1	2	9	23	503	580
North Dakota	—	0	0	—	1	—	4	13	215	188
South Dakota	—	0	0	—	—	—	7	16	375	442
S. Atlantic	—	0	3	14	12	35	185	295	9,454	8,591
Delaware	—	0	1	4	2	—	2	10	160	167
District of Columbia	—	0	0	—	2	—	0	2	20	62
Florida	N	0	0	N	N	—	80	111	3,943	3,041
Georgia	N	0	0	N	N	3	20	41	1,077	928
Maryland	—	0	2	8	6	13	16	38	828	792
North Carolina	N	0	0	N	N	—	28	59	1,428	1,390
South Carolina	—	0	1	2	2	—	7	18	357	381
Virginia	N	0	0	N	N	19	26	69	1,289	1,453
West Virginia	—	0	0	—	—	—	7	22	352	377
E.S. Central	—	0	1	2	2	11	53	98	2,575	2,319
Alabama	—	0	1	1	—	4	13	32	715	647
Kentucky	—	0	0	—	1	—	16	25	683	717
Mississippi	N	0	0	N	N	7	9	18	459	248
Tennessee	—	0	1	1	1	—	14	30	718	707
W.S. Central	—	0	1	1	4	71	121	293	5,855	6,419
Arkansas	—	0	0	—	1	9	11	27	566	504
Louisiana	—	0	1	1	2	9	6	25	321	543
Oklahoma	N	0	0	N	N	11	6	76	572	1,109
Texas	—	0	0	—	1	42	93	241	4,396	4,263
Mountain	—	0	0	—	1	45	89	171	4,716	4,362
Arizona	—	0	0	—	—	19	24	51	1,292	1,186
Colorado	N	0	0	N	N	22	20	44	1,142	1,061
Idaho	N	0	0	N	N	2	8	24	464	438
Montana	—	0	0	—	1	2	7	17	378	355
Nevada	N	0	0	N	N	—	3	7	130	193
New Mexico	N	0	0	N	N	—	13	29	687	504
Utah	—	0	0	—	—	—	10	21	445	478
Wyoming	—	0	0	—	—	—	3	9	178	147
Pacific	—	0	1	8	5	96	262	2,060	12,270	9,610
Alaska	N	0	0	N	N	—	2	7	109	111
California	—	0	1	4	3	34	175	268	8,938	8,065
Hawaii	N	0	0	N	N	2	8	36	579	490
Oregon	—	0	1	4	2	16	19	41	1,010	944
Washington	—	0	0	—	—	44	24	1,911	1,634	—
Territories										
American Samoa	U	0	0	U	U	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	1	—	8
Puerto Rico	N	0	0	N	N	—	0	2	14	43
U.S. Virgin Islands	N	0	0	N	N	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	<i>Chlamydia trachomatis</i> infection					Coccidioidomycosis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	14,228	31,954	35,508	1,499,070	1,504,856	315	218	369	10,756	11,137
New England	161	1,038	1,524	48,268	50,848	—	0	1	1	4
Connecticut	17	208	459	8,927	12,747	N	0	0	N	N
Maine	3	77	153	2,716	3,881	N	0	0	N	N
Massachusetts	—	566	677	26,579	25,236	N	0	0	N	N
New Hampshire	60	82	201	4,448	3,264	—	0	1	1	3
Rhode Island	75	87	496	4,595	4,213	—	0	0	—	1
Vermont	6	23	102	1,003	1,507	N	0	0	N	N
Mid. Atlantic	2,691	4,168	5,074	200,729	188,140	—	0	0	—	—
New Jersey	269	684	845	31,930	32,615	N	0	0	N	N
New York (Upstate)	897	859	2,358	41,439	38,648	N	0	0	N	N
New York City	837	1,418	1,588	67,670	63,251	N	0	0	N	N
Pennsylvania	688	1,121	2,006	59,690	53,626	N	0	0	N	N
E.N. Central	1,651	4,332	5,192	203,587	224,023	—	1	4	46	66
Illinois	—	1,037	1,583	47,698	68,472	N	0	0	N	N
Indiana	375	648	927	31,909	29,249	—	0	0	—	1
Michigan	234	935	1,104	42,643	43,396	—	0	2	17	32
Ohio	614	1,150	1,275	55,181	57,429	—	0	4	27	20
Wisconsin	428	536	644	26,156	25,477	—	0	1	2	13
W.N. Central	337	1,873	2,113	87,052	89,540	1	1	5	82	92
Iowa	—	265	335	12,209	12,301	N	0	0	N	N
Kansas	47	263	313	12,450	11,470	N	0	0	N	N
Minnesota	6	434	514	17,768	21,471	—	1	4	54	61
Missouri	180	631	837	30,575	29,156	—	0	2	17	20
Nebraska	76	159	231	7,425	7,731	1	0	1	7	5
North Dakota	28	60	78	2,947	3,295	—	0	1	4	6
South Dakota	—	82	120	3,678	4,116	N	0	0	N	N
S. Atlantic	3,515	6,754	8,124	317,381	310,504	—	0	2	7	8
Delaware	129	102	149	5,092	5,029	—	0	0	—	2
District of Columbia	—	164	426	8,156	6,789	—	0	0	—	—
Florida	934	1,987	2,771	92,364	87,776	N	0	0	N	N
Georgia	370	1,219	1,442	57,393	59,617	N	0	0	N	N
Maryland	647	612	1,240	28,936	27,531	—	0	2	7	6
North Carolina	—	1,184	1,386	50,887	54,963	N	0	0	N	N
South Carolina	516	598	2,152	31,083	26,898	N	0	0	N	N
Virginia	850	759	1,605	39,596	37,346	N	0	0	N	N
West Virginia	69	78	130	3,874	4,555	N	0	0	N	N
E.S. Central	981	1,928	2,329	88,871	91,503	—	0	1	2	1
Alabama	—	530	761	21,459	25,340	N	0	0	N	N
Kentucky	350	385	714	18,317	16,814	—	0	1	2	1
Mississippi	409	401	730	16,994	18,449	N	0	0	N	N
Tennessee	222	667	917	32,101	30,900	N	0	0	N	N
W.S. Central	2,833	4,184	5,422	198,887	201,382	—	0	3	9	15
Arkansas	129	221	618	11,321	15,434	—	0	2	4	1
Louisiana	302	691	1,684	33,514	29,791	—	0	1	5	14
Oklahoma	64	347	438	15,893	20,464	N	0	0	N	N
Texas	2,338	2,865	4,061	138,159	135,693	N	0	0	N	N
Mountain	691	2,215	3,009	104,828	103,391	291	115	329	6,439	5,881
Arizona	—	735	1,615	34,896	32,491	290	113	329	6,270	5,724
Colorado	380	506	790	25,591	24,369	N	0	0	N	N
Idaho	—	113	165	4,681	5,498	N	0	0	N	N
Montana	—	78	158	3,749	4,175	1	0	3	16	13
Nevada	2	260	346	12,200	13,750	—	2	8	101	81
New Mexico	130	250	402	12,179	12,225	—	0	2	11	24
Utah	143	196	264	9,574	8,931	—	0	4	34	38
Wyoming	36	39	73	1,958	1,952	—	0	1	7	1
Pacific	1,368	5,309	5,783	249,467	245,525	23	86	140	4,170	5,070
Alaska	—	111	140	4,694	5,401	N	0	0	N	N
California	439	4,207	4,702	199,010	187,529	23	86	140	4,161	5,059
Hawaii	—	131	181	6,098	6,555	N	0	0	N	N
Oregon	397	359	545	17,729	16,505	—	0	1	9	11
Washington	532	477	684	21,936	29,535	N	0	0	N	N
Territories										
American Samoa	—	0	0	—	—	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	89	118	350	5,525	6,797	N	0	0	N	N
U.S. Virgin Islands	—	10	21	349	557	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	Cryptosporidiosis					Dengue Virus Infections									
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Dengue [§]					Severe Dengue				
		Med	Max			Current week	Previous 52 weeks	Cum 2017	Cum 2016	Current week	Previous 52 weeks	Cum 2017	Cum 2016		
United States	49	163	403	9,367	12,874	—	6	16	328	969	—	0	1	6	10
New England	3	8	21	386	448	—	0	1	2	28	—	0	0	—	—
Connecticut	—	1	5	69	60	—	0	0	—	8	—	0	0	—	—
Maine	—	1	4	41	55	—	0	0	—	2	—	0	0	—	—
Massachusetts	3	3	13	149	194	—	0	1	1	8	—	0	0	—	—
New Hampshire	—	1	8	57	53	—	0	1	—	2	—	0	0	—	—
Rhode Island	—	0	3	26	17	—	0	1	1	5	—	0	0	—	—
Vermont	—	1	4	44	69	—	0	0	—	3	—	0	0	—	—
Mid. Atlantic	12	17	38	858	1,150	—	1	5	44	206	—	0	1	1	4
New Jersey	—	2	5	73	189	—	0	1	10	49	—	0	0	—	4
New York (Upstate)	4	5	14	262	323	—	0	1	5	46	—	0	0	—	—
New York City	2	3	12	169	181	—	0	4	26	90	—	0	0	—	—
Pennsylvania	6	6	17	354	457	—	0	1	3	21	—	0	1	1	—
E.N. Central	9	35	104	2,083	3,727	—	1	4	43	77	—	0	1	2	1
Illinois	—	5	22	275	323	—	0	2	14	38	—	0	1	2	—
Indiana	—	3	10	168	208	—	0	1	2	8	—	0	0	—	1
Michigan	1	6	20	380	429	—	0	1	7	17	—	0	0	—	—
Ohio	5	11	83	622	1,917	—	0	2	5	7	—	0	0	—	—
Wisconsin	3	10	34	638	850	—	0	3	15	7	—	0	0	—	—
W.N. Central	6	23	68	1,268	2,184	—	0	1	10	65	—	0	0	—	—
Iowa	—	9	34	502	741	—	0	1	6	14	—	0	0	—	—
Kansas	—	2	8	105	133	—	0	1	2	4	—	0	0	—	—
Minnesota	—	0	6	—	452	—	0	1	—	28	—	0	0	—	—
Missouri	4	5	17	296	416	—	0	1	1	13	—	0	0	—	—
Nebraska	2	3	11	170	250	—	0	1	1	3	—	0	0	—	—
North Dakota	—	0	4	39	35	—	0	0	—	2	—	0	0	—	—
South Dakota	—	3	12	156	157	—	0	1	—	1	—	0	0	—	—
S. Atlantic	5	25	68	1,479	1,727	—	0	5	43	170	—	0	0	—	1
Delaware	—	0	2	21	24	—	0	1	1	2	—	0	0	—	—
District of Columbia	—	0	4	15	21	—	0	1	8	16	—	0	0	—	—
Florida	—	9	24	505	553	—	0	5	17	66	—	0	0	—	—
Georgia	2	6	20	348	346	—	0	1	4	20	—	0	0	—	—
Maryland	2	2	11	97	113	—	0	1	5	12	—	0	0	—	—
North Carolina	—	3	14	188	287	—	0	0	—	13	—	0	0	—	—
South Carolina	—	1	9	89	108	—	0	0	—	12	—	0	0	—	1
Virginia	1	3	10	183	231	—	0	2	8	29	—	0	0	—	—
West Virginia	—	0	4	33	44	—	0	0	—	—	—	0	0	—	—
E.S. Central	1	8	22	457	668	—	0	2	5	17	—	0	0	—	—
Alabama	—	4	7	168	318	—	0	0	—	6	—	0	0	—	—
Kentucky	1	1	4	82	139	—	0	0	—	2	—	0	0	—	—
Mississippi	—	1	5	59	46	—	0	2	2	—	—	0	0	—	—
Tennessee	—	2	12	148	165	—	0	2	3	9	—	0	0	—	—
W.S. Central	7	18	92	1,256	1,034	—	0	6	32	56	—	0	1	2	2
Arkansas	1	2	8	117	73	—	0	0	—	3	—	0	0	—	—
Louisiana	—	0	6	35	123	—	0	1	1	6	—	0	0	—	—
Oklahoma	1	2	60	151	160	—	0	1	1	5	—	0	1	1	—
Texas	5	13	65	953	678	—	0	6	30	42	—	0	1	1	2
Mountain	3	12	33	691	1,189	—	0	2	10	55	—	0	1	1	1
Arizona	1	2	6	103	538	—	0	1	2	13	—	0	0	—	—
Colorado	1	3	13	193	203	—	0	1	3	19	—	0	1	1	—
Idaho	—	1	6	87	116	—	0	1	1	4	—	0	0	—	—
Montana	1	1	6	65	61	—	0	0	—	2	—	0	0	—	—
Nevada	—	0	2	35	15	—	0	0	—	6	—	0	0	—	1
New Mexico	—	1	9	102	73	—	0	0	—	5	—	0	0	—	—
Utah	—	2	7	95	165	—	0	2	4	6	—	0	0	—	—
Wyoming	—	0	3	11	18	—	0	0	—	—	—	0	0	—	—
Pacific	3	16	143	889	747	—	2	9	139	285	—	0	0	—	1
Alaska	—	0	3	20	10	—	0	1	1	4	—	0	0	—	—
California	—	9	30	563	411	—	2	7	105	192	—	0	0	—	—
Hawaii	—	0	1	4	12	—	0	2	11	54	—	0	0	—	—
Oregon	3	5	11	257	314	—	0	1	5	14	—	0	0	—	—
Washington	—	0	131	45	—	—	0	3	17	21	—	0	0	—	1
Territories															
American Samoa	N	0	0	N	N	—	3	25	199	2	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	1	—	0	2	9	202	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	1	1	11	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

[§] Includes data for dengue and dengue-like illness.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	Ehrlichiosis and Anaplasmosis [§]														
	<i>Ehrlichia chaffeensis</i>					<i>Anaplasma phagocytophilum</i>					Undetermined				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Med	Max				Med	Max				Med	Max			
United States	8	16	139	1,422	1,222	37	63	272	4,262	4,037	—	3	16	203	195
New England	—	1	14	96	65	11	29	150	2,124	1,684	—	0	2	18	7
Connecticut	—	0	0	—	1	—	0	6	2	99	N	0	0	N	N
Maine	—	0	3	9	5	10	7	61	590	367	—	0	1	6	4
Massachusetts	—	0	2	12	9	—	8	83	986	831	—	0	1	1	—
New Hampshire	—	0	1	4	6	—	0	8	53	54	—	0	1	4	—
Rhode Island	—	0	13	61	41	—	1	25	132	139	—	0	0	—	—
Vermont	—	0	2	10	3	1	4	34	361	194	—	0	1	7	3
Mid. Atlantic	7	3	65	233	182	26	23	87	1,361	862	—	1	5	38	38
New Jersey	—	1	10	77	74	—	2	12	133	108	—	0	1	10	8
New York (Upstate)	7	2	64	127	89	25	20	75	1,137	662	—	0	4	25	15
New York City	—	0	4	28	13	1	1	12	89	40	—	0	1	3	—
Pennsylvania	—	0	1	1	6	—	0	4	2	52	—	0	1	—	15
E.N. Central	—	1	8	99	72	—	7	59	649	633	—	1	9	98	76
Illinois	—	0	4	27	31	—	0	2	9	8	—	0	1	1	—
Indiana	—	0	0	—	—	—	0	0	—	—	—	0	6	38	24
Michigan	—	0	1	4	8	—	0	2	13	6	—	0	0	—	—
Ohio	—	0	2	15	8	—	0	1	4	6	—	0	0	—	—
Wisconsin	—	1	4	53	25	—	7	59	623	613	—	1	5	59	52
W.N. Central	—	2	30	343	293	—	0	6	45	769	—	0	4	18	49
Iowa	—	0	2	10	4	—	0	4	11	8	—	0	1	2	2
Kansas	—	0	4	46	51	—	0	1	1	4	—	0	0	—	1
Minnesota	—	0	0	—	6	—	0	2	—	731	—	0	0	—	35
Missouri	—	2	28	285	223	—	0	3	16	13	—	0	3	14	8
Nebraska	—	0	1	1	7	—	0	0	—	2	—	0	0	—	—
North Dakota	—	0	1	1	2	—	0	4	16	10	—	0	2	2	3
South Dakota	—	0	0	—	—	—	0	1	1	—	—	0	0	—	—
S. Atlantic	1	2	15	245	249	—	1	5	47	48	—	0	2	10	11
Delaware	—	0	3	25	14	—	0	2	8	4	—	0	0	—	1
District of Columbia	—	0	0	—	4	—	0	0	—	2	—	0	0	—	—
Florida	—	0	2	16	28	—	0	2	8	6	—	0	1	1	—
Georgia	—	0	1	2	12	—	0	0	—	—	—	0	1	1	2
Maryland	1	0	5	48	36	—	0	1	8	7	—	0	1	1	1
North Carolina	—	1	5	65	61	—	0	2	9	15	—	0	0	—	—
South Carolina	—	0	0	—	—	—	0	0	—	—	—	0	1	3	1
Virginia	—	1	8	83	89	—	0	2	12	14	—	0	1	3	6
West Virginia	—	0	2	6	5	—	0	1	2	—	—	0	1	1	—
E.S. Central	—	2	15	192	152	—	0	4	23	19	—	0	3	12	10
Alabama	—	0	2	10	12	—	0	1	6	6	—	0	0	—	3
Kentucky	—	1	8	77	42	—	0	1	2	1	—	0	2	4	1
Mississippi	—	0	2	13	9	—	0	0	—	—	—	0	1	4	—
Tennessee	—	1	9	92	89	—	0	4	15	12	—	0	1	4	6
W.S. Central	—	4	67	212	206	—	0	3	6	14	—	0	0	—	1
Arkansas	—	3	13	179	189	—	0	1	5	13	—	0	0	—	—
Louisiana	—	0	1	1	3	—	0	0	—	—	—	0	0	—	—
Oklahoma	—	0	60	21	1	—	0	3	—	—	—	0	0	—	—
Texas	—	0	2	11	13	—	0	1	1	1	—	0	0	—	1
Mountain	—	0	0	—	1	—	0	1	7	1	—	0	0	—	2
Arizona	—	0	0	—	—	—	0	1	3	—	—	0	0	—	2
Colorado	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Idaho	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Montana	—	0	0	—	1	—	0	1	3	—	—	0	0	—	—
Nevada	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
New Mexico	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Utah	—	0	0	—	—	—	0	1	1	—	—	0	0	—	—
Wyoming	—	0	0	—	—	—	0	0	—	1	—	0	0	—	—
Pacific	—	0	1	2	2	—	0	0	—	7	—	0	3	9	1
Alaska	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
California	—	0	0	—	—	—	0	0	—	5	—	0	3	9	1
Hawaii	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Oregon	—	0	1	2	2	—	0	0	—	2	—	0	0	—	—
Washington	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Territories															
American Samoa	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Puerto Rico	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see

<http://wwwn.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Cumulative total *E. ewingii* cases reported for year 2017 = 36.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	Giardiasis					Gonorrhea					Haemophilus influenzae, invasive [§] (all ages, all serotypes)				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max				Med	Max		
United States	87	254	982	12,370	14,806	4,868	10,051	11,311	482,848	438,589	49	97	215	4,468	4,472
New England	10	19	40	961	1,107	63	250	440	11,941	8,488	1	5	17	245	266
Connecticut	—	4	9	209	264	18	70	130	3,183	2,412	—	1	4	55	55
Maine	1	2	7	105	127	—	5	32	290	428	—	0	2	25	28
Massachusetts	7	10	21	503	541	—	136	203	6,964	4,634	1	2	10	120	132
New Hampshire	2	2	5	107	101	3	11	20	478	414	—	0	2	25	21
Rhode Island	—	1	9	37	74	42	15	213	918	485	—	0	8	11	17
Vermont	N	0	0	N	N	—	2	10	108	115	—	0	2	9	13
Mid. Atlantic	29	50	71	2,340	2,823	760	1,156	1,350	56,127	48,381	13	15	30	737	695
New Jersey	—	4	15	195	439	79	174	238	8,456	7,665	—	3	7	119	143
New York (Upstate)	11	15	36	787	922	223	197	531	9,754	9,129	5	4	15	232	209
New York City	14	17	34	866	873	313	456	525	22,050	17,873	3	2	6	104	105
Pennsylvania	4	10	22	492	589	145	304	535	15,867	13,714	5	6	14	282	238
E.N. Central	9	28	150	1,611	1,913	547	1,370	1,625	65,427	66,059	11	16	36	757	784
Illinois	N	0	0	N	N	—	286	443	13,628	20,064	—	4	11	173	211
Indiana	—	3	8	153	195	113	212	300	10,886	8,897	—	2	9	112	113
Michigan	3	10	30	514	551	61	272	348	12,336	11,667	—	3	9	158	173
Ohio	4	7	135	395	380	243	439	520	21,416	19,334	11	5	12	233	169
Wisconsin	2	8	45	549	787	130	146	186	7,161	6,097	—	2	5	81	118
W.N. Central	4	15	31	779	1,573	193	602	743	29,781	25,420	—	5	18	257	390
Iowa	—	5	15	236	246	—	62	98	3,260	2,449	—	0	1	3	—
Kansas	—	2	5	84	99	17	86	115	4,189	3,150	—	1	5	48	59
Minnesota	—	0	14	—	631	3	120	176	5,908	4,830	—	0	7	10	109
Missouri	4	4	13	225	323	152	252	343	12,278	10,817	—	2	9	120	140
Nebraska	—	2	6	113	115	20	47	83	2,371	2,007	—	1	4	39	37
North Dakota	—	0	4	29	46	1	17	27	832	955	—	0	2	17	26
South Dakota	—	2	4	92	113	—	22	36	943	1,212	—	0	3	20	19
S. Atlantic	2	39	71	1,870	2,586	1,077	2,193	2,623	105,446	96,808	11	21	39	1,064	1,012
Delaware	—	0	3	22	18	46	34	54	1,674	1,590	—	0	3	21	18
District of Columbia	—	0	3	13	56	—	83	207	4,099	2,999	—	0	1	11	15
Florida	—	19	32	922	1,055	286	624	903	28,863	25,948	5	6	11	269	281
Georgia	—	9	22	344	710	160	416	502	20,052	19,384	1	4	10	188	167
Maryland	1	3	8	154	226	143	191	398	8,934	8,384	5	2	11	121	120
North Carolina	—	0	0	—	—	—	415	478	16,887	18,519	—	3	10	164	164
South Carolina	—	2	7	127	145	221	224	955	11,987	8,707	—	2	10	128	90
Virginia	1	4	23	222	284	201	243	352	11,709	10,407	—	2	15	124	124
West Virginia	—	1	5	66	92	20	25	40	1,241	870	—	1	3	38	33
E.S. Central	—	3	9	175	225	470	707	976	34,040	29,454	1	7	13	333	345
Alabama	—	3	9	175	225	—	200	309	8,262	7,880	1	1	5	71	82
Kentucky	N	0	0	N	N	181	145	273	7,015	5,284	—	1	6	67	54
Mississippi	N	0	0	N	N	203	165	336	7,496	6,553	—	1	4	60	58
Tennessee	N	0	0	N	N	86	229	343	11,267	9,737	—	3	8	135	151
W.S. Central	4	4	20	210	364	992	1,372	1,710	65,747	62,757	6	10	48	484	450
Arkansas	4	3	18	130	158	52	86	226	4,304	5,233	1	1	4	47	53
Louisiana	—	0	8	80	206	98	231	516	11,554	10,163	—	1	4	42	59
Oklahoma	N	0	0	N	N	36	143	208	6,843	7,178	2	2	8	107	70
Texas	N	0	0	N	N	806	886	1,212	43,046	40,183	3	6	38	288	268
Mountain	13	23	43	1,171	1,191	243	647	883	31,144	26,108	3	9	21	391	351
Arizona	1	3	7	142	115	—	232	432	10,852	9,499	3	2	8	125	108
Colorado	10	10	19	487	435	175	159	257	7,944	5,608	—	2	5	87	69
Idaho	2	3	9	145	178	—	18	39	878	613	—	0	2	24	34
Montana	—	2	7	116	115	—	12	26	619	836	—	0	3	19	17
Nevada	—	0	3	30	72	2	89	117	4,155	4,088	—	0	3	29	32
New Mexico	—	1	9	72	78	24	82	139	3,948	3,227	—	1	4	42	49
Utah	—	3	11	155	150	42	47	117	2,407	1,979	—	1	4	59	35
Wyoming	—	0	3	24	48	—	7	13	341	258	—	0	1	6	7
Pacific	16	68	727	3,253	3,024	523	1,714	2,024	83,195	75,114	3	4	13	200	179
Alaska	—	1	7	83	82	—	40	58	1,707	1,375	—	0	1	14	17
California	—	50	80	2,319	2,579	224	1,444	1,708	68,755	60,589	—	1	4	46	38
Hawaii	—	1	5	47	40	2	26	47	1,329	1,367	—	0	3	22	33
Oregon	6	6	16	309	323	99	93	136	4,749	4,075	3	2	7	113	91
Washington	10	7	672	495	—	198	141	230	6,755	7,708	—	0	9	5	—
Territories															
American Samoa	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	1	3	24	1	10	25	450	706	—	0	2	3	6
U.S. Virgin Islands	—	0	0	—	—	—	0	3	8	33	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see

<http://www.cdc.gov/ndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Data for Haemophilus influenzae (age <5 for serotype b, non typeable, non-b serotype, and unknown serotype) are available in Table I.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	Hepatitis (viral, acute, by type)									
	A					B				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Med	Max				Med	Max			
United States	28	56	97	2,752	1,887	9	61	146	2,839	2,943
New England	—	2	4	73	101	—	2	7	112	88
Connecticut	—	0	2	16	15	—	0	1	7	7
Maine	—	0	1	5	8	—	1	4	71	48
Massachusetts	—	1	3	43	63	—	1	3	33	31
New Hampshire	—	0	1	5	7	—	0	0	—	—
Rhode Island	—	0	1	2	3	U	0	0	U	U
Vermont	—	0	1	2	5	—	0	1	1	2
Mid. Atlantic	7	6	13	305	227	—	3	11	161	190
New Jersey	—	1	4	55	72	—	1	4	34	55
New York (Upstate)	2	1	6	75	50	—	0	4	24	35
New York City	4	2	7	114	46	—	1	4	45	59
Pennsylvania	1	1	5	61	59	—	1	4	58	41
E.N. Central	1	11	31	638	225	3	10	27	524	512
Illinois	—	1	3	53	65	—	0	2	20	37
Indiana	—	0	2	16	17	—	4	10	186	143
Michigan	—	9	28	515	102	—	1	4	52	45
Ohio	1	0	7	41	34	3	4	18	248	279
Wisconsin	—	0	2	13	7	—	0	3	18	8
W.N. Central	1	1	3	56	73	—	2	5	84	96
Iowa	—	0	1	7	16	—	0	2	14	9
Kansas	—	0	1	6	4	—	0	3	22	19
Minnesota	—	0	2	26	14	—	0	2	11	21
Missouri	—	0	2	11	15	—	1	2	30	37
Nebraska	1	0	1	4	21	—	0	2	6	6
North Dakota	—	0	1	1	2	—	0	0	—	2
South Dakota	—	0	1	1	1	—	0	1	1	2
S. Atlantic	3	8	16	377	454	3	24	33	1,029	1,144
Delaware	—	0	1	5	1	—	0	2	9	3
District of Columbia	—	0	3	1	1	U	0	0	U	U
Florida	—	4	11	213	108	—	12	19	512	522
Georgia	—	1	5	48	41	2	2	7	104	98
Maryland	1	0	4	29	35	1	1	3	35	25
North Carolina	—	0	2	26	50	—	3	10	137	155
South Carolina	—	0	4	11	19	—	0	4	7	30
Virginia	2	1	4	38	185	—	1	5	56	54
West Virginia	—	0	2	6	14	—	4	13	169	257
E.S. Central	5	1	5	70	37	—	10	19	481	471
Alabama	—	0	3	20	19	—	1	5	71	55
Kentucky	5	0	5	44	9	—	4	12	190	195
Mississippi	—	0	1	2	2	—	1	3	41	29
Tennessee	—	0	1	4	7	—	4	9	179	192
W.S. Central	1	2	9	126	165	1	4	36	201	237
Arkansas	—	0	1	7	13	—	1	3	40	47
Louisiana	—	0	1	4	12	—	1	7	63	43
Oklahoma	—	0	3	9	10	—	0	15	11	14
Texas	1	2	8	106	130	1	2	17	87	133
Mountain	8	4	13	252	90	—	2	5	92	71
Arizona	2	1	5	56	31	—	0	2	23	12
Colorado	—	1	7	62	22	—	1	3	30	25
Idaho	1	0	2	6	7	—	0	2	8	6
Montana	—	0	1	3	3	—	0	1	3	1
Nevada	—	0	2	10	13	—	0	3	16	22
New Mexico	—	0	1	2	4	—	0	0	—	1
Utah	5	1	10	105	10	—	0	2	12	4
Wyoming	—	0	3	8	—	U	0	0	U	U
Pacific	2	15	44	855	515	2	3	47	155	134
Alaska	—	0	1	—	1	—	0	2	6	6
California	—	13	39	795	216	—	1	8	93	113
Hawaii	—	0	1	6	284	—	0	0	—	—
Oregon	—	0	4	34	14	1	0	3	22	15
Washington	2	0	31	20	—	1	1	45	34	—
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	2	—	0	0	—	—
Puerto Rico	—	0	1	2	19	—	0	1	1	13
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationallyNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	Hepatitis (viral, acute, by type) [§] (Continued)									
	C (confirmed)					C (probable)				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Med	Max				Med	Max			
United States	8	48	134	2,236	2,709	5	19	80	849	959
New England	—	5	14	250	454	—	1	4	45	123
Connecticut	—	0	1	6	17	—	0	0	—	—
Maine	—	0	2	15	20	—	0	1	9	11
Massachusetts	—	4	14	224	412	—	1	4	36	112
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	1	5	5	—	0	0	—	—
Mid. Atlantic	1	7	20	355	491	1	1	4	43	18
New Jersey	—	1	6	72	115	—	0	0	—	—
New York (Upstate)	1	3	9	138	162	—	0	3	17	18
New York City	—	0	3	8	3	—	0	0	—	—
Pennsylvania	—	3	12	137	211	1	0	3	26	—
E.N. Central	3	9	20	432	538	1	3	10	181	152
Illinois	—	0	3	31	21	—	0	2	10	2
Indiana	—	2	11	128	141	—	1	5	56	33
Michigan	1	2	6	119	102	—	1	4	55	41
Ohio	2	3	7	132	179	1	1	5	60	76
Wisconsin	—	0	4	22	95	—	0	0	—	—
W.N. Central	—	3	6	112	104	—	0	2	10	4
Iowa	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	2	15	13	—	0	1	2	1
Minnesota	—	1	3	35	48	—	0	1	3	1
Missouri	—	1	3	42	20	—	0	0	—	—
Nebraska	—	0	1	2	2	—	0	1	3	—
North Dakota	—	0	1	2	1	—	0	1	1	—
South Dakota	—	0	2	16	20	—	0	1	1	2
S. Atlantic	1	12	23	545	566	—	5	11	210	252
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	6	10	278	224	—	1	5	58	58
Georgia	—	1	6	53	89	—	0	4	24	26
Maryland	—	0	3	29	33	—	0	1	9	10
North Carolina	—	1	3	52	80	—	1	4	44	97
South Carolina	—	0	1	2	10	—	0	1	1	2
Virginia	1	1	4	52	39	—	0	5	21	25
West Virginia	—	2	5	79	91	—	1	5	53	34
E.S. Central	1	4	10	194	267	2	5	12	228	294
Alabama	—	0	2	17	32	—	0	4	17	50
Kentucky	—	1	6	59	92	2	3	8	146	153
Mississippi	—	0	0	—	—	—	0	0	—	—
Tennessee	1	2	7	118	143	—	1	6	65	91
W.S. Central	1	1	17	52	57	—	0	23	39	42
Arkansas	—	0	1	1	—	—	0	0	—	—
Louisiana	—	0	1	3	5	—	0	1	3	13
Oklahoma	1	0	12	19	17	—	0	23	15	29
Texas	—	0	5	29	35	—	0	4	21	—
Mountain	—	3	8	138	157	1	1	4	50	56
Arizona	—	0	0	—	—	—	0	0	—	—
Colorado	—	1	3	35	31	1	0	3	10	6
Idaho	—	0	1	8	6	—	0	1	6	2
Montana	—	0	2	12	19	—	0	1	1	1
Nevada	—	0	3	22	15	—	0	1	2	12
New Mexico	—	0	3	10	16	—	0	2	10	16
Utah	—	1	4	51	70	—	0	2	21	19
Wyoming	—	0	0	—	—	—	0	0	—	—
Pacific	1	3	62	158	75	—	1	33	43	18
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	1	5	83	57	—	0	2	20	14
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	3	33	18	—	0	1	8	4
Washington	1	0	62	42	—	—	0	33	15	—
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

[§] Based on the CSTE Position Statement 15-ID-03: Revision of the Case Definition of Hepatitis C for National Notification, acute hepatitis C is now reported by case classification status.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	Invasive Pneumococcal Disease [§] (all ages)									
	Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Med	Max				Med	Max			
United States	257	326	791	15,053	15,970	4	2	13	145	19
New England	12	21	49	1,028	1,014	—	0	2	4	—
Connecticut	—	4	16	199	217	—	0	2	3	—
Maine	3	2	10	116	120	—	0	0	—	—
Massachusetts	7	11	28	536	476	—	0	0	—	—
New Hampshire	—	2	6	82	91	—	0	1	1	—
Rhode Island	—	1	11	47	52	—	0	0	—	—
Vermont	2	1	5	48	58	—	0	0	—	—
Mid. Atlantic	45	47	129	2,128	2,469	1	1	10	77	—
New Jersey	3	6	22	240	531	—	0	10	43	—
New York (Upstate)	21	16	70	779	817	—	0	1	2	—
New York City	14	12	29	608	601	—	0	2	2	—
Pennsylvania	7	10	23	501	520	1	0	4	30	—
E.N. Central	45	57	108	2,746	2,769	—	0	2	13	10
Illinois	N	0	0	N	N	N	0	0	N	N
Indiana	—	11	33	541	618	—	0	2	3	—
Michigan	3	15	28	680	844	—	0	1	7	10
Ohio	34	21	52	1,086	919	—	0	2	3	—
Wisconsin	8	9	22	439	388	—	0	0	—	—
W.N. Central	20	22	48	1,112	1,203	1	0	3	22	4
Iowa	N	0	0	N	N	N	0	0	N	N
Kansas	3	4	14	225	219	—	0	1	2	—
Minnesota	—	0	14	20	453	—	0	0	—	—
Missouri	10	10	24	519	161	1	0	3	15	2
Nebraska	3	2	10	144	173	—	0	1	2	2
North Dakota	2	1	5	79	75	—	0	0	—	—
South Dakota	2	2	9	125	122	—	0	1	3	—
S. Atlantic	47	52	120	2,685	2,699	1	0	3	12	—
Delaware	1	1	6	58	63	—	0	0	—	—
District of Columbia	—	1	4	40	63	—	0	0	—	—
Florida	23	11	27	600	585	—	0	2	5	—
Georgia	10	16	39	822	938	—	0	0	—	—
Maryland	13	8	19	438	419	1	0	1	2	—
North Carolina	N	0	0	N	N	N	0	0	N	N
South Carolina	—	7	37	512	341	—	0	2	5	—
Virginia	—	0	2	24	33	—	0	0	—	—
West Virginia	—	4	12	191	257	—	0	0	—	—
E.S. Central	22	33	72	1,599	1,604	—	0	1	1	2
Alabama	1	6	19	325	354	—	0	0	—	—
Kentucky	6	6	17	297	219	—	0	1	1	1
Mississippi	—	5	13	237	246	—	0	0	—	—
Tennessee	15	15	38	740	785	—	0	0	—	1
W.S. Central	38	36	231	1,687	2,016	1	0	2	12	1
Arkansas	2	5	32	287	234	—	0	0	—	1
Louisiana	3	3	13	183	313	—	0	2	2	—
Oklahoma	N	0	0	N	N	N	0	0	N	N
Texas	33	26	189	1,217	1,469	1	0	2	10	—
Mountain	28	37	69	1,896	1,992	—	0	1	4	2
Arizona	16	12	28	602	671	—	0	1	2	—
Colorado	11	12	21	552	475	—	0	0	—	—
Idaho	N	0	0	N	N	N	0	0	N	N
Montana	1	2	6	104	91	—	0	1	2	2
Nevada	—	4	16	194	207	—	0	0	—	—
New Mexico	—	5	15	289	287	—	0	0	—	—
Utah	—	3	11	129	227	—	0	0	—	—
Wyoming	—	0	5	26	34	—	0	0	—	—
Pacific	—	3	12	172	204	—	0	0	—	—
Alaska	—	2	7	95	122	—	0	0	—	—
California	N	0	0	N	N	N	0	0	N	N
Hawaii	—	1	8	77	82	—	0	0	—	—
Oregon	N	0	0	N	N	N	0	0	N	N
Washington	N	0	0	N	N	N	0	0	N	N
Territories										
American Samoa	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

[§] Includes drug resistant and susceptible cases of Invasive Pneumococcal Disease. This condition was previously named *Streptococcus pneumoniae* invasive disease and cases were reported to CDC using different event codes to specify whether the cases were drug resistant or in a defined age group, such as <5 years.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	Invasive Pneumococcal Disease [§] (age <5)									
	Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Med	Max				Med	Max			
United States	17	20	45	904	1,032	1	0	1	6	5
New England	1	1	3	38	54	—	0	0	—	—
Connecticut	—	0	2	9	11	—	0	0	—	—
Maine	1	0	1	4	8	—	0	0	—	—
Massachusetts	—	0	2	16	29	—	0	0	—	—
New Hampshire	—	0	1	5	2	—	0	0	—	—
Rhode Island	—	0	1	3	2	—	0	0	—	—
Vermont	—	0	1	1	2	—	0	0	—	—
Mid. Atlantic	3	2	9	95	115	—	0	1	1	—
New Jersey	—	0	2	7	20	—	0	1	1	—
New York (Upstate)	2	1	7	43	46	—	0	0	—	—
New York City	—	0	2	20	25	—	0	0	—	—
Pennsylvania	1	0	3	25	24	—	0	0	—	—
E.N. Central	1	3	10	165	132	—	0	1	1	2
Illinois	—	0	0	—	—	—	0	0	—	—
Indiana	—	1	3	34	17	—	0	0	—	—
Michigan	—	0	3	23	43	—	0	0	—	2
Ohio	1	1	5	73	55	—	0	1	1	—
Wisconsin	—	0	3	35	17	—	0	0	—	—
W.N. Central	—	1	5	68	92	—	0	1	2	1
Iowa	N	0	0	N	N	N	0	0	N	N
Kansas	—	0	2	14	14	—	0	0	—	—
Minnesota	—	0	1	3	32	—	0	0	—	—
Missouri	—	0	3	27	13	—	0	1	2	1
Nebraska	—	0	1	8	19	—	0	0	—	—
North Dakota	—	0	2	7	3	—	0	0	—	—
South Dakota	—	0	2	9	11	—	0	0	—	—
S. Atlantic	3	4	9	189	215	—	0	0	—	—
Delaware	—	0	1	3	1	—	0	0	—	—
District of Columbia	—	0	1	3	—	—	0	0	—	—
Florida	2	1	4	61	64	—	0	0	—	—
Georgia	1	1	4	44	70	—	0	0	—	—
Maryland	—	0	2	27	27	—	0	0	—	—
North Carolina	N	0	0	N	N	N	0	0	N	N
South Carolina	—	0	4	19	10	—	0	0	—	—
Virginia	—	0	2	23	33	—	0	0	—	—
West Virginia	—	0	2	9	10	—	0	0	—	—
E.S. Central	1	2	8	88	91	—	0	0	—	1
Alabama	—	0	2	25	26	—	0	0	—	—
Kentucky	1	0	2	14	13	—	0	0	—	1
Mississippi	—	0	2	18	18	—	0	0	—	—
Tennessee	—	0	7	31	34	—	0	0	—	—
W.S. Central	6	3	22	139	196	1	0	1	2	—
Arkansas	—	0	2	16	22	—	0	0	—	—
Louisiana	—	0	2	14	28	—	0	0	—	—
Oklahoma	1	0	3	12	18	—	0	0	—	—
Texas	5	2	19	97	128	1	0	1	2	—
Mountain	2	2	7	109	127	—	0	0	—	1
Arizona	—	0	2	30	43	—	0	0	—	—
Colorado	1	0	3	29	20	—	0	0	—	—
Idaho	1	0	1	6	8	—	0	0	—	1
Montana	—	0	2	9	7	—	0	0	—	—
Nevada	—	0	1	6	12	—	0	0	—	—
New Mexico	—	0	2	12	15	—	0	0	—	—
Utah	—	0	3	15	21	—	0	0	—	—
Wyoming	—	0	1	2	1	—	0	0	—	—
Pacific	—	0	3	13	10	—	0	0	—	—
Alaska	—	0	2	9	7	—	0	0	—	—
California	N	0	0	N	N	N	0	0	N	N
Hawaii	—	0	1	4	3	—	0	0	—	—
Oregon	N	0	0	N	N	N	0	0	N	N
Washington	N	0	0	N	N	N	0	0	N	N
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

[§] Includes drug resistant and susceptible cases of Invasive Pneumococcal Disease. This condition was previously named *Streptococcus pneumoniae* invasive disease and cases were reported to CDC using different event codes to specify whether the cases were drug resistant or in a defined age group, such as <5 years.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	Legionellosis					Malaria				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	35	131	270	6,343	5,639	11	34	102	1,686	1,804
New England	2	7	40	393	282	—	2	8	131	135
Connecticut	—	2	11	116	70	—	0	1	1	13
Maine	—	0	2	12	15	—	0	3	16	8
Massachusetts	—	3	18	163	133	—	2	7	90	87
New Hampshire	—	1	9	55	27	—	0	2	7	13
Rhode Island	—	0	9	26	28	—	0	3	14	8
Vermont	2	0	2	21	9	—	0	1	3	6
Mid. Atlantic	11	28	78	1,557	1,206	8	9	25	476	452
New Jersey	—	2	11	132	189	—	1	10	97	82
New York (Upstate)	6	11	28	548	422	1	1	7	65	65
New York City	2	7	27	432	244	7	4	15	229	230
Pennsylvania	3	8	23	445	351	—	2	6	85	75
E.N. Central	6	23	92	1,367	1,339	1	3	9	157	198
Illinois	—	4	25	249	305	—	1	4	47	61
Indiana	—	3	10	162	168	—	0	3	15	17
Michigan	—	4	25	292	284	—	0	4	32	43
Ohio	6	10	41	583	475	1	1	5	62	57
Wisconsin	—	1	10	81	107	—	0	1	1	20
W.N. Central	1	6	17	322	358	—	1	5	79	132
Iowa	—	0	3	30	33	—	0	3	17	21
Kansas	—	0	3	33	30	—	0	2	14	10
Minnesota	1	1	8	88	110	—	0	2	—	64
Missouri	—	2	13	129	155	—	0	2	25	19
Nebraska	—	0	2	21	17	—	0	2	6	7
North Dakota	—	0	1	7	5	—	0	2	9	7
South Dakota	—	0	2	14	8	—	0	1	8	4
S. Atlantic	4	26	52	1,257	1,019	1	9	25	501	455
Delaware	—	0	4	28	26	—	0	2	9	16
District of Columbia	—	0	2	15	12	—	0	2	13	23
Florida	—	8	20	412	303	—	1	5	50	60
Georgia	—	3	7	153	108	—	1	5	66	55
Maryland	2	3	12	168	131	—	4	15	235	174
North Carolina	—	3	11	190	224	—	1	3	45	45
South Carolina	—	1	3	45	59	—	0	1	—	14
Virginia	2	3	14	178	127	1	2	5	81	67
West Virginia	—	0	10	68	29	—	0	1	2	1
E.S. Central	—	7	20	373	293	—	0	4	30	52
Alabama	—	1	6	61	57	—	0	1	8	10
Kentucky	—	2	6	103	89	—	0	2	8	13
Mississippi	—	1	5	50	30	—	0	1	4	7
Tennessee	—	3	11	159	117	—	0	2	10	22
W.S. Central	6	8	39	389	351	—	2	29	104	153
Arkansas	—	1	5	49	41	—	0	1	3	4
Louisiana	—	0	4	23	32	—	0	2	7	12
Oklahoma	1	0	14	59	43	—	0	3	9	4
Texas	5	5	20	258	235	—	2	25	85	133
Mountain	1	4	13	202	222	—	1	3	63	85
Arizona	—	1	7	69	71	—	0	2	24	36
Colorado	—	1	11	59	55	—	0	2	24	24
Idaho	1	0	2	12	10	—	0	1	5	—
Montana	—	0	2	16	10	—	0	1	3	4
Nevada	—	0	2	11	26	—	0	1	2	7
New Mexico	—	0	2	11	21	—	0	1	1	2
Utah	—	0	2	18	26	—	0	1	4	8
Wyoming	—	0	2	6	3	—	0	0	—	4
Pacific	4	10	84	483	569	1	3	46	145	142
Alaska	—	0	1	6	1	—	0	2	4	2
California	—	8	28	389	530	—	2	5	94	122
Hawaii	—	0	1	6	5	—	0	1	3	—
Oregon	2	1	3	35	33	—	0	2	15	18
Washington	2	0	67	47	—	1	0	44	29	—
Territories										
American Samoa	N	0	0	N	N	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	1	1	13	—	0	0	—	3
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	Meningococcal disease (<i>Neisseria meningitidis</i>) [§] (all serogroups)					Mumps					Pertussis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max				Med	Max		
United States	3	7	21	315	341	32	108	519	5,346	5,263	130	314	1,220	14,701	15,851
New England	—	0	2	14	17	1	3	14	199	329	6	20	37	928	899
Connecticut	—	0	1	—	5	—	0	1	10	36	—	1	5	55	89
Maine	—	0	0	—	1	—	0	3	1	33	6	7	19	358	233
Massachusetts	—	0	1	9	11	1	3	14	174	249	—	5	15	303	191
New Hampshire	—	0	0	—	—	—	0	2	4	10	—	1	5	59	59
Rhode Island	—	0	1	2	—	—	0	6	9	1	—	0	19	51	72
Vermont	—	0	1	3	—	—	0	1	1	—	—	1	19	102	255
Mid. Atlantic	2	1	3	42	31	25	13	63	642	355	21	37	90	1,811	2,920
New Jersey	—	0	1	6	6	—	1	4	30	34	—	8	28	340	554
New York (Upstate)	—	0	2	11	9	25	3	54	273	153	8	9	33	500	605
New York City	—	0	3	8	10	—	4	14	227	156	—	2	6	122	296
Pennsylvania	2	0	2	17	6	—	1	15	112	12	13	17	60	849	1,465
E.N. Central	—	0	3	34	44	3	6	28	428	734	21	59	156	2,614	3,648
Illinois	—	0	2	7	18	—	3	22	260	323	—	9	29	423	960
Indiana	—	0	2	11	8	—	0	4	38	291	—	6	19	333	170
Michigan	—	0	1	5	6	—	0	2	23	20	1	10	21	532	363
Ohio	—	0	3	11	6	3	0	7	56	70	20	17	38	809	901
Wisconsin	—	0	0	—	6	—	0	15	51	30	—	13	73	517	1,254
W.N. Central	—	0	2	17	21	—	13	82	815	1,039	4	27	114	1,311	1,765
Iowa	—	0	1	1	3	—	2	9	111	719	—	3	9	138	152
Kansas	—	0	1	3	5	—	1	19	158	13	—	4	11	171	141
Minnesota	—	0	2	3	5	—	0	10	76	22	—	11	27	465	949
Missouri	—	0	1	8	4	—	6	64	453	224	3	6	87	397	328
Nebraska	—	0	1	2	3	—	0	1	5	49	1	2	11	81	142
North Dakota	—	0	0	—	—	—	0	2	12	10	—	1	4	51	39
South Dakota	—	0	0	—	1	—	0	0	—	2	—	0	1	8	14
S. Atlantic	—	1	5	70	54	2	4	11	215	93	10	26	46	1,287	1,275
Delaware	—	0	1	1	—	—	0	1	3	—	—	0	2	6	15
District of Columbia	—	0	0	—	—	—	0	2	11	13	—	0	3	17	10
Florida	—	0	3	24	17	2	0	9	59	15	9	8	21	366	311
Georgia	—	0	2	8	12	—	1	6	59	4	—	3	13	163	183
Maryland	—	0	2	6	2	—	0	1	5	9	1	2	6	101	130
North Carolina	—	0	2	9	4	—	1	3	36	33	—	6	12	272	280
South Carolina	—	0	2	7	6	—	0	2	5	3	—	2	12	151	129
Virginia	—	0	3	12	9	—	0	4	35	14	—	4	24	198	193
West Virginia	—	0	1	3	4	—	0	1	2	2	—	0	2	13	24
E.S. Central	—	0	2	13	14	—	2	13	146	103	—	15	41	811	743
Alabama	—	0	1	3	5	—	0	11	35	2	—	4	17	213	168
Kentucky	—	0	1	2	1	—	0	3	16	94	—	6	28	388	439
Mississippi	—	0	1	2	—	—	0	8	26	1	—	1	2	32	3
Tennessee	—	0	2	6	8	—	1	6	69	6	—	3	9	178	133
W.S. Central	—	0	2	20	30	—	14	291	1,120	2,445	12	37	222	1,764	1,298
Arkansas	—	0	0	—	2	—	2	203	528	2,038	—	3	12	190	52
Louisiana	—	0	1	3	3	—	0	3	15	1	—	0	5	44	62
Oklahoma	—	0	1	1	5	—	2	93	166	334	—	0	59	135	104
Texas	—	0	2	16	20	—	6	63	411	72	12	29	148	1,395	1,080
Mountain	1	0	2	17	24	—	2	17	175	59	40	34	66	1,721	1,500
Arizona	—	0	1	4	3	—	0	12	34	7	6	8	17	391	263
Colorado	1	0	1	5	4	—	1	13	81	17	31	11	28	603	683
Idaho	—	0	1	1	3	—	0	2	5	1	2	1	8	58	82
Montana	—	0	1	1	2	—	0	2	6	26	1	1	18	100	21
Nevada	—	0	2	2	7	—	0	1	5	4	—	1	6	61	32
New Mexico	—	0	1	2	2	—	0	1	4	2	—	3	11	145	142
Utah	—	0	1	2	3	—	0	9	40	2	—	7	23	345	256
Wyoming	—	0	0	—	—	—	0	0	—	—	—	0	5	18	21
Pacific	—	2	16	88	106	1	29	160	1,606	106	16	46	656	2,454	1,803
Alaska	—	0	1	1	7	—	0	9	54	2	—	0	4	36	148
California	—	1	4	55	76	—	2	11	97	86	—	33	68	1,605	1,412
Hawaii	—	0	1	1	1	1	12	37	647	3	—	0	3	30	54
Oregon	—	0	2	22	22	—	1	5	63	15	2	4	11	205	189
Washington	—	0	13	9	—	—	4	152	745	—	14	9	618	578	—
Territories															
American Samoa	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	1	1	—	—	0	1	1	1	—	0	1	2	14
U.S. Virgin Islands	—	0	0	—	—	—	0	1	1	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

[§] Data for meningococcal disease, invasive caused by serogroups ACWY, serogroup B, other serogroups, and unknown serogroups are available in Table I.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	Rabies, animal					Rubella					Rubella, congenital syndrome				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max				Med	Max		
United States	17	43	84	2,185	3,480	—	0	1	7	1	—	0	1	2	2
New England	4	3	11	170	244	—	0	0	—	—	—	0	1	1	—
Connecticut	—	1	3	38	89	—	0	0	—	—	—	0	0	—	—
Maine	2	1	4	56	63	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	0	—	—	—	0	0	—	—	—	0	1	1	—
New Hampshire	2	0	2	27	23	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	6	14	22	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	4	35	47	—	0	0	—	—	—	0	0	—	—
Mid. Atlantic	6	11	42	578	905	—	0	1	2	—	—	0	0	—	—
New Jersey	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
New York (Upstate)	6	11	42	578	512	—	0	0	—	—	—	0	0	—	—
New York City	—	0	1	—	3	—	0	1	2	—	—	0	0	—	—
Pennsylvania	—	0	8	—	390	—	0	0	—	—	—	0	0	—	—
E.N. Central	—	1	10	102	142	—	0	0	—	—	—	0	0	—	1
Illinois	—	0	7	57	63	—	0	0	—	—	—	0	0	—	1
Indiana	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Michigan	—	0	3	27	39	—	0	0	—	—	—	0	0	—	—
Ohio	—	0	3	18	40	—	0	0	—	—	—	0	0	—	—
Wisconsin	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
W.N. Central	2	1	7	97	126	—	0	0	—	—	—	0	0	—	—
Iowa	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Kansas	1	0	4	39	54	—	0	0	—	—	—	0	0	—	—
Minnesota	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Missouri	—	0	3	21	26	—	0	0	—	—	—	0	0	—	—
Nebraska	—	0	2	16	19	—	0	0	—	—	—	0	0	—	—
North Dakota	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
South Dakota	1	0	3	21	27	—	0	0	—	—	—	0	0	—	—
S. Atlantic	—	5	46	336	872	—	0	1	2	1	—	0	0	—	1
Delaware	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Florida	—	0	45	99	59	—	0	1	2	1	—	0	0	—	—
Georgia	—	0	8	—	218	—	0	0	—	—	—	0	0	—	—
Maryland	—	4	13	207	327	—	0	0	—	—	—	0	0	—	1
North Carolina	—	0	7	12	239	—	0	0	—	—	—	0	0	—	—
South Carolina	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
Virginia	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
West Virginia	—	0	3	18	29	—	0	0	—	—	—	0	0	—	—
E.S. Central	1	1	5	55	97	—	0	1	1	—	—	0	0	—	—
Alabama	1	1	5	44	74	—	0	1	1	—	—	0	0	—	—
Kentucky	—	0	3	10	20	—	0	0	—	—	—	0	0	—	—
Mississippi	—	0	1	1	3	—	0	0	—	—	—	0	0	—	—
Tennessee	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
W.S. Central	4	13	27	607	769	—	0	1	1	—	—	0	1	1	—
Arkansas	1	0	6	41	23	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Oklahoma	—	0	23	40	23	—	0	0	—	—	—	0	0	—	—
Texas	3	11	26	526	723	—	0	1	1	—	—	0	1	1	—
Mountain	—	0	8	51	84	—	0	0	—	—	—	0	0	—	—
Arizona	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
Colorado	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Idaho	—	0	5	15	20	—	0	0	—	—	—	0	0	—	—
Montana	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Nevada	—	0	3	7	11	—	0	0	—	—	—	0	0	—	—
New Mexico	—	0	2	10	4	—	0	0	—	—	—	0	0	—	—
Utah	—	0	5	19	18	—	0	0	—	—	—	0	0	—	—
Wyoming	—	0	1	—	31	—	0	0	—	—	—	0	0	—	—
Pacific	—	4	23	189	241	—	0	1	1	—	—	0	0	—	—
Alaska	—	0	2	12	11	—	0	0	—	—	—	0	0	—	—
California	—	3	9	165	215	—	0	1	1	—	—	0	0	—	—
Hawaii	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	2	12	15	—	0	0	—	—	—	0	0	—	—
Washington	—	0	20	—	—	—	0	0	—	—	—	0	0	—	—
Territories															
American Samoa	U	0	0	U	U	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median.

Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	Salmonellosis					Shiga toxin-producing <i>E. coli</i> (STEC) [§]					Shigellosis				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max				Med	Max		
United States	252	903	1,959	46,271	50,541	58	133	506	6,795	7,474	101	257	633	12,571	19,923
New England	2	39	85	1,957	2,136	—	5	16	284	338	—	6	13	287	268
Connecticut	—	8	22	436	444	—	1	4	64	124	—	1	6	71	49
Maine	—	2	7	93	117	—	1	2	32	37	—	0	2	7	2
Massachusetts	1	22	51	1,082	1,148	—	2	14	128	123	—	3	8	148	174
New Hampshire	—	2	10	125	192	—	0	3	30	23	—	0	3	10	13
Rhode Island	—	2	11	124	114	—	0	3	11	10	—	1	3	34	28
Vermont	1	2	6	97	121	—	0	3	19	21	—	0	2	17	2
Mid. Atlantic	46	80	170	4,273	4,813	9	14	29	666	732	28	24	44	1,187	1,482
New Jersey	—	9	34	535	1,013	—	2	12	109	147	—	6	14	264	280
New York (Upstate)	14	24	52	1,202	1,334	5	4	12	231	241	6	4	11	231	210
New York City	23	18	52	1,021	906	1	3	10	134	108	17	9	19	444	343
Pennsylvania	9	28	61	1,515	1,560	3	3	11	192	236	5	5	14	248	649
E.N. Central	34	96	223	5,173	5,923	12	16	64	918	1,082	27	37	68	1,672	3,273
Illinois	—	26	72	1,439	1,747	—	3	9	154	312	—	6	14	264	563
Indiana	—	11	30	614	773	—	1	13	98	99	—	3	9	130	281
Michigan	3	17	37	907	1,020	—	3	7	153	144	—	8	31	430	663
Ohio	24	28	54	1,356	1,507	9	4	19	273	259	26	11	30	590	1,041
Wisconsin	7	13	60	857	876	3	4	18	240	268	1	4	22	258	725
W.N. Central	12	59	108	2,761	3,729	5	20	49	965	1,382	10	14	43	746	2,273
Iowa	—	12	30	670	750	—	3	15	259	296	—	3	10	150	420
Kansas	—	9	23	469	447	—	2	10	123	145	2	2	20	154	241
Minnesota	—	0	13	—	857	—	0	8	1	391	—	0	4	—	587
Missouri	10	17	44	957	974	1	5	17	299	321	8	6	31	393	811
Nebraska	2	7	24	358	291	4	2	13	159	119	—	0	2	20	173
North Dakota	—	2	5	90	118	—	1	4	39	29	—	0	1	1	16
South Dakota	—	4	14	217	292	—	1	6	85	81	—	0	7	28	25
S. Atlantic	33	253	501	13,705	13,653	—	11	22	577	565	7	54	93	2,602	2,676
Delaware	—	2	11	164	169	—	0	2	10	15	—	0	6	32	73
District of Columbia	—	0	3	21	68	—	0	3	5	7	—	0	2	15	22
Florida	—	114	241	6,018	5,277	—	2	10	122	88	—	24	54	1,190	705
Georgia	13	36	77	1,994	2,203	—	2	8	128	116	3	8	14	397	647
Maryland	9	15	39	849	866	—	1	4	61	73	2	5	12	230	146
North Carolina	—	29	105	1,929	2,087	—	1	5	55	76	—	4	14	230	502
South Carolina	—	23	75	1,407	1,615	—	0	5	39	39	—	6	23	333	228
Virginia	11	24	53	1,129	1,134	—	3	10	147	128	2	3	13	158	341
West Virginia	—	3	10	194	234	—	0	4	10	23	—	0	2	17	12
E.S. Central	6	69	124	3,455	4,135	—	5	15	250	318	3	18	41	872	781
Alabama	—	22	42	974	1,214	—	0	3	27	37	—	3	8	177	233
Kentucky	1	11	34	615	692	—	1	4	44	86	2	5	23	269	266
Mississippi	—	19	47	1,058	1,162	—	0	2	21	22	—	3	10	165	73
Tennessee	5	17	34	808	1,067	—	3	12	158	173	1	5	12	261	209
W.S. Central	68	122	646	6,141	8,096	8	21	166	1,013	1,120	17	35	202	1,699	5,287
Arkansas	6	12	30	610	769	—	1	6	77	100	4	4	15	232	136
Louisiana	1	13	46	592	1,305	—	0	2	11	25	—	2	16	113	395
Oklahoma	7	16	41	813	885	2	2	39	92	132	7	2	35	123	629
Texas	54	88	589	4,126	5,137	6	18	122	833	863	6	25	151	1,231	4,127
Mountain	30	55	86	2,706	2,774	2	15	38	804	861	5	18	41	928	1,802
Arizona	13	17	30	837	869	2	3	9	160	142	3	10	26	529	1,211
Colorado	17	14	28	718	670	—	4	15	254	226	2	3	9	166	181
Idaho	—	4	9	190	176	—	2	8	125	173	—	0	5	34	39
Montana	—	2	8	132	165	—	2	6	88	129	—	0	3	9	8
Nevada	—	2	9	130	195	—	0	4	30	54	—	0	6	41	60
New Mexico	—	6	14	303	318	—	0	4	39	48	—	2	12	120	222
Utah	—	6	28	313	315	—	1	7	91	74	—	0	4	24	77
Wyoming	—	1	6	83	66	—	0	3	17	15	—	0	3	5	4
Pacific	21	121	824	6,100	5,282	22	25	274	1,318	1,076	4	50	232	2,578	2,081
Alaska	—	1	3	40	64	—	0	2	8	14	—	0	2	6	7
California	9	85	175	4,655	4,501	—	16	38	820	855	3	42	83	2,189	1,937
Hawaii	—	5	18	257	289	—	0	3	19	25	—	0	3	33	39
Oregon	3	9	25	460	428	—	4	10	221	182	—	2	13	125	98
Washington	9	12	754	688	—	22	1	259	250	—	1	1	191	225	—
Territories															
American Samoa	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	3	—	21	—	0	0	—	—	—	0	1	—	14
Puerto Rico	—	0	14	131	613	—	0	0	—	—	—	0	2	5	23
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median.

Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.[§] Includes *E. coli* O157:H7, Shiga toxin-positive, serogroup non-O157, and Shiga toxin-positive, not serogrouped.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	Spotted Fever Rickettsiosis [§]										Syphilis, primary and secondary				
	Confirmed					Probable					Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016		Med	Max		
United States	—	3	13	198	141	9	80	281	5,232	3,891	119	549	635	24,689	26,302
New England	—	0	0	—	—	—	1	4	43	22	2	15	28	690	743
Connecticut	—	0	0	—	—	—	0	0	—	6	—	1	7	83	107
Maine	—	0	0	—	—	—	0	1	4	3	—	0	4	31	40
Massachusetts	—	0	0	—	—	—	0	3	24	8	—	9	20	470	465
New Hampshire	—	0	0	—	—	—	0	1	2	2	—	1	4	41	38
Rhode Island	—	0	0	—	—	—	0	2	11	1	2	0	18	56	70
Vermont	—	0	0	—	—	—	0	1	2	2	—	0	1	9	23
Mid. Atlantic	—	0	3	21	3	1	3	15	187	105	29	66	89	3,124	3,460
New Jersey	—	0	1	3	2	—	2	13	114	61	—	6	17	330	452
New York (Upstate)	—	0	2	13	—	—	0	11	28	14	24	10	31	494	469
New York City	—	0	1	1	1	1	0	2	13	9	5	32	50	1,557	1,827
Pennsylvania	—	0	1	4	—	—	0	3	32	21	—	16	36	743	712
E.N. Central	—	0	2	8	5	1	3	18	240	157	3	48	68	2,094	2,689
Illinois	—	0	2	4	1	—	1	8	102	66	—	14	25	627	1,220
Indiana	—	0	1	1	—	—	1	8	85	40	2	6	12	292	313
Michigan	—	0	1	2	2	—	0	2	7	10	—	6	17	292	344
Ohio	—	0	1	1	2	1	0	3	30	22	1	16	22	722	683
Wisconsin	—	0	0	—	—	—	0	3	16	19	—	3	18	161	129
W.N. Central	—	0	3	23	8	—	10	56	847	525	2	21	31	949	977
Iowa	—	0	0	—	—	—	0	3	14	11	—	2	5	85	82
Kansas	—	0	1	2	2	—	2	16	201	127	1	2	7	114	120
Minnesota	—	0	0	—	—	—	0	0	—	6	1	5	11	258	280
Missouri	—	0	2	15	5	—	6	43	591	344	—	8	15	401	375
Nebraska	—	0	1	2	—	—	0	3	22	31	—	1	3	32	64
North Dakota	—	0	1	2	—	—	0	2	10	1	—	1	3	35	32
South Dakota	—	0	1	2	1	—	0	2	9	5	—	0	4	24	24
S. Atlantic	—	1	6	93	86	2	12	58	959	857	18	122	154	5,637	6,031
Delaware	—	0	1	2	1	1	0	7	39	15	—	0	7	28	53
District of Columbia	—	0	0	—	—	—	0	1	2	4	—	3	13	161	148
Florida	—	0	2	4	3	—	0	4	32	9	7	46	63	2,089	2,258
Georgia	—	1	5	64	71	—	0	0	—	—	5	27	41	1,232	1,283
Maryland	—	0	1	7	—	—	1	6	54	1	1	8	19	414	482
North Carolina	—	0	1	6	6	—	6	31	488	471	—	20	33	911	1,024
South Carolina	—	0	2	6	4	—	1	7	78	50	—	7	16	342	302
Virginia	—	0	1	3	1	1	4	25	254	293	5	8	24	417	432
West Virginia	—	0	1	1	—	—	0	2	12	14	—	1	5	43	49
E.S. Central	—	0	3	15	11	—	23	95	1,689	1,293	17	23	36	1,123	1,227
Alabama	—	0	1	7	1	—	8	37	590	444	—	6	14	261	355
Kentucky	—	0	1	1	5	—	3	14	237	154	13	4	14	210	190
Mississippi	—	0	0	—	1	—	2	11	158	110	—	5	12	233	306
Tennessee	—	0	2	7	4	—	7	57	704	585	4	8	15	419	376
W.S. Central	—	0	6	11	8	5	19	142	1,226	877	32	63	79	3,002	2,956
Arkansas	—	0	1	6	5	5	16	60	1,045	786	1	3	12	199	138
Louisiana	—	0	0	—	—	—	0	3	12	17	—	13	21	589	716
Oklahoma	—	0	6	5	1	—	1	114	118	3	—	3	8	142	247
Texas	—	0	0	—	2	—	1	12	51	71	31	42	57	2,072	1,855
Mountain	—	0	4	24	19	—	0	3	25	36	4	39	61	1,809	1,671
Arizona	—	0	3	20	15	—	0	2	8	11	—	16	30	730	677
Colorado	—	0	0	—	—	—	0	1	2	4	2	5	12	253	242
Idaho	—	0	1	1	3	—	0	1	1	4	—	1	5	60	47
Montana	—	0	1	2	1	—	0	2	9	8	—	0	5	43	14
Nevada	—	0	0	—	—	—	0	1	1	4	1	10	21	485	420
New Mexico	—	0	0	—	—	—	0	1	3	—	—	3	9	170	177
Utah	—	0	0	—	—	—	0	0	—	4	—	1	4	62	89
Wyoming	—	0	1	1	—	—	0	1	1	1	1	0	1	6	5
Pacific	—	0	1	3	1	—	0	2	16	19	12	135	171	6,261	6,548
Alaska	N	0	0	N	N	N	0	0	N	N	—	0	1	5	8
California	—	0	1	2	1	—	0	1	9	13	3	120	158	5,544	5,579
Hawaii	N	0	0	N	N	N	0	0	N	N	—	1	6	75	102
Oregon	—	0	1	1	—	—	0	1	7	6	4	6	14	317	314
Washington	—	0	0	—	—	—	0	0	—	—	5	7	15	320	545
Territories															
American Samoa	N	0	0	N	N	N	0	0	N	N	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	N	0	0	N	N	N	0	0	N	N	—	0	0	—	—
Puerto Rico	N	0	0	N	N	N	0	0	N	N	3	8	19	342	473
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationallyNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ Illnesses with similar clinical presentation that result from Spotted Fever Group Rickettsia infections are reported as Spotted Fever Rickettsioses. Rocky Mountain Spotted Fever (RMSF), caused by *Rickettsia rickettsii*, is the most common and well-known Spotted Fever.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)† (Export data)

Reporting area	Tetanus					Varicella (chickenpox)				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
		Med	Max				Med	Max		
United States	1	0	3	31	31	66	143	241	6,751	8,414
New England	—	0	1	2	1	5	16	25	745	784
Connecticut	—	0	1	1	—	1	2	6	103	106
Maine	—	0	1	1	1	1	3	9	165	217
Massachusetts	—	0	0	—	—	1	7	16	363	279
New Hampshire	—	0	0	—	—	—	0	1	—	84
Rhode Island	—	0	0	—	—	—	1	9	58	52
Vermont	—	0	0	—	—	2	1	5	56	46
Mid. Atlantic	—	0	1	3	5	13	19	38	930	1,050
New Jersey	—	0	0	—	—	—	6	23	327	424
New York (Upstate)	—	0	1	1	2	N	0	0	N	N
New York City	—	0	0	—	1	—	0	0	—	—
Pennsylvania	—	0	1	2	2	13	13	23	603	626
E.N. Central	1	0	1	4	5	12	34	52	1,601	1,933
Illinois	—	0	0	—	1	—	5	13	275	450
Indiana	—	0	1	1	1	—	4	11	209	194
Michigan	—	0	1	2	1	—	9	22	463	510
Ohio	1	0	0	1	2	8	8	23	398	415
Wisconsin	—	0	0	—	—	4	5	13	256	364
W.N. Central	—	0	1	3	1	—	14	37	667	778
Iowa	—	0	1	1	1	N	0	0	N	N
Kansas	—	0	1	1	—	—	0	9	—	222
Minnesota	—	0	0	—	—	—	8	23	380	314
Missouri	—	0	0	—	—	—	3	21	177	145
Nebraska	—	0	1	1	—	—	0	5	33	24
North Dakota	—	0	0	—	—	—	0	15	56	43
South Dakota	—	0	0	—	—	—	0	2	21	30
S. Atlantic	—	0	1	8	7	14	19	50	962	1,314
Delaware	—	0	0	—	—	1	0	3	22	12
District of Columbia	—	0	0	—	—	—	0	2	14	19
Florida	—	0	1	2	4	13	13	31	624	696
Georgia	—	0	0	—	—	—	4	18	193	158
Maryland	—	0	1	2	1	N	0	0	N	N
North Carolina	—	0	1	3	—	N	0	0	N	N
South Carolina	—	0	0	—	—	—	1	15	75	172
Virginia	—	0	1	1	1	—	0	14	34	257
West Virginia	—	0	0	—	1	—	0	0	—	—
E.S. Central	—	0	1	2	5	—	0	5	43	109
Alabama	—	0	1	1	1	—	0	5	35	102
Kentucky	—	0	0	—	2	N	0	0	N	N
Mississippi	—	0	0	—	1	—	0	2	8	7
Tennessee	—	0	1	1	1	N	0	0	N	N
W.S. Central	—	0	1	2	3	13	22	96	1,030	1,411
Arkansas	—	0	1	1	—	2	2	8	105	132
Louisiana	—	0	0	—	—	—	0	8	10	69
Oklahoma	—	0	0	—	1	N	0	0	N	N
Texas	—	0	1	1	2	11	19	91	915	1,210
Mountain	—	0	1	4	1	8	12	33	660	948
Arizona	—	0	0	—	1	7	3	15	177	270
Colorado	—	0	0	—	—	—	6	16	223	315
Idaho	—	0	1	1	—	N	0	0	N	N
Montana	—	0	1	1	—	1	1	5	36	70
Nevada	—	0	1	1	—	N	0	0	N	N
New Mexico	—	0	0	—	—	—	1	7	67	55
Utah	—	0	1	1	—	—	2	11	146	224
Wyoming	—	0	0	—	—	—	0	2	11	14
Pacific	—	0	1	3	3	1	2	7	113	87
Alaska	—	0	0	—	1	—	1	3	43	18
California	—	0	1	1	2	—	0	3	23	42
Hawaii	—	0	0	—	—	1	1	5	47	27
Oregon	—	0	1	2	—	N	0	0	N	N
Washington	—	0	0	—	—	N	0	0	N	N
Territories										
American Samoa	—	0	0	—	—	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	4	—	15
Puerto Rico	—	0	0	—	—	—	0	3	20	79
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationallyNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	Vibriosis (Any species of the family <i>Vibrionaceae</i> , other than toxigenic <i>Vibrio cholerae</i> O1 or O139) [§]									
	Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Med	Max				Med	Max			
United States	5	20	84	1,229	1,139	3	8	20	403	28
New England	4	2	12	138	101	—	0	2	9	2
Connecticut	—	0	5	37	17	—	0	2	8	—
Maine	—	0	2	7	7	—	0	0	—	—
Massachusetts	1	1	6	71	62	—	0	1	1	1
New Hampshire	—	0	1	8	5	—	0	0	—	1
Rhode Island	3	0	5	13	10	—	0	0	—	—
Vermont	—	0	1	2	—	—	0	0	—	—
Mid. Atlantic	1	2	12	125	117	—	0	6	34	7
New Jersey	—	0	5	32	28	—	0	2	14	1
New York (Upstate)	1	0	6	45	47	—	0	0	—	4
New York City	—	0	3	19	16	—	0	6	13	1
Pennsylvania	—	0	3	29	26	—	0	1	7	1
E.N. Central	—	1	7	72	73	1	1	4	54	2
Illinois	—	0	4	21	33	—	0	4	21	—
Indiana	—	0	2	5	11	—	0	0	—	—
Michigan	—	0	2	9	7	—	0	1	7	2
Ohio	—	0	3	22	13	1	0	3	15	—
Wisconsin	—	0	2	15	9	—	0	2	11	—
W.N. Central	—	0	2	21	39	—	0	3	30	11
Iowa	—	0	0	—	—	—	0	0	—	—
Kansas	—	0	1	4	5	—	0	1	2	—
Minnesota	—	0	0	—	21	—	0	0	—	10
Missouri	—	0	2	9	6	—	0	2	15	—
Nebraska	—	0	1	2	—	—	0	1	4	1
North Dakota	—	0	1	2	2	—	0	1	1	—
South Dakota	—	0	1	4	5	—	0	2	8	—
S. Atlantic	—	7	18	382	381	—	2	7	110	2
Delaware	—	0	1	9	12	—	0	1	1	—
District of Columbia	—	0	1	—	4	—	0	1	5	—
Florida	—	3	14	205	173	—	1	5	39	1
Georgia	—	0	3	27	30	—	0	0	—	—
Maryland	—	1	4	51	67	—	0	2	14	1
North Carolina	—	0	4	30	32	—	0	4	29	—
South Carolina	—	0	4	19	22	—	0	2	13	—
Virginia	—	0	5	41	40	—	0	2	9	—
West Virginia	—	0	1	—	1	—	0	0	—	—
E.S. Central	—	1	3	49	61	—	0	4	36	1
Alabama	—	0	2	20	31	—	0	1	3	—
Kentucky	—	0	1	3	6	—	0	2	11	—
Mississippi	—	0	2	16	8	—	0	0	—	—
Tennessee	—	0	2	10	16	—	0	4	22	1
W.S. Central	—	2	9	112	143	1	1	4	54	—
Arkansas	—	0	1	2	2	—	0	0	—	—
Louisiana	—	0	3	17	48	—	0	2	4	—
Oklahoma	—	0	2	3	2	1	0	1	4	—
Texas	—	2	8	90	91	—	1	4	46	—
Mountain	—	1	4	47	50	—	1	4	45	1
Arizona	—	0	2	11	18	—	0	2	13	—
Colorado	—	0	3	21	17	—	0	3	20	—
Idaho	—	0	0	—	—	—	0	0	—	—
Montana	—	0	1	7	2	—	0	1	1	—
Nevada	—	0	1	2	2	—	0	0	—	1
New Mexico	—	0	1	2	—	—	0	1	1	—
Utah	—	0	1	3	10	—	0	1	10	—
Wyoming	—	0	1	1	1	—	0	0	—	—
Pacific	—	4	63	283	174	1	0	5	31	2
Alaska	—	0	1	3	8	—	0	1	1	—
California	—	2	12	137	125	—	0	0	—	—
Hawaii	—	1	3	50	22	—	0	0	—	1
Oregon	—	0	3	17	19	1	0	2	15	1
Washington	—	0	62	76	—	—	0	5	15	—
Territories	—	—	—	—	—	—	—	—	—	—
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

† Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationallyNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

§ The national surveillance case definition was revised in 2017 to include infections confirmed by culture-independent diagnostic tests as probable cases.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases ($\geq 1,000$ cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending December 9, 2017, and December 10, 2016 (49th week)[†] (Export data)

Reporting area	West Nile virus disease [§]									
	Neuroinvasive				Nonneuroinvasive [¶]					
	Current week	Previous 52 weeks		Cum 2017	Cum 2016	Current week	Previous 52 weeks		Cum 2017	Cum 2016
	Med	Max				Med	Max			
United States	—	4	140	1,274	1,229	1	2	79	689	882
New England	—	0	3	10	15	—	0	1	4	7
Connecticut	—	0	1	2	1	—	0	1	1	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	2	5	10	—	0	1	—	7
New Hampshire	—	0	0	—	—	—	0	1	1	—
Rhode Island	—	0	1	1	2	—	0	1	1	—
Vermont	—	0	1	2	2	—	0	1	1	—
Mid. Atlantic	—	0	9	40	41	—	0	6	42	8
New Jersey	—	0	1	6	11	—	0	1	2	—
New York (Upstate)	—	0	0	—	12	—	0	6	33	4
New York City	—	0	5	20	6	—	0	1	1	—
Pennsylvania	—	0	3	14	12	—	0	3	6	4
E.N. Central	—	0	31	171	171	—	0	11	56	73
Illinois	—	0	12	66	94	—	0	6	20	60
Indiana	—	0	4	16	15	—	0	2	10	3
Michigan	—	0	8	31	41	—	0	2	8	1
Ohio	—	0	6	23	12	—	0	3	11	5
Wisconsin	—	0	7	35	9	—	0	2	7	4
W.N. Central	—	0	20	110	149	—	0	28	167	351
Iowa	—	0	3	10	14	—	0	1	2	23
Kansas	—	0	1	10	18	—	0	3	15	19
Minnesota	—	0	4	9	14	—	0	3	14	69
Missouri	—	0	4	15	9	—	0	0	—	2
Nebraska	—	0	4	19	35	—	0	7	48	60
North Dakota	—	0	6	20	24	—	0	13	42	61
South Dakota	—	0	6	27	35	—	0	7	46	117
S. Atlantic	—	0	9	77	28	—	0	3	16	12
Delaware	—	0	0	—	—	—	0	1	1	—
District of Columbia	—	0	1	1	1	—	0	1	2	—
Florida	—	0	1	4	6	—	0	0	—	2
Georgia	—	0	7	39	4	—	0	3	7	2
Maryland	—	0	1	3	6	—	0	1	2	—
North Carolina	—	0	2	3	2	—	0	0	—	—
South Carolina	—	0	4	14	6	—	0	1	3	2
Virginia	—	0	4	12	3	—	0	1	1	5
West Virginia	—	0	1	1	—	—	0	0	—	1
E.S. Central	—	0	12	102	45	—	0	10	55	30
Alabama	—	0	5	31	10	—	0	7	24	8
Kentucky	—	0	2	8	5	—	0	1	2	3
Mississippi	—	0	7	46	27	—	0	3	17	15
Tennessee	—	0	4	17	3	—	0	3	12	4
W.S. Central	—	1	16	155	289	1	0	10	73	154
Arkansas	—	0	3	11	7	—	0	2	3	2
Louisiana	—	0	7	36	35	—	0	2	11	23
Oklahoma	—	0	4	27	20	—	0	3	12	15
Texas	—	0	14	81	227	1	0	7	47	114
Mountain	—	1	29	225	156	—	0	20	142	132
Arizona	—	0	12	91	57	—	0	3	18	21
Colorado	—	0	6	29	59	—	0	7	39	90
Idaho	—	0	5	13	3	—	0	3	11	6
Montana	—	0	2	3	3	—	0	3	8	3
Nevada	—	0	5	24	13	—	0	6	29	3
New Mexico	—	0	4	23	6	—	0	4	10	—
Utah	—	0	8	38	7	—	0	6	24	6
Wyoming	—	0	2	4	8	—	0	1	3	3
Pacific	—	1	49	384	335	—	0	14	134	115
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	1	47	372	325	—	0	14	126	112
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	1	2	2	—	0	2	5	2
Washington	—	0	2	10	8	—	0	1	3	1
Territories	—	0	0	—	—	—	0	0	—	—
American Samoa	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median.

Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2017 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for tuberculosis are displayed in Table III, which appears quarterly.

[§] Updated weekly from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for Jamestown Canyon virus, La Crosse virus, Chikungunya virus, Eastern equine encephalitis virus, Powassan virus, St. Louis virus, and Western equine encephalitis virus diseases are available in Table I.

[¶] Not reportable in all states. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.